Hancock County Board of Supervisors

Regular Meeting Agenda

April 19, 2021 at 9:00 a.m.

Board Meeting Room

1. Call to Order

A. Pledge of Allegiance
B. Invocation

2. Roll Call

3. Amendments to the Agenda

A. Motion to accept the agenda.

4. Announcements

A. The next regular scheduled Board of Supervisor's meeting will be held at 9:00 a.m. on Monday, May 3, 2021 at 9:00 a.m.

B. Biweekly payroll for ending date April 10, 2021 with check date April 16, 2021 totaled $686,604.49.

C. The Board of Supervisors will hold a Public Hearing on Monday, May 3, 2021 at 1:30 p.m. regarding Safety Hazard Properties located at 16042 Daytona DR. W. Pearlington, MS and 16070 Old Joe Moran Rd. Kiln, MS per MS Code 19-5-105.

D. Bids for the right to operate a Beach Vending site on the beaches of Hancock County, Mississippi will be received by the Hancock County Board of Supervisors at the Board Office located at 854 Highway 90, Suite A, Bay St.

Louis, Ms. 39520, until 10:00 a.m., this morning, and then publicly opened and read aloud.

E. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on May 3, 2021, and shortly thereafter opened and read for Hancock County Beach Maintenance Bid.

F. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on Monday, May 3, 2021, and shortly thereafter opened and read for Repairs to Hancock County Arena.

G. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on May 3, 2021, and shortly thereafter opened and read for Replacement of Bridge No. 1 on Crane Creek Road.

H. Bid Openings

1. Motion to open and take under advisement sealed bids received for the right to operate a Beach Vending site on Hancock County beaches.

5. External Business Agenda

A. Port & Harbor Commission

1. Motion to accept the Hancock County Port & Harbor Commission's Resolution 20210412-01, approving the April 12, 2021 Docket of Claims.
2. Motion to accept Hancock County Port & Harbor Commission Resolution# 20210412-06, authorizing Chief Executive Officer to Execute a New Professional Service Agreement with RS&H to complete The Spaceport Application/Licensure Process with The Federal Aviation Administration for Stennis International Airport.
3. Motion to accept the Hancock County Port & Harbor Commission's Resolution# 20210412-09, authorizing The Award of Contract for Site 4 Conservation Management Area Wetlands Mitigation as part of Project PB1704-Site 4 Transload Facility's Environmental Compliance to Eco-Restore for $243,875.00.
4. Motion to accept Hancock County Port & Harbor Commission's Resolution# 20210412-10, authorizing Execution of Contract with Gulf Breeze Landscaping, LLC, for Landscaping Services at all Commission Facilities for an Amount Not to Exceed $35,389.09, Annually.
5. Motion to accept the Hancock County Port & Harbor Commission's Resolution # 0210412-02, spreading on the Minutes, Closeout of 2020 Cares Act Airport Grant Number 03-28-0005-035-2020, in the amount of $69,000.
6. Motion to accept the Hancock County Port & Harbor Commission's Resolution# 20210412-05, authorizing Execution of Amendment #1 To Task

Order #2 for Additional Environmental Permitting Services for AP1805 to Neel-Schaffer for an Amount Not to Exceed $11,500.

B. Coastal Mississippi - Nikki Moon

1. Motion to reappoint Nikki Moon for a three year term to the Coastal Mississippi Board of Commissioners. Her new term will begin on July 1, 2021 and will end on June 30, 2024.

C. Presentation - Adrianne Hutchison

1. Presentation from Adrianne Hutchison regarding the request for a street light at 7237 Sunflower Street in Bayside Park.

6. Departmental Agendas

A. Emergency Management Agency

1. Motion to approve the Workforce Education Memorandum of Agreement between Pearl River Community College and Hancock County Emergency Operations Center for Unmanned Aerial Systems (UAS) training and authorize EMA Director to sign.
2. Motion to approve the following dispatchers to attend the 40 Basic Telecommunications Class at Hancock County EMA for the week of April 26 – 30, 2021, at the cost of $395 each, which is reimbursable by the state: Jaylin Ladner, Neva Hosty, Desirea Necaise, Karmen Necaise, Laura Lynn Farve, Madison Monti and Sandra Wilson; as approved by the Hancock County E-911 Commission April 13, 2021.
3. Motion to accept the retirement of Anna Humphrey on May 30, 2021, with her last scheduled shift to work being May 11, 2021, as approved by the Hancock County E-911 Commission on April 13, 2021.

B. Animal Shelter

C. Justice Court

D. IT Department

E. Purchasing

1. Motion to approve the purchase of a Nissan NV200 van for Buildings & Grounds, and spread both quotes on the Minutes. Low quote is $19,600.00 from Sandy Sansing Nissan. (This van is a replacement and will be funded with insurance money and remaining gaming funds)
2. Motion to approve the purchase of Polyflex Type 3 crack sealer for Road & Bridge Department, and spread both quotes on the Minutes. Low quote is $17,760.00 from CRAFCO Inc.

F. Planning and Zoning

1. Motion to approve the Planning Commission Meeting Minutes held on April 1, 2021.
2. Discussion: Covid Guidelines for Rental Facilities concerning Occupancy.

G. Parks & Recreation

H. Inventory Clerk

I. Comptroller

1. Motion to approve the Docket of Claims for April 19, 2021 in the amount of $428,660.61.
2. Follow-up to floating dock discussion. I transferred from board capital $6,193 for the addition of the floating dock. This was in excess of the grant amount.
3. Motion to approve the attached Budget Amendments.

J. Board Secretary

1. Motion to approve Regular Meeting Minutes of Monday April 5th, 2021
2. Motion to approve Recessed Meeting Minutes of Wednesday April 14th, 2021

7. Elected/Appointed Agendas

A. Sheriff's Office

1. Motion to approve and authorize Board President to sign the Inspection and service agreement for the fire alarm system for the Sheriff's Office with ADT Commercial in the amount of $3,750.00 for 1 year term.
2. Motion to approve accepting the electronic bid from LDV Custom Specialty Vehicles for the purchase of (1) Mobile Command Center in the amount of $373,928.00.
3. Motion to spread on the Minutes, the following personnel changes: A. Remove the following from payroll: • Zachary Starks - effective April 06, 2021; • Starr Moon – effective April 06, 2021; and • Russell Shoultz - effective April 19, 2021. B. Add William Cotter to payroll, rate of pay $16.20 per hour, effective May 17, 2021.

B. Tax Assessor

1. Motion to approve the FreePort Warehouse Application for DAK Americas MS Inc.
2. Motion to approve Freeport Warehouse Application for Polychemie Inc.
3. Motion to approve and authorize Board President and Chancery Clerk to sign the forms for the Increase/Decrease in Assessments.

C. Circuit Clerk

D. County Court

E. Youth Court/Youth Drug Court

1. Discussion: Personnel for Hancock County Treatment Court.

F. Chancery Clerk

1. Motion to spread on the Minutes, the Chancery Clerk's March Land Redemption Settlement Check for $6,143.91 to the General Fund and the Settlement Report.

G. County Engineer

1. Motion to authorize advertising for Bridge No. 2 on Anner Necaise Road.
2. Motion to spread on Minutes, the Addendum No. 1 for Repairs to Hancock County Arena Project.
3. Motion to approve and authorize Board President to sign Task Order Request (221-076.005-1) for Repairs to South Gate Road Port Bienville.

H. Road Manager

1. Motion to remove Richard Carter from Road and Bridge Department payroll, effective March 26, 2021, due to being terminated.

I. Grant Administrator

J. County Administrator

1. Motion to Rescind Motion 8003 made at the April 5, 2021, Meeting, which granted approval for Paul Taylor to attend mandatory constable training in the amount of 600.00. It was later confirmed that Mr. Taylor had already completed all training requirements.
2. Motion to spread on the Minutes, Philip's Pest Control's Monthly Report for March 2021 and Weekly Reports for March 1 through March 31, 2021.
3. Motion to spread on the Minutes, the AT&T Notice of Video Service Agreement assignment to DirectTV.
4. Motion to spread on the Minutes, the attached letters to the Utility and Fire Districts concerning annual financial reporting responsibilities.
5. Discussion regarding new fence at the Animal Shelter.
6. Motion to spread on the Minutes and Discuss, the Mid-Barataria Diversion Project Notice of Environmental Impact Statement Release.
7. Discussion regarding Bond Issuance for Beach Road Improvements.

K. County Attorney

1. Motion to spread on the Minutes, the executed contract between the Hancock County Board of Supervisors and Hopkins Construction and Maintenance, LLC, and LPK Architects - Gulf Coast, P.A., for the Dedeaux Storm Shelter Repairs, which was awarded on March 1, 2021.
2. Motion to spread on the Minutes, the fully executed contract between Hancock County Board of Supervisors and Roofing Solutions, LLC for Hurricane Zeta Roof Repairs.
3. Motion to spread on the Minutes, the fully executed contract between Hancock County Board of Supervisors and Mandal's Inc., for Hurricane Zeta Roof Repairs.
4. Motion to approve and authorize signatures on the final closeout documents in regard to the Hurricane Katrina Stennis Hangar A and Terminal Projects.
5. Motion to Award the Hancock County High Priority Stormwater Drainage Projects pursuant to the Board of Supervisors' Engineering Rating Sheets.

8. Supervisors Items

A. District 1

1. Motion to approve and authorize Board President to sign the Resolution for District One's Reappointment of Farron Hoda to the Hancock County Water and Sewer District. The new term will expire June 30, 2026.
2. Motion to approve and authorize Board President to sign the Resolution for District One's Reappointment of G. W. Graham to the Hancock County Water and Sewer District. The new term will expire June 30, 2025.

B. District 2

1. Motion to approve and authorize Board President to sign the Resolution for District Two's appointment of Eddie Danzy to the Hancock County Water and Sewer District to fill the vacated term of Mr. Robert Fricke. Mr. Danzy's initial term will expire June 30, 2022.

C. District 3

D. District 4

1. Motion to approve and authorize Board President to sign the Resolution for District Four's Reappointment of Tommy Hayes to the Hancock County Water and Sewer District. The new term will expire June 30, 2024.
2. Discussion regarding authorizing county attorney to publicize for RFQs for Programmatic and Administrative Professional Services.

E. District 5

1. Motion to approve District Five Supervisor's nomination of Taylor Jordan for the Mississippi Deep Sea Fishing Rodeo 2021 Pageant.

9. Public Comments

10. Executive Session

11. Adjourn/Recess

1. Motion to adjourn the meeting at _____.

The Sea Coast Echo

POST OFFICE BOX 2009
BAY SAINT LOUIS, MS 39521-2009

PROOF OF PUBLICATION

STATE OF MISSISSIPPI
HANCOCK COUNTY

PERSONALLY appeared before me the undersigned authority in and for said County and State, MICHAEL SCHUVER, vice president of THE SEA COAST ECHO, a newspaper published in the City of Bay Saint Louis, said County, who being duly sworn, deposes and says the publication of this notice hereunto annexed has been made in the said publication 2 weeks to-wit:

On the 31st day of March 2021

On the 7th day of April 2021

On the _____ day of _____ 2021

On the _____ day of _____ 2021

Vice President

Sworn to and subscribed before me A NOTARY PUBLIC

This 9th day of April 2021

STATE OF MISSISSIPPI
NATHAN SCHUVER
NOTARY PUBLIC
ID No. 198965
Commission Expires
April 16, 2024
HARRISON COUNTY

Advertisement for Bids
Hancock County Beach Vending
Sealed bids for the right to operate a Beach Vending site on the beaches of Hancock County, Mississippi will be received by the Hancock County Board of Supervisors at the Board Office located at 854 Highway 90, Suite A, Bay St. Louis, Ms. 39520, until 10:00 AM, local time, on April 19, 2021, and then at said location publicly opened and read aloud. This advertisement is for all beach vending sites.
Bid documents, rules and regulations, and locations may be examined at the following location:
Hancock County Building & Zoning Department
854 Highway 90, Suite A
Bay St. Louis, Ms. 39520
Copies may be obtained at the office of the Hancock County Building & Zoning Department, upon the nonrefundable payment of $10.00 per set. The Owner reserves the right to waive any formalities or to reject any and all bids. All bids must be on file with the Secretary of the Board of Supervisors prior to opening time as stated above. All bids shall be sealed and clearly marked on the outside of the envelope as indicated, "Hancock County Beach Vending"and the site for which it is submitted. Envelopes not so marked are submitted at the risk of the prospective Vendor. The County is NOT responsible for bids received in the mail after the designated opening time, and those will not be considered. Each bidder must deposit his bid security in the amount, form and subject to the conditions provided in the bid documents. By submitting its bid, bidders waive the right to seek damages from the County for rejection or the County's choice to not accept that bid.
No bidder may withdraw his bid within sixty (60) days after actual date of opening thereof.
Published by order of the Hancock County Board of Supervisors, this the 15th day of March, 2021.
HANCOCK COUNTY BOARD OF SUPERVISORS
By: Scotty Adam, President
03/31/21, 04/07/21

Attachment: 20210419 - Proof of Publication for Beach Vending Site 2021 (8042 : Bid opening for Beach Vending site.)

General

Order ID: 1046
Export ID:
Status: approved
Price: 73.40
Order date: Mar 29, 2021 02:51 PM
Transcation ID:
Payment handler:
Category: 990 Notices; 997 Public Notices
Package: Legal Advertising
Package type: hybrid
IP Address: 23.123.10.55

Contact

Hancock County Board of Supervisors
854 Highway 90 Suite A
Bay St. Louis, MS 39520
228-467-0172
valerie.fitts@co.hancock.ms.us

Schedule

March 2021

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

April 2021

Su	Mo	Tu	We	Th	Fr	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

Ad text

Advertisement for Bids Hancock County Beach Vending Sealed bids for the right to operate a Beach Vending site on the beaches of Hancock County, Mississippi will be received by the Hancock County Board of Supervisors at the Board Office located at 854 Highway 90, Suite A, Bay St. Louis, Ms. 39520, until 10:00 AM, local time, on April 19, 2021, and then at said location publicly opened and read aloud. This advertisement is for all beach vending sites. Bid documents, rules and regulations, and locations may be examined at the following location: Hancock County Building & Zoning Department 854 Highway 90, Suite A Bay St. Louis, Ms. 39520 Copies may be obtained at the office of the Hancock County Building & Zoning Department, upon the nonrefundable payment of $10.00 per set. The Owner reserves the right to waive any formalities or to reject any and all bids. All bids must be on file with the Secretary of the Board of Supervisors prior to opening time as stated above. All bids shall be sealed and clearly marked on the outside of the envelope as indicated, "Hancock County Beach Vending"and the site for which it is submitted. Envelopes not so marked are submitted at the risk of the prospective Vendor. The County is NOT responsible for bids received in the mail after the designated opening time, and those will not be considered. Each bidder must deposit his bid security in the amount, form and subject to the conditions provided in the bid documents. By submitting its bid, bidders waive the right to seek damages from the County for rejection or the County's choice to not accept that bid. No bidder may withdraw his bid within sixty (60) days after actual date of opening thereof. Published by order of the Hancock County Board of Supervisors, this the 15th day of March, 2021. HANCOCK COUNTY BOARD OF SUPERVISORS By: Scotty Adam, President 03/31/21, 04/07/21

Fields

Ad text

Advertisement for Bids Hancock County Beach Vending Sealed bids for the right to

Attachment: 20210419 - Proof of Publication for Beach Vending Site 2021 (8042 : Bid opening for Beach Vending site.)

Hancock County Port & Harbor Commission

Port & Harbor Commission

Staff Report

Date:	April 12, 2021
To:	Port & Harbor Commission
From:	Tonya Ladner, Comptroller
Subject:	RESOLUTION# 20210412-01
	DOCKET APRIL 12, 2021

ATTACHED:
13-APR 12, 2021

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

HANCOCK
MISSISSIPPI
PORT • AIR • SPACE
HANCOCK COUNTY PORT & HARBOR COMMISSION

RESOLUTION# 20210412-01

Claims Docket

BE IT RESOLVED, that the April 12, 2021 claims dockets be and they are hereby approved for payment;

BE IT FURTHER RESOLVED, having received an affirmative vote from a majority of the members of the Commission, a copy of this resolution shall be forwarded to the Hancock County Board of Supervisors for their approval and/or appropriate action.

PASSED and APPROVED this 12th day of April 2021.

RESULT:	**CARRIED AS AMENDED [UNANIMOUS]**
MOVER:	Robert Martin, Commissioner
SECONDER:	Paula Jordan, Vice President
AYES:	Swanson, Ward, Casano, Holman, Jordan, Martin, Bennett, Necaise

Derek Necaise, President

ATTEST:

Michael Bennett,Secretary

ATTACHED:
13-APR 12, 2021

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

HANCOCK COUNTY PORT & HARBOR COMMISSION
G O DOCKET
APRIL 12, 2021 COMMISSION MEETING

	NAME	MEMO	AMOUNT
1	AFLAC	AFLAC INSURANCE	$ 1,119.58
2	AGJ SYSTEMS & NETWORKS INC.	HARDWARE-PRINTER	$ 587.00
3	AGJ SYSTEMS & NETWORKS INC.	IT SUPPORT/E-MAIL/ANTI-SPAM/MONITOR	$ 3,332.50
4	ALARMS PLUS	FIRE ALARM INSPECTION	$ 100.00
5	ALL SAFE TECHNOLOGIES	R&M-ELECTRONIC DOOR ACCESS SYSTEM	$ 307.68
6	ALL SAFE TECHNOLOGIES	DOOR ACCESS CONTROL ADMIN SUBSCRIPTION	$ 47.32
7	ATLAS INTEGRATED	LOCAL INSITE SOFTWARE/HOSTING FEES	$ 1,000.00
8	BLUE CROSS BLUE SHIELD OF MISSISSIPPI	MEDICAL INSURANCE	$ 20,201.71
9	BXS INSURANCE	PROFESSIONAL SERVICES	$ 50.00
10	COAST ELECTRIC POWER ASSOCIATION	MONTHLY UTILITIES	$ 573.13
11	COMMUNITY COFFEE COMPANY, LLC	COFFEE SERVICE	$ 139.55
12	DYNAMIC COMMUNITIES, LLC	ANNUAL MEMBER DUES	$ 450.00
13	ELITE SCREEN PRINTING, LLC	COMMISSIONERS SHIRTS	$ 119.89
14	FIRST NATIONAL BANK OMAHA	PROSPECT MEETING	$ 24.00
15	INFINISOURCE, DBA ISOLVED	MEDICAL HRA PLAN	$ 2,024.43
16	INTERNAL REVENUE SERVICE	PAYROLL TAXES	$ 11,412.22
17	KILN UTILITY & FIRE DISTRICT	MONTHLY UTILITIES	$ 98.32
18	McCLURE, OBIE	TRAVEL REIMBURSEMENT	$ 207.05
19	METLIFE INSURANCE	INSURANCE	$ 2,976.12
20	PERS OF MISSISSIPPI	PERS PAYMENT	$ 22,940.37
21	R J YOUNG COMPANY, LLC	COPIER RENTAL/USAGE	$ 386.52
22	RAILROAD CT-1 TAXES	PAYROLL TAXES	$ 7,657.49
23	RANKIN & ASSOC PAYROLL ACCOUNT	MONTHLY PAYROLL	$ 46,925.24
24	RUIA - RAILROAD UNEMPLOYMENT TAX	PAYROLL TAXES	$ 1,962.96
25	S & L OFFICE SUPPLIES	SUPPLIES-OFFICE	$ 87.22
26	SPEEDY PRINTING	FINANCIAL REPORTS	$ 391.89
27	TARTER PHOTOGRAPHIC SERVICES	MARKETING-PHOTOGRAPHY	$ 1,000.00
28	TERRAPIN CONSULTING, LLC	GP SUPPORT	$ 35.00
29	THE CLAY FIRM	GOVERNMENT RELATIONS & CONSULTING	$ 2,078.03
30	WALKER, MADELINE	TRAVEL REIMBURSEMENT	$ 405.67
31	WAL-MART	SUPPLIES-OUTDOOR UMBRELLAS & BASE	$ 122.19
32	WASTE MANAGEMENT, INC	DUMPSTER SERVICE	$ 126.20
		TOTAL GO DOCKET:	$ 128,889.28

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

HANCOCK COUNTY PORT & HARBOR COMMISSION
RAILROAD DOCKET
APRIL 12, 2021 COMMISSION MEETING

	NAME	MEMO	AMOUNT
1	BIRMINGHAM RAIL & LOCOMOTIVE CO	RAILROAD TRACK MAINTENANCE	$ 4,310.00
2	C SPIRE WIRELESS	MONTHLY UTILITIES	$ 430.28
3	CANON FINANCIAL SERVICES, INC.	COPIER RENTAL/USAGE	$ 241.59
4	CAR PARTS CENTER / CAR QUEST, INC	R&M VEHICLE-LIGHT CIRCUIT BOARD/LUG NUT	$ 25.70
5	COAST ELECTRIC POWER ASSOCIATION	MONTHLY UTILITIES	$ 304.23
6	FEDEX	POSTAGE	$ 23.50
7	HESS, ALLISON	TRAVEL MILAGE REIMBURSEMENT	$ 160.08
8	OLIVER, JASON	UNIFORMS-BOOTS	$ 125.00
9	RAILROAD TOOLS AND SOLUTIONS LLC	RAILROAD TRACK MAINTENANCE	$ 542.28
10	S & L OFFICE SUPPLIES	SUPPLIES-OFFICE	$ 238.68
11	SEAMLESS GUTTER SPECIALISTS, LLC	R&M-PATIO COVER REPAIR (HURRICANE ZETA)	$ 2,246.00
12	SIMMONS-BOARDMAN BOOKS, INC	PUBLICATIONS-CFR UPDATES	$ 55.80
13	SUN COAST BUSINESS SUPPLY, INC	SUPPLIES-OFFICE/CUSTODIAL	$ 336.15
14	WARING OIL COMPANY, LLC	SUPPLIES-OIL	$ 418.00
	WASTE MANAGEMENT, INC	DUMPSTER SERVICES	$ 78.00
		TOTAL RAILROAD DOCKET:	$ 9,535.29

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

HANCOCK COUNTY PORT & HARBOR COMMISSION
INDUSTRIAL PARK DOCKET
APRIL 12, 2021 COMMISSION MEETING

	NAME	MEMO	AMOUNT
1	AGJ SYSTEMS & NETWORKS INC.	COMPUTER LAPTOP	$ 1,700.74
2	COAST ELECTRIC POWER ASSOCIATION	MONTHLY UTILITIES	$ 962.93
3	EXPRESS SERVICES, INC.	EMPLOYMENT SERVICES - MAINTENANCE	$ 1,839.76
4	NVISION SOLUTIONS, INC	CHANNEL INSPECTION SURVEY	$ 1,200.00
5	SEA COAST ECHO	RFQ FOR ENGINEERING SERVICES	$ 256.50
6	SHERWIN-WILLIAMS CO.	R&M-TRAINING CENTER CONF RM/OFFICE PAINT	$ 679.97
		TOTAL OPERATING EXPENSE:	$ 6,639.90
		CAPITAL PROJECTS	
7	SEA COAST ECHO	PB1704, NEW DOCK SITE 4	$ 187.14
		TOTAL CAPITAL EXPENSE:	$ 187.14
		TOTAL PORT DOCKET:	$ 6,827.04

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

HANCOCK COUNTY PORT & HARBOR COMMISSION
STENNIS INTERNATIONAL AIRPORT DOCKET
APRIL 12, 2021 COMMISSION MEETING

	NAME	MEMO	AMOUNT
1	ALARMS PLUS	FIRE ALARM INSPECTIONS	$ 200.00
2	CAR PARTS CENTER / CAR QUEST, INC	R&M VEHICLE-ALTERNATOR/BATTERIES SWEEPER	$ 387.98
3	COAST ELECTRIC POWER ASSOCIATION	MONTHLY UTILITIES	$ 9,874.46
4	COASTAL HARDWARE & RENTAL CO, INC	R&M-MAINT BLDG/SUPPLIES-AIRFIELD & LOCO	$ 896.20
5	FUELMAN	SUPPLIES-FUEL	$ 260.66
6	GRAINGER	R&M BUILDING-DOOR STRIKER/CONVEX MIRROR	$ 484.15
7	KILN UTILITY & FIRE DISTRICT	MONTHLY UTILITIES	$ 1,234.19
8	KONE INC	SERVICES-CONTRACT - ELEVATOR MAINT	$ 2,685.09
9	MAYLEY'S PEST CONTROL LLC	PEST CONTROL	$ 466.00
10	MICHAEL BAKER INTERNATIONAL, INC	LEASE DEPOSIT	$ 550.00
11	MOSES ELECTRIC, INC	R&M BUILDING-INSTALL CIRCUITS/PHOTO CELL	$ 1,270.00
12	R J YOUNG COMPANY, LLC	COPIER RENTAL/USAGE	$ 113.00
13	S & L OFFICE SUPPLIES	SUPPLIES-OFFICE	$ 87.46
14	SEA COAST ECHO	RFQ HORIZONTAL ENGINEERING SERVICES	$ 36.00
15	TEAM ONE COMM., INC	R&M VEHICLE-VHF AIRCRAFT MOBILE RADIO	$ 1,282.95
16	WASTE MANAGEMENT, INC	DUMPSTER SERVICES	$ 432.90
		TOTAL OPERATING EXPENSE:	$ 20,261.04
		CAPITAL PROJECTS	
17	MICHAEL BAKER INTERNATIONAL, INC	AP1806, CORPORATE UAS HANGAR AP1901, UAS HANGAR APRON	$ 11,907.57
18	NEEL-SCHAFFER, INC.	AP1805, MULT-USER AIR STRIP	$ 1,203.74
		TOTAL CAPITAL EXPENSE:	$ 13,111.31
		TOTAL AIRPORT DOCKET:	$ 33,372.35

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

HANCOCK COUNTY PORT & HARBOR COMMISSION
F A A DOCKET
APRIL 12, 2021 COMMISSION MEETING

	NAME	MEMO	AMOUNT
1	KUTCHINS & GROH, LLC	FAA34-2020 AIRPORT LAYOUT PLAN	$ 29,681.02
		TOTAL FAA DOCKET:	$ 29,681.02

Attachment: Resolution 20210412-01 Docket April 12, 2021 (8024 : HCPHC April 12, 2021 Docket of Claims.)

Hancock County Port & Harbor Commission

Port & Harbor Commission

Staff Report

Date:	April 12, 2021
To:	Port & Harbor Commission
From:	Blaine LaFontaine,
Subject:	RESOLUTION# 20210412-06
	AUTHORIZING CHIEF EXECUTIVE OFFICER TO EXECUTE A NEW PROFESSIONAL SERVICE AGREEMENT WITH RS&H TO COMPLETE THE SPACEPORT APPLICATION/LICENSURE PROCESS WITH THE FEDERAL AVIATION ADMINISTRATION FOR STENNIS INTERNATIONAL AIRPORT

ATTACHED:
Stennis Spaceport Licensing 2021 Contract_243-0024-001

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

HANCOCK COUNTY PORT & HARBOR COMMISSION

RESOLUTION# 20210412-06

AUTHORIZING CHIEF EXECUTIVE OFFICER TO EXECUTE A NEW PROFESSIONAL SERVICE AGREEMENT WITH RS&H TO COMPLETE THE SPACEPORT APPLICATION/LICENSURE PROCESS WITH THE FEDERAL AVIATION ADMINISTRATION FOR STENNIS INTERNATIONAL AIRPORT

WHEREAS, by Resolution # 20171213-07, the Commission authorized execution of a Professional Services Agreement with RS&H for a Spaceport Feasibility Study for Stennis International Airport;

WHEREAS, RS&H determined that Stennis International Airport is a suitable location for horizontally launched vehicles;

WHEREAS, by Resolution # 20181212-10, the Commission authorized execution of Supplemental Agreement No. 1 to the Professional Services Agreement for license application preparation and environmental assessment for AP 1902 – Spaceport License And Construction for lump sum amount of $480,334;

WHEREAS, the license application process to become a Spaceport is still on-going but has been put on hold until completion of the FAA-funded Airport Layout Plan Update project currently underway;

WHEREAS, the period of performance of Supplemental Agreement No. 1 expires on April 18, 2021;

WHEREAS, Staff re-negotiated a contract to be executed on a task order basis by issuing separate Work Orders in mutually agreed-upon pricing and price structure;

WHEREAS, the tasks to be performed include (but not limited to): Environmental Assessment development, License Application and Support;

ATTACHED:
Stennis Spaceport Licensing 2021 Contract_243-0024-001

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

WHEREAS, the proposed agreement will end on March 10, 2024 unless sooner terminated by either party with fourteen (14) days written notice;

WHEREAS, it is in the best interest in the Commission to enter into the professional services agreement with RS&H;

NOW THEREFORE, BE IT RESOLVED, that the Hancock County Port & Harbor Commission hereby accepts and authorizes its Chief Executive Officer to execute the Professional Services Agreement with RS&H;

BE IT FURTHER RESOLVED, having received an affirmative vote from a majority of the members of the Commission, a copy of this resolution shall be forwarded to the Hancock County Board of Supervisors for their approval and/or appropriate action.

RESULT:	**CARRIED AS AMENDED [UNANIMOUS]**
MOVER:	Bob Swanson, Commissioner
SECONDER:	Paula Jordan, Vice President
AYES:	Swanson, Ward, Casano, Holman, Jordan, Martin, Bennett, Necaise

Derek Necaise, President

ATTEST:

Michael Bennett,Secretary

ATTACHED:
Stennis Spaceport Licensing 2021 Contract_243-0024-001

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

DocuSign Envelope ID: 268B1B5D-EE66-4594-847F-DD9B8C600A25

RS&H Project No. 243-0024-001
Short Title: Stennis Spaceport Licensing 2021

AGREEMENT FOR PROFESSIONAL SERVICES

THIS AGREEMENT FOR PROFESSIONAL SERVICES (this "Agreement") is made as of the 25th day of March, 2021 (the "Effective Date"), by and between Hancock County Port and Harbor Commission, with offices located at 14054 Fred and Al Key Road, Kiln, Mississippi 39556 (the "CLIENT"), and **RS&H, Inc**., a Florida corporation with offices located at 10748 Deerwood Park Blvd South, Suite 300, Jacksonville, Florida 32256 ("RS&H") (CLIENT and RS&H are collectively referred to as "the Parties").

IN CONSIDERATION of the mutual promises and covenants hereinafter set forth and for other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereto agree as follows:

1. RELATIONSHIP

For all work performed hereunder RS&H is an independent contractor to CLIENT, solely responsible for the means and methods used in performing services hereunder, and it shall not be deemed an employee, agent, partner or joint venturer of CLIENT for any purpose.

2. PROVISION OF SERVICES/METHOD OF AUTHORIZATION

2.1 RS&H shall provide those professional services (check appropriate description below):

_____ As described in Attachment "A," attached hereto and made a part hereof by reference (the "Services"); or

__X__ As described in separately authorized Work Orders (the "Services").

2.2 Any Work Order, when signed by the Parties, shall be incorporated into and form a part of this Agreement. Each such Work Order shall contain a Project Description, a detailed Scope of Services, Project Schedule, Deliverables, Compensation Terms and special provisions or conditions specific to the Services or project being authorized (the "Project"). In the event of a conflict between this Agreement and any Work Order issued hereunder, the terms of the Work Order shall govern the provision of the particular Services or Project involved.

2.3 Should CLIENT issue a purchase order or other instrument related to RS&H's Services, it is understood and agreed that such document is for CLIENT's internal accounting purposes only and shall in no way modify, add to, or delete any of the terms and conditions of this Agreement. If CLIENT does issue a purchase order or other similar instrument, it is understood and agreed that RS&H shall indicate the purchase order number on the invoices sent to CLIENT.

2.4 Since RS&H has no control over the cost of labor, materials, or equipment or over a contractor's methods of determining prices, or over competitive bidding or market conditions, when requested by CLIENT to estimate project construction costs, RS&H's opinions of probable costs provided as a service hereunder are to be made on the basis of its experience and qualifications and represent its judgment as a design professional familiar with the construction industry; however, RS&H cannot and does not guarantee that proposals, bids, or the construction costs will not vary from opinions of probable costs prepared by it. If CLIENT wishes greater assurance as to the construction costs, it shall employ an independent cost estimator at its own expense. Services to modify approved documents to bring the construction cost within any limitations established by CLIENT will be considered Additional Services and entitle RS&H to additional compensation which shall be negotiated and mutually agreed upon by the Parties and set forth in either a Work Order or Supplemental Agreement.

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

DocuSign Envelope ID: 268B1B5D-EE66-4594-847F-DD9B8C600A25

2.5 If the Services are to include services during construction, any construction inspection or testing provided by RS&H is for the purpose of determining the contractor's compliance with the functional provisions of Project specifications only. RS&H neither guarantees nor insures any contractor's work nor assumes responsibility for (i) the means, methods or materials used by any contractor, (ii) Project site safety, or (iii) any contractor's compliance with laws and regulations. CLIENT agrees that, in accordance with generally accepted construction practices, the construction contractor will be required to assume sole and complete responsibility for Project site conditions during the course of construction of the Project, including safety of all persons and property, and that this responsibility shall be continuous and not be limited to normal working hours.

3. ADDITIONAL SERVICES

RS&H shall furnish work beyond the scope of the Services (hereinafter "Additional Services") ONLY if authorized in writing by the CLIENT. Before such Additional Services shall be rendered, the scope of such Additional Services and the compensation therefor shall be mutually agreed upon by either written amendment to this Agreement in the form of a Supplemental Agreement or by an additional or amended Work Order. Additional Services furnished by RS&H without written authorization by the CLIENT shall be furnished at RS&H's sole risk and expense.

4. CLIENT'S RESPONSIBILITIES

4.1 CLIENT shall, with reasonable promptness, provide to RS&H available information regarding the requirements for the Services.

4.2 CLIENT shall make all provisions for RS&H to enter upon public and private property as required for RS&H to perform Services under this Agreement.

4.3 CLIENT shall give prompt written notice to RS&H whenever CLIENT observes or otherwise becomes aware of any development that affects the scope or timing of RS&H's Services.

5. PERIOD OF SERVICE

5.1 The term of this Agreement shall be from the Effective Date through March 10, 2024, unless sooner terminated as provided in Section 8 hereof, or extended through written agreement signed by the Parties to this Agreement.

5.2 The Services called for herein shall be completed by RS&H as set out in Attachment "A" or the applicable Work Order.

6. COMPENSATION AND METHOD OF PAYMENT

6.1 CLIENT shall compensate RS&H for the Services, any approved Additional Services, and Reimbursable Expenses (as defined below) on the basis set forth in Attachment "B" (entitled Compensation), attached hereto and made a part hereof by reference, or as set forth in the applicable Work Order, as the case may be.

6.2 CLIENT shall pay any sales or similar tax levied by any governmental authority on professional or other services or materials provided under this Agreement.

6.3 RS&H shall invoice CLIENT monthly for all Services rendered and Reimbursable Expenses incurred pursuant to this Agreement, and each invoice shall be due and payable within thirty (30) days by CLIENT. CLIENT shall notify RS&H in writing of any disputed amount contained on an invoice within fifteen (15) calendar days from the date of invoice; otherwise, all charges shall be deemed acceptable and correct.

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

DocuSign Envelope ID: 268B1B5D-EE66-4594-847F-DD9B8C600A25

6.4 Compensation due RS&H under this Agreement is due and payable to its corporate offices, whose address is RS&H, Inc., P.O. Box 4850, Jacksonville, Florida 32201-4850, Attn: Accounting Department, or at such other location as may be specified by RS&H in writing.

6.5 If CLIENT fails to make any payment due RS&H for Services and Reimbursable Expenses within thirty (30) days after the date of an invoice therefore, the amounts due RS&H shall accrue interest at the lesser of one and one-half percent (1.5%) per month or the maximum rate allowed by law from the thirtieth (30^{th}) day. In addition, RS&H may, after giving seven (7) days written notice to CLIENT, suspend Services under this Agreement until RS&H has been paid in full all amounts due for Services and Reimbursable Expenses, including all accrued but unpaid interest, without RS&H incurring liability due to such suspension.

6.6 Reimbursable Expenses are defined as actual expenditures made by RS&H, its employees, or its consultants in the interest of the Services or Project, including but not limited to:

Transportation and subsistence of Project personnel, consultants' fees, computer and computer aided drafting and design (CADD) charges, fees paid for securing approval of authorities having jurisdiction of the Project, toll telephone calls and facsimile charges, reproduction and printing charges of all types for Project-specific documents, mailing and shipping charges, equipment and laboratory use fees, photography, model materials, and all other materials and expendable supplies directly used with respect to the Project.

Reimbursable Expenses shall include a ten percent (10%) service charge which shall be added as an administrative charge to RS&H's actual costs for such expenses.

7. AUTHORIZED REPRESENTATIVE

7.1 RS&H's Authorized Representative for this Project is the Project Manager as designated on Attachment "A" or applicable Work Order. All matters and correspondence pertaining to the Project, including submittal of monthly invoices, will be through RS&H's Project Manager.

7.2 Upon execution of this Agreement, CLIENT will designate CLIENT's Authorized Representative for the Project and convey the name of CLIENT's Authorized Representative to RS&H in writing. CLIENT's Authorized Representative shall act on behalf of CLIENT on all matters pertaining to this Project. All matters and correspondence to CLIENT pertaining to the Project will be addressed through CLIENT's Authorized Representative.

7.3 CLIENT's Authorized Representative shall not be changed without prior written notice to RS&H.

8. TERMINATION/SUSPENSION

8.1 This Agreement may be terminated without cause by either party upon fourteen (14) days written notice. In the event of termination, RS&H shall be compensated, as provided herein, for Services performed through the effective date of such written notice of termination, together with Reimbursable Expenses due and for all expenses directly attributable to termination.

8.2 If the Project is suspended for more than thirty (30) consecutive days, RS&H shall be compensated, as provided herein, for Services performed through receipt of written notice of such suspension, together with Reimbursable Expenses then due. When the Project is resumed, RS&H's compensation shall be equitably adjusted to provide for expenses incurred in the interruption and resumption of RS&H's Services.

9. RS&H'S RETENTION AND ACCESS TO RECORDS

RS&H shall maintain for a period of at least seven (7) years following completion of the Services all the documents, deliverables, records (including cost records), design calculations, notes and emails related to the

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

DocuSign Envelope ID: 268B1B5D-EE66-4594-847F-DD9B8C600A25

Project or RS&H's performance hereunder. Upon CLIENT's written request, RS&H shall provide a copy of the requested records.

10. USE OF DOCUMENTS AND ELECTRONIC DELIVERABLES

10.1 All documents prepared by RS&H are instruments of service in which RS&H shall retain an ownership and property interest (including the right of reuse at the discretion of RS&H).

10.2 Any modification of the Deliverables hereunder or their reuse on another project by CLIENT without the approval of RS&H shall be at CLIENT'S sole risk and without liability to RS&H.

10.3. Files in electronic format that are furnished by one Party to the other are furnished only for convenience and not for reliance by the receiving party, unless otherwise agreed in writing.

11. INDEMNIFICATION

11.1 RS&H shall indemnify and hold CLIENT and its directors, officers and employees harmless from any and all damages, liabilities, suits, actions, claims, demands and judgments to the extent resulting from any negligent acts, errors or omissions or breach of contract of RS&H or its subconsultants relative to this Agreement.

12. INSURANCE

12.1 RS&H shall maintain, to the extent reasonably available, the following insurance coverage during the performance of its Services under this Agreement:

12.1.1	**Commercial General Liability** (including contractual and fire damage)	
	General Aggregate	$2M
	Products-Comp/OP Aggregate)	$2M
	Personal and Advertising Injury	$1M
	Each Occurrence	$1M
	Medical Expenses per person	$10,000
12.1.2	**Automobile Liability** (any auto, hired autos and non-owned autos) Bodily Injury and Property Damage	$1M CSL
12.1.3	**Umbrella/Excess Insurance**	$10M
12.1.4	**Workers' Compensation**	Statutory
	Employer's Liability (Including Longshore and Harbor Workers Act Coverage, if applicable)	$1M $1M $1M
12.1.5	**Professional Liability Insurance** (including errors and omissions and Expanded Pollution Coverage)	
	Per Claim	$5M
	Aggregate	$10M

12.2 RS&H shall provide the CLIENT with a Certificate of Insurance indicating that the above-described coverages are in effect, if requested.

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

DocuSign Envelope ID: 268B1B5D-EE66-4594-847F-DD9B8C600A25

13. CONTROLLING LAW/DISPUTE COSTS

13.1 This Agreement, the rights and obligations of the Parties hereto, and any claims or disputes relating thereto shall be governed by, interpreted, construed and enforced in accordance with the laws of the state in which the Project is located.

14. SUCCESSORS AND ASSIGNS

14.1 This Agreement shall be binding upon CLIENT and RS&H and their respective partners, successors, heirs, assigns and legal representatives.

14.2 Neither Party shall assign or transfer any rights under or interest in this Agreement without the prior written consent of the other Party. Unless specifically stated to the contrary in any written consent to an assignment, no assignment will release or discharge the assignor from any duty or responsibility under this Agreement.

15. PRIVILEGED INFORMATION

15.1 RS&H agrees to keep confidential and not to disclose to any person or entity, other than RS&H's employees, subconsultants and the general contractor and subcontractors, if appropriate, any data and information not previously known to and generated by RS&H or furnished to RS&H and marked "Confidential" by CLIENT. These provisions shall not apply to information in whatever form that comes into the public domain, nor shall it restrict RS&H from giving notices required by law or complying with an order to provide information or data when such order is issued by a court, administrative agency or other authority with proper jurisdiction, or if it is reasonably necessary for RS&H to defend itself from any suit or claim. CLIENT agrees that the technical methods, techniques and pricing information contained in any proposal submitted by RS&H pertaining to the Project or in this Agreement or any Work Order, are to be considered confidential and proprietary, and shall not be released or otherwise made available to any third party without the express written consent of RS&H.

15.2 RS&H agrees that it shall make no statements, press releases or publicity releases concerning this Agreement or its subject matter or otherwise disclose or permit to be disclosed any of the data or other information obtained or furnished in compliance with this Agreement, or any particulars thereof, during the period of this Agreement, without first notifying CLIENT and securing its consent in writing.

16. NONDISCRIMINATION

RS&H agrees to comply with all local, state, and Federal laws and ordinances regarding discrimination in employment against any individual on the basis of race, color, religion, sex, national origin, physical or mental impairment, or age.

17. CONTINGENCY FEES

RS&H warrants that it has not employed or retained any company or person other than a bona fide employee working solely for RS&H to solicit or secure this Agreement, and that it has not paid or agreed to pay any person, company, corporation, individual, or firm, other than a bona fide employee working solely for RS&H any fee, commission, percentage, gift or any other consideration contingent upon or resulting from the award or making of this Agreement.

18. FORCE MAJEURE

Should Services be delayed at any time during the period of this Agreement due to changes ordered in the Services by CLIENT, by labor disputes, fire, unusual delay in deliveries, abnormal adverse weather conditions not reasonably anticipatable, unavoidable casualties or any causes beyond RS&H's control, or by other causes which

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

DocuSign Envelope ID: 268B1B5D-EE66-4594-847F-DD9B8C600A25

the CLIENT determines may justify the delay, then an extension for performance of this Agreement may be granted to RS&H by CLIENT through written mutual agreement.

19. STANDARD OF PERFORMANCE

Services provided by RS&H under this Agreement shall be performed in a manner consistent with that degree of care and skill ordinarily exercised by members of the same profession currently practicing under similar circumstances in the same geographic location. RS&H will promptly correct without additional compensation those Services not meeting this standard.

20. NOTICES

Any and all notices required or authorized to be given pursuant to this Agreement shall be given in writing and either hand-delivered, sent by overnight courier service or sent by certified or registered mail, postage prepaid, and return receipt requested, as follows:

If to CLIENT:

Hancock County Port and Harbor Commission
14054 Fred and Al Key Road
Kiln, MS 39556
Attention: Chanse Watson

If to RS&H:

RS&H, INC.
11011 Richmond Ave, Suite 900
Houston, TX 77042
Attention: Jeff Mishler

with a copy to:

RS&H, INC.
10748 Deerwood Park Boulevard South
Jacksonville, Florida 32256
Attention: Legal Department

21. ENTIRE AGREEMENT

This Agreement, together with any separately authorized Work Order issued hereunder, constitutes the entire and integrated Agreement between CLIENT and RS&H and supersedes all prior negotiations, representations or agreements, either written or oral. This Agreement may only be amended, supplemented, modified or canceled by written instrument signed by an authorized representative of each party.

22. SEVERABILITY

If any provision of this Agreement or any application thereof to any person or circumstance shall, to any extent, be invalid, the remainder of this Agreement or the application of such provision to persons or circumstances other than those as to which it is held invalid shall not be affected thereby and each provision of this Agreement shall be valid and enforced to the fullest extent permitted by law.

23. COUNTERPARTS

This Agreement may be executed in two or more counterparts, each of which may be executed by one or more of the Parties hereto, but all of which, when delivered and taken together, shall constitute but one Agreement binding upon all of the Parties hereto.

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

IN WITNESS WHEREOF, the Parties hereto have caused this Agreement to be executed by their duly authorized representatives, under seal, as of the day and year first above written.

CLIENT

HANCOCK COUNTY PORT AND HARBOR COMMISSION

By:_____

Print Name: William Cotter, Jr., CM

Title: Chief Executive Officer (CEO)

ATTEST:

By:_____

Print Name:_____

Title:_____Secretary

RS&H

RS&H, INC.

DocuSigned by:
By:_____
E782E006CA40462...

Print Name: Jeff Mishler, PE

Title: Vice President - Aviation

ATTEST:

DocuSigned by:
By:_____
12C3A4E5E42C4D9...

Melanie Nichols
Assistant Corporate Secretary

Attachment: Resolution 20210412-06 Service Agreement With RS&H To Complete The Spaceport ApplicationLicensure Process (8025 :

Hancock County Port & Harbor Commission

Port & Harbor Commission

Staff Report

Date:	April 12, 2021
To:	Port & Harbor Commission
From:	James Buras, Director of Public Works
Subject:	RESOLUTION# 20210412-09
	AUTHORIZING THE AWARD OF CONTRACT FOR SITE 4 CONSERVATION MANAGEMENT AREA WETLANDS MITIGATION AS PART OF PROJECT PB1704-SITE 4 TRANSLOAD FACILITY'S ENVIRONMENTAL COMPLIANCE TO ECO-RESTORE FOR $243,875.00.

Sub-Recipient Grant Award Amount: $7,401,600.00

Project Costs	**2018-2020**	**2021**	**2022**	**Total**
Engr	$628,700	-	-	$628,700
Constr	-	$5,700,000	$1,900,000	$7,600,000
CNMR	-	335,250	$111,750	$447,000
Site Prep	$70,259	$250,000	-	$320,259
Total Budget	$404,453	$8,325,547		$8,995,959

Funding	**2018-2020**	**2021**	**2022**	**Total**
Restore	-	$5,700,000	$1,701,600	$7,401,600
Internal	$698,959	$585,250	$310,150	$1,594,359
Total Budget	$698,959	$6,285,250	$2,011,750	$8,995,959

ATTACHED:
Letter of Recommendation
ECO RESTORE

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

HANCOCK
MISSISSIPPI
PORT • AIR • SPACE
HANCOCK COUNTY PORT & HARBOR COMMISSION

RESOLUTION# 20210412-09

AUTHORIZING THE AWARD OF CONTRACT FOR SITE 4 CONSERVATION MANAGEMENT AREA WETLANDS MITIGATION AS PART OF PROJECT PB1704- SITE 4 TRANSLOAD FACILITY'S ENVIRONMENTAL COMPLIANCE TO ECO-RESTORE FOR $243,875.00.

WHEREAS, by Resolution 20200824-02 the Hancock County Port & Harbor Commission ("Commission") adopted its FYE 2021 Budget and 2019 WIP- 2022 Capital Improvement Plan;

WHEREAS, the FYE 2021 Budget and associated 2019 WIP – 2022 Capital Improvement Plan was amended by Resolution 20210322-02;

WHEREAS, the FYE 2021 Budget and associated 2019 WIP – 2022 Capital Improvement Plan includes Project **PB1704- Site 4 Transload** in the amount of $8,995,959.16;

WHEREAS, the Mississippi Department of Environmental Quality (MDEQ) is the recipient of grant funds from the U.S. Treasury Department funded through the RESTORE ACT;

WHEREAS, the U.S. Treasury issued its Federal Award for Grant No. 1 RDCGR470027-01-00 to MDEQ to fund the Port Bienville Site 4 Transload Facility (Project PB1704) on June 7, 2017;

WHEREAS, pursuant to Resolution 20170925-24, the Commission executed Sub-Award Agreement 18-00037 with MDEQ, whereby MDEQ will act as a pass-through entity disbursing up to $7,401,600 in grant money to the Commission for reimbursement of construction costs incurred on Project PB1704;

WHEREAS, during the environmental permitting phase of this project, a representative from the Department of Marine Resources noticed the presence of submerged aquatic vegetation (SAV) along the bank of the canal;

ATTACHED:
Letter of Recommendation
ECO RESTORE

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

WHEREAS, mitigation credits cannot be purchased for SAV's and the Commission opted to create a conservation management area and relocate the SAV's to the conservation management area along with making other improvements to the conservation area to satisfy the requirements of the environmental permit;

WHEREAS, Project PB1704 – Site 4 Transload budget set aside $250,000 for Site Prep including wetlands mitigation;

WHEREAS, the Commission published Requests for Proposals (RFP) for the Port Bienville Conservation Management Area creation related Project PB1704 on February 17, 2021 and February 24, 2021;

WHEREAS, on March 18, 2021 one (1) proposal was received and publicly opened and read aloud;

WHEREAS, a selection committee, made up of the Engineer of Record, Compton Engineering and HCPHC staff, was formed to evaluate the proposal and qualifications of the proposer and in their April 1, 2021 letter, recommends awarding the project to ECO-RESTORE, LLC. in the amount of $243,875.00 which is within the budgeted amount;

NOW THEREFORE BE IT RESOLVED that the Hancock County Port & Harbor Commission hereby accepts and adopts the findings of Compton Engineering, Inc. in its letter of recommendation dated April 1, 2021;

BE IT FURTHER RESOLVED that the Hancock County Port & Harbor Commission hereby accepts the proposal submitted by ECO-RESTORE, LLC. in the amount of $243,875.00 for creation of the Port Bienville Conservation Management Area to satisfy the environmental permit of Project PB1704 Site 4 Transload as set forth in the Compton Engineering letter of recommendation and bid tabulation sheet;

BE IT FURTHER RESOLVED that the Hancock County Port & Harbor Commission hereby authorizes its Chief Executive Officer or his delegee to execute any and all documents necessary with ECO-RESTORE, LLC. to award and begin the contract pursuant to the

ATTACHED:
Letter of Recommendation
ECO RESTORE

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

approved proposal for the Site 4 Port Bienville Conservation Management Area Wetlands Mitigation;

BE IT FURTHER RESOLVED, having received an affirmative vote from a majority of the members of the Commission, a copy of this resolution shall be forwarded to the Hancock County Board of Supervisors for their approval and/or appropriate action.

RESULT:	**CARRIED AS AMENDED [UNANIMOUS]**
MOVER:	Bob Swanson, Commissioner
SECONDER:	Paula Jordan, Vice President
AYES:	Swanson, Ward, Casano, Holman, Jordan, Martin, Bennett, Necaise

Derek Necaise, President

ATTEST:

Michael Bennett,Secretary

ATTACHED:
Letter of Recommendation
ECO RESTORE

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

COMPTON ENGINEERING, INC.
ENGINEERING, SURVEYING & ENVIRONMENTAL SERVICI

3036 Longfellow Drive
P.O. Box 2795
Bay St. Louis, MS 39521

Phone: 228.467.2770
Fax: 228.467.2720

comptonengineering.com

April 1, 2021

Hancock County Port and Harbor Commission
14054 Fred and Al Key Road
Kiln, MS 39556
Attn: Mr. Bill Cotter, CEO

Re: Site 4 Port Bienville Conservation Management Area Wetlands Mitigation
CE Project Number (218-032.011)

Dear Bill Cotter:

Attached please find a copy of the estimated costs associated with the proposals accepted on March 18, 2021 at 10:00 A.M. for the above-referenced project. Only one proposal (i.e., ECO-RESTORE, LLC) was submitted for the project. The tabulation, which totals $243,875.00, is based on the estimated level of effort needed to complete mitigation in accordance with the approved permit.

After completing our evaluation of the consultant's qualifications and experience, we recommend awarding the Contract for the creation of the tidal marsh as part of the Site 4 Mitigation to ECO-RESTORE, LLC. of Gulfport, MS. Although only one proposal was received, we feel confident this company has the qualifications and experience necessary to complete this project in accordance with the mitigation plan. A copy of the selection committee scoring results is included with this correspondence.

Should you have any questions or need additional information, please contact us.

Sincerely,

COMPTON ENGINEERING, INC.

Robert A. Escher

Bob Escher, P.E.

PASCAGOULA
BILOXI
BAY ST. LOUIS

S:\Bay St Louis\0-PROJECTS\2018\218-032 - HCPHC - Support Services Docks and Waterways\218-032.011 - Site 4 Permittee Responsible Mitigation\Docs\Bid Opening Docs\Letter of Recommendation.doc

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

RECOMMENDATION OF
PROCUREMENT SELECTION COMMITTEE

RE: HANCOCK COUNTY PORT AND HARBOR COMMISSION
SITE 4 MULTI-MODAL TRANSFER FACILITY
PORT BIENVILLE CONSERVATION MANAGEMENT AREA
WETLAND MITIGATION PROJECT

Pursuant to Federal Procurement Guidelines and the Selection Procedures accepted by the Hancock County Port and Harbor Commission for this project, on behalf of the Hancock County Port and Harbor Commission, Compton Engineering, Inc. requested proposals and qualifications from wetland consultants experienced in wetland mitigation and the creation of tidal marshes in accordance with the approved mitigation plan included in the Request for Proposals.

Proposals from interested firm(s) were received in at 10:00 a.m. on March 18, 2021, at the Office of the Director of Public Works for the Hancock County Port and Harbor Commission. The Consultant Selection Committee met in person and virtually on March 19, 2021 to review the proposals and qualifications from the following firms and/or individuals:

1. Eco-Restore, LLC, Gulfport, MS
2. _____
3. _____

Each Committee member assigned points to each proposal based on the prices provided and the qualifications and experience presented. The firm, which received the highest number of points is deemed by this committee to be most advantageous to the Hancock County Port and Harbor Commission. The firm(s) that were evaluated are listed in order of the points assigned.

Firm(s)	Total Points
Eco-Restore, LLC	5

Although only one firm submitted on the proposed work, which is considered to be a highly specialized field of practice, the Selection Committee is confident in their abilities and expertise in providing the requested services. As a result of our review of the submitted information, we recommend award of this contract to Eco-Restore, LLC of Gulfport, MS.

Robert A. Fischer
Member Consultant Selection Committee

Dawn Malley
Member Consultant Selection Committee

Member Consultant Selection Committee

Lisa D. Mounsi
Member Consultant Selection Committee

Member Consultant Selection Committee

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

PRM Selection Committee
Qualifications Ranking Criteria:

Qualifications	Raw Score Criteria			Raw Score	Rank[1]
Five years wetland restoration experience	Highly qualified (15-20 points)	Partially qualified (10-14 points)	Poorly qualified (0 – 9 points)	20	1
Wetland earthwork construction				20	1
SAV relocation experience				19	1
Wetland species planting				20	1
Licensed aquatic herbicide applicator				20	1
				Average Qualifications Rank	1

[1]Highest raw score is ranked 1. Next highest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. Contractor must demonstrate the capability and capacity to do the job, subject to verification by customer references.

Contingency Unit Price Ranking Criteria

Unit Price	Raw Score Criteria	Raw Score	Rank[2]
Each and every individual contingency unit price	Contractor's unit price	1	1
		Average Unit Price Rank	1

[2]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. If any unit prices are omitted, the bid is deemed unresponsive.

Base Price Ranking Criteria

Base Price	Raw Score Criteria	Raw Score	Rank[3]
Total base price	Contractor's base price	1	1

[3]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. If any unit prices or base bid totals are omitted, the bid is deemed unresponsive.

Overall Rank

Overall rank score = (Base Price Rank + Average Unit Price Rank + Average Qualifications Rank) ÷ 3

Lowest overall rank score is first ranked Contractor. Next lowest is second ranked, and so on.

Avg Score = 1

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

PRM Selection Committee
Qualifications Ranking Criteria:

Qualifications	Raw Score Criteria			Raw Score	Rank[1]
Five years wetland restoration experience	Highly qualified (15-20 points)	Partially qualified (10-14 points)	Poorly qualified (0 – 9 points)	20	1
Wetland earthwork construction				20	1
SAV relocation experience				16	1
Wetland species planting				20	1
Licensed aquatic herbicide applicator				20	1
			Average Qualifications Rank		1

[1]Highest raw score is ranked 1. Next highest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. Contractor must demonstrate the capability and capacity to do the job, subject to verification by customer references.

Contingency Unit Price Ranking Criteria

Unit Price	Raw Score Criteria	Raw Score	Rank[2]
Each and every individual contingency unit price	Contractor's unit price		1
	Average Unit Price Rank		1

[2]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. If any unit prices are omitted, the bid is deemed unresponsive.

Base Price Ranking Criteria

Base Price	Raw Score Criteria	Raw Score	Rank[3]
Total base price	Contractor's base price	1	1

[3]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. If any unit prices or base bid totals are omitted, the bid is deemed unresponsive.

Overall Rank

Overall rank score = (Base Price Rank + Average Unit Price Rank + Average Qualifications Rank) ÷ 3

Lowest overall rank score is first ranked Contractor. Next lowest is second ranked, and so on.

Overall Rank Score = $\frac{(1+1+1)}{3} = 1$ Dawn Malloy

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

3-31-21

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

PRM Selection Committee
Qualifications Ranking Criteria:

Qualifications	Raw Score Criteria			Raw Score	Rank[1]
Five years wetland restoration experience	Highly qualified (15-20 points)	Partially qualified (10-14 points)	Poorly qualified (0 – 9 points)	20	1
Wetland earthwork construction				20	1
SAV relocation experience				19	1
Wetland species planting				20	1
Licensed aquatic herbicide applicator				20	1
				Average Qualifications Rank	1

[1]Highest raw score is ranked 1. Next highest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. Contractor must demonstrate the capability and capacity to do the job, subject to verification by customer references.

Contingency Unit Price Ranking Criteria

Unit Price	Raw Score Criteria	Raw Score	Rank[2]
Each and every individual contingency unit price	Contractor's unit price	1	1
		Average Unit Price Rank	1

[2]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. If any unit prices are omitted, the bid is deemed unresponsive.

Base Price Ranking Criteria

Base Price	Raw Score Criteria	Raw Score	Rank[3]
Total base price	Contractor's base price	1	1

[3]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. If any unit prices or base bid totals are omitted, the bid is deemed unresponsive.

Overall Rank

Overall rank score = (Base Price Rank + Average Unit Price Rank + Average Qualifications Rank) ÷ 3

Lowest overall rank score is first ranked Contractor. Next lowest is second ranked, and so on.

OVERALL RANK SCORE = $\frac{(3)}{3} = 1$

Robert A. Fischer

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

PRM Selection Committee
Qualifications Ranking Criteria:

Qualifications	Raw Score Criteria			Raw Score	Rank[1]
Five years wetland restoration experience	Highly qualified (15-20 points)	Partially qualified (10-14 points)	Poorly qualified (0 – 9 points)	20	1
Wetland earthwork construction				20	1
SAV relocation experience				20	1
Wetland species planting				20	1
Licensed aquatic herbicide applicator				20	1
				Average Qualifications Rank	1

[1]Highest raw score is ranked 1. Next highest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. Contractor must demonstrate the capability and capacity to do the job, subject to verification by customer references.

Contingency Unit Price Ranking Criteria

Unit Price	Raw Score Criteria	Raw Score	Rank[2]
Each and every individual contingency unit price	Contractor's unit price		1
		Average Unit Price Rank	1

[2]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. If any unit prices are omitted, the bid is deemed unresponsive.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Base Price Ranking Criteria

Base Price	Raw Score Criteria	Raw Score	Rank[3]
Total base price	Contractor's base price	243,875.00	1

[3]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. If any unit prices or base bid totals are omitted, the bid is deemed unresponsive.

Overall Rank

Overall rank score = (Base Price Rank + Average Unit Price Rank + Average Qualifications Rank) ÷ 3

Lowest overall rank score is first ranked Contractor. Next lowest is second ranked, and so on.

$$\frac{1+1+1}{3} = 1$$

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

PRM Selection Committee
Qualifications Ranking Criteria:

Qualifications	Raw Score Criteria			Raw Score	Rank[1]
Five years wetland restoration experience	Highly qualified (15-20 points)	Partially qualified (10-14 points)	Poorly qualified (0 – 9 points)	20	1
Wetland earthwork construction				20	1
SAV relocation experience				20	1
Wetland species planting				20	1
Licensed aquatic herbicide applicator				20	1
				Average Qualifications Rank	1

[1]Highest raw score is ranked 1. Next highest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. Contractor must demonstrate the capability and capacity to do the job, subject to verification by customer references.

Contingency Unit Price Ranking Criteria

Unit Price	Raw Score Criteria	Raw Score	Rank[2]
Each and every individual contingency unit price	Contractor's unit price		1
		Average Unit Price Rank	

[2]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. Ranks among the individual qualifications criteria are averaged to assign a single qualifications rank score to each Contractor. If any unit prices are omitted, the bid is deemed unresponsive.

Base Price Ranking Criteria

Base Price	Raw Score Criteria	Raw Score	Rank[3]
Total base price	Contractor's base price	243,875.00	1

[3]Lowest raw score is ranked 1. Next lowest is ranked 2, and so on. If any unit prices or base bid totals are omitted, the bid is deemed unresponsive.

Overall Rank

Overall rank score = (Base Price Rank + Average Unit Price Rank + Average Qualifications Rank) ÷ 3

Lowest overall rank score is first ranked Contractor. Next lowest is second ranked, and so on.

$$\frac{1+1+1}{3} = 1$$

Lisa Morrison March 31, 2021

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

E|R

COMPANY INFORMATION



Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Company Information

ECO|RESTORE Restoration Contractors was organized to conduct ecosystem restoration for clients across the Gulf Coast. From 1998-2012, ECO|RESTORE personnel worked exclusively on mitigation bank projects spanning over 10,000 acres for Wetlands Solutions, LLC, one of the Gulf South's most accomplished providers of wetlands mitigation credits and a recognized leader in the industry. Seeing the need for mitigation and ecosystem restoration expertise beyond the traditional mitigation banking market, E|R was formed by the Wetlands Solutions partners as a stand-alone entity and has since provided full-spectrum restoration services to private, industrial, governmental and non-profit environmental advocacy clients.

About ECO|RESTORE

Legal Name
Eco-Restore, LLC

Business Address
14231 Seaway Road
Suite 7012
Gulfport, Mississippi 39503

Contact Person
Brandon Pike
p: 228.575.7740
c: 228.990.8870
brandon@ecorestore.org



Complex site prep, earthwork and land management in sensitive ecosystems, re-establishment of natural grades and elevations, micro-topographical installation of native plant and tree species and invasive species control have all been common components of nearly every project in which E|R has been engaged, from mitigation sites to restoration of Section 404 violations to management of land trust easement properties. ECO|RESTORE's staff has carried out successful ecosystem restoration within the complex State and Federal regulatory framework, uniquely qualifying our team to anticipate the expectations of regulators. ECO|RESTORE excels at implementing complex environmental designs at a high success rate with minimal oversight. In addition to executing various high-profile restoration projects, ECO|RESTORE actively manages one of the single largest wetlands mitigation project sites in the southeast.



ECO|RESTORE, accomplished in the implementation of large-scale ecosystem restoration and the management of projects across broad geographies and varied habitat types, is uniquely prepared to undertake the complex scope of work necessary to successfully implement the mitigation plan for Port Bienville's Permittee-Responsible mitigation area.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 1

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 1

PROPOSAL RESPONSE FORM
FOR
Port Bienville Conservation Management Area Wetland Mitigation Project

REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

The undersigned proposer agrees to provide all labor, equipment, and materials, as shown on the construction plans, permits and the specifications where applicable.

BASE PROPOSAL

All construction work which includes erosion and sediment control, earthwork, grading and disposal, vegetation procurement, planting and relocation, warranty maintenance period and cleanup.

TOTAL PROPOSAL PRICE (Base Proposal): $ 243,875.00

TOTAL PROPOSAL PRICE IN WORDS (Base Proposal) (Type or Clearly Print):

TWO HUNDRED FORTY-THREE THOUSAND EIGHT HUNDRED SEVENTY-FIVE DOLLARS

Schedule of Supplies and Services

Fill in all blanks. Any omissions render the proposal non-responsive. Sum of the total cost line items must equal the total proposal price. Costs not otherwise assignable to a provided line item to be added to Mobilization.

Item	Description	Estimated Quantities	Unit Price	Total Cost
1	Mobilization	1LS	$15,000.00	$15,000.00
2	Temporary Erosion and Sediment Controls, Staging La out Areas	1LS	$19,075.00	$19,075.00
3	Earthwork	1LS	$92,785.00	$92,785.00
4	Vegetation procurement and planting	1LS	$39,855.00	$39,855.00
5	Invasive species removal	1LS	$42,260.00	$42,260.00
6	Relocation of Submerged Aquatic Vegetation	1LS	$19,900.00	$19,900.00
7	Warranty Maintenance Period	1LS	$7,500.00	$7,500.00
8	Demobilization	1LS	$7,500.00	$7,500.00
			Subtotal	$243,875.00
9	Bond		$0	
			Total	$243.875.00

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 1

PROPOSAL RESPONSE FORM
FOR
Port Bienville Conservation Management Area Wetland Mitigation Project

REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

CONTINGENT WORK PROPOSAL

The proposer agrees to provide contingent quantities at the unit prices shown for the items listed below. The use of contingent unit price is described in Section 3 Instruction to Proposers, Paragraph 3.3 Price.

ITEM	UNIT PRICE
Excavation (spread on site uplands)	$ 30 /CY
Fill	$ 20 /CY
Rolled Erosion Control Blanket	$ 6.50 /SF
Seeding	$ 2.00 /SF
Mulch	$ 4.00 /SF

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 1

PROPOSAL RESPONSE FORM
FOR
Port Bienville Conservation Management Area Wetland Mitigation Project

REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

The undersigned proposer has carefully read this Request for Proposal (RFP) and its provisions, terms and conditions covering the equipment, materials, supplies or services as called for, and fully understands the requirements and conditions. Proposer certifies that this proposal is made without prior understanding, agreement, or connection with any corporation, firm, entity, or person submitting a proposal for the same goods/services (unless otherwise specifically noted), and is in all respects fair and without collusion or fraud. Proposer agrees to be bound by all the terms and conditions of this RFP and certifies that the person signing this proposal is authorized to bind the proposer. Proposer agrees that if proposer is awarded this RFP, proposer will provide the services as stipulated.

The undersigned proposer certifies that the "Attachment 2 - Construction Contractor Qualification Requirements" of information provided is true and correct to the best of their knowledge.

The undersigned proposer has also carefully read any Addenda issued for this RFP. (Addenda are available at the Compton Engineering, Inc. website, www.comptonengineering.com. Each proposer is responsible for reviewing the addenda and listing their numbers below).

Addenda Number: #1 DATED 3/15/21

Proposer Name (Company Name as Contained on Corporate Seal) ECO/RESTORE, LLC.

Mailing Address City State Zip Code 14231 SEAWAY RD, SUITE 7012,

Physical Address City State Zip Code GULFPORT, MS 39503

Telephone Number 228. 575. 7747 ; 228 990. 8870

Fax Number

Email Address bpike@wetlandssolutions.com

Authorized Signature Date Print/Type Name and Title BRANDON A PIKE, MEMBER, 3/16/2021

NOTE: If you are entering a "No Proposal," please state reason below and return this form.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

COMPTON ENGINEERING, INC.
ENGINEERING, SURVEYING & ENVIRONMENTAL SERVICE

3036 Longfellow Drive
P.O. Box 2795
Bay St. Louis, MS 39521

Phone: 228.467.2770
Fax: 228.467.2720

comptonengineering.com

PASCAGOULA
BILOXI
BAY ST. LOUIS

TRANSMITTAL

Date: March 15, 2021

Total No. of Pages: 24
(including this cover)

To: All Planholders

From: Bob Escher, P.E.

Re: RFP-Construction of Port Bienville Conservation Management Area Wetland Mitigation Project

---

Attached herewith is Addendum No. 1 for the above referenced project.

PLEASE ACKNOWLEDGE YOUR RECEIPT OF THIS ADDENDUM BY COMPLETING THE ACKNOWLEDGEMENT BELOW AND FAXING THIS PAGE ONLY TO (228) 467-2720 OR EMAILING TO COMPTON@COMPTONENGINEERING.COM. Acknowledgement of this addendum on page 1 of the Bid form is also required.

If you have any questions regarding this addendum, please call me at (228) 467-2770.

ACKNOWLEDGEMENT FORM

ADDENDUM NO. 1

FOR

RFP-CONSTRUCTION OF PORT BIENVILLE CONSERVATION MANAGEMENT AREA WETLAND MITIGATION

TO: Compton Engineering, Inc.
3036 Longfellow Drive
Bay St. Louis, MS 39520

Telephone: (228) 467-2770
Facsimile: (228) 467-2720
Email: compton@comptonengineering.com

We hereby acknowledge receipt of Addendum No. 1 for the above referenced project. We will ensure that Addendum No. 1 is acknowledged in the bid submitted by our company.

Print name of company: ECO/RESTORE, LLC

Print name of person acknowledging receipt of addendum: BRANDON A PACE

Signature of person acknowledging receipt of addendum: [signature]

Date of acknowledgement: 3/16/2021

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 2

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

CONSULTANT QUALIFICATION REQUIREMENTS
PAST PERFORMANCE REFERNCE FORM
REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

Consultant Name: ECO|RESTORE, LLC
Reference Business/Owner Name: Barry A. Vittor & Associates
Reference Contact Person: Dr. Barry A Vittor
Reference Address: 8060 Cottage Hill Rd., Mobile, AL
Reference Email Address: bvittor@bvaenviro.com
Reference Phone No.: (251) 633-6100
Project Name: Highway 603 Violation Site
Project Location: Hancock Co, MS
Contractor Project Manager: Darrin Harris
Site Superintendent: Darrin Harris
Contract Amount: $994,496.00
Date Project Commenced: June 2014
Date of Substantial Completion: February 2015
Date of Final Completion: July 2016
Description of Work Performed: Excavation and filling of wetlands took place without a permit from the U.S. Army Corps of Engineers at this 1,710-acre site located near the intersection of Highway 603 and Interstate 10 in Hancock County, Mississippi. Unauthorized trenching, draining and filling large portions of the property to lower the water table destroyed wetlands, impacted regulated natural ecosystems and impaired water quality constituting a clear Clean Water Act violation, requiring substantial restoration efforts to return the site to its natural condition. E|R coordinated simultaneously with federal prosecutors, client's defense counsel and environmental consultants to develop, refine and execute restoration plans approved by all parties. Restoration Activities included removal and disposal of approximately 77,000 linear feet of previously-installed silt fence, back-filling of 89,582 linear feet of ditch network, complex grading and discing in sensitive wetland habitat to restore natural hydrology, handling and relocation of more than 150,000 cubic yards of dirt between spoils and fill areas, planting of 7,000 trees to restore native habitat and ongoing herbicide treatment to control exotic and nuisance species.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Consultant Name: ECO|RESTORE, LLC
Reference Business/Owner Name: Mississippi Department of Marine Resources
Reference Contact Person: Mike Pursley
Reference Address: 1141 Bayview Avenue, Biloxi, MS
Reference Email Address: mike.pursley@dmr.ms.gov
Reference Phone No.: (228) 523-4113
Project Name: Invasive Species Management, Mississippi Coastal Preserves (three contracts)
Project Location: Hancock, Harrison and Jackson Counties, MS
Contractor Project Manager: Darrin Harris
Site Superintendent: Stan Arbaczauskas
Contract Amount: $749,920.00; $50,505.00; $79,800.00
Date Project Commenced: January 2017
Date of Substantial Completion: March 2020
Date of Final Completion: ongoing at NERR under most current contract
Description of Work Performed: Invasive Vegetation Control for State of Mississippi. E|R developed invasive species treatment plans and prescriptions for each of eight State of Mississippi Department of Marine Resources Coastal Preserves properties and then performed two successive rounds of aggressive treatments on each parcel over the course of a two-year contract. We carefully tracked and mapped treatment locations and submitted monthly reports detailing progress. E|R was subsequently awarded an additional contract for treatment of some smaller Coastal Preserves parcels, which treatment was completed in 2019-2020. A third contract for treatment at the National Estuarine Research Reserve was awarded to E|R in September 2020 and will be completed in late 2021.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Consultant Name: ECO|RESTORE, LLC
Reference Business/Owner Name: Land Trust for the Mississippi Coastal Plain
Reference Contact Person: Judy Steckler
Reference Address: 955 Howard Avenue, Suite A, Biloxi, MS
Reference Email Address: judysteckler@aol.com
Reference Phone No.: (228) 424-5347-
Project Name: Invasive Species Management, berm removal and forestry mulching for In-Lieu-Fee mitigation site compliance with Corps of Engineers Performance Standards (100 acres); erosion control of sediment into wetlands and construction of sediment control ponds (~270 acre gopher frog site)
Project Location: Harrison County, MS
Contractor Project Manager: Darrin Harris
Site Superintendent: Stan Arbaczauskas
Contract Amount: $8,000-$10,000
Date Project Commenced: March 2017
Date of Substantial Completion: March 2018
Date of Final Completion: March 2018
Description of Work Performed: Invasive Vegetation Control, removed berms that were impounding natural sheet flow and performed forestry mulching for restoration at the LTMCP In-Lieu-Fee mitigation site in Gulfport's Turkey Creek area; performed invasive species management and performed various erosion control measures at LTMCP's gopher frog site in Harrison County.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

CONSULTANT QUALIFICATION REQUIREMENTS
WETLAND HABITAT RESTORATION PAST PERFORMANCE FORM
REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

Consultant Name: ECO|RESTORE, LLC
Reference Business/Owner Name: International Paper/ Environmental Resources Management
Reference Contact Person: Bill Roberson
Reference Address: 775 North University Boulevard, Suite 280, Mobile, AL
Reference Email Address: bill.roberson@erm.com
Reference Phone No.: (251) 706-8600
Project Name: Int'l Paper Rhodes Lake Mitigation Area management
Project Location: Moss Point, MS
Contractor Project Manager: Stan Arbaczauskas
Site Superintendent: Stan Arbaczauskas
Contract Amount: $293,043 since 7/1/2016
Date Project Commenced: July 2016
Date of Substantial Completion: Most recent contract concluded in January 2021
Date of Final Completion: ongoing series of annual contracts to manage IP's mitigation area.
Description of Work Performed: Site assessment and monitoring, invasive species treatment and supplemental planting, all subject to Corps of Engineers approval for compliance.


Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

CONSULTANT QUALIFICATION REQUIREMENTS
WETLAND CONSTRUCTION PAST PERFORMANCE FORM
REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

Consultant Name: ECO|RESTORE, LLC
Reference Business/Owner Name: U.S. Army Corps of Engineers
Reference Contact Person: Mike Moxey
Reference Address: 109 St Joseph St, Mobile, AL
Reference Email Address: michael.b.moxey@usace.army.mil
Reference Phone No.: (251) 694-3771
Project Name: Devil's Swamp Mitigation Bank, Dead Tiger Mitigation Bank, George County Mitigation Bank, Lillian Swamp Mitigation Bank
Project Location: Hancock Co, MS, George Co, MS and Baldwin Co, AL
Contractor Project Manager: Darrin Harris
Site Superintendent: Stan Arbaczauskas
Contract Amount: N/A
Date Project Commenced: January 2000
Date of Substantial Completion: Most recent credit releases in 2020 and early 2021
Date of Final Completion: ongoing
Description of Work Performed: Mitigation Site Restoration at George County (1,337 acres), Devil's Swamp (7,007 acres), Dead Tiger (1,387 acres) and Lillian Swamp (1,158 acres) Mitigation Banks. These sites are individual mitigation banks located across the coastal counties of Mississippi and Alabama, all managed simultaneously by E|R staff and regularly monitored by a Review Team consisting of the US Army Corps of Engineers, EPA, US Fish and Wildlife, Mississippi Department of Environmental Quality and the Mississippi Department of Marine Resources. Stringent success criteria and extensive reporting obligations are in place and enforced, requiring E|R to continually and systematically evaluate more than 50 individual management polygons across several distinct mitigation sites. Mitigation activities have included extensive earthwork and grading in wetland areas, invasive species management and planting operations.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ORGANIZATIONAL CHART



Brandon Pike serves as the COO of ECO|RESTORE and oversees all company operations, working closely with Darrin Harris, E|R's Chief of Restoration Implementation. Harris has decades of experience in field operations having orchestrated the successful implementation of in-excess of 15,000 acres of ecosystem restoration with an emphasis on mitigation and environmental projects. Darrin's management approach is to operate collaboratively, hand-in-glove with E|R's staff ecologist, Stan Arbaczauskas, and any necessary equipment operators or specialized subcontractors, as well as Jessica Whittington, E|R's Controller, to ensure that projects maintain or exceed full compliance with all established environmental objectives and safety protocols and are delivered within budget. E|R maintains a stringent Quality Control Program to ensure that services are delivered with excellence, immediately identifying any problems and developing a strategy to correct and rectify deficiencies.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Core Project Team

ECO|RESTORE understands the importance of having the right people to address the specific needs of the client. Our team structure provides an integrated multidisciplinary group of technically skilled and licensed invasive species specialists, seasoned equipment operators with decades of experience working in sensitive and regulated wetland habitat as well as highly experienced planting crews who routinely work in marsh and wetland environments—all exceedingly competent to carry out the scope of work described in HCPHC'S RFP.

KEY PROJECT TEAM MEMBERS

BRANDON PIKE, President and Chief Operating Officer

In 1998, Brandon Pike co-founded Wetlands Solutions, LLC in order to meet a growing need for wetlands mitigation and environmental restoration in South Mississippi. Pike serves as the Managing Member of Wetlands Solutions and is a Founder and the Manager of ECO|RESTORE, overseeing all operations for the company including business development, market expansions, government relations, strategic planning as well as marketing and sales.

Pike's areas of expertise include natural resources conservation and management, federal mitigation policy, mitigation banking, environmental planning, environmental permitting, land management practices, real estate transactions, contract negotiation, land acquisition, project management and regulatory compliance.

DARRIN HARRIS, Chief of Restoration Implementation

Darrin Harris, an expert in restoration and environmental field operations, is responsible for all aspects of site work and restoration plan implementation. Twenty-six years of honing his craft in the field have resulted in an unparalleled measure of predictability in the inherently unpredictable arena of ecosystem restoration. Harris' impeccable credibility with the regulatory agencies is the result of his knowledge, experience and education in all aspects of environmental land management.

Harris has extensive experience in land management involving manipulation of soil hydrology;coordinating with federal, state and local agencies; design and implementation of post-construction monitoring plans; prescribed burns; vegetation identification; development of strategies for mitigation, restoration and management of pine savanna and bottomland hardwood habitat, specializing in large-scale management of invasive species.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

STAN ARBACZAUSKAS, Director of Ecology and Regulatory Compliance/Project Supervisor

Stan Arbaczauskas, proficient in all aspects of wetland ecology, is a Mississippi licensed herbicide applicator with both forestry and aquatic endorsements. A graduate of the University of South Alabama with a B.S. in biology/chemistry, Arbaczauskas has more than 20s years of experience in environmental projects, working both hands-on in the field as well as behind the scenes with critical elements of design and permitting, allowing him to understand and appreciate the relationship between a well-conceived restoration plan on paper and the realities associated with implementing those plans in a dynamic and often unpredictable natural setting.



Arbaczauskas is an expert in wetland science; mitigation area management; watershed management; regulatory compliance and monitoring techniques; federal, state and local permitting; performing wetland determinations and delineations; surveying for endangered species; preparing baseline surveys for conservation easements; permitting and monitoring restoration sites; natural resource management; providing chemical release for noxious species; performing Phase I environmental site assessments; utility mapping and management; and plant ecology.

In addition to our internal project team, ECO|RESTORE integrates a network of specialized subcontractors with extensive experience in marsh, wetland and coastal stream ecosystems. For the specific purpose of mass invasive vegetation control at the Coastal Preserve sites, E|R will engage, in addition to its own employees, the expert services of:

- **Wildlife Solutions, Inc/J.J. McCool**—J.J. is the Owner and President of Wildlife Solutions, Inc, an environmental construction and consulting firm with vast experience in invasive and exotic plant control, nuisance wildlife control, native plant ecology and wetlands restoration. **He is a certified wildlife biologist and accredited pesticide/herbicide applicator**. J.J holds a B.S. in Forestry and Wildlife Biology from the School of Forest Resources at Mississippi State University.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

- **Barry A. Vittor & Associates/ Tim Thibaut**—Tim Thibaut is Senior Program Manager at Barry A. Vittor & Associates in Mobile, AL. He holds a B.S. in Marine Biology and a Master's in Zoology from Auburn University. Since joining Vittor & Associates in 1993, Tim has analyzed and reported on various aspects of aquatic ecosystems. His primary responsibilities include management of multi-faceted projects such as tidal marsh assessments and large-scale seagrass mapping, production of environmental compliance documentation and mitigation planning and monitoring. Tim's recent projects include managing recurring submerged aquatic vegetation mapping on behalf of the NEP and State Lands Division of the Alabama Department of Conservation and Natural Resources.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

SAFETY PRACTICES AND PROTOCOLS

At all of its various project sites E|R mobilizes extensive boots-on-the-ground efforts, involving labor crews, hand-held equipment, ATV's, heavy earthmoving equipment, controlled chemicals and, as necessary, suitable aircraft and watercraft. **Safety is a core value of E|R.** The comprehensive safety program developed by E|R, dedicated to ensuring compliance with established safety protocols, has been reviewed and approved by independent management systems such as PICs and ISNetWorld. E|R's approach to environmental restoration not only dependably achieves ecological criteria, but does so with a foremost emphasis on safety at all levels.

If awarded the contract for construction of the Permittee-Responsible Mitigation Area at Port Bienville, E|R will develop a governing safety plan for overall implementation that addresses all pertinent issues to protect the safety of our crews and the integrity of the natural environment. Personnel will be trained on safety protocols and daily safety briefings will be conducted that are site and task specific so that safety and stewardship remain a primary concern of every worker. E|R's intensive safety program protects our employees, our clients, the public and our environment.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 3

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 3

CERTIFICATION REGARDING DRUG-FREE WORKPLACE REQUIRMENTS
REQUEST FOR PROPOSAL NUMBER RFP 218-032.011

Proposer certifies that it will or will continue to provide a drug-free workplace by:

1. Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the proposer's workplace and specifying the actions that will be taken against employees for violation of such prohibition.
2. Establishing an ongoing drug-free awareness program to inform employees about:
   - 2.1 The dangers of drug abuse in the workplace.
   - 2.2 The proposer's policy of maintaining a drug-free workplace.
   - 2.3 Any available drug counseling, rehabilitation, and employee assistance programs.
   - 2.4 The penalties that may be imposed upon employees for drug abuse violations occurring in the workplace.
3. Making it a requirement that each employee to be engaged in the performance of the work be given a copy of the statement required by paragraph 1.
4. Notifying the employee in the statement required by paragraph 1 that, as a condition of employment under the proposal, the employee will:
   - 4.1 Abide by the terms of the statement.
   - 4.2 Notify the employer in writing of his or her conviction for a violation of a criminal drug statute occurring in the workplace no later than five calendar days after such conviction.
5. Notifying the HCPHC in writing, within ten calendar days after receiving notice under subparagraph 4.2 from an employee or otherwise receiving actual notice of such conviction. Employers of convicted employees must provide notice, including position title, to every Federal agency on whose activity the convicted employee was working, unless the Federal agency has designated a central point for the receipt of such notices. Notice shall include the identification number(s) of each affected grant.
6. Taking one of the following actions, within 30 calendar days of receiving notice under subparagraph 4.2, with respect to any employee who is so convicted:
   - 6.1 Taking appropriate personnel action against such an employee, up to and including termination, consistent with the requirements of the Rehabilitation Act of 1973, as amended.
   - 6.2 Requiring such employee to participate satisfactorily in a drug abuse assistance or rehabilitation program approved for such purposes by a Federal, State, or local health, law enforcement, or other appropriate agency.
7. Making a good faith effort to continue to maintain a drug-free workplace through implementation of paragraphs 1 through 6 above.

Company: ECO/RESTORE, LLC

By: _____

Signature of Authorized Representative

Date 3/18/2021

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 4

PROPOSAL BOND/ BONDING

ECO|RESTORE's Principals have provided financial assurances and surety to Governmental agencies for multiple projects involving more than 12,000 acres of environmental restoration and is prepared to do so in an appropriate manner for this RFP within 10 days of mutual execution of a contract with a Notice to Proceed. Certified Funds in the amount of 5% of the bid amount are included herein in lieu of a Bid Bond.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Gulfport

March 17, 2021

85-368
655

PAY TO THE ORDER OF HANCOCK COUNTY PORT AND HARBOR COMMISSION $ $12,193.75

Twelve Thousand One Hundred Ninety Three Dollars and 75/100

ECO RESTORE LLC
REMITTER

NON NEGOTIABLE

ADDRESS

BY
AUTHORIZED SIGNATURE

CUSTOMER COPY

THE REVERSE SIDE OF THIS DOCUMENT INCLUDES MICROPRINTED ENDORSEMENT LINES AND ARTIFICIAL WATERMARK - HOLD AT AN ANGLE TO VIEW

Gulfport

Teller: 112
Branch: 01

CASHIER'S CHECK

728804805

March 17, 2021

85-368
655

PAY TO THE ORDER OF HANCOCK COUNTY PORT AND HARBOR COMMISSION $ $12,193.75

Twelve Thousand One Hundred Ninety Three Dollars and 75/100

ECO RESTORE LLC
REMITTER

ADDRESS

BY
AUTHORIZED SIGNATURE

HEAT SENSITIVE RED IMAGE DISAPPEARS WITH HEAT

⑈728804805⑈ ⑆065503681⑆ 20702072 88⑈

ATTACHMENT NO. 5

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 5
DEBARMENT STATEMENT
REQUEST FOR PROPOSAL NUMBER 218-032.011

Under Executive Order 12549 individuals or organizations debarred from participation in Federal Assistance Programs may not receive an assistance award under a federal program or sub agreement there under for $25,000 or more. Accordingly, each recipient of a Federally-Funded contract or subcontract exceeding $25,000 must complete the following certification (see 40 CFR 32.510). The Consultant shall attach the copy of this certification to their bid.

The prospective participant certifies to the best of their knowledge and belief that it and its principals:

(a) Have not either directly or indirectly entered into any agreement, participated in any collusion; or otherwise taken any action in restraint of free competitive bidding in connection with this contract; nor have any of its officials, partners, employees or principal owners;

(b) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;

(c) Have not within a three year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

(d) Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and

(e) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

I understand that a false statement on this certification may be grounds for rejection of this proposal or termination of the award. In addition, under 18 U.S.C. Subsection 1001, a false statement may result in a fine of up to $10,000 or imprisonment for up to 5 years, or both.

Constructin of Port Brownsville Conservation Mangmt Area Wetland Mitigatin Project

Title of Project

BRANDON A PIKE

Proposer or Key Subcontractor's Name

3/16/2021

Signature/Date

( ) I am unable to certify to the above statements. Attached is my explanation.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

ATTACHMENT NO. 5
DEBARMENT STATEMENT
REQUEST FOR PROPOSAL NUMBER 218-032.011

Under Executive Order 12549 individuals or organizations debarred from participation in Federal Assistance Programs may not receive an assistance award under a federal program or sub agreement there under for $25,000 or more. Accordingly, each recipient of a Federally-Funded contract or subcontract exceeding $25,000 must complete the following certification (see 40 CFR 32.510). The Consultant shall attach the copy of this certification to their bid.

The prospective participant certifies to the best of their knowledge and belief that it and its principals:

(a) Have not either directly or indirectly entered into any agreement, participated in any collusion; or otherwise taken any action in restraint of free competitive bidding in connection with this contract; nor have any of its officials, partners, employees or principal owners;

(b) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;

(c) Have not within a three year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

(d) Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (b) of this certification; and

(e) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

I understand that a false statement on this certification may be grounds for rejection of this proposal or termination of the award. In addition, under 18 U.S.C. Subsection 1001, a false statement may result in a fine of up to $10,000 or imprisonment for up to 5 years, or both.

Constructin of Port Brownsville Conservation Managent Area Wetland Mitigatin Project

Title of Project

BRANDON A PIKE

Proposer or Key Subcontractor's Name

3/16/2021

Signature/Date

( ) I am unable to certify to the above statements. Attached is my explanation.

Attachment: Resolution 20210412-09 Award Of Contract For Site 4 Conservation Management Area Wetlands Mitigation As Part Of Project

Hancock County Port & Harbor Commission

Port & Harbor Commission

Staff Report

Date:	April 12, 2021
To:	Port & Harbor Commission
From:	David Poole,
Subject:	RESOLUTION# 20210412-10
	RESOLUTION AUTHORIZING EXECUTION OF CONTRACT WITH GULF BREEZE LANDSCAPING, LLC FOR LANDSCAPING SERVICES AT ALL COMMISSION FACILITIES FOR AN AMOUNT NOT TO EXCEED $35,389.09 ANNUALLY

FY 2021 Budget	Budget	Contract
Consolidated Landscaping	$42,000	$35,389.09

<Enter Comments or Summary here>

ATTACHED:
Signed Contract by Chris Irwin Gulfbreeze

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

HANCOCK COUNTY PORT & HARBOR COMMISSION

RESOLUTION# 20210412-10

RESOLUTION AUTHORIZING EXECUTION OF CONTRACT WITH GULF BREEZE LANDSCAPING, LLC FOR LANDSCAPING SERVICES AT ALL COMMISSION FACILITIES FOR AN AMOUNT NOT TO EXCEED $35,389.09 ANNUALLY

WHEREAS, by Resolution 20200824-02 the Hancock County Port & Harbor Commission ("Commission") adopted its FYE 2021 Budget and 2019 WIP- 2022 Capital Improvement Plan;

WHEREAS, the FYE 2021 Budget and associated 2019 WIP – 2022 Capital Improvement Plan was amended by Resolution 20210322-02;

WHEREAS, the FYE 2021 Budget and associated 2019 WIP – 2022 Capital Improvement Plan includes consolidated landscaping services at all Commission facilities for $42,500;

WHEREAS, in order to reduce operations and maintenance expenses associated with landscaping at the Port Bienville Industrial Park, Port Bienville Railroad, and Stennis International Airport, the Hancock County Port & Harbor Commission advertised a Request for Proposals for Commercial Landscaping services at seven distinct locations within those operational areas on February 10th 2021 and February 17th 2021;

WHEREAS, on February 22nd 2021, Public Works personnel conducted a mandatory job walk to visit each site and physically see and discuss the scope of what landscaping was required at each location;

WHEREAS, on March 11th 2021, the Commission opened two responsive bids from a total of six interested parties; A proposal was offered by Gulf Breeze Landscaping, LLC in the amount of $35,389.09. A proposal was offered by Taylor Made Lawn Care, LLC in the amount of $52,911.55.

ATTACHED:
Signed Contract by Chris Irwin Gulfbreeze

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

WHEREAS, Gulf Breeze Landscaping, LLC is determined to be the lowest and best proposal by the Commission, with a proposed price of $35,389.09 which is a resultant savings of 16.7% against forecasted budget;

WHEREAS, the proposal of Gulf Breeze Landscaping, LLC would provide significant savings compared to the Commission self-performing such work;

WHEREAS, it is in the best interest of the Commission to execute a contract with Gulf Breeze Landscaping, LLC to perform the work as indicated in its proposal;

NOW THEREFORE, BE IT RESOLVED, that the Hancock County Port & Harbor Commission hereby selects the proposal of Gulf Breeze Landscaping, LLC as the lowest and best proposal and authorizes its Chief Executive Officer to execute a landscaping maintenance contract with Gulf Breeze Landscaping, LLC, for an annual cost of $35,389.09;

BE IT FURTHER RESOLVED, having received an affirmative vote from a majority of the members of the Commission, a copy of this resolution shall be forwarded to the Hancock County Board of Supervisors for their approval and/or appropriate action.

RESULT:	**CARRIED AS AMENDED [UNANIMOUS]**
MOVER:	Michael Bennett, Secretary
SECONDER:	Paula Jordan, Vice President
AYES:	Swanson, Ward, Casano, Holman, Jordan, Martin, Bennett, Necaise

Derek Necaise, President

ATTEST:

Michael Bennett,Secretary

ATTACHED:
Signed Contract by Chris Irwin Gulfbreeze

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

HANCOCK COUNTY PORT AND HARBOR COMMISSION
SCOPE OF WORK & CONTRACT FOR
LANDSCAPE & MAINTENANCE
2021

Scope of Work

PROJECT DESCRIPTION

Gulf Breeze Landscaping, LLC, (the "Contractor") will provide landscape and maintenance services (5) Five to (7) Seven locations within HCPHC Airport Operations and Port Bienville Operations. Additional sites may be added or removed at HCPHC discretion, but with complete inclusion of vendor at a negotiated price for additional or retracted proposed services. Services shall include furnishing all tools, equipment, services, apparatus, facilities, transportation, labor, permits, disposal, and materials necessary and reasonably incidental to perform the specified items of work. **Note:** There is no Maintenance of any irrigation systems **(Pre-Existing or otherwise)** required. However, maintenance of all landscaping in an attractive and healthy condition including watering, if needed, will be the responsibility of the Contractor.

SCOPE OF WORK

Description of Work
The work shall consist of the following services, but not limited to:

- Review / recommendations of existing plantings and bed layout
- Upgrades to existing plantings
- Where needed initial site plantings.
- Watering of planting/shrubbery installations
- Tree and Plant Maintenance;
- Retention Basin Facilities Maintenance (if required) within landscape areas.
- Control of all plant diseases;
- Provide weed and pest control;

Contract Term
The term of this agreement between **Hancock County Port & Harbor Commission** and **Gulf Breeze Landscaping, LLC** shall be for **one year**. The Agreement may be extended for two (2) additional one-year terms by the mutual written agreement of the parties. The cost of services shall remain firm for the term of agreement.

Contract Termination
HCPHC may terminate this Agreement at any time before the expiration of the original term, or any extension thereof. Services may be terminated by HCPHC upon thirty (30) days written notice. Services may be terminated by the Contractor upon ninety (90) days written notice. HCPHC shall compensate the Contractor for all services provided before the actual date of termination. Upon receipt of Notice of Termination from HCPHC, the Contractor shall immediately commence discontinuing any and all services provided under this Agreement.

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Contractor shall (i) promptly deliver to the Commission all documents, work product and other materials that are to be delivered to the Commission hereunder or prepared by or on behalf of Contractor in the course of performing the Services, including any items identified as such in Contractor's Proposal ("**Deliverables**") (whether complete or incomplete); (ii) promptly remove any equipment, of Contractor and used directly or indirectly in the provision of the Services located at the Commission's premises; (iii) provide reasonable cooperation and assistance to the Commission upon the Commission's written request and at the Commission's expense in transitioning the Services to an alternate contractor; and (iv) on a pro rata basis, repay all fees and expenses paid in advance for any Services or Deliverables which have not been provided.

In no event shall the Commission be liable for any of Contractor's termination costs arising from the expiration or termination of this Agreement.

Work Orders

Services provided under this Agreement must be authorized by a Work Order issued by the Commission. A "Work Order" is a document issued by the Commission authorizing the Contractor to perform Services associated with a specific task. The Commission and the Contractor reserve the right to negotiate the terms of the Work Order, except those agreed to herein. Once agreed to and executed by both parties, the Work Order shall be performed in accordance with the terms and conditions of this Agreement. The Work Order shall specify the tasks that the Contractor shall perform, establish a budget for accomplishing those tasks, and provide a period of performance for such Work Order consistent with this Agreement.

Notices

All notices, requests, consents, claims, demands, waivers and other communications hereunder shall be in writing and shall be deemed to have been given (a) when delivered by hand (with written confirmation of receipt); (b) when received by the addressee if sent by a nationally recognized overnight courier (receipt requested); (c) on the date sent by facsimile or e-mail of a PDF document (with confirmation of transmission) if sent during normal business hours of the recipient, and on the next business day if sent after normal business hours of the recipient; or (d) on the third day after the date mailed, by certified or registered mail, return receipt requested, postage prepaid. Such communications must be sent to the respective parties at the following addresses:

If to the Commission: Hancock County Port and Harbor Commission

Attn:	James Buras
Address 1:	14054 Fred & Al Key Road
Address 2:	Kiln, MS 39556
Phone:	(228) 467-92321
Fax:	(228) 467-9341
Email:	jburas@hcphc.ms

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

If to Contractor:	Name:	GULF BREEZE LANDSCAPING LLC
	Attn:	CHRIS IRWIN
	Address 1:	PO BOX 347
	Address 2:	GAUTIER, MS 39553
	Phone:	228-497-3356
	Fax:	228-497-4754
	Email:	CHRIS@GULFBREEZELLC.COM

Indemnification

Contractor shall indemnify and hold harmless the Commission, its Commissioners, officers, employees, agents, and representatives, and Hancock County, Mississippi (each, a "**Commission Indemnitee**"), from and against all losses, damages, liabilities, deficiencies, actions, judgments, interest, awards, penalties, fines, costs or expenses of whatever kind, including but not limited to reasonable attorneys' fees and the cost of enforcing any right to indemnification hereunder and the cost of pursuing any insurance providers (collectively, "**Losses**") arising out of or resulting from bodily injury, death of any person or damage to real or tangible, personal property resulting from the willful, fraudulent or negligent acts or omissions of Contractor and/or its partners, principals, agents, employees and/or subcontractors; and Contractor's breach of any representation, warranty or obligation of Contractor set forth in this Agreement. Contractor shall also indemnify and hold harmless the Commission Indemnitees from and against all Losses based on a claim that any of the Services or deliverables or the Commission's receipt or use thereof infringes any intellectual property right of a third party.

Applicable Law

This agreement is governed by and construed in accordance with the laws of the State of Mississippi.

Assignment and Subcontracting.

Contractor may not assign, transfer or delegate any or all of its rights or obligations under this Agreement without the prior consent of the Commission. No assignment shall relieve the assigning Party of any of its obligations hereunder. Any attempted assignment, transfer or other conveyance of the foregoing shall be null and void.

Attorneys' Fees and Expenses

Subject to other terms and conditions of this Agreement, in the event Contractor defaults in any obligations under this Agreement, Contractor shall pay to the Commission all costs and expenses (including, without limitation, investigative fees, court costs, and reasonable attorneys' fees) incurred by the Commission in enforcing this Agreement or otherwise reasonably related thereto.

Force Majeure

Each Party shall be excused from performance for a reasonable period and to the extent that it is prevented from performing any obligation or Services, in whole or in part, as a result of causes beyond the reasonable control and without the fault or negligence of such Party. Such acts shall include without limitation acts of God, strikes, lockouts, riots, acts of war, epidemics, governmental regulations superimposed after the fact, fire, earthquakes, floods, hurricanes, tornados, or other natural disasters ("**Force Majeure Events**").

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

When such a cause arises, Contractor shall notify the Commission immediately in writing of the cause of its inability to perform, how it affects its performance, and the anticipated duration of the inability to perform. Delays in delivery or in meeting completion dates due to Force Majeure Events shall automatically extend such dates for a period equal to the duration of the delay caused by such events, unless the Commission determines it to be in its best interest to terminate the Agreement.

Amendments
This Agreement may only be amended, modified or supplemented by an agreement in writing signed by each Party hereto.

Schedule
Contractor shall submit to HCPHC a detailed schedule Work Order within fourteen (14) calendar days after receiving notification of award by HCPHC. The proposed schedule shall include as a minimum the following items:

- Initial landscape planting start and end dates;
- Maintenance Schedule/pricing
- Fertilization Schedule

Consideration
In consideration of the provision of the Services by the Contractor and the rights granted to the Commission under this Agreement, the Commission shall pay to Contractor at the rates set forth in Attachment E. Payment to Contractor pursuant to Attachment E shall constitute payment in full for the performance of the Services, and the Commission shall not be responsible for paying any other fees, costs or expenses except as included in Exhibit E or as specifically authorized by a Work Order.

The Commission agrees to pay all properly-invoiced amounts due to Contractor in accordance with Mississippi law on "Timely Payments for Purchases by Public Bodies," which generally provides for payment of undisputed amounts by public entities within forty-five (45) days of receipt of invoice. Miss. Code Ann. § 31-7-305 (1972, as amended).

Submittals
The Contractor shall submit the following to HCPHC as specified below.

- "Work Completed" Report detailing work completed the month for which an invoice is received.
- A Pesticide Application Record shall be submitted to HCPHC with invoices as completed.
- Notification of Problem or Repair shall be completed and submitted to HCPHC Representative within 24 hours of the discovery of a problem or needed repair.
- Additional Services Request shall be completed and submitted to HCPHC to propose additional site landscaping and maintenance work that is in addition to the scope of services listed above.

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Litter Control

- Remove all litter, paper, cans, bottles, glass, trash, animal feces, undesirable materials, silt and other accumulated debris from all areas to be maintained.
- The Contractor shall employ appropriate safety equipment and procedures at all times while on Commission grounds.

Insurance Requirements.

A. At all times during the Term of this Agreement, Contractor shall procure and maintain, at is sole cost and expense, at least the following types and amounts of insurance coverage:

i. Commercial General Liability with limits no less than $1,000,000.00 per occurrence and $1,000,000.00 in the aggregate, including bodily injury and property damage and completed operations and advertising liability, which policy will include contractual liability coverage insuring the activities of Contractor under this Agreement;

ii. Worker's Compensation with limits no less than the minimum amount required by applicable law;

iii. Commercial Automobile Liability with limits no less than $1,000,000.00, combined single limit; and

B. All insurance policies required pursuant to this Section 5 shall:

i. be issued by insurance companies that are licensed or hold a Certificate of Authority from the Mississippi Department of Insurance;

ii. provide that such insurance carriers give the Commission at least thirty (30) days' prior written notice of cancellation or non-renewal of policy coverage; provided that, prior to such cancellation, Contractor shall have new insurance policies in place that meet the requirements of this Section 5;

iii. waive any right of subrogation of the insurers against the Commission;

iv. provide that such insurance be primary insurance and any similar insurance in the name of and/or for the benefit of the Commission shall be excess and non-contributory; and

v. name the Commission and its Commissioners, officers, employees, agents, and representatives, and Hancock County, Mississippi, as additional insureds.

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Attachment D – Site Layout and Locations

1.Site Map

2. HCPHC Administration Building (Stennis Airport)

3. Airport Entrance at 603 (Stennis Airport)


4. Port Bienville Entrance (Port Bienville)

5. McDonald Training Center (Port Bienville)

6. Linea Dock (Port Bienville)

7. Port Bienville Office (Port Bienville) Linea

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For



LEGEND

EXISTING INDIVIDUAL TREES WITH MULCH BED

EXISTING MULCH BED WITH TREES, SHRUBS AND FLOWERS

EXISTING ROCK BED WITH TREES, SHRUBS AND FLOWERS

EXISTING SHRUBBERY

PROPOSED SHRUBBERY

PROPOSED ROCK BED WITH BLACKOUT

HANCOCK COUNTY PORT AND HARBOR COMMISSION
14054 Fred and Al Key Rd, Kiln, MS 39556

HANCOCK COUNTY PORT & HARBOR COMMISSION
HANCOCK COUNTY, MISSISSIPPI

LANDSCAPING
SITE MAP

SCALE: AS NOTED
JOB NO.: --
DATE: --
DSGN.: J. BURAS
DWG. BY: --
CHK.:
APVD.:

X1

SHEET 1 OF 1

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

HANCOCK COUNTY PORT & HARBOR COMMISSION
HANCOCK COUNTY, MISSISSIPPI
LANDSCAPING
AIRPORT DRIVE ENTRANCE

HANCOCK
PORT • AIR • SPACE
MISSISSIPPI

HANCOCK COUNTY PORT AND HARBOR COMMISSION
14054 Fred and Al Key Rd, Kiln, MS 39556

SCALE: AS NOTED
JOB NO.: --
DATE: --
DSGN.: J. BURAS
DWG. BY: --
CHK.: --
APVD.:

X3

SHEET 1 OF 1

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Disregard this page

MAINTAIN EXISTING:

250 SY MULCH BED WITH TREES, SHRUBS AND FLOWERS

INSTALL NEW:

250 SY MULCH REINVIGORATION

EXISTING MULCH BEDS WITH TREES, SHRUBS AND FLOWERS, TYP.

AIRPORT DRIVE

FRED AND AL KEY ROAD

AIRPORT DRIVE

HANCOCK COUNTY PORT AND HARBOR COMMISSION
1-4054 Fred and Al Key Rd, Kiln, MS 39556

HANCOCK COUNTY PORT & HARBOR COMMISSION
HANCOCK COUNTY, MISSISSIPPI

LANDSCAPING
STENNIS INTERNATIONAL AIRPORT

SCALE: AS NOTED
JOB NO
DATE
DSGN.: J. BURAS
DWG. BY:
CHK.:
APV'D.:


X4

SHEET 1 OF 1

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For



HANCOCK
PORT • AIR • SPACE
MISSISSIPPI

HANCOCK COUNTY PORT AND HARBOR COMMISSION
14054 Fred and Al Key Rd, Kiln, MS 39556

HANCOCK COUNTY PORT & HARBOR COMMISSION
HANCOCK COUNTY, MISSISSIPPI

LANDSCAPING
LINEA DOCK

SCALE: AS NOTED
JOB NO.: --
DATE: --
DSGN.: J. BURAS
DWG. BY: --
CHK.: --
APVD.:

X7

SHEET 1 OF 1

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Attachment E – Detail Cost Estimate

SCHEDULE A: GO Admin Building & Entrance (X2-X3)

NEW INSTALLATION

Description	Quantity	Unit	Unit Price	Total
Mulch (once annually as needed / directed)	480	SY	4.58	2198.40
			Subtotal New Installation	2198.40

MAINTENANCE

Description	Labor	Rate	Per Year	Total
Spring Cleanup	3 Hours	35.00	1	105.00
Mow/Trim all bed areas including cleanup of curbs, sidewalks, etc.	1 Hour	35.00	20	700.00
Edging of Sidewalks, Parking, Driveways and Curbs	1 Hour	35.00	20	700.00
Flower bed chemical and manual weeding and deadheading and fertilizing	1 Hour	35.00	26	910.00
Tree Fertilizing	1 Hour	35.00	2	70.00
Shrub Shaping	3 Hours	35.00	4	420.00
Shrub Fertilizer	1 Hour	35.00	2	70.00
Watering where needed	0	0	0	0
			Subtotal Maintenance	$2975.00
			Total Schedule A	$5173.40

SCHEDULE B: AP Stennis International Airport (X4)

NEW INSTALLATION

Description	Quantity	Unit	Unit Price	Total
Mulch (once annually as needed / directed)	250	SY	4.58	1145.00
			Subtotal New Installation	1145.00

MAINTENANCE

Description	Labor	Rate	Per Year	Total
Spring Cleanup	4 Hours	35.00	1	140.00
Mow/Trim all bed areas including cleanup of curbs, sidewalks, etc.	1 Hour	35.00	20	700.00
Edging of Sidewalks, Parking, Driveways and Curbs	1 Hour	35.00	20	700.00
Flower bed chemical and manual weeding and deadheading and fertilizing	1 Hour	35.00	26	910.00
Tree Fertilizing	1 Hour	35.00	2	70.00
Shrub Shaping	0	0	0	0
Shrub Fertilizer	1 Hour	35.00	2	70.00
Watering where needed	1 Hour	35.00	26	910.00
			Subtotal Maintenance	$3500.00
			Total Schedule B	$4645.00

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

SCHEDULE C: IP Port Bienville Entrance, Training Center, Linea Dock (X5-X7)				
NEW INSTALLATION				
Description	**Quantity**	**Unit**	**Unit Price**	**Total**
Mulch (once annually as needed / directed)	354	SY	7.97	2821.38
Rock beds w / blackout (rock furnished by owner; mulch removal absorbed)	241	SY	10.37	2499.17
			Subtotal New Installation	**5320.55**
MAINTENANCE				
Description	**Labor**	**Rate**	**Per Year**	**Total**
Spring Cleanup	3 Hours	35.00	1	105.00
Mow/Trim all bed areas including cleanup of curbs, sidewalks, etc.	1 Hour	35.00	20	700.00
Edging of Sidewalks, Parking, Driveways and Curbs	1 Hour	35.00	20	700.00
Flower bed chemical and manual weeding and deadheading and fertilizing	3 Hour	35.00	26	2730.00
Tree Fertilizing	2 Hour	35.00	2	140.00
Shrub Shaping	4 Hours	35.00	4	560.00
Shrub Fertilizer	2Hour	35.00	2	140.00
Watering where needed	3 Hour	35.00	26	2730.00
			Subtotal Maintenance	**$7805.00**
			Total Schedule C	**$13125.55**

SCHEDULE D: Railroad Office (X8)				
NEW INSTALLATION				
Description	**Quantity**	**Unit**	**Unit Price**	**Total**
Shrubs	62	Each	113.47	7035.14
			Subtotal New Installation	**7035.14**
MAINTENANCE				
Description	**Labor**	**Rate**	**Per Year**	**Total**
Spring Cleanup	10 Hours	44.00	1	440.00
Mow/Trim around shrubs	1 Hour	35.00	20	700.00
Chemical and manual weeding and deadheading and fertilizing	1 Hour	35.00	26	910.00
Tree Fertilizing	2 Hour	35.00	2	140.00
Shrub Shaping	4 Hours	35.00	4	560.00
Shrub Fertilizer	1 Hour	35.00	2	140.00
Watering where needed	3 Hour	35.00	26	2730.00
			Subtotal Maintenance	**$5620.00**
			Total Schedule D	**$12655.14**
TOTAL COST				**$35,389.09**

Hourly Labor Rates: Laborer 35.00 / Crew Leader 45.00 / Project Manager 55.00

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

By signing this document, the parties agree to the services & conditions outlined in this agreement,

dated _____, 2021.

Hancock County Port & Harbor Commission

_____

William P. Cotter, CEO

Gulf Breeze Landscaping, LLC:

_____

Signature

CHRIS IRWIN

Printed Name

MAINTENANCE ACCOUNTS MANAGER

Title

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

HANCOCK
MISSISSIPPI
PORT • AIR • SPACE

HANCOCK COUNTY PORT & HARBOR COMMISSION

Economic Development • Stennis International Airport • Port Bienville Industrial Park • Port Bienville Railroad

Addendum #1 Landscape RFP

Date: 02-25-2021

1. Railroad office proposed planting: The area to be planted appears to stay somewhat wet and would not support Photinia. Will alternative plant material be approved upon awarding of contract ? **Thuja, Sweet Bay Magnolia, or Wax Myrtle are some alternatives that may be used if sufficient coverage and blockage is provided between office and facility next door.**

2. Training Center Parking Lot Islands: Currently the parking lot islands are grass, does the bid need to include landscaping these beds (clean out and plant)? **YES**

There are no additional changes to the RFP and the bid closing date/time remains the same.

Addendum #1 To Landscaping RFP/Contract:

Date: 04/08/2021

By Gulf Breeze:_____

By Hancock Port and Harbor Commission:_____

Attachment: Resolution 20210412-10 Contract With Gulf Breeze Landscaping, LLC For Landscaping Services At All Commission Facilities For

Hancock County Port & Harbor Commission

Port & Harbor Commission

Staff Report

Date:	April 12, 2021
To:	Port & Harbor Commission
From:	Bridgette Jones, Executive Secretary
Subject:	RESOLUTION# 20210412-02
	SPREADING IN MINUTES CLOSEOUT OF 2020 CARES ACT AIRPORT GRANT NO 03-28-0005-035-2020 IN AN AMOUNT OF $69,000

ATTACHED:
CARES Act Closeout Letter HSA

Attachment: Resolution 20210412-02 Closeout Of 2020 Cares Act Airport Grant No 03-28-0005-035-2020 (8028 : Closeout of 2020 Cares Act

HANCOCK
MISSISSIPPI
PORT • AIR • SPACE
HANCOCK COUNTY PORT & HARBOR COMMISSION

RESOLUTION# 20210412-02

SPREADING IN MINUTES CLOSEOUT OF 2020 CARES ACT AIRPORT GRANT NO 03-28-0005-035-2020 IN AN AMOUNT OF $69,000

WHEREAS, by Resolution 201908263-10, the Hancock County Port & Harbor Commission ("Commission") adopted its FY2020 Budget;

WHEREAS, the Chief Executive Officer submitted an application to the Federal Aviation Administration (FAA) dated April 27, 2020 in the amount of $69,000 under the 2020 CARES Act for one-hundred percent of these funds to be used for any purpose for which airport revenues may be lawfully used;

WHEREAS, on May 4, 2020, the FAA approved the Commission's grant application with Grant No. 03-28-0005-035-2020 under the 2020 CARES Act, subject to execution by the Commission of the Grant Agreement;

WHEREAS, pursuant to the Grant Agreement, Staff submitted reimbursement to employee salaries in the full amount of $69,000;

WHEREAS, the FAA reimbursed requested expenditures in the full grant amount of $69,000;

WHEREAS, the FAA confirmed that the airport has met all of the administrative requirements per the Grant Agreement with closeout date of 03/18/2-21;

NOW THEREFORE, BE IT RESOLVED, that the Hancock County Port & Harbor Commission hereby spreads in its minutes the closeout of 2020 CARES Act Airport Grant No. 03-28-0005-035-2020.

ATTACHED:
CARES Act Closeout Letter HSA

Attachment: Resolution 20210412-02 Closeout Of 2020 Cares Act Airport Grant No 03-28-0005-035-2020 (8028 : Closeout of 2020 Cares Act

BE IT FURTHER RESOLVED, having received an affirmative vote from a majority of the members of the Commission, a copy of this resolution shall be forwarded to the Hancock County Board of Supervisors for their approval and/or appropriate action.

RESULT:	**CARRIED BY CONSENT VOTE [UNANIMOUS]**
MOVER:	Aline Ward, Commissioner
SECONDER:	Bob Swanson, Commissioner
AYES:	Swanson, Ward, Casano, Holman, Jordan, Martin, Bennett, Necaise

Derek Necaise, President

ATTEST:

Michael Bennett,Secretary

ATTACHED:
CARES Act Closeout Letter HSA

Attachment: Resolution 20210412-02 Closeout Of 2020 Cares Act Airport Grant No 03-28-0005-035-2020 (8028 : Closeout of 2020 Cares Act

U.S. Department
of Transportation
Federal Aviation Administration

Office of Airport Planning and Programming

800 Independence Ave, SW.
Washington, DC 20591

Attachment: Resolution 20210412-02 Closeout Of 2020 Cares Act Airport Grant No 03-28-0005-035-2020 (8028 : Closeout of 2020 Cares Act

March 19, 2021

Mr. Chanse Watson
Airport Manager
Stennis International Airport
P.O. Box 2267
Bay St. Louis, MS 39521

Dear Mr. Watson:

Grant Closeout Letter

CARES Act Airport Grant 3-28-0005-035-2020
Stennis International Airport
Grant closeout date: 03/18/2021
Final grant amount: $ 69,000

We hope the funding in this grant, made available under the Coronavirus Aid, Relief, and Economic Security (CARES) Act, helped meet critical airport needs during the COVID-19 pandemic.

This notice of grant closeout is based on the airport sponsor having provided the following to the Federal Aviation Administration (FAA):

1. A signed checklist summarizing grant expenses covered under the grant and certifying:

    a. All expenses were incurred according to the FAA's Revenue Use Policy and 2 Code Of Federal Regulations (CFR) Part 200;
    b. Any equipment or services were procured in a manner consistent with the terms of the grant; and
    c. Operational grant expenses were incurred on or after January 20, 2020, and any debt service payments were due on or after March 27, 2020.

2. A completed Standard Form 425, *Federal Financial Report*.

The FAA processed a final payment and the sponsor has met all administrative requirements. There are no differences in the amount of funds requested by the sponsor and the amounts paid out. If an audit reveals any issues, this grant will be re-opened until the outstanding issues have been resolved.

Please be advised that in accordance with 2 CFR Part 1201, airport sponsors are required to retain all supporting grant documentation for a minimum of 3 years from the date of the final request for reimbursement. Because most grant obligations extend beyond 3 years, we strongly encourage you to retain grant documentation for the life of the grant obligations.

Sincerely,

Julieann Dwyer
for

David F. Cushing
Manager
Airports Financial Assistance Division

Attachment: Resolution 20210412-02 Closeout Of 2020 Cares Act Airport Grant No 03-28-0005-035-2020 (8028 : Closeout of 2020 Cares Act

Hancock County Port & Harbor Commission

Port & Harbor Commission

Staff Report

Date:	April 12, 2021
To:	Port & Harbor Commission
From:	James Buras, Director of Public Works
Subject:	RESOLUTION# 20210412-05
	AUTHORIZING EXECUTION OF AMENDMENT #1 TO TASK ORDER #2 FOR ADDITIONAL ENVIRONMENTAL PERMITTING SERVICES FOR AP1805 TO NEEL-SCHAFFER FOR A NOT TO EXCEED AMOUNT OF $11,500

ATTACHED:
TO 03 - AP1805 (TO 02 Amendment #1)

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

HANCOCK COUNTY PORT & HARBOR COMMISSION

RESOLUTION# 20210412-05

AUTHORIZING EXECUTION OF AMENDMENT #1 TO TASK ORDER #2 FOR ADDITIONAL ENVIRONMENTAL PERMITTING SERVICES FOR AP1805 TO NEEL-SCHAFFER FOR A NOT TO EXCEED AMOUNT OF $11,500

WHEREAS, by Resolution 20200824-02 the Hancock County Port & Harbor Commission ("Commission") adopted its FYE 2022 Budget and 2019 WIP- 2022 Capital Improvement Plan;

WHEREAS, the FYE 2021 Budget and associated 2019 WIP – 2022 Capital Improvement Plan was amended by Resolution 20210322-02;

WHEREAS, the FYE 2021 Budget and associated 2019 WIP – 2022 Capital Improvement Plan includes Project **AP1805- Multi-User Aero Strip** in the amount of $15,686,00.00;

WHEREAS, Project AP1805 FYE 2021 budget included $517,810 for professional engineering services for Engineering Design and Environmental Permitting;

WHEREAS, the Commission has awarded professional services contracts for AP1805 in the amount of $317,810.00 leaving $200,000 in the project budget for future engineering and environmental services;

WHEREAS, pursuant to authority delegated in Resolution 20180827-07, the Hancock County Port & Harbor Commission ("Commission") executed a professional services agreement, Task Order #2, with Neel-Schaffer for Environmental Permitting for a Multi-User Aero Strip to accommodate a C-130 assault landing at a Not to Exceed amount of $121,700;

WHEREAS, the scope of work has increased to include environmental permitting for the Aero Strip to accommodate a C-17 assault landing, and updating and renewing Stennis International Airport's Industrial NPDES Permit that recently expired;

ATTACHED:
TO 03 - AP1805 (TO 02 Amendment #1)

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

WHEREAS, Neel-Schaffer, Inc., has provided an amendment for modifying the environmental permit documents and renewing the NPDES Permit for a Not to Exceed amount of $11,500;

WHEREAS, the total contract price, including Amendment #1 to Task Order #2, will be $133,200 which is below the budgeted amount for professional engineering and environmental services;

WHEREAS, it is in the best interest of the Commission to accept and execute the attached Amendment #1 for a Not to Exceed amount of $11,500 and increase the total contract amount to $131,200;

NOW THEREFORE, BE IT RESOLVED, that the Hancock County Port & Harbor Commission hereby accepts and authorizes its Chief Executive Officer, William P. Cotter to execute Amendment #1 to Task Order #2 with Neel-Schaffer for a not-to-exceed amount of $11,500 for Capital Project AP1805 – Multi-User Aero Strip;

BE IT FURTHER RESOLVED, having received an affirmative vote from a majority of the members of the Commission, a copy of this resolution shall be forwarded to the Hancock County Board of Supervisors for their approval and/or appropriate action.

RESULT:	**CARRIED AS AMENDED [UNANIMOUS]**
MOVER:	Michael Casano, Commissioner
SECONDER:	Robert Martin, Commissioner
AYES:	Swanson, Ward, Casano, Holman, Jordan, Martin, Bennett, Necaise

Derek Necaise, President

ATTEST:

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

Michael Bennett,Secretary

ATTACHED:
TO 03 - AP1805 (TO 02 Amendment #1)

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

HANCOCK COUNTY PORT AND HARBOR COMMISSION
STENNIS INTERNATIONAL AIRPORT

Work Authorization for Professional Services

Assault Landing Strip – Project No. AP 1805
(PROJECT IDENTIFICATION NO.)

03 (Amendment #1 to 02)
(TASK ORDER NUMBER)

It is agreed to undertake the following work in accordance with the provisions of our Prime Agreement for Professional Services dated September 6, 2016. The services shall be Type 2.

DESCRIPTION OF ASSIGNMENT:

This Task Order 03 shall serve as Amendment #1 to the previously executed Task Order 02 that included Environmental Services for the proposed Assault Landing Strip project (AP 1805).

The scope of work under this project includes:

1. The development of a NPDES Industrial SWPPP for the Stennis International Airport. The NPDES Industrial SWPPP shall be prepared in accordance with sound engineering practices and shall identify potential sources of pollution, which may reasonably be expected to affect the quality of stormwater discharges associated with industrial activity from the facility. The SWPPP shall describe and ensure the implementation of best management practices which will reduce pollutants in stormwater discharges and assure compliance with the terms and conditions of the Industrial Stormwater General Permit for Industrial Activities issued on December 10, 2020.

   The NPDES Industrial SWPPP shall:
   a. Identify all activities and significant materials which may potentially pollute stormwater discharges;
   b. List industrial activities exposed to stormwater (e.g., storage; equipment fueling; maintenance and cleaning; loading/unloading; process areas, discharge location, etc.);
   c. List materials and pollutants associated with each of the activities identified above (e.g., used oil, zinc, sulfuric acid, solvents, etc.);
   d. Prepare a narrative description of the materials and pollutants identified above;
   e. Identify all activities and significant materials which may potentially pollute stormwater discharges;
   f. Document a list of spills and leaks of toxic or hazardous pollutants that have occurred at the facility and list them on the Mississippi Department of Environmental Quality (MDEQ) Monthly Spill and Leak Log Sheet;
   g. Summarize all stormwater sampling data (if available), including a description of associated pollutants of concern;
   h. Prepare the permit application using the current Airport Layout Plan;

i. Develop a summary of the types of pollutants likely to be present for each area of the facility generating stormwater discharges with a reasonable potential for containing significant amounts of pollutants;
j. Describe appropriate stormwater management controls addressing identified potential pollution sources;
k. Develop a Pollution Prevention Manager/Committee. The SWPPP shall specify individual(s) responsible for developing the SWPPP and assisting the facility manager in its implementation, maintenance, and revision;
l. Prepare a Risk Identification and Assessment/Material Inventory. The SWPPP shall assess the pollution potential of various sources at the facility including loading and unloading operations; outdoor storage, manufacturing, or processing activities; significant dust or particulate generating processes and on-site waste disposal practices. Factors to consider include the toxicity and quantity of chemicals used, produced, or discharged, the likelihood of contact with stormwater and history of significant leaks or spills of toxic or hazardous pollutants. The plan shall include an inventory of materials handled. Based on the Risk Identification and Material Inventory, the plan shall specify management controls, and, if necessary, structural controls to reduce or eliminate the potential for pollutants in the stormwater discharges;
m. Identify areas with a high potential for soil erosion, and specify prevention measures to limit erosion (using grading, berming or curbing to prevent runoff of contaminated flows and divert run-on away from these areas; locate materials, equipment, and activities so that potential leaks and spills are contained or able to be contained or diverted before discharge; etc.);
n. Prepare a preventive maintenance program that shall require inspection and maintenance of stormwater management devices (cleaning oil/water separators, catch basins, etc.) and the inspecting and testing of equipment to preclude breakdowns or failures that may cause pollution;
o. Prepare a Good Housekeeping plan that describes and list practices appropriate to prevent pollutants from entering stormwater from industrial activities due to poor housekeeping;
p. Clearly identify potential spill areas and their drainage points;
q. Shall specify periodic training for personnel that are responsible for implementing and/or complying with the requirements of the SWPPP;
r. Set up a process where the owner shall certify at least every five (5) years that stormwater discharges have been evaluated for the presence of non-allowable, non-stormwater discharges;
s. Develop written procedures for routine visual site inspections, including frequencies and areas to be inspected;
t. Provide for the management of stormwater volume through its diversion, infiltration, storage, or re-use; and
u. Identify any allowable non-stormwater discharges.

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

2. The resubmittal of a Section 401/404 Individual Permit to U.S. Environmental Protection Agency (EPA), U.S. Army Corps of Engineers (USACE), Mississippi Department of Marine Resources (MDMR), and Mississippi Department of Environmental Quality (MDEQ) for the Stennis International Airport. The Section 401/404 Individual Permit shall be prepared in accordance with EPA 40 CFR Parts 120 and 122 and USACE 33 CFR Part 328, effective as of June 22, 2020, as well as EPA 40 CFR Part 121, effective as of September 11, 2020.

   The updated permit application shall:
   a. Delineate and update additional jurisdictional wetlands and waters within the new boundaries of the project, as identified by the OWNER.
   b. Describe additional permanent and temporary impacts as a direct result of construction of the new runway.
   c. Develop an alternatives analysis as directed by EPA, USACE, and MDEQ.
   d. Identify the location and nature of any potential discharge that may result from the project and the location of receiving waters.
   e. Describe any methods and means proposed to monitor the discharge and equipment or measures planned to treat, control, or manage the discharge.
   f. Document a prefiling meeting request was submitted to MDEQ at least 30 days prior to submitting the updated permit application.
   g. Should EPA determine a neighboring jurisdiction may be affected, a public hearing will be required prior to issuance of the permit.

PERIOD OF SERVICES:

1. NPDES Industrial Permit Update and Development:

   This phase of work will begin immediately following OWNER approval of this Work Authorization for Professional Services. The estimated time for this work is approximately 5 weeks.

2. USACE Individual Permit Update and Resubmittal:

   This phase of work will begin upon request of the OWNER at completion of the Construction Documents Phase. The estimated time for this work is approximately 180 days.

COMPENSATION:

1. Basic Services

   The OWNER shall compensate CONSULTANT for Type 2 Services on an hourly rate basis as agreed in Attachment "A" of the reference Prime Agreement. In addition to hourly charges, material expenses are anticipated and will include mileage and travel. Total compensation for the services described herein shall not exceed **eleven-thousand five-hundred and 00/100 dollars ($11,500.00)** without prior written authorization.

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

2. Additional Services

   Services required beyond the estimated scope and timeframes due to delays in obtaining agency approvals or other causes beyond the Consultants control may require additional compensation with an Amendment to this Work Authorization.

SPECIAL PROVISIONS:

1. Consultant shall not perform any further Basic or Additional Services, nor be paid any additional compensation whatsoever without a prior, express, written Work Order or Amendment thereto, formally approved by the Hancock County Port and Harbor Commission.

2. Payments for services rendered shall only be allowed after the Consultant has submitted an Invoice acceptable to the Owner and as agreed to in the referenced Prime Agreement.

Agreed as to scope of services, period of services, and budget:

HANCOCK COUNTY PORT & HARBOR COMMSSION

By:_____
William P. Cotter
CEO

Date:_____

NEEL-SCHAFFER, INC.

By: Steven A. Twedt P.E.
Steven A. Twedt, P.E.
Senior Vice President

Date: March 19, 2021

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

PROFESSIONAL SERVICES MANHOUR ESTIMATE
AP1805 - Assault Landing Strip
Task Order No. 03
(Amendment No. 1 to Task Order No. 02)

BASIC SERVICES	P-6 Sr. Proj Mgr	P-4 Prof I	P-4 Env. Prof. I	T-5 Sr. Inspector	T-3 Tech III	A-4 Sr. Admin
Environmental Services						
NPDES Industrial Permit Update and Development	32	2	2			
MDEQ Individual Permit Update and Resubmittal		2	44			
TOTAL HOURS	32	4	46	0	0	0
2016 HOURLY RATE	$165.00	$120.00	$120.00	$115.00	$90.00	$75.00
COST	$5,280.00	$480.00	$5,520.00	$0.00	$0.00	$0.00

Subtotal Labor:	$ 11,280.00
Direct Costs:	
Mileage (2 trips) 640 miles @ $0.54/mile	$ 345.60
TOTAL BASIC SERVICES:	**$ 11,625.60**
TOTAL ADDITIONAL SERVICES:	$ -
TOTAL ENGINEERING SERVICES FEE:	**$ 11,625.60**

Attachment: Resolution 20210412-05 Amendment #1 To Task Order #2 For Additional Environmental Permitting Services For AP1805 To Neel-

Workforce Education Subgrant System 2021

MEMORANDUM OF AGREEMENT

Project Number: 2021-214-059

Project Justification and the Need for Training:
Members of the Hancock County Emergency Operations Center (EOC) require Unmanned Aerial Systems (UAS) training in order to obtain their FAA Part 107 license. They also need basic UAS operations training on their Autel rotory wing drone. They require this in order to more efficiently conduct Post Emergency damage assessment, search and rescue and ingress/egress route assessment through drone operations.

UAS training requires an instructor who is FAA Part 107 licensed and is competent in the operation of rotory and fixed winged drones.

Description of the Company and Training Objective:
Class: UAS Training
Training Start Date: May 2021 Training End Date: Jun 2021
Instructor: Jason Moore
Number of persons to be trained: 10
Number of hours of training per person: 24
Location of training: Pearl River Community College, Hancock Center
Training organization, structure and schedule: Trainees will be organized into 1 group of 10.
Travel required: No travel required
Training objectives: This training will consist of:

1. FAA Part 107 license preparation
2. Rotory wing drone mission planning and preparation
3. Rotory wing drone operations and data gathering
4. Post mission data retrieval

The Hancock County Emergency Operations Center is located in Kiln, MS and provides protection for the health, safety, and welfare of the citizens of Hancock County.These goals are accomplished through effective contingency planning, disaster event coordination with local and state agencies, all-hazards public education, disaster training and exercises for emergency responders which is accomplished throughout the five phases of Emergency Management: prevention, preparedness, response, recovery and mitigation.

Company Will:
1. Inform the Project Manager of the customer's objectives for the training.
2. Schedule the training and ensure attendance at the training by the designated trainees.
3. Select the trainers or approve the trainers nominated by the Project Manager. The company/customer is encouraged to use qualified company employees as instructors. In cases where the company/customer provides instructors who are company employees, salaries paid to these employee instructors from project funds will not exceed the regular salary or wage rate paid by the company/customer to the employee instructor.
4. Provide Subject Matter Experts, if requested, to assist the Project Manager.
5. Monitor the training and advise the Project Manager of any failure to meet required training objectives and standards.
6. Provide the Project Manager, on the last working day of each month while the training project is in effect, an invoice requesting reimbursement for authorized expenditures. Failure to invoice the Workforce Development Center on a monthly basis, or at another time established by the Project Manager, for reimbursement of expended funds will be grounds for termination of the project.
7. Comply with the administrative requirements associated with the project, as explained by the Project Manager.
8. When requested, provide the Project Manager with a schedule of training that includes date, time, and location of training. This will aid the Project Manager in scheduling and conducting evaluations of training.
9. Return to the Project Manager all unused commodities, supplies and materials purchased from project funds.
10. Provide trainees with individual materials required for training, e.g., pen and paper for taking notes.
11. Consult with the PRCC Project Manager prior to entering into any agreement,related to this or any other PRCC sponsored training project, with project assistants provided by the College.
12. Include in this project application only those training activities that have scheduled dates for starting and ending. Company/Customer understand that training not started within 60 days of scheduled start date is subject to loss of funding.
13. Ensure that all training, for which reimbursement by State funds is requested, includes only training activities of a minimum one hour in duration and minimum 5 trainees for the entire training session.
14. Verify the company does indeed contribute to the Mississippi Unemployment Trustfund either through payment of unemployment insurance or via reimbursement to the State of Mississippi. Company will be in compliance with E-Verify as specified in the Mississippi Employment Protection Act.

College Will:

1. Assist the customer in identifying training objectives and skills to be trained.
2. Assist the customer in acquiring competent trainers. The customer will have final approval in the selection of trainers.

Attachment: Workforce Education MOA (7991 : Workforce Education MOA UAS Training.)

3. Assist the customer in acquiring locations for the conduct of training.
4. Perform at least one Project Manager evaluation of the training and the trainer.
5. Arrange for State funding to finance essential project expenses. Submitting requisitions to MCCB at least every 60 days.
6. Maintain all records and manage administration associated with the Project.
7. Provide the customer with all required forms; and assist the customer in preparing the forms.
8. Assure the project is cost-effective and executed in conformance with the provisions of this Memorandum of Agreement and all other MCCB rules and guidelines.
9. College will be in compliance with E-Verify as specified in the Mississippi Employment Protection Act.

Mississippi Community College Board Will:

MCCB Will: • reimburse community colleges within 45 days; • provide funding as approved in the budget; and • monitor the project through documentation maintained by the college.

Pearl River Community College	Hancock County Emergency Operations Center
Name: Teadt, Troy	Name:
Title: Workforce Director	Title:
Date: 04/05/2021	Date:

© 2016 - 2021 MS Community College Board. All Rights Reserved.
Information Services Division

3825 Ridgewood Roa
Jackson, MS 392
Telephone 1-601-432-64

Attachment: Workforce Education MOA (7991 : Workforce Education MOA UAS Training.)

Sandy Sansing NISSAN

5705 Pensacola Blvd. - Pensacola, FL 32505
(850) 479-4700

THIS IS AN AGREEMENT TO PURCHASE

STOCK # 53651
DATE 04/06/2021
SALES PERSON LEE F HUDSON

GENERAL INFORMATION

Purchaser HANCOCK CO BOARD OF SPVR | Co-Purchaser

SSN | Birthdate | SSN | Birthdate

Address 18382 HWY 43 | City KILN | State MS | Zip 39556

Home Phone | Business Phone (228) 255-3367 | E-MAIL ADDRESS: LEROY.LEE@CO.HANCOCK.MS.US

Drivers License (1) | Drivers License (2)

NEW ☑ | Year 2021 | Make NISSAN | Body Type 4DR I4 S | Color FRESH POWDER

USED ☐ | Model NV200 | Mileage 5 | Cyl:

DEMO ☐ | Serial # 3N6CM0KN3MK692972

TRADE-IN INFORMATION

Year | Make | Model

ID # | Mileage

Body | Cyl | Color

Tag # | Decal # | State

PAYOFF

Finance Co.

Address | Phone

City | State | Zip

Quoted by | Good Until

Balance Owed: 0.00 | Acct. #

Unless buyer notes the contrary here, Buyer warrants that the above Trade has not suffered collision or flood damage and that the odometer reading reflects the actual mileage incurred by the Trade. Buyer warrants that the Trade was used only for personal use unless another use is listed here:

TRANSACTION

BASE PRICE	$23,602.50
Dealer Installed Options	
TEMP REG / FILING FEE	$75.00
SUBTOTAL	**$23,677.50**
TRADE ALLOWANCE	$0.00
SUBTOTAL AFTER TRADE ALLOWANCE	**$23,677.50**
FL BATTERY & TIRE WASTE FEE	$6.50
*** DOCUMENT / SERVICE FEE**	**$899.00**
PRIVATE TAG AGENCY FEE	**$0.00**
Amount Taxable	$24,583.00
FL Sales Tax	$0.00
Other Taxes	$0.00
Payoff on Trade	$0.00
(Estimated) Plus Tag & Title Fees	$15.00
MVWTF	**$2.00**
TOTAL	**$24,600.00**
REBATE	$5,000.00
(Not a receipt) DOWN PAYMENT	$0.00
Unpaid Balance	$19,600.00

I/We understand that money given to Sandy Sansing on above date is a down payment and is non-refundable.

In the event you cannot make delivery within 72 hours of this date, I understand that my car is subject for reappraisal.

In the event of increase in price by manufacturer before delivery I agree to pay the difference in price.

No other agreement, promise, or understanding of any kind pertaining to this purchase will be recognized except a conditional sales contract in writing executed by the undersigned as purchaser thereunder.

The information you see on the window form for this vehicle is part of this contract. Information on the window form overrides any contrary provisions in the contract of sale.

This offer is not valid unless signed and accepted by Dealer. The Dealer reserves the right to cancel this transaction.
On a credit transaction the purchaser(s) offer is not accepted and the transaction is not consummated until (a) approved in writing by Dealer and a responsible Bank or Finance Company and (b) all disclosures required by the Federal Consumer Credit Protection Act (Truth in Lending Act) have been given and (c) purchaser(s) and Dealer have signed an Installment Sale Contract. In consideration of the mutual covenants, agreements and representations contained herein the purchaser and seller agree that in the event of an alleged breach, dispute or default in connection with this agreement that they waive a trial by jury and agree to submit to final, binding, and mandatory arbitration.

I certify that the above information is complete and accurate. I authorize an investigation of my credit and employment history and the release of information about my credit experience.

Accepted by **SANDY SANSING NISSAN**

Buyer's Signature X | Date: 04/06/2021

Must be accepted by Dealer Representative

Co-Buyer's Signature X

***A DOCUMENT/SERVICE FEE IS NOT AN OFFICIAL FEE AND IS NOT REQUIRED BY LAW. HOWEVER, IT MAY BE CHARGED TO A BUYER/LESSEE FOR THE HANDLING OF DOCUMENTS AND THE PERFORMING OF SERVICES RELATED TO THE SALE OR LEASE AND MAY INCLUDE DEALER PROFIT.**

Attachment: 0061_001 (8021 : Nissan NV200 van purchase for Buildings & Grounds.)

LANDERS

If it doesn't say Landers, you paid too much!

Quote

Date: April 12, 2021
Invoice #: 6224
Expiration Date: [Date]

Landers Dodge
315 E. Goodman Road
Southaven, MS 38671
Phone: 901-606-8976
Fax: 662-349-7000
Email: rsmart@landersmemphis.com

To: hancock

Salesperson	Job	Payment Terms	Due Date
Randy Smart			

Qty	Description	Unit Price	Line Total
1	nissan nv 200	$ 19,800.00	$ 19,800.00

Unit Price per vehicle		19,800.00
Subtotal (x1)	$	19,800.00
Sales Tax		
Total	$	19,800.00

Quotation prepared by: _____

To accept this quotation, sign here and return: _____

Thank you for your business!

Attachment: 0061_001 (8021 : Nissan NV200 van purchase for Buildings & Grounds.)

CRAFCO® INC
AN ERGON COMPANY
6165 W. Detroit St.
Chandler, AZ 85226
(602) 276-0406 (800) 528-8242
FAX: (480) 940-0313

QUOTE # BBBQ32222-03

Date Quoted 3/22/2021
EXPIRATION DATE 4/15/2021

Quote To:	Account Code:	Ship To:	Account Code:
Hancock County Maintenance		Hancock County Maintenance	
Leroy Lee			
18382 Hwy 43 Kiln, MS 39556		18382 Hwy 43 Kiln, MS 39556	
Mobile: 228-493-1584			
Phone: 228-255-2824			
Fax: 228-255-4425		Leroy Lee	
Email: leroy.lee@co.hancock.ms.us		228-255-2824	leroy.lee@co.hancock.ms.us

Project Title: **General Sealant Quote- Hancock County MS**

Bid Date:
Bid Number:
Project Start Date:
Ship Before:
Quote Effective Dates: 6/10/2019 TO 4/15/2021

Terms: NET 30
F.O.B.: PPD-ADD FREIGHT
Ship Via: Truck/Common Carrier
Sales Group:
Quoted By: Paul Clack
Sales Office: CR- Paul Clack

Estimated Time to Ship After Receipt of Order: Quoted at time of order

Customer:	**Hancock County Maintenance**
Project Title:	**General Sealant Quote- Hancock County**

Quote Number	BBBQ32222-03
Date	03-22-21

SALES TAX EXEMPT CERTIFICATE MUST BE PROVIDED AT THE TIME OF ORDER OR SALES TAX WILL BE ADDED TO YOUR ORDER

Part #	Description	Unit	Qty.	Quote Price	Ext. Price
34521-3-TN23	POLYFLEX TYPE 3	LB	45,000	$0.6900	$31,050.0000
34521-3-TN23	POLYFLEX TYPE 3	LB	22,500	$0.7100	$15,975.0000

COMMENTS:

Here is the quote you requested.

For the PolyFlex 3, pricing is on truckload and half truckload amounts. The estimated freight cost on half or whole truckload is $1,785.00 as of 3/22/21 and prices can change without notice.

Please call Paul Clack with any questions, at 901-341-3026.

Attachment: 0062_001 (8023 : Polyflex Type 3 crack sealer for Road & Bridge Department.)

SealMaster of Tennessee
300 Oldham St.
300 Oldham St.
Nashville, TN 37213

Quote

Date	Quote #
4/12/2021	798

Name / Address
Hancock County Leroy Lee

Terms	Project

Item	Description	Cost	Qty	Total
M1070	CrackMaster PL CrackMaster PL 50 Pound Box 48 Boxes on each pallet 9 pallets	39.00	432	16,848.00
Freight Out	Freight Out	990.00	1	990.00
	Total Pounds on Full Truck Load 40800			
	Total Pounds on Half Truck Load 21600			
	Pearl Sales Tax	7.00%		0.00

Thank you for the bid request.

Total $17,838.00

Attachment: 0062_001 (8023 : Polyflex Type 3 crack sealer for Road & Bridge Department.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
3784	ADMINISTRATIVE OFFICE	0001		INV	04/19/2021	MARCH 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001160 5411		CHANC CT	REP		10,797.36			
	2 001161 5418		CIRC CT	COURT REPO		9,170.46			
	3 001161 5550		CIRC CT	LEGAL FEES		348.99			
							20,316.81		
						CHECK TOTAL	**20,316.81**		
4449	AT & T	0000		INV	04/19/2021	APRIL1 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001200 5502		SHERIFF	TELEPHONE		204.00			
							204.00		
						CHECK TOTAL	**204.00**		
4449	AT & T	0000		INV	04/19/2021	apr 1,2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 097110 5544		EMER 911	MNT AG		4,052.00			
							4,052.00		
						CHECK TOTAL	**4,052.00**		
4449	AT & T	0000		INV	04/19/2021	APRIL 1,2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 097110 5502		EMER 911	TELEPHONE		1,049.68			
							1,049.68		
						CHECK TOTAL	**1,049.68**		
7618	AT&T	0000		INV	04/19/2021	1273544707			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5502		BLDS/GRNDS	TELEPHONE		58.16			
							58.16		
						CHECK TOTAL	**58.16**		
7867	AT&T	0000		INV	04/19/2021	2055221607			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001631 5502		CNTY AGENT	TELEPHONE		125.00			
							125.00		
						CHECK TOTAL	**125.00**		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
7867	AT&T	0000		INV	04/19/2021	3798890600			

ACCOUNT DETAIL					LINE AMOUNT
1	001151	5502	BLDS/GRNDS	TELEPHONE	1,126.72
					1,126.72
				CHECK TOTAL	**1,126.72**

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
7867	AT&T	0000		INV	04/19/2021	0737860602			

ACCOUNT DETAIL					LINE AMOUNT
1	001151	5502	BLDS/GRNDS	TELEPHONE	432.07
2	001200	5502	SHERIFF	TELEPHONE	432.06
					864.13
				CHECK TOTAL	**864.13**

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
7867	AT&T	0000		INV	04/19/2021	3771990609			

ACCOUNT DETAIL					LINE AMOUNT
1	097110	5502	EMER 911	TELEPHONE	493.44
					493.44
				CHECK TOTAL	**493.44**

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
9790	AT&T	0001		INV	04/19/2021	MARCH,2021			

ACCOUNT DETAIL					LINE AMOUNT
1	001151	5502	BLDS/GRNDS	TELEPHONE	62.70
2	001101	5502	CHANC CLK	TELEPHONE	13.51
3	001151	5502	BLDS/GRNDS	TELEPHONE	39.36
4	001167	5502	CORONER	TELEPHONE	13.12
5	001151	5502	BLDS/GRNDS	TELEPHONE	41.92
6	001151	5502	BLDS/GRNDS	TELEPHONE	83.84
7	001630	5502	SOIL CONS	TELEPHONE	79.95
8	001400	5502	HEALTH	TELEPHONE	81.80
9	001200	5502	SHERIFF	TELEPHONE	48.85
10	001105	5502	TAX/COL	TELEPHONE	175.22
11	001163	5502	YOUTH CT	TELEPHONE	25.57
12	001105	5502	TAX/COL	TELEPHONE	3.00
13	001151	5502	BLDS/GRNDS	TELEPHONE	130.64
14	001151	5502	BLDS/GRNDS	TELEPHONE	36.64
15	001151	5502	BLDS/GRNDS	TELEPHONE	39.36
16	001168	5502	DA OFFICE	TELEPHONE	13.12
17	001151	5502	BLDS/GRNDS	TELEPHONE	13.12
18	001151	5502	BLDS/GRNDS	TELEPHONE	92.06
19	001200	5502	SHERIFF	TELEPHONE	200.00
20	001151	5502	BLDS/GRNDS	TELEPHONE	13.12
21	001151	5502	BLDS/GRNDS	TELEPHONE	95.41
22	001260	5502	EMA	TELEPHONE	71.96
23	001630	5502	SOIL CONS	TELEPHONE	96.12
24	001151	5502	BLDS/GRNDS	TELEPHONE	2.50
25	001102	5502	CIRC CLK	TELEPHONE	13.12
26	001151	5502	BLDS/GRNDS	TELEPHONE	361.85
27	001168	5504	DA OFFICE	INTERNET	68.44
28	001102	5504	CIRC CLK	INTERNET	67.72
					1,984.02
				CHECK TOTAL	**1,984.02**

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
2425	C SPIRE WIRELESS	0000		INV	04/19/2021	MAR 8 -APRIL 7,2021			

ACCOUNT DETAIL					LINE AMOUNT
1	096153	5502	MAPPING	TELEPHONE	356.78
					356.78
				CHECK TOTAL	**356.78**

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
2425	C SPIRE WIRELESS	0000		INV	04/19/2021	3-1 TO 3-31-2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001200 5502		SHERIFF	TELEPHONE		4,767.29			
							4,767.29		
						CHECK TOTAL	**4,767.29**		
2425	C SPIRE WIRELESS	0001		INV	04/19/2021	1625758			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5504		MCLEOD PK	INTERNET		511.27			
	2 001411 5504		ANIM SHLT	INTERNET		312.27			
	3 001151 5504		BLDS/GRNDS	INTERNET		146.59			
							970.13		
						CHECK TOTAL	**970.13**		
8626	CENTERPOINT ENERGY RE	0000		INV	04/19/2021	MARCH,2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001220 5510		IMP EXP	HEAT LIGHT		3,608.66			
							3,608.66		
						CHECK TOTAL	**3,608.66**		
8181	CENTURYLINK	0000		INV	04/19/2021	MARCH, 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5502		BLDS/GRNDS	TELEPHONE		2,180.98			
	2 001200 5502		SHERIFF	TELEPHONE		2,180.97			
							4,361.95		
						CHECK TOTAL	**4,361.95**		
8967	CHEM-AQUA INC	0000		INV	04/19/2021	7297830			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001220 5540		IMP EXP	MAINTENANC		237.50			
							237.50		
						CHECK TOTAL	**237.50**		
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	09-3075-01 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		20.00			
							20.00		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	09-3300-00 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		104.18			
							104.18		
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	08-0170-02 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		92.08			
							92.08		
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	09-0725-01 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		161.23			
							161.23		
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	09-0726-01 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		20.00			
							20.00		
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	07-6131-00 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 156331 5510		SEAWALL	HEAT LIGHT		102.44			
							102.44		
105	CITY OF BAY ST LOUIS	0000		INV	04/19/2021	09-0727-01 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		142.21			
							142.21		
						CHECK TOTAL	**642.14**		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-038 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001411 5510		ANIM SHLT	HEAT LIGHT		498.27			
							498.27		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-053 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001220 5510		IMP EXP	HEAT LIGHT		48.72			
							48.72		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	80846-001 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5510		MCLEOD PK	HEAT LIGHT		50.22			
							50.22		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	96022-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK HEAT LIGHT				76.03		
							76.03		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	100314-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK HEAT LIGHT				516.83		
							516.83		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	100315-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK HEAT LIGHT				757.77		
							757.77		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	114147-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK HEAT LIGHT				329.81		
							329.81		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK HEAT LIGHT				44.97		
							44.97		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	3000821-015 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION HEAT LIGHT				460.43		
							460.43		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	69198-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION HEAT LIGHT				94.30		
							94.30		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-050 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK HEAT LIGHT				300.81		
							300.81		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-052 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION HEAT LIGHT				12.75		
							12.75		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-068 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK	HEAT LIGHT			1,232.71		
							1,232.71		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	3000821-004 MAR21`			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			58.43		
							58.43		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	61441-001 MAR 21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			426.46		
							426.46		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	112589-001 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			73.63		
							73.63		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-003 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			35.60		
							35.60		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-004 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			128.92		
							128.92		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-005 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			132.94		
							132.94		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-007 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 156331 5510		SEAWALL	HEAT LIGHT			14.99		
							14.99		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-008 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 156331 5510		SEAWALL	HEAT LIGHT			29.93		
							29.93		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-009 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 156331 5510		SEAWALL	HEAT LIGHT			74.80		
							74.80		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	16043-010 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			160.03		
							160.03		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	116043-011 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			60.46		
							60.46		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-033 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			720.15		
							720.15		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-027 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			39.36		
							39.36		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-064 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 150300 5510		RD MNT	HEAT LIGHT			53.17		
							53.17		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-056 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 156331 5510		SEAWALL	HEAT LIGHT			44.88		
							44.88		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-041 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			424.24		
							424.24		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	3000821-011 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			394.99		
							394.99		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-055 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			53.54		
							53.54		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-005 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 150300 5510		RD MNT	HEAT LIGHT			40.99		
							40.99		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-015 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 150300 5510		RD MNT	HEAT LIGHT			39.61		
							39.61		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-003 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK	HEAT LIGHT			167.35		
							167.35		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-007 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK	HEAT LIGHT			173.11		
							173.11		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-009 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK	HEAT LIGHT			299.53		
							299.53		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-010 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK	HEAT LIGHT			265.64		
							265.64		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-017 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			356.89		
							356.89		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-018 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001530 5510		MCLEOD PK	HEAT LIGHT			286.66		
							286.66		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-019 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5510		MCLEOD PK	HEAT LIGHT		262.40			
							262.40		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-020 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5510		MCLEOD PK	HEAT LIGHT		325.98			
							325.98		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-023 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5510		MCLEOD PK	HEAT LIGHT		294.49			
							294.49		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	504420-026 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		206.64			
							206.64		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-027 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		14.65			
							14.65		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	15070-028 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		139.25			
							139.25		
299	COAST ELECTRIC POWER	0001		INV	04/19/2021	100314-002 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5510		MCLEOD PK	HEAT LIGHT		236.05			
							236.05		
						CHECK TOTAL	**10,459.38**		
7975	DIRECT TV	0000		INV	04/19/2021	082688902X210331			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001260 5513		EMA	CABLE TELE		167.99			
							167.99		
						CHECK TOTAL	**167.99**		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
4728	FEDEX	0001		INV	04/19/2021	7-324-75578			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 096153 5501		MAPPING	POSTAGE AN		9.10			
							9.10		
						CHECK TOTAL	**9.10**		
4242	FLEETCOR TECHNOLOGIES	0000		INV	04/19/2021	NP59886136			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001125 5671		INFO TECH	GASOLINE		49.87			
	2 001675 5671		BLDG DEPT	GASOLINE		100.50			
							150.37		
						CHECK TOTAL	**150.37**		
4242	FLEETCOR TECHNOLOGIES	0000		INV	04/19/2021	NP59886019			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 096153 5671		MAPPING	GASOLINE		113.80			
							113.80		
						CHECK TOTAL	**113.80**		
4242	FLEETCOR TECHNOLOGIES	0000		INV	04/19/2021	NP59919234			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001101 5671		CHANC CLK	GASOLINE		38.39			
	2 001675 5671		BLDG DEPT	GASOLINE		83.21			
							121.60		
						CHECK TOTAL	**121.60**		
4242	FLEETCOR TECHNOLOGIES	0000		INV	04/19/2021	NP59919116			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 096153 5671		MAPPING	GASOLINE		101.24			
							101.24		
						CHECK TOTAL	**101.24**		
4242	FLEETCOR TECHNOLOGIES	0000		INV	04/19/2021	NP59885893			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001205 5671		PAT NASA	GASOLINE		266.81			
	2 001163 5671		YOUTH CT	GASOLINE		57.73			
	3 001200 5671		SHERIFF	GASOLINE		5,440.03			
							5,764.57		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
						CHECK TOTAL	**5,764.57**		
4242	FLEETCOR TECHNOLOGIES	0000		INV	04/19/2021	NP59918990			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001163 5671		YOUTH CT	GASOLINE		24.02			
	2 001205 5671		PAT NASA	GASOLINE		221.15			
	3 001200 5671		SHERIFF	GASOLINE		5,746.72			
							5,991.89		
						CHECK TOTAL	**5,991.89**		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	109982 MAR 21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001220 5510		IMP EXP	HEAT LIGHT		8,642.25			
							8,642.25		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	103076 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		77.00			
							77.00		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	108970 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		75.00			
							75.00		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	110289 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001333 5510		MARINA	HEAT LIGHT		77.00			
							77.00		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	110293 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		102.50			
							102.50		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	101270 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		39.00			
							39.00		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	104467 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 150300 5510		RD MNT	HEAT LIGHT		141.00			
							141.00		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	110125 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		75.00			
							75.00		
2862	HANCOCK COUNTY WATER	0000		INV	04/19/2021	110291 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		102.50			
							102.50		
						CHECK TOTAL	**9,331.25**		
9478	INDUSTRIAL WELDING SU	0001		INV	04/19/2021	36179125			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 150300 5699		RD MNT	OTH CNS		158.30			
							158.30		
						CHECK TOTAL	**158.30**		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010061810 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 154523 5510		ARENA	HEAT LIGHT		25.00			
							25.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010061800 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 154523 5510		ARENA	HEAT LIGHT		259.95			
							259.95		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010092550 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		289.16			
							289.16		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010042100 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001530 5510		MCLEOD PK	HEAT LIGHT		4,575.54			
							4,575.54		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010092600 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		75.00			
							75.00		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	020100976 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			31.64		
							31.64		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010042090 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			224.80		
							224.80		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010092551 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			25.00		
							25.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	020152100 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			25.00		
							25.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	020002720 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			75.00		
							75.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010092810 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			77.10		
							77.10		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010092410 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			172.68		
							172.68		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010059250 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			25.00		
							25.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010094800 mar21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			80.82		
							80.82		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010092500 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			75.00		
							75.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	010059260 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			25.00		
							25.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	020149625 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			25.00		
							25.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	020002700 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			75.00		
							75.00		
913	KILN UTILITY & FIRE D	0000		INV	04/19/2021	020219900 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			49.45		
							49.45		
						CHECK TOTAL	**6,211.14**		
99998	UPS	0000		INV	04/19/2021	00007274X8141			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001200 5501		SHERIFF	POSTAGE AN			19.10		
							19.10		
						CHECK TOTAL	**19.10**		
1167	MISSISSIPPI POWER COM	0000		INV	04/19/2021	MARCH, 2021			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			3,016.18		
	2 156331 5510		SEAWALL	HEAT LIGHT			1,056.47		
							4,072.65		
						CHECK TOTAL	**4,072.65**		
7201	MOBILE MONITORING FLE	0000		INV	04/19/2021	2461640			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 096153 5599		MAPPING	OTHER CONT			120.00		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
							120.00		
						CHECK TOTAL	**120.00**		
7201	MOBILE MONITORING FLE	0000		INV	04/19/2021	2461299			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001220 5599		IMP EXP	OTHER CONT		367.30			
							367.30		
						CHECK TOTAL	**367.30**		
6475	MS DEPT OF PUBLIC SAF	0000		INV	04/19/2021	MARCH, 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001000 4230		REVENUE	JC FINES		2,065.00			
							2,065.00		
						CHECK TOTAL	**2,065.00**		
6475	MS DEPT OF PUBLIC SAF	0000		INV	04/19/2021	90102452			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001200 5562		SHERIFF	EVIDENCE		240.00			
							240.00		
						CHECK TOTAL	**240.00**		
6475	MS DEPT OF PUBLIC SAF	0000		INV	04/19/2021	90102453			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001200 5562		SHERIFF	EVIDENCE		120.00			
							120.00		
						CHECK TOTAL	**120.00**		
9612	MS DEPT OF REVENUE	0000		INV	04/19/2021	3C6RR6KT5MG563142			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 096153 5669		MAPPING	LIC TAGS		12.00			
							12.00		
						CHECK TOTAL	**12.00**		
6751	NAPA AUTO & TRUCK PAR	0001	21001906	INV	04/19/2021	PO#21001906			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 150300 5684		RD MNT	BATTERIES		177.48			
							177.48		
						CHECK TOTAL	**177.48**		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
8825	NI GOVERNMENT SERVICE	0002		INV	04/19/2021	21032996541			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001260 5502		EMA	TELEPHONE		48.36			
							48.36		
						CHECK TOTAL	**48.36**		
5556	PEARL RIVER CENTRAL W	0000		INV	04/19/2021	310500 MAR 21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		17.00			
							17.00		
5556	PEARL RIVER CENTRAL W	0000		INV	04/19/2021	310510 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT		17.00			
							17.00		
						CHECK TOTAL	**34.00**		
7030	PEARLINGTON WATER & S	0000		INV	04/19/2021	00000710 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		94.25			
							94.25		
7030	PEARLINGTON WATER & S	0000		INV	04/19/2021	00030003 MAR21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 150300 5510		RD MNT	HEAT LIGHT		37.25			
							37.25		
						CHECK TOTAL	**131.50**		
9834	Quadient Finance USA,	0000		INV	04/19/2021	MAR. 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001180 5501		ELECTIONS	POSTAGE AN		601.00			
							601.00		
						CHECK TOTAL	**601.00**		
9558	REGIONS BANK	0001		INV	04/19/2021	BI# 8388			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 280800 5802		MS GO BOND	INTEREST		27,728.13			
	2 280800 5800		MS GO BOND	PRIN-CAP		300,000.00			
							327,728.13		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
						CHECK TOTAL	**327,728.13**		
9558	REGIONS BANK	0001		INV	04/19/2021	93569			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 280800 5803		MS GO BOND	FISC AG			750.00		
							750.00		
						CHECK TOTAL	**750.00**		
9049	S&L OFFICE SUPPLIES	0000	21001932	INV	05/03/2021	87861,87917			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001220 5645		IMP EXP	JANITORIAL			326.28		
							326.28		
						CHECK TOTAL	**326.28**		
8031	STANDARD DEDEAUX WATE	0000		INV	04/19/2021	010192500 mar 21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001531 5510		RECREATION	HEAT LIGHT			25.00		
							25.00		
8031	STANDARD DEDEAUX WATE	0000		INV	04/19/2021	010182550 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			25.00		
							25.00		
8031	STANDARD DEDEAUX WATE	0000		INV	04/19/2021	030006725 MAR21			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 001151 5510		BLDS/GRNDS	HEAT LIGHT			25.00		
							25.00		
						CHECK TOTAL	**75.00**		
3186	SUN COAST/CLAYS BUS S	0000	21001959	INV	05/03/2021	1278924-0			
	ACCOUNT DETAIL						**LINE AMOUNT**		
	1 097110 5603		EMER 911	OFFICE SUP			9.27		
	2 097110 5645		EMER 911	JANITORIAL			92.86		
							102.13		
						CHECK TOTAL	**102.13**		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
4646	TEC	0000		INV	04/19/2021	1018894			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 097110 5502		EMER 911	TELEPHONE		117.70			
	2 001105 5502		TAX/COL	TELEPHONE		5.62			
	3 001102 5502		CIRC CLK	TELEPHONE		20.00			
	4 001151 5502		BLDS/GRNDS	TELEPHONE		8.90			
							152.22		
						CHECK TOTAL	**152.22**		
9281	UTILITY SERVICES, LLC	0000		INV	04/19/2021	070024001 MARCH,21			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001531 5510		RECREATION	HEAT LIGHT		36.00			
							36.00		
						CHECK TOTAL	**36.00**		
9439	CELICO PARTNERSHIP	0001		INV	04/19/2021	9876289091			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001125 5504		INFO TECH	INTERNET		80.06			
							80.06		
						CHECK TOTAL	**80.06**		
9716	VISA	0000		INV	04/19/2021	march, 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 614220 5692		INMATE	CLOTHES &		312.00			
							312.00		
						CHECK TOTAL	**312.00**		
9716	VISA	0000		INV	04/19/2021	MAR. 2021			
	ACCOUNT DETAIL					**LINE AMOUNT**			
	1 001200 5476		SHERIFF	MEALS/LDG		35.96			
							35.96		
						CHECK TOTAL	**35.96**		

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Detail Invoice List

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

CASH ACCOUNT: 999 1002 CASH IN BANK

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
9716	VISA	0001		INV	04/19/2021	MARCH,2021			

ACCOUNT DETAIL					LINE AMOUNT
1	096153	5571	MAPPING	DUES AND S	100.00
2	001105	5571	TAX/COL	DUES AND S	461.42
3	001200	5571	SHERIFF	DUES AND S	60.00
4	199268	5616	FIRE MARSH	TRN SUPPL	942.00
5	001125	5544	INFO TECH	MNT AG	79.99
6	108105	5480	INT/TAX	TRAINING	530.00
7	614220	5692	INMATE	CLOTHES &	129.99

2,303.40
CHECK TOTAL **2,303.40**

VENDOR		REMIT	PO	TYPE	DUE DATE	INVOICE	AMOUNT	VOUCHER	CHECK
8930	WRIGHT NATIONAL FLOOD	0000		INV	04/19/2021	23 1150805049			

ACCOUNT DETAIL					LINE AMOUNT
1	001151	5570	BLDS/GRNDS	INSURANCE	4,952.00

4,952.00
CHECK TOTAL **4,952.00**

135	**INVOICES**	**WARRANT TOTAL**	**428,660.61**	**428,660.61**
		CASH ACCOUNT BALANCE		**45,331,653.77**

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

Preliminary Check Run Summary

CHECK RUN: 04192021 04/19/2021
DUE DATE: 04/19/2021

FUND	ORG		ACCOUNT		AMOUNT	AVLB BUDGET
001	001000	GENERAL FUND REV	001-00-000-00-001-4230-	JUSTICE COURT FINES	2,065.00	0.00
001	001101	CHANCERY CLERKS DEPAR	001-10-101-00-000-5502-	TELEPHONE SERVICE	13.51	107.98
001	001101	CHANCERY CLERKS DEPAR	001-10-101-00-000-5671-	GASOLINE	38.39	95.94
001	001102	CIRCUIT CLERK'S DEPAR	001-10-102-00-000-5502-	TELEPHONE SERVICE	33.12	103.58
001	001102	CIRCUIT CLERK'S DEPAR	001-10-102-00-000-5504-	INTERNET SERVICES	67.72	496.75
001	001105	TAX ASSESSOR/COLLECTO	001-10-105-00-000-5502-	TELEPHONE SERVICE	183.84	892.76
001	001105	TAX ASSESSOR/COLLECTO	001-10-105-00-000-5571-	DUES AND SUBSCRIPTION	461.42	381.38
001	001125	IT DEPARTMENT	001-10-125-00-000-5504-	INTERNET SERVICES	80.06	49,879.91
001	001125	IT DEPARTMENT	001-10-125-00-000-5544-	MAINTENANCE AGREEMENT	79.99	33,921.71
001	001125	IT DEPARTMENT	001-10-125-00-000-5671-	GASOLINE	49.87	1,987.02
001	001151	MAINT OF BUILDING & G	001-10-151-00-000-5502-	TELEPHONE SERVICE	4,819.35	33,636.59
001	001151	MAINT OF BUILDING & G	001-10-151-00-000-5504-	INTERNET SERVICES	146.59	5,636.97
001	001151	MAINT OF BUILDING & G	001-10-151-00-000-5510-	HEAT LIGHT POWER GAS	7,036.37	69,574.96
001	001151	MAINT OF BUILDING & G	001-10-151-00-000-5570-	INSURANCE & FIDELITY	4,952.00	-7,462.15
001	001160	CHANCERY COURT	001-10-160-00-000-5411-	COURT REPORTERS	10,797.36	40,797.65
001	001161	CIRCUIT COURT	001-10-161-00-000-5418-	COURT REPORTERS	9,170.46	15,267.53
001	001161	CIRCUIT COURT	001-10-161-00-000-5550-	LEGAL FEES	348.99	2,508.27
001	001163	YOUTH COURT	001-10-163-00-000-5502-	TELEPHONE SERVICE	25.57	1,602.41
001	001163	YOUTH COURT	001-10-163-00-000-5671-	GASOLINE	81.75	445.76
001	001167	CORONER AND RANGER	001-10-167-00-000-5502-	TELEPHONE SERVICE	13.12	446.61
001	001168	DISTRICT ATTORNEY'S O	001-10-168-00-000-5502-	TELEPHONE SERVICE	13.12	39.93
001	001168	DISTRICT ATTORNEY'S O	001-10-168-00-000-5504-	INTERNET SERVICES	68.44	489.36
001	001180	ELECTIONS	001-10-180-00-000-5501-	POSTAGE AND BOX RENT	601.00	1,998.00
001	001200	SHERIFF	001-20-200-00-000-5476-	MEALS AND LODGING	35.96	1,011.93
001	001200	SHERIFF	001-20-200-00-000-5501-	POSTAGE AND BOX RENT	19.10	2,318.40
001	001200	SHERIFF	001-20-200-00-000-5502-	TELEPHONE SERVICE	7,833.17	38,779.46
001	001200	SHERIFF	001-20-200-00-000-5562-	EVIDENCE TESTING	360.00	5,920.00
001	001200	SHERIFF	001-20-200-00-000-5571-	DUES AND SUBSCRIPTION	60.00	1,275.00
001	001200	SHERIFF	001-20-200-00-000-5671-	GASOLINE	11,186.75	86,204.65
001	001205	PATROLLING NASA	001-20-205-00-000-5671-	GASOLINE	487.96	22,496.27
001	001220	IMPRISONMENT EXPENSE	001-20-220-00-000-5510-	HEAT LIGHT POWER GAS	12,299.63	166,909.28
001	001220	IMPRISONMENT EXPENSE	001-20-220-00-000-5540-	MAINTENANCE OF BUILDI	237.50	67,453.11
001	001220	IMPRISONMENT EXPENSE	001-20-220-00-000-5599-	OTHER CONTRACTUAL SER	367.30	43,341.50
001	001220	IMPRISONMENT EXPENSE	001-20-220-00-000-5645-	JANITORIAL SUPPLIES	326.28	4,008.03
001	001260	EMERGENCY MANAGEMENT	001-20-260-00-000-5502-	TELEPHONE SERVICE	120.32	1,415.39
001	001260	EMERGENCY MANAGEMENT	001-20-260-00-000-5513-	CABLE TELEVISION	167.99	759.32
001	001333	MARINA	001-30-333-00-000-5510-	HEAT LIGHT POWER GAS	77.00	13,457.52
001	001400	HEALTH DEPARTMENT	001-40-400-00-000-5502-	TELEPHONE SERVICE	81.80	437.67
001	001411	ANIMAL SHELTER	001-40-411-00-000-5504-	INTERNET SERVICES	312.27	1,590.65
001	001411	ANIMAL SHELTER	001-40-411-00-000-5510-	HEAT LIGHT POWER GAS	498.27	5,289.61

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Hancock County Board of Supervisors

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

001	001530	MCLEOD PARK	001-50-530-00-000-5504-	INTERNET SERVICES	511.27	2,657.65
001	001530	MCLEOD PARK	001-50-530-00-000-5510-	HEAT LIGHT POWER GAS	10,195.90	27,255.29
001	001531	RECREATION DEPARTMENT	001-50-531-00-000-5510-	HEAT LIGHT POWER GAS	2,574.07	46,941.26
001	001630	SOIL CONSERVATION	001-60-630-00-000-5502-	TELEPHONE SERVICE	176.07	770.30
001	001631	COUNTY AGENT	001-60-631-00-000-5502-	TELEPHONE SERVICE	125.00	13.13
001	001675	BUILDING DEPARTMENT	001-70-675-00-000-5671-	GASOLINE	183.71	1,773.69
				FUND TOTAL	**89,384.36**	

CASH ACCOUNT 999 1002 BALANCE 45,331,653.77

096	096153	REAPPRAISAL & MAPPING	096-10-153-00-000-5501-	POSTAGE AND BOX RENT	9.10	6,600.87
096	096153	REAPPRAISAL & MAPPING	096-10-153-00-000-5502-	TELEPHONE SERVICE	356.78	490.08
096	096153	REAPPRAISAL & MAPPING	096-10-153-00-000-5571-	DUES AND SUBSCRIPTION	100.00	26.30
096	096153	REAPPRAISAL & MAPPING	096-10-153-00-000-5599-	OTHER CONTRACTUAL SER	120.00	5,960.00
096	096153	REAPPRAISAL & MAPPING	096-10-153-00-000-5669-	LICENSE TAGS	12.00	0.00
096	096153	REAPPRAISAL & MAPPING	096-10-153-00-000-5671-	GASOLINE	215.04	6,925.95
				FUND TOTAL	**812.92**	

CASH ACCOUNT 999 1002 BALANCE 45,331,653.77

097	097110	EMERGENCY 911	097-10-110-00-000-5502-	TELEPHONE SERVICE	1,660.82	22,582.69
097	097110	EMERGENCY 911	097-10-110-00-000-5544-	MAINTENANCE AGREEMENT	4,052.00	72,422.95
097	097110	EMERGENCY 911	097-10-110-00-000-5603-	OFFICE SUPPLIES	9.27	380.88
097	097110	EMERGENCY 911	097-10-110-00-000-5645-	JANITORIAL SUPPLIES	92.86	422.39
				FUND TOTAL	**5,814.95**	

CASH ACCOUNT 999 1002 BALANCE 45,331,653.77

108	108105	INTERFACE/TAX COLL	108-10-105-00-000-5480-	TRAINING & SEMINARS	530.00	2,070.00
				FUND TOTAL	**530.00**	

CASH ACCOUNT 999 1002 BALANCE 45,331,653.77

150	150300	ROAD MAINTENANCE FUND	150-30-300-00-000-5510-	HEAT LIGHT POWER GAS	312.02	22,884.51
150	150300	ROAD MAINTENANCE FUND	150-30-300-00-000-5684-	BATTERIES	177.48	1,854.27
150	150300	ROAD MAINTENANCE FUND	150-30-300-00-000-5699-	OTHER CONSUMABLE SUPP	158.30	2,105.61
				FUND TOTAL	**647.80**	

CASH ACCOUNT 999 1002 BALANCE 45,331,653.77

154	154523	MULTIPURPOSE ARENA	154-50-523-00-000-5510-	HEAT LIGHT POWER GAS	284.95	14,931.68
				FUND TOTAL	**284.95**	

CASH ACCOUNT 999 1002 BALANCE 45,331,653.77

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

PRELIMINARY ACCOUNTS PAYABLE CHECK RUN REPORT

156	156331	SEAWALL	156-30-331-00-000-5510-	HEAT LIGHT POWER GAS	1,323.51	15,555.13
				FUND TOTAL	**1,323.51**	
CASH ACCOUNT	**999 1002**	**BALANCE**	**45,331,653.77**			
199	199268	FIRE MARSHALL TRAININ	199-20-268-00-000-5616-	TRAINING SUPPLIES	942.00	2,066.18
				FUND TOTAL	**942.00**	
CASH ACCOUNT	**999 1002**	**BALANCE**	**45,331,653.77**			
280	280800	MISSISSIPPI GO BONDS	280-80-800-00-000-5800-	PRINCIPAL RETIREMENT-	300,000.00	0.00
280	280800	MISSISSIPPI GO BONDS	280-80-800-00-000-5802-	INTEREST EXPENSE	27,728.13	0.00
280	280800	MISSISSIPPI GO BONDS	280-80-800-00-000-5803-	FISCAL AGENT FEES	750.00	0.00
				FUND TOTAL	**328,478.13**	
CASH ACCOUNT	**999 1002**	**BALANCE**	**45,331,653.77**			
614	614220	INMATE-IMPRISONMENT E	614-20-220-00-000-5692-	CLOTHES & DRY GOODS F	441.99	24,139.18
				FUND TOTAL	**441.99**	
CASH ACCOUNT	**999 1002**	**BALANCE**	**45,331,653.77**			
				WARRANT SUMMARY TOTAL	**428,660.61**	
				GRAND TOTAL	**428,660.61**	

Attachment: 4192021 DOCKET (8043 : Docket for April 19, 2021.)

Budget Amendments Summary 04/19/21

General Fund #001

Maintenance #151

- Increase capital outlay $15,296 for vehicle purchase. This was received from insurance.

Interface Allowance #108

Tax Assessor/Collector's Dept

-Line item adjustment- Increase capital outlay $9,750 and decrease consumable supplies $9,750 for computers.

Sheriff Gaming Account #120

-Increase Capital Outlay & Other $173,928 for mobile command center.

HB 1730 Mobile Command Center #310

-Increase revenue $200,000 for HB 1730 revenue received.

-Increase Capital Outlay & Other $200,000 for mobile command center.

Attachment: Budget Amendments Summary 04.19.21 (8046 : Budget Amendments.)

		For the Fiscal Year Ending September 30, 2020								
			APPROVED		FOR APPROVAL					
			4/5/2021	BUDGET AMENDMENT REQUEST	4/19/2021					
DEPT	OBJ	Department								
GENERAL COUNTY #001										
BEGINNING CASH										
000		**General County**								
	200	Revenues	18,214,460		18,214,460					
	300	Revenues	1,904,700		1,904,700					
		Total Revenue	20,119,160	-	20,119,160					
151		**Maintenance**								
	900	Capital Outlay & Other	214,785	15,296	230,081	Vehicle insurance funds for new purchase				
		Total Disbursements	1,723,285	15,296	1,738,581					
		Total Revenue	21,359,697	-	21,359,697					
		Total Disbursements	3,456,387	15,296	3,471,683					
ENDING CASH										
		Net total adjustments to general fund FY 2021		**(505,905)**						
INTERFACE ALLOWANCE #108										
BEGINNING CASH										
000		**Interface Allowance**								
	200	Revenues	22,000	-	22,000					
		Total Revenue	22,000	-	22,000					
105		**Tax Assessor/Collector's Dept**								
	600	Consumable Supplies	9,750	(9,750)	-	Adjust line items				
	900	Capital Outlay & Other	1,200	9,750	10,950	Adjust line items				
		Total Disbursements	23,650	-	23,650					
ENDING CASH										
SHERIFF GAMING ACCOUNT #120										
BEGINNING CASH										
000		**Sheriff Gaming Account**								
	200	Revenues	360,000	-	360,000					
	300	Revenues	5,500	-	5,500					
		Total Revenue	365,500	-	365,500					
200		**Sheriff's Department**								
	900	Capital Outlay & Other	107,000	173,928	280,928	Mobile command center				
		Total Disbursements	107,000	173,928	280,928					
		TOTAL REVENUE	365,500	-	365,500					
		TOTAL DISBURSEMENTS	107,000	173,928	280,928					
ENDING CASH										

Attachment: budget amendments 04.19.21 (8046 : Budget Amendments.)

		For the Fiscal Year Ending September 30, 2020								
			APPROVED		FOR APPROVAL					
			4/5/2021	BUDGET AMENDMENT REQUEST	4/19/2021					
DEPT	OBJ	Department								
HB 1730 Mobile Command Center #310										
BEGINNING CASH										
000										
	200	Revenues	-	200,000	200,000	HB 1730 Revenue				
		Total Revenue	-	200,000	200,000					
300		**Road Maintenance**								
	900	Capital Outlay & Other	-	200,000	200,000	Mobile command center				
		Total Disbursements	-	200,000	200,000					
		TOTAL REVENUE	-	200,000	200,000					
		TOTAL DISBURSEMENTS	-	200,000	200,000					
ENDING CASH										

Attachment: budget amendments 04.19.21 (8046 : Budget Amendments.)

Hancock County Board of Supervisors

Regular Meeting Minutes

April 5, 2021 at 9:00 a.m.

Board Meeting Room

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

1. Call to Order

A. Pledge of Allegiance
B. Invocation

2. Roll Call

The record reflects County Administrator, Eddie Favre, County Attorney, Gary Yarborough, Tax Assessor, Jimmie Ladner, Road Manager, Vic Johnson, County Engineer, Geoff Clemons, Youth Court Judge, Honorable Trent Favre, Comptroller, Nancy Kelly, and Deputy Clerk, Valerie Fitts were all present in the Board Room. Chancery Clerk, Timothy A. Kellar, Circuit Clerk, Kendra Necaise, Grant Administrator, Maureen Anderson, Sheriff, Ricky Adam, and EMA Director, Brian Adam, were all present via remote access.

Attendee Name	Title	Status	Arrived
Theresa Ryan	District 1	Present	
Greg Shaw	District 2	Present	
Kodie Koenenn	District 3	Present	
Scotty Adam	District 4	Present	
Darrin Bo Ladner	District 5	Present	

3. Amendments to the Agenda

4.H. - Bids for the right to operate a Beach Vending site on the beaches of Hancock County, Mississippi will be received by the Hancock County Board of Supervisors at the Board Office located at 854 Highway 90, Suite A, Bay St. Louis, MS, 39520.

5.C.1. move CASA - Cynthia Chavin before Port and Harbor.

7.A.1.a. - remove Starr Moon from Sheriff's agenda, she decided to stay.

7.E.1. - move to next meeting.

7.J.13. - Motion to approve Paul Taylor to attend the constable training program at a cost of $600.

8.G.5. - Motion to approve the use of the ramp behind Buoys Bar for a Jeep Club to park Jeeps on the Beach.

A. **Motion to:** Motion to accept the agenda.**Adopted**

RESULT:	**ADOPTED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Announcements

A. The next regular scheduled Board of Supervisor's meeting will be held at 9:00 a.m. on Monday, April 19, 2021.

B. The Board of Supervisors will hold a Public Hearing on Monday, April 19, 2021 at 1:30 p.m. regarding Safety Hazard Properties located at 16042 Daytona DR. W. Pearlington, MS and 16070 Old Joe Moran Rd. Kiln, MS per MS Code 19-5-105.

C. Biweekly payroll for period ending March 13, 2021 with check date March 19, 2021 totaled $698,087.58.

D. Biweekly payroll for period ending March 27, 2021 with check date April 2, 2021 totaled $717,894.28.

E. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on Monday, May 3, 2021, and shortly thereafter opened and read for Repairs to Hancock County Arena.

F. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on May 3, 2021, and shortly thereafter opened and read for Hancock County Beach Maintenance Bid.

G. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on May 3, 2021, and shortly thereafter opened and read for Replacement of Bridge No. 1 on Crane Creek Road.

5. External Business Agenda

A. CASA - Cynthia Chauvin

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

1. Motion to approve and authorize Board President to sign CASA's Proclamation for Child Abuse Awareness and Prevention Month.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

B. Port & Harbor Commission

1. Motion to accept the Hancock County Port & Harbor Commission's Resolution 20210322-01, approving the March 22, 2021 Docket of Claims.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to accept the Hancock County Port & Harbor Commission's Resolution 20210322-02, adopting the HCPHC FY2021 Budget Amendment #1.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to accept the Hancock County Port & Harbor Commission's Resolution 20210322-03, audit for year ending 2020.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to accept Hancock County Port & Harbor Commission's Resolution 20210322-05, authorizing Chief Executive Officer to execute Work Authorization #2B to complete FAA Project #34-2020, in the amount not to exceed $131,334, in anticipation of receiving remaining funds within a Multi-Year Grant from FAA.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to accept Hancock County Port & Harbor Commission's Resolution #20210322-06, authorizing execution of change order No. 3 for Project FAA 33-2019, Taxiway Rehabilitation to Sunbelt Sealing, Inc., in the amount of $152,485.00.**Approved**

   The record reflects a finding of commercially reasonable and necessary under Section 31-7-13(d).

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

6. Motion to accept Hancock County Port & Harbor Commission's Resolution# 20210322-07, authorizing execution of Work Authorization #AP 2109-01, to Neel-Schaffer, Inc., for professional services associated with AP 2109 - 5 Bay Ga Hangars at A cost not to exceed $235,000.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

7. Motion to accept Hancock County Port & Harbor Commission's Resolution# 20210322-08, acceptance of and authorizing Chief Executive Officer to execute 2020 Airport Coronavirus Response Grant Program (ACRGP) Offer No. 3-27-0005-037-2021, in the amount of $57,162.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

C. Commendation - Lee Bennett

1. Present Commendation to Lee Bennett.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

D. GRPC - Jeff Loftus

1. Motion to approve and authorize Board President to sign Payment Request 3 for Washington Street Waterfront Improvements.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve and authorize Board President to sign Payment Request 7 for Bayou Talla Boat Launch Improvements.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve and authorize Board President to sign Notice of Completion for Bayou Talla Boat Launch Improvements.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to approve and authorize Board President to sign the Amended Application for McLeod Park RV Expansion FY20-P610-01.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to approve and authorize Board President to sign the Amended Application for Bayou Caddy Marina Expansion-FY21-P610-02.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

E. Gulf Coast Center for Nonviolence, Inc. - Stephanie Piper

1. Motion to approve and authorize Board President to sign the Gulf Coast Center for Nonviolence's Proclamation declaring April as National Sexual Assault Awareness Month.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

F. No Protest Resolution - Heather Smith with Butler Snow

1. Motion to approve the Resolution of the Board of Supervisors of Hancock County, Mississippi (The "County") finding and determining that a Resolution Evidencing Intent to Issue, in one or more series, (I) General Obligation Bonds of the County, (II) A General Obligation Bond of the County for sale to the Mississippi Development Bank and/or (III) enter into a loan with the Mississippi Development Bank, all in a total aggregate principal amount of not to exceed Nine Million dollars ($9,000,000) was duly published as required by law and that no written protest or other objection of any kind or character against the issuance of said bonds, bond or loan has been filed by qualified electors of the County; and for related purposes.**Approved**

   The record reflects no written protests were received by the Board of Supervisors prior to the 9:00 a.m. deadline. Further, no-one was present in the Board Meeting Room that protested to the issuance of the Bond.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

G. Hancock County Food Pantry - John Wittliff, Marshall Kyger and Lisa Cowand

1. Presentation: Hancock County Food Pantry Annual Report.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

6. Departmental Agendas

A. Emergency Management Agency

B. Animal Shelter

1. Motion to approve the hiring of Jessica Ann Collins, part-time, for the Animal Shelter at a rate of pay of $10.30 per hour, effective April 5, 2021, pending successful completion of physical and drug testing.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

C. Justice Court

D. IT Department

1. Motion to remove Meridith Fountain from IT Department payroll, effective March 19, 2021.**Approved**

   The record reflects Items 1 - 2 were voted on in one consent block.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve the hiring of Christopher Crittenden as an IT Operations Specialist at a rate of pay of $46,000 per year, effective April 5, 2021 upon successful completion of drug test and physical. After a 90-day probationary period, an adjustment in pay will be considered.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

E. Purchasing

1. Motion to approve the purchase of two (2) MSA G1 SCBA Packs per specifications for Diamondhead Fire Department off MS State Contract No.

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

8200053299, effective dates October 1, 2020 - September 30, 2021. Total contract price is $10,770.00 from Sunbelt Fire.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve the purchase of a 2021 John Deere Gator XUV855M S4 for McLeod Park, off MS State Contract No. 8200055711, effective dates March 1, 2021 - February 28, 2022. Total contract price is $15,633.94 from SunSouth, to be paid out of Tidelands Funds.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve the purchase of a playground structure for the Pearlington Walking Track in the amount of $48,454.80 from Great Southern Recreation as they were the lowest and best quote, and spread both quotes on the Minutes.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to approve the purchase of 7 laptops and peripherals from Dell for IT Department off MS State EPL 3760, expires June 30, 2021. Total contract price is $9,009.91. This money will come out of COVID-19 grant funding.**Approved**

   The record reflects Items 4-6 were voted on together as one consent block.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to approve the purchase of 8 interactive conference panels & installation for IT Department off MS State EPL 3760, expires June 30, 2021. Total contract price is $24,545.44 from AXIEDU. This money will come out of COVID-19 grant funding.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

6. Motion to approve the purchase of web cameras, data cords, and mobile stands for IT Department from AXIEDU in the amount of $10,284.80, and spread both quotes on the Minutes. This money will come out of COVID-19 grand funding.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

7. Motion to approve the purchase of a Dodge Ram 1500 for Buildings & Grounds Department, off MS State Contract No. 8200054017, effective dates October 1, 2020-September 30, 2021. Total contract price is $23,376.00 from Landers Dodge.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

8. Motion to approve the purchase of a John Deere 6110M Cab Tractor for Road & Bridge Department off MS State Contract No. 8200055711, effective dates March 1, 2021 - February 28, 2022. Total contract price is $83,087.00 from John Deere & Company.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

9. Motion to approve the purchase of a 24' Alamo Maverick Boom Mower for Road & Bridge Department off MS State Contract No. 8200055663, effective dates March 1, 2021 - February 28, 2022. Total contract price is $81,276.00 from SunSouth LLC.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

10. Motion to approve and authorize Board President to sign the fire alarm monitoring and inspection agreement for the systems at the Annex & HHS Buildings with ADS Systems, LLC for $645.00/per building yearly.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

F. Planning and Zoning

1. Motion to approve the Planning Commission Meeting Minutes held on March 4, 2021.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve Anthony Cuevas & John White to attend the 2021 Building Officials Association of Mississippi Summer Training Conference held in Gulfport at the Courtyard Marriot June 14 -18, 2021 with a conference fee of $150.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve the Building Officials Association of Mississippi 2021 Membership Dues in the amount of $300.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

G. Parks & Recreation

1. Motion to approve removing Zachary Pack from McLeod Park payroll effective March 14, 2021.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Discussion regarding adding funds to the Recreation Department 's Janitorial and LP Gas line items, and authorize Comptroller to prepare the necessary budget amendments.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

H. Inventory Clerk

1. Motion to approve the purchase of an undercover tag for a 2021 GMC Acadia for the Sheriff's Department, VIN No. 16KKNKLS8MZ126566.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve the inventory removal and disposal of the assets listed on the attached Exhibit A as they are no longer needed for county purposes.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

I. Comptroller

1. Motion to approve the attached Budget Amendments.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve the following Interfund Transfer: a. Transfer into the General Fund $250,000 from the Dak Tax Increment Debt Service Fund.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to spread on the Minutes the Budgeted Revenue and Expenditures through March 2021.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Kodie Koenenn, District 3
SECONDER: Greg Shaw, District 2
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to approve the Docket of Claims for April 5, 2021 in the amount of $2,261,835.02.**Approved**

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Greg Shaw, District 2
SECONDER: Kodie Koenenn, District 3
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

J. Board Secretary

1. Motion to approve Regular Meeting Minutes of Monday March 15th, 2021**Accepted**

RESULT: **ACCEPTED [UNANIMOUS]**
MOVER: Theresa Ryan, District 1
SECONDER: Kodie Koenenn, District 3
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve Special Meeting Minutes of Wednesday March 31st, 2021**Accepted**

RESULT: **ACCEPTED [UNANIMOUS]**
MOVER: Theresa Ryan, District 1
SECONDER: Kodie Koenenn, District 3
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

7. Elected/Appointed Agendas

A. Sheriff's Office

1. Motion to remove Lavern Lott's assigned duty weapon asset #5954 Glock 21 .45cal ACP Serial number TUC846, from inventory and allow him to purchase his weapon for $1.00. This is a state statue 45-9-131 (See attached paper work).**Approved**

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Scotty Adam, District 4
SECONDER: Kodie Koenenn, District 3
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve and authorize Board President to execute an Intergovernmental transfer of a 2013 Ford Taurus VIN # 1FAHP2M8XDG119350 to Hancock County from the City of Diamondhead for $1.00. (See attached paper work)**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Kodie Koenenn, District 3
SECONDER: Darrin Bo Ladner, District 5
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve and authorize the Board President to sign the FY22 MOHS Occupant Protection Grant Application 402.**Approved**
   The record reflects Items 3 - 4 were voted on as one consent block.

   RESULT: **APPROVED [UNANIMOUS]**
   MOVER: Greg Shaw, District 2
   SECONDER: Kodie Koenenn, District 3
   AYES: Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to approve and authorize the Board President to sign the FY22 MOHS Impaired Driving Grant Application 154.**Approved**

   RESULT: **APPROVED [UNANIMOUS]**
   MOVER: Greg Shaw, District 2
   SECONDER: Kodie Koenenn, District 3
   AYES: Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to spread on the Minutes the following personnel changes: a. Remove the following from payroll: • Leslie Jordan – effective March 27, 2021; • Nyra Law – effective April 05, 2021; • Casey Butler - effective April 05, 2021; • Blaine Freeman - effective April 05, 2021; • Christopher Kiddy - effective April 05, 2021; • Shaun Stallings - effective April 05, 2021; • Leslie Pullens – effective April 05, 2021; • Bobby Parrish – effective April 05, 2021.**Approved**
   The record reflects a full recusal from District 5 Supervisor from the discussion and vote on this matter, and left the room.

   RESULT: **APPROVED [4 TO 0]**
   MOVER: Scotty Adam, District 4
   SECONDER: Greg Shaw, District 2
   AYES: Theresa Ryan, Greg Shaw, Kodie Koenenn, Scotty Adam
   RECUSED: Darrin Bo Ladner

6. Motion to spread on the Minutes the following personnel changes: 5. b. Add the following to payroll, effective April 05, 2021: • Zachary Starks as full time deputy, rate of pay $16.20 per hour; and • Emilio Edmonds as full time correction officer, rate of pay $13.67 per hour.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

The record reflects a full recusal from District 5 Supervisor from the discussion and vote on this matter, and left the room.

RESULT:	**APPROVED [4 TO 0]**
MOVER:	Scotty Adam, District 4
SECONDER:	Greg Shaw, District 2
AYES:	Theresa Ryan, Greg Shaw, Kodie Koenenn, Scotty Adam
RECUSED:	Darrin Bo Ladner

7. Motion to spread on the Minutes the following personnel changes: 5. c. Adjust the following to Sergeant's pay at a rate of $16.94 per hour, effective April 11, 2021. • Colin Freeman; and • Dustyn Franklin. 5. d. Adjust Marcus Jassby's pay to Narcotics pay at a rate of $19.14 per hour, effective April 11, 2021. 5. e. Adjust the following pay rates to $14.63 per hour, they have completed the academy, effective April 11, 2021: • Stevie Bello; and • Charles Artigue. 5. f. Adjust Lalaynnia DePeralta pay to Sergeants pay $15.20 per hour, effective April 11, 2021.**Approved**

   The record reflects a full recusal from District 5 Supervisor from the discussion and vote on this matter, and left the room.

RESULT:	**APPROVED [4 TO 0]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Theresa Ryan, Greg Shaw, Kodie Koenenn, Scotty Adam
RECUSED:	Darrin Bo Ladner

8. Motion to approve Mike Burkett to go to a Basic Computer Forensic Examiner class in Orlando, Florida, on April 26 -May 07, 2021. He will need a hotel room in the amount of $1,886.56 and advancement pay for food of $728.00.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

The record reflects a full recusal from District 5 Supervisor from the discussion and vote on this matter, and left the room.

RESULT:	**APPROVED [4 TO 0]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Theresa Ryan, Greg Shaw, Kodie Koenenn, Scotty Adam
RECUSED:	Darrin Bo Ladner

B. Tax Assessor

The record reflects District 5 Supervisor entered the room after the vote and now participating in the meeting.

1. Motion to spread on the Minutes the hiring of Carlos (Charlie) Vellon for the Tax Office, start date was March 29, 2021, at a rate of pay of $13.50 per hour.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to spread on the Minutes the Outstanding Checks for the Tax Collector's Office settled to the General Fund.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to spread on the Minutes the NSF checks that were written to the Tax Collector's Office.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to spread on the Minutes the refunded interest collected over the 5.5% rate between July 1, 2020 thru July 16, 2020.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to approve the Free Port Warehouse Application for Goodnight Terminal Services.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

C. Circuit Clerk

1. Motion to spread on the Minutes, the Proclamation for November 2, 2021 election to fill Office of Circuit Judge for the Second Circuit District due to the resignation of Roger T. Clark on November 30, 2020.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

D. County Court

E. Chancery Clerk

1. Motion to spread on the Minutes the Chancery Clerk's year-end settlement check in the amount of $183,526.14 for the General Fund for the calendar year 2020.**Approved**

   The record reflects Motion 7982 remained on the agenda and passed with the above votes.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

F. Youth Court/Youth Drug Court

1. Motion to approve the hiring of Cecile Tebo, LCSW for Treatment Court Department (Family Court) in the amount of $55,000.00 per year, effective April 12, 2021.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

G. County Engineer

1. Motion to approve and authorize Board President to sign Task Order Request (221-076.003-1), for the surveying of 7 property owners on Sue's Road, Hancock County.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve and authorize Board President to sign Task Order Request (221-076.004-01), for Bayou Caddy Marina.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve and authorize Board President to sign the Close-Out Documents related to Bayou Talla Boat Launch Improvements Project.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to approve the ROW Occupancy Request from Telepak Networks for directional bore located near 16840 Kapalalma Drive.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to authorize County Attorney to initiate quick take pleadings on the properties adjacent to the Kiln Delisle Road Bridge.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

6. Motion to spread on the Minutes, the executed Contract by and between the Hancock County Board of Supervisors and SCI, Inc., for TS. Cristobal Repairs to Washington Street Outfalls.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

H. Road Manager

1. Motion to remove Thomas Mauffray from payroll due to his retirement, effective March 31, 2021 and request a commendation for the same.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve the hiring of Cody Ladner at the North Maintenance Road Department as Laborer I. Rate of pay is $12.50 per hour, effective upon completion of successful drug test and physical.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve moving Emile Mattox at South Maintenance Road Department from Laborer III to Laborer I with a pay increase to $12.50 per hour, effective April 11, 2021.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Discussion regarding Animal shelter fence.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

The record reflects Mr. Favre will contact Mr. Feola to request payment for his agreed upon half of the total costs of the fence. The total cost is $3,375.00, with Mr. Feola owing the county an amount of $1,687.50, and authorize Comptroller to prepare the required budget amendment.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Discussion regarding South Gate Road entrance concrete repair at Port Bienville.**No Action Taken**

   The record reflects Mr. Favre will set up workshop meeting with the Port and Harbor Commission to discuss.

   RESULT: **NO ACTION TAKEN**

6. Discussion regarding street light request at the intersection of Birch Drive & Walnut Drive in Pearlington from Pam White.**Approved**

   The record reflects the approval of this request is for the benefit of the general public and not individual homeowners.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

7. Discussion regarding request from Emma Schultz with NOAA wanting to place Sea Turtle signage.**No Action Taken**

   The record reflects a discussion for the signs to be put on existing posts, but they would have to come back to the Board to get permission to put up new posts.

   RESULT: **NO ACTION TAKEN**

8. Discussion regarding Post 58 Highway 53 street light request.**No Action Taken**

   RESULT: **NO ACTION TAKEN**

9. Discussion regarding petition to rename a county maintained road from No Name to Wooded Hollow Pass.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

10. Motion to approve $2,500 for a flashing light at the intersection of Kapalama and Kiln Delisle Road for safety reasons.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

I. Grant Administrator

1. Motion to spread on the Minutes the signed Public Assistance Alternative Procedures PILOT Program Debris Removal Acknowledgement for Hurricane ZETA.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve and authorize Board President to sign the Tire Grant WT621 request to the MS Department of Environmental Quality for reimbursement in the amount of $20,700.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve paying Compton Engineering Invoice No. 219-076.002-21 in the amount of $1,000.00 for MS 2018 Transportation & Infrastructure Improvements Fund for the Crane Creek Bridge Replacement Project.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to approve and authorize Board President to sign the GOMESA Bond Request MCP-10 for Reimbursement from Hancock Bank in the amount of $369,166.58.**Approved**

   The record reflects Items 4-6 were voted on together as one consent block.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to approve and authorize Board President to sign the GOMESA Bond Request DGT-11 for Reimbursement from Hancock Bank in the amount of $62,488.00.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

6. Motion to approve and authorize Board President to sign the GOMESA Bond Request BSL-9 for Reimbursement from Hancock Bank in the amount of $1,000,000.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

7. Motion to spread on the Minutes the closeout request to MEMA for Hurricane Sally DR3544-MS.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

8. Motion to spread on the Minutes the MS Emergency Management Agency's acknowledgement of payments number 1 and 2 for Hurricane Sally (DR 3544) totaling $35,420.85 and signed by Grant Administrator.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

J. County Administrator

1. Motion to approve compensation for Cemetery Overseers as referenced on the attached list, and authorize Comptroller to prepare the necessary budget amendment. The maximum estimated budget amendment is in the amount of $2,700 for this year, at a rate of pay of $25 per month, per overseer, per cemetery. Each overseer shall provide the county with a W-9 and monthly invoice.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Scotty Adam, District 4
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve the hiring of Daysha A. Smith as the new payroll clerk, effective April 5, 2021, at a rate of pay of $14.50 per hour, pending successful

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

completion of physical and drug testing. After a 90 day probationary period, an adjustment in pay will be considered.**Approved**

The record reflects a full recusal from District 5 Supervisor from the discussion and vote on this Item.

RESULT:	**APPROVED [4 TO 0]**
MOVER:	Scotty Adam, District 4
SECONDER:	Theresa Ryan, District 1
AYES:	Theresa Ryan, Greg Shaw, Kodie Koenenn, Scotty Adam
RECUSED:	Darrin Bo Ladner

3. Motion to approve Resolution of the Board of Supervisors Hancock County, Mississippi, determining the necessity for and invoking the authority granted to the County by the Legislature with respect to Tax Increment Financing as set forth in Chapter 45 of Title 21, Mississippi Code of 1972, as amended, determining that the Diamondhead Medical Center Project is a project eligible for Tax Increment Financing under the Laws of the State, that a Public Hearing be conducted in connection with the Tax Increment Financing Plan, and for related purposes, which authorizes Clerk to set a Public Hearing date for May 3, 2021 at 1:30 p.m., and further authorizes the Clerk's office to advertise one time in the Sea Coast Echo on April 21, 2021.**Approved**

   The record reflects District 5 Supervisor has reentered the room to participate in the discussion and vote on this Item.

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to spread on the Minutes the Veteran's Service Officer National Certification and to Congratulate David Depreo on this Accomplishment.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Motion to spread on the Minutes, Mississippi Department of Environmental Quality Draft Permit Public Notice, regarding Calgon Carbon Corporation.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Kodie Koenenn, District 3
SECONDER: Darrin Bo Ladner, District 5
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

6. Motion to approve County Officials to attend the MAS Annual Convention to be held in Biloxi on June 14 through 17, 2021, with overnight accommodations due to scheduled after-hours events and authorize Board Secretary to register interested officials for the convention.**Approved**

   The record reflects Items 6-7 were voted on in one consent block.

   RESULT: **APPROVED [UNANIMOUS]**
   MOVER: Scotty Adam, District 4
   SECONDER: Kodie Koenenn, District 3
   AYES: Ryan, Shaw, Koenenn, Adam, Ladner

7. Motion to approve County Officials to attend the 2021 National Hurricane Conference to be held in New Orleans, LA on June 14th through June 17, 2021, with overnight accommodations due to scheduled after-hours events and authorize Board Secretary to register interested officials for the convention.**Approved**

   RESULT: **APPROVED [UNANIMOUS]**
   MOVER: Scotty Adam, District 4
   SECONDER: Kodie Koenenn, District 3
   AYES: Ryan, Shaw, Koenenn, Adam, Ladner

8. Motion to spread on the Minutes, Joint Public Notice U.S. Army Corps of Engineers, Mississippi Department of Environmental Quality Office of Pollution Control, and Mississippi Department of Marine Resources for proposed discharge of fill into 0.40 acres of wetlands in Shoreline Park.**Approved**

   RESULT: **APPROVED [UNANIMOUS]**
   MOVER: Scotty Adam, District 4
   SECONDER: Kodie Koenenn, District 3
   AYES: Ryan, Shaw, Koenenn, Adam, Ladner

9. Motion to spread on the Minutes, Governor Tate Reeves' Executive Order No. 1550.**Approved**

   RESULT: **APPROVED [UNANIMOUS]**
   MOVER: Kodie Koenenn, District 3
   SECONDER: Darrin Bo Ladner, District 5
   AYES: Ryan, Shaw, Koenenn, Adam, Ladner

10. Motion to spread on the Minutes, letter to United Way of South Mississippi in support of the Hancock Resource Center.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

11. Motion to authorize payment for the Bayou Talla Boat Launch floating dock to be paid from board capital in the amount of $6,192.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Darrin Bo Ladner, District 5
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

12. Motion to approve Paul Taylor to attend the mandatory constable training for new constables in the amount of $600.00.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

K. County Attorney

1. Motion to open and take under advisement RFQs received from the previously selected Engineering Firms for Stormwater Drainage from the pre-qualified engineering firms, and spread RFQs on the Minutes. A Recessed Meeting will be held on Wednesday, April 14, 2021 at 4:00 p.m. to award.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

8. Supervisors Items

A. District 1

B. District 2

C. District 3

D. District 4

1. Discussion regarding Janell Nolan with Coast Electric requesting waiver of fee for Washington Street Pavilion on Saturday, June 19, 2021 for Relay for Life 5K Glow Run.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to approve and authorize county attorney to publicize in The Sea Coast Echo for Bids on the county owned property located at O Necaise Avenue, Parcel Number 149M-1-29-052.000. This property is county surplus and not needed for county purposes.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve Road Department to cut grass at the new Hancock County School District Administration Building.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

4. Motion to authorize Hancock County Relay for Life to use the Kiln Library walking track on Saturday May 22, 2021 and the Pearlington Library walking track on Saturday, May 29, 2021 for their annual luminary ceremony.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

5. Discussion regarding relocation of the following County Entities: Youth/County Court, MS State Extension Services, Soil & Water Conservation, and Hancock County Probation Office.**No Action Taken**

RESULT:	**NO ACTION TAKEN**

6. Motion to approve a Jeep Club to use the ramp behind Buoys Bar to drive jeeps on the beach for a 35 year wedding anniversary from 11:00 a.m. to 3:00 p.m., on April 11, 2021.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Scotty Adam, District 4
SECONDER: Theresa Ryan, District 1
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

7. Motion to authorize Board Secretary to apply to the Secretary of State for a Notary Public Commission, and authorize county payment of all fees associated.**Approved**

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Scotty Adam, District 4
SECONDER: Darrin Bo Ladner, District 5
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

E. District 5

1. Motion to approve District Five Supervisor's nomination of Taylor Jordan for the Mississippi Deep Sea Fishing Rodeo 2021 Pageant.**No Action Taken**

RESULT: **NO ACTION TAKEN**

2. Discussion regarding golf cart usage on county roads.**No Action Taken**

RESULT: **NO ACTION TAKEN**

9. Public Comments

10. Executive Session

1. Motion to consider Executive Session regarding personnel issue with EMA administrative assistant.**Approved**

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Scotty Adam, District 4
SECONDER: Darrin Bo Ladner, District 5
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to Enter Executive Session regarding personnel issue with EMA administrative assistant.**Approved**

RESULT: **APPROVED [UNANIMOUS]**
MOVER: Scotty Adam, District 4
SECONDER: Greg Shaw, District 2
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to Exit Executive Session with no action taken.**Approved**

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)


RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

11. Adjourn/Recess

1. **Motion to:** Motion to recess the meeting at 12:40 p.m., until Wednesday, April 14, at 4:00 p.m.**Adopted**

RESULT:	**ADOPTED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

The Minutes of the April 5, 2021 have been read and approved.



Supervisor Scotty Adams, President

Minutes Acceptance: Minutes of Apr 5, 2021 9:00 AM (Board Secretary)

Hancock County Board of Supervisors

Recessed Meeting Minutes

April 14, 2021 at 4:00 PM

Board Meeting Room

Minutes Acceptance: Minutes of Apr 14, 2021 4:00 PM (Board Secretary)

1. Call to Order

A. Pledge of Allegiance
B. Invocation

2. Roll Call

The record reflects County Administrator, Eddie Favre, Grant Administrator, Maureen Anderson, County Attorney, Gary Yarborough, Comptroller, Nancy Kelly, County Engineer, Geoff Clemons, Road Manager, Vic Johnson, and Deputy Clerk, Valerie Fitts were all present in the Board Room. EMA Director, Brian Adam was present via remote access.

Attendee Name	Title	Status	Arrived
Theresa Ryan	District 1	Present	
Greg Shaw	District 2	Present	
Kodie Koenenn	District 3	Present	
Scotty Adam	District 4	Present	
Darrin Bo Ladner	District 5	Present	

3. Amendments to the Agenda

A. **Motion to:** Motion to accept the agenda.**Adopted**

RESULT: **ADOPTED [UNANIMOUS]**
MOVER: Greg Shaw, District 2
SECONDER: Kodie Koenenn, District 3
AYES: Ryan, Shaw, Koenenn, Adam, Ladner

4. Announcements

A. The next regular scheduled Board of Supervisor's meeting will be held on Monday, April 19, 2021 at 9:00 a.m.

B. Sealed bids for the right to operate a Beach Vending site on the beaches of Hancock County, Mississippi will be received by the Hancock County Board of Supervisors at the Board Office located at 854 Highway 90, Suite A, Bay St. Louis, Ms. 39520, until 10:00 a.m., local time, on April 19, 2021, and then at said location publicly opened and read aloud. This advertisement is for all beach vending sites.

C. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on Monday, May 3, 2021, and shortly thereafter opened and read for Repairs to Hancock County Arena.

D. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on May 3, 2021, and shortly thereafter opened and read for Hancock County Beach Maintenance Bid.

E. Bids will be received by the Hancock County Board of Supervisors at 854 Highway 90, Bay St. Louis, MS 39520 until 11:00 a.m., on May 3, 2021, and shortly thereafter opened and read for Replacement of Bridge No. 1 on Crane Creek Road.

5. External Business Agenda

A. Port & Harbor

6. Departmental Agendas

A. Emergency Management Agency

1. Motion to remove Jennifer Lacoste from EMA payroll, effective April 12, 2021, due to her termination, and authorize EMA Director to advertise for an EMA Administrative Assistant position in the April 16, 2021 payroll stubs, on the county website, and all county social media sites.**Approved**

Minutes Acceptance: Minutes of Apr 14, 2021 4:00 PM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Theresa Ryan, District 1
SECONDER:	Greg Shaw, District 2
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

B. Animal Shelter

C. Justice Court

D. IT Department

E. Purchasing

F. Planning and Zoning

1. Motion to amend previous Motion 7843 made on March 15, 2021, moving the Public Hearing for Safety Hazard Properties located at 16042 Daytona Drive W. Pearlington, Mississippi and 16070 Old Joe Moran Rd. Kiln, Mississippi from Monday, April 19, 2021 to Monday, May 3, 2021 to allow extra time for proper service of notices.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

G. Parks & Recreation

H. Inventory Clerk

I. Comptroller

1. Motion to approve the wire transfer from Hancock County to Hancock Whitney Bank for the Gomesa Bond payment in the amount of $1,388,584.83.**Approved**

Minutes Acceptance: Minutes of Apr 14, 2021 4:00 PM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Darrin Bo Ladner, District 5
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

7. Elected/Appointed Agendas

A. Sheriff's Office

B. Tax Assessor

C. Circuit Clerk

D. County Court

E. Chancery Clerk

F. County Engineer

G. Road Manager

H. Grant Administrator

I. County Administrator

1. Motion to approve Compton Engineering as the Mississippi Department of Marine Resources Authorized Agent for the McLeod Park Bulkhead and Dock (CE 221-076.002).**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Kodie Koenenn, District 3
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to ratify the Emergency Dedication of Land for Private Cemetery for Donald L. Ladner and Tracy M. Ladner.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to approve the county to make a 6" thick repair with reinforcements to the South-Gate Road at the Port and Harbor. County Engineer to prepare a Task Order for the April 19, 2021 Meeting.**Approved**

Minutes Acceptance: Minutes of Apr 14, 2021 4:00 PM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Theresa Ryan, District 1
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

J. County Attorney

1. Motion to spread on the Minutes the Engineering Rating Sheets in regard to the Hancock County High Priority Stormwater Drainage Projects. Project 2.03 Leetown Road, Project 3.04 Kapalama Drive at Vic Faye road, Project 4.03 Texas Flat Road, Project 5.02 Crazy Horse Drive, Project 5.07 Pontiac Drive, and Project Lawrence Ladner Road.**Approved as Amended**

RESULT:	**APPROVED AS AMENDED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

8. Supervisors Items

A. District 1

B. District 2

C. District 3

D. District 4

E. District 5

9. Public Comments

10. Executive Session

1. Motion to Enter Closed Session to consider the need for an Executive Session regarding a potential legal issue with DAK Americas Mississippi Inc.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

2. Motion to Enter Executive Session regarding a potential legal issue with DAK Americas Mississippi Inc.**Approved**

Minutes Acceptance: Minutes of Apr 14, 2021 4:00 PM (Board Secretary)

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

3. Motion to Exit Executive Session with no action taken.**Approved**

RESULT:	**APPROVED [UNANIMOUS]**
MOVER:	Scotty Adam, District 4
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

11. Adjourn/Recess

1. **Motion to:** Motion to adjourn the meeting at 5:10 PM.**Adopted**

RESULT:	**ADOPTED [UNANIMOUS]**
MOVER:	Greg Shaw, District 2
SECONDER:	Kodie Koenenn, District 3
AYES:	Ryan, Shaw, Koenenn, Adam, Ladner

The Minutes of the April 14, 2021 have been read and approved.

Supervisor Scotty Adams, President

Minutes Acceptance: Minutes of Apr 14, 2021 4:00 PM (Board Secretary)

ADT Commercial

Inspection and Service Agreement

Prepared For:

Gregg Lichtenstein

Hancock County Sheriff Department

Phone: (228) 466-6900
eMail: glichenstein@co.hancock.ms.us
Address: 8450 Hwy 90
Bay St Louis, Ms 39520



Prepared & Submitted By:

Clay Fayard

Phone: (504) 821-9725
Cell: (504) 655-2245
Fax:
eMail: claibornefayard@adt.com

Date Prepared: March 23, 2021
Agreement Start Date: April 1, 2021
Proposal ID:

Attachment: ADT Commercial (7992 : Service agreement for the fire alarm system with ADT Commercial.)

ADT Commercial

INSPECTION AGREEMENT

Proposal ID:

AGREEMENT DESCRIPTION

By and Between:

ADT Commercial LLC
291 Covenant Square Drive
Suite C
Biloxi, MS 39531

(Hereinafter "Seller")

Hancock County Sheriff Department
8450 Hwy 90

Bay St Louis, Ms 39520

(Hereinafter "Customer")

INSPECTION & SERVICE

Services contracted for:	☑ Fire Alarm	☐ Sprinkler	☐ 5 Year Insp	☐ Other(s) _____	_____
Your Service Level:	ESSENTIAL	NONE	NONE	NONE	NONE

YOUR TOTAL COST FOR INSPECTION AND SERVICE IS $3,750 PLUS APPLICABLE TAXES.

OUR PRICE INCLUDES THE FOLLOWING AS MORE PARTICULARLY DESCRIBED IN ADDENDUM 'B - SCOPE OF WORK' ATTACHED HERETO

- Full system testing, inspection with reduced labor rates
- Facility to provide staff to assist or grant access as needed. RedHawk to provide qualified technician(s).
- Notify and Coordinate with proper personnel.
- Review findings with Facility Representative.

Test System per attached Scope of Work

Test System per code (see attached)

FIRE ALARM SYSTEM

- Test and inspection
- Parts, batteries, and labor on a time and material basis.

STATEMENT OF WORK SPECIFICS:

Annual Test and Inspection of Fire Alarm System.

Attachment: ADT Commercial (7992 : Service agreement for the fire alarm system with ADT Commercial.)

Proposal ID:

GENERAL TERMS AND CONDITIONS

THE FOLLOWING TERMS AND CONDITIONS WILL GOVERN ALL TRANSACTIONS BETWEEN CUSTOMER AND SELLER FOR THE SERVICES THAT ARE THE SUBJECT OF THIS AGREEMENT ("AGREEMENT") AND ANY RELATED EQUIPMENT PROVIDED TO THE CUSTOMER HEREUNDER. THESE TERMS AND CONDITIONS ARE INCORPORATED BY REFERENCE INTO ANY PURCHASE ORDER ISSUED BY CUSTOMER AS IF EXPRESSLY SET FORTH THEREIN. ANY ADDITIONAL OR DIFFERENT TERMS OR CONDITIONS CONTAINED IN CUSTOMER'S PURCHASE ORDER OR IN ANY OTHER DOCUMENT SHALL BE DEEMED OBJECTED TO BY SELLER AND SHALL BE OF NO FORCE OR EFFECT.
THE PARTIES EXPRESSLY AGREE THAT MONITORING SERVICES ARE SPECIFICALLY EXCLUDED FROM THE SCOPE OF THIS AGREEMENT.

1. TERM AND TERMINATION: This Agreement shall be in effect for 1 Year (12 months) from the date provided above and shall automatically renew for additional 1 (one) year terms unless terminated by either party upon at least Thirty (30) Days advance written notice but not earlier than Sixty (60) Days advance written notice prior to the expiration of the original term or of any renewal thereof. If such automatic renewal is not permissable by law, then this Agreement shall renew for the maximum period allowable by such law.

2. PAYMENT: As a condition of performance, payment of the service fee is to be made Annual in advance to cover services in the succeeding twelve (12) month period. ADT Commercial agrees to not escalate the service fee over the term of the contract unless changes are made to the services provided and/or equipment covered.
The Customer will promptly pay invoices within thirty (30) days of invoice date. Should a payment become thirty (30) days or more delinquent, Seller may stop all service under this Agreement without notice and/or cancel this Agreement, and the entire Agreement amount shall become due and payable immediately upon demand. A finance charge will be added to past due accounts at the rate of one and one-half percent (1.5%) per month, or at the highest legal rate, whichever is less.

3. TAXES: The Customer shall be responsible for all taxes applicable to the services provided hereunder.

4. ALARM MONITORING SERVICES: Any reference to alarm monitoring services in this Agreement is included for pricing purposes only. Alarm monitoring services are performed pursuant to the terms and conditions of Seller's standard alarm monitoring services agreement.

5. SERVICE HOURS: Seller will perform all work during normal business hours: Monday through Friday 8:00 AM - 05:00 PM
Any requests for work to be performed outside normal business hours will be billed at Seller premium rates in effect at the time the work is performed.
Any fire protection systems discovered at the time of inspection or added to the above premises after the date of this Agreement shall be inspected by Seller and Customer shall pay an additional price commensurate with the usual charges made by Seller and thereafter such systems will be added to the scope of this Agreement at a mutually agreed upon price.

6. SITE CONDITIONS: Customer shall provide a safe working environment and unencumbered access to all spaces where work is to be performed by Seller. Customer acknowledges that Seller's service personnel have been instructed not to perform any work in hazardous locations until working conditions have been made safe, as determined in the service personnel's sole discretion, and it is the responsibility of the Customer to take any measures necessary to eliminate such hazards before the work may proceed. Customer will be billed for all such time service personnel are dispatched regardless of whether the services are performed, unless Customer has provided Seller with at least forty-eight (48) hours advance notice of cancellation.

7. EQUIPMENT COVERED: Seller will provide Customer with the services described herein for the equipment listed on the Equipment Inventory List provided herein. Any additions to or deletions from the Equipment Inventory List, and any change in the service price as a result thereof, must be made in writing and signed by both Seller and Customer.

8. TIME AND MATERIALS SERVICE WORK: In the event that Seller is asked by Customer to perform service work on a time and materials basis during the term of this Agreement, and such work is outside the scope of work contemplated herein, the Customer understands and agrees that any such time and materials work will be performed by Seller pursuant to the terms and conditions contained herein at the Seller's rates in effect at the time the work is performed.

9. WARRANTY:
INSPECTION WARRANTY - Seller makes no warranty, express or implied, in connection with any inspections services provided hereunder.

Terms and Conditions Continued on Next Page

Attachment: ADT Commercial (7992 : Service agreement for the fire alarm system with ADT Commercial.)

SERVICES WARRANTY - For any services provided on a time and materials basis, and excluding inspection services, Seller warrants that the services provided hereunder will be performed in accordance with generally accepted industry standards and practices. In the event that any services fail to comply with the foregoing standard within Ninety (90) Days from the date services are completed, Seller will re-perform the non-complying services at no additional charge.

PRODUCTS / REPLACEMENT PARTS WARRANTY - Any equipment or replacement parts provided by the Seller will be warranted for a period of Ninety (90) Days days from the date the equipment or replacement parts are installed by Seller. In no event shall Seller have any obligation to make repairs, replacements or corrections required, in whole or in part, as the result of (i) normal wear and tear, (ii) accident, disaster or other event beyond the reasonable control or fault of Seller, (iii) misuse, fault or negligence of or by Customer, (iv) use of the equipment or replacement parts in a manner for which they were not designed, (v) causes external to the equipment or replacement parts such as, but not limited to, water damage, power failure or electrical power surges, (vi) use of the equipment or replacement parts supplied by the Seller in combination with equipment or software not supplied by the Seller or (vii) storage, treatment and/or use of the supplied products and equipment, including but not limited to, certain plastic or CPVC pipes, provided by the Seller pursuant to project specifications or Scope of Work, by the Customer or a third party in any way contrary to the Manufacturer's published care, handling, and installation instructions and warnings. Any installation, maintenance, repair, service, relocation or alteration to or of, or other tampering with the equipment or replacement parts performed by any person or entity other than Seller without Seller's prior written approval, or any use of replacement parts not supplied by Seller, shall immediately void and cancel all warranties with respect to the affected products.

PHYSICAL SECURITY - Notwithstanding the foregoing, and excluding inspection services, equipment and labor provided by Seller on any physical security equipment specified on the Equipment list attached hereto shall be warranted for a period of Ninety (90) Days from the date the physical security equipment or replacement parts are installed by seller.

THE FOREGOING WARRANTIES ARE THE SOLE AND EXCLUSIVE WARRANTIES GIVEN BY SELLER IN CONNECTION WITH THE SERVICES PERFORMED AND PRODUCTS PROVIDED HEREUNDER, AND ARE IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, ORAL OR WRITTEN, WHICH ARE HEREBY DISCLAIMED AND EXCLUDED BY SELLER, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE. FURTHER, IN THE EVENT ANY COST OR DAMAGES ARISE AS A RESULT OF CUSTOMER'S ACTIONS OR CUSTOMER'S SUBCONTRACTORS, REPRESENTATIVES AND/OR AGENTS ACTIONS WITH REGARD TO ANY PRODUCT OR EQUIPMENT PROVIDED BY SELLER TO CUSTOMER, THE PARTIES AGREE THAT CUSTOMER WILL DEFEND, INDEMNIFY AND HOLD SELLER HARMLESS FROM ANY CLAIMS MADE BY OWNER AND ANY OTHER THIRD PARTIES.

10. INSURANCE: Seller agrees to maintain the following insurance during the term of the Agreement with limits not exceeding the stated amounts: (a) Comprehensive General Liability insurance covering bodily injury and property damage with a limit of $2,000,000 per occurrence and $2,000,000 general aggregate, (b) Statutory workers' compensation and employer's liability insurance for a limit of $1,000,000 per occurrence and (c) Automobile liability covering bodily injury and property damage with a combined single limit of $2,000,000 per occurrence. If Seller is performing services on Customer's site, Customer will be named as additional insured under the Commercial General Liability policy only with respect to liability arising out of bodily injury or property damage but only to the extent resulting from the negligent acts or omissions of Seller or its willful misconduct arising out of the ongoing performance of its obligations under the agreement Seller does not waive its rights to subrogation or provide copies of its policies, certified or otherwise nor does it provide endorsements.

11. INDEMNIFICATION: To the fullest extent permitted by law, Customer agrees to and shall indemnify, hold harmless and defend Seller, its employees, agents and subcontractors, against any and all losses, damages, costs, including expert fees and costs, and expenses including reasonable defense costs, arising from any and all third party claims for personal injury, death, property damage or economic loss, arising in any way from any act or omission of Customer or Seller relating in any way to this Agreement, including but not limited to the Services under this Agreement, whether such claims are based upon contract, warranty, tort (including but not limited to active or passive negligence), strict liability or otherwise. Seller reserves the right to select counsel to represent it in any such action.

12. FORCE MAJEURE: Seller shall not be liable for any failure to perform or for any interruption of any service to be performed hereunder, or in the performance of an obligation hereunder as a result of an event beyond its reasonable control, including, but not limited to, strikes, industrial disputes, fire, flood, acts of God, war, vandalism, riot, national emergency, acts of terrorism, embargoes or restraints, supplier default, extreme weather or traffic conditions, order or other act of any governmental agency, and shall not be required to supply any service to the Customer while interruption of such service due to any such cause shall continue. Service charges shall cease until service is resumed.

13. MUTUAL WAIVER OF DAMAGES: NOTWITHSTANDING ANYTHING ELSE IN THIS AGREEMENT, NEITHER PARTY SHALL BE LIABLE FOR ANY INDIRECT, LIQUIDATED, CONSEQUENTIAL, SPECIAL OR ECONOMIC LOSS, COST LIABILITY, DAMAGE OR EXPENSES HOWSOEVER ARISING, WHETHER OR NOT FORESEEABLE AND WHETHER OR NOT DUE TO NEGLIGENCE OF EITHER PARTY IN PART OR IN WHOLE.

Attachment: ADT Commercial (7992 : Service agreement for the fire alarm system with ADT Commercial.)

Terms and Conditions Continued on Next Page

14. LIMITATION OF LIABILITY: Notwithstanding anything to the contrary herein and to the extent permitted by law, the aggregate liability of Seller to the Customer, whether in agreement, tort (including negligence), or otherwise will be limited to one (1) times the agreement value, provided however the foregoing does not limit the liability of Seller for any injury to, or death of a person, caused by the gross negligence of Seller.

15. TERMINATION: Any termination under the terms of this Agreement shall be made in writing. In the event Customer terminates this Agreement prior to completion for any reason not arising solely from Seller's performance or failure to perform, Customer understands and agrees that Seller will incur costs of administration and preparation that are difficult to estimate or determine. Accordingly, should Customer terminate this Agreement as described above, Customer agrees to pay all charges incurred for products and equipment installed and services performed, and in addition pay an amount equal to twenty (20%) percent of the price of products and equipment not yet delivered and Services not yet performed, return all products and equipment delivered and pay a restocking fee of twenty (20%) percent the price of products or equipment returned. Seller may terminate this Agreement immediately at its sole discretion upon the occurrence of any event of default. Seller may also terminate this Agreement at its sole discretion upon notice to Customer if Seller's performance of its obligations under this Agreement becomes impracticable due to obsolescence of equipment at Customer's premises or unavailability of parts

16. Environmental: Customer agrees and acknowledges that Customer shall be solely responsible for all costs, expenses, damages, fines, penalties, claims, and liabilities associated with or incurred in connection with hazardous materials or substances discovered upon, beneath, about, or inside Customer's equipment or property, and Customer shall be solely responsible for reporting the presence of said hazardous materials or substances to the proper governmental authorities. Customer further agrees and acknowledges that title to, ownership of, and legal responsibility and liability for any and all such hazardous materials and substances at all times shall remain with Customer and that Customer shall be solely responsible for the removal, handling, and disposal of all hazardous materials in accordance with all applicable governmental regulations.

17. COMMERCIAL ITEMS: Seller agrees only to perform an agreement for the sale of a commercial item on a fixed-price or time and material basis. The components, equipment and services proposed by Seller are commercial items as defined by the Federal Acquisition Regulations ("FAR") Part 2, and the prices in any resulting agreement and in any change proposal are based on Seller's standard commercial accounting policies and practices, which do not consider, and will not meet, any special requirements of U.S. Government cost principles and procedures under FAR or similar procurement regulations.

18. GENERAL: (a) This Agreement and the Scope of Work constitutes the entire Agreement between Customer and Seller and supersedes all prior written and oral agreements in relation to the work contemplated under this Agreement. (b) No amendments, modifications, or supplements to this Agreement shall be binding unless in writing and signed by both parties. (c) This Agreement shall not be in effect or binding upon Seller until signed by its duly authorized representative(s). Customer may not assign its rights or delegate its duties hereunder without the specific, written consent of Seller.

19. GOVERNING LAW: This Agreement shall be interpreted in and governed by the laws of the State in which the work is to be performed including all matters of construction, validity, performance and enforcement. This Agreement may be executed in multiple counterparts, each of which shall be deemed an original and of equal force and effect.

20. COSTS AND ATTORNEYS' FEES: In the event that it shall become necessary for Seller to employ a collection agency or attorney to collect unpaid charges or any other sums Customer may owe hereunder, Customer shall be liable to Seller for Seller's reasonable and necessary costs of collection and attorneys' fees incurred in such collection activities. In the event of any other legal proceeding related to this Agreement, the prevailing party in such proceeding shall be entitled to recover its costs and reasonable attorneys' fees from the other party.

21. SEVERABILITY: If any term, covenant, condition or provision of this Agreement, or the application thereof to any circumstance, shall, at any time or to any extent, be determined by a court of competent jurisdiction or an arbitrator to be invalid or unenforceable, the remainder of this Agreement, or the application thereof to circumstances other than those as to which it is held invalid or unenforceable, shall not be affected thereby and each term, condition or provision of this Agreement shall be valid and enforceable to the fullest extent permitted by law.

22. SUBCONTRACTING: Seller shall have the right to subagreement, in whole or in part, any services which Seller may perform. Customer acknowledges that this contract and particularly those paragraphs relating to Seller's limited liability inure to the benefit of, and are applicable to, any assignees and/or subcontractors with the same force and effect as they bind customer to Seller.

23. NOTICES: All notices under this Agreement shall be in writing, signed, dated and sent by overnight courier or registered or certified U.S. mail, postage prepaid, return receipt requested, to the parties at the addresses shown below. All changes of address must be in writing and delivered as provided in this Section. Notices are deemed given when deposited, as described above, with the U.S. mail or in the overnight receptacle.

Attachment: ADT Commercial (7992 : Service agreement for the fire alarm system with ADT Commercial.)

This Agreement is subject to all the Terms and Conditions in the Preceding Pages

Any such notice, if sent by the Customer to the Seller, shall be addressed as follows:
Attn: ADT Commercial
291 Covenant Square Drive Suite C
Biloxi MS 39531

And if sent by the Seller to the Customer, shall be addressed as follows:
Attn: Hancock County Sheriff Department
Gregg Lichenstein
8450 Hwy 90
Bay St Louis, Ms 39520

SIGNATURES CONSTITUTE ACCEPTANCE OF THE TERMS AND CONDITIONS CONTAINED HEREIN. AGREEMENT VALID UPON SIGNATURE OF AN ADT COMMERCIAL MANAGER.

Annual Agreement Amount: $3,750
Duration of Agreement 1 Year

ADT Commercial

Proposed By:

Clay J. Fayard 3/23/2021
Clay Fayard **Date**
Account Representative

Hancock County Sheriff Department

Accepted By:

Date

Accepted By:

Anthony Peters **Date**
General Manager, ADT Commercial

Attachment: ADT Commercial (7992 : Service agreement for the fire alarm system with ADT Commercial.)

Title:	Mobile Command Center
Agency:	Mississippi > Hancock County
Start date:	09-Apr-2021 10:00:00 AM
End date:	09-Apr-2021 10:30:00 AM

BidID	Username	Bid Amount	Bid Submittal Date/Time	First Name	Last Name	Company name	Email Address	Phone Number
53417	LDVUSA123456	373928.0000	09-Apr-2021 10:20:54 AM	Matthew	Schwind	LDV, Inc.	mschwind@ldvusa.com	2627572429

Attachment: 20210412160102 (8014 : Accept electronic bid from LDV Custom Specialty Vehicles for Mobile Command Center.)

Jimmie Ladner, Jr.
Hancock County
Tax Assessor / Collector

Post Office Box 2428
Bay St. Louis, MS 39521-2428
Toll Free - 1.888.409.6651
FAX - 228.466.6239

Phone Numbers:
COLLECTOR - 228.467.1669
ASSESSOR - 228.467.5727
APPRAISAL - 228.467.0130

To: Hancock County
Board of Supervisors

Date: April 19, 2021

1. Request the following to be spread on the board minutes.

2. Request the following to be approved by the Board of Supervisors.

   a) Request the Board of Supervisors to approve the Free Port Warehouse Application for DAK AMERICAS MISSISSIPPI, INC.
   b) Request the Board of Supervisors to approve the Free Port Warehouse Application for POLYCHEMIE INC.
   c) Request the Board of Supervisors to approve the Increase/Decrease in Assessment for Real/Personal Property.

3. General Discussion

If my staff or I can be of any assistance to you please feel free to call.

Sincerely,

Jimmie Ladner, Jr.
Hancock County
Assessor/Tax Collector

Attachment: DAK AMERICAS MS INC. (8038 : FreePort Warehouse Application for DAK Americas MS Inc.)

FREE PORT WAREHOUSE
REPORT OF INVENTORY
JANUARY 1, 20 21

Name of Warehouse DAK Americas Mississippi, Inc.

Location Port & Harbor Drive City Pearlington County Hancock

Mailing Address 7621 Little Ave., Ste. 500, Charlotte, NC 28226
Attn: Stephen Bogdon

1. Total value of personal property as of 1/1/20 21 . 20,981,858

2. Estimated percentage of personal property to be shipped within Mississippi. 13.42%

3. Amount of personal property to be assessed (Multiply Item 1 times Item 2). 2,814,917

This report is prepared and filed under the terms and provisions of Section 27-31-55, Mississippi Code of 1972, as amended. It is certified that the above information is true and correct. This report is submitted on the 31st day of March, 20 21 .

By _____

Title Controller

This report shall be submitted to the **Tax Assessor** no later than **March 31** of each year.

Attachment: DAK AMERICAS MS INC. (8038 : FreePort Warehouse Application for DAK Americas MS Inc.)

FREE PORT WAREHOUSE
REPORT OF INVENTORY MOVEMENT
FOR PERIOD JANUARY 1, 20 20 THROUGH DECEMBER 31, 20 20

Name of Warehouse DAK Americas Mississippi, Inc.

Location Port &Harbor Drive City Pearlington County Hancock

Mailing Address 7621 Little Ave., Ste. 500, Charlotte, NC 28226
Attn: Stephen Bogdon

1. Total shipments of all personal property. 420,368,100
2. Total shipments within Mississippi. 56,396,395
3. Percentage of shipments within Mississippi. 13.42%
4. Amount of property subject to tax, 1/1/ 20 20 .
   (# 3 x previous year Report of Inventory # 1) 4,280,046
5. Prior estimate (Previous Report of Inventory) 3,693,224
6. Personal property to be back assessed.
   (# 4 less # 5) 586,822

This report is prepared and filed under the terms and provisions of Section 27-31-55, Mississippi Code of 1972, as amended. It is certified that the above information is true and correct. This report is submitted on the 31st day of March , 20 21 .

By _____

Title Controller

This report shall be submitted to the **Tax Assessor** no later than **March 31** of each year.

Attachment: DAK AMERICAS MS INC. (8038 : FreePort Warehouse Application for DAK Americas MS Inc.)

Jimmie Ladner, Jr.
Hancock County
Tax Assessor / Collector

Post Office Box 2428
Bay St. Louis, MS 39521-2428
Toll Free - 1.888.409.6651
FAX - 228.466.6239

Phone Numbers:
COLLECTOR - 228.467.1669
ASSESSOR - 228.467.5727
APPRAISAL - 228.467.0130

To: Hancock County
Board of Supervisors

Date: April 19, 2021

1. Request the following to be spread on the board minutes.

2. Request the following to be approved by the Board of Supervisors.

   a) Request the Board of Supervisors to approve the Free Port Warehouse Application for DAK AMERICAS MISSISSIPPI, INC.
   b) Request the Board of Supervisors to approve the Free Port Warehouse Application for POLYCHEMIE INC.
   c) Request the Board of Supervisors to approve the Increase/Decrease in Assessment for Real/Personal Property.

3. General Discussion

If my staff or I can be of any assistance to you please feel free to call.

Sincerely,

Jimmie Ladner Jr.

Jimmie Ladner, Jr.
Hancock County
Assessor/Tax Collector

Attachment: Polychemie Inc (8040 : Freeport Warehouse Application for Polychemie Inc.)

APPLICATION
FREE PORT WAREHOUSE
LICENSE
AS AUTHORIZED BY SECTION 27-31-51, et seq.,
MISSISSIPPI CODE OF 1972, AS AMENDED

NAME OF WAREHOUSE Polychemie Inc. (storage warehouse)

PHYSICAL ADDRESS 3080 Port Harbor Dr. Bay St. Louis, MS 39520

TYPE OF PROPERTY SHIPPED Specialty chemicals

TOTAL VALUE OF PROPERTY Raw materials = $2,773,896 and Finished goods = $977,268 for total of $3,751,164

PERCENTAGE OF PROPERTY SHIPMENTS WITHIN MISSISSIPPI 1.2060%

LOCATION - COUNTY Hancock **CITY** Bay St. Louis

The applicant request that the Board approve this application and grant the license by declaring that the above warehouse be exempt from all ad valorem taxation on personal property shipped out of state during the calendar year. The applicant is qualified to make application for exemption and has submitted the license fee. This information is true and correct as certified by the applicant. This application is submitted on the 24th day of March, 20 21.

Polychemie Inc.

Applicant (Name of Taxpayer)

By: Ryan P. Eskew, CPA

Title: Tax Consultant

ATTEST: Ryan Eskew

HANCOCK COUNTY, MS
PERSONAL PROPERTY
DEPUTY CLERK: Geraldine Waltman
ROLL YEAR: 2021

Attachment: Polychemie Inc (8040 : Freeport Warehouse Application for Polychemie Inc.)

Polychemie Inc.
Inventory Cost at 3080 Port & Harbor Dr.
As of January 1, 2021

	Raw Materials	Finished Goods	Total
12 Month Average Inventory Cost as of 1/1/2021	2,773,896	977,268	3,751,164
Est % of 2021 In-State Shipments	N/A	1.2060%	
Taxable Inventory as of 01/01/21	2,773,896	11,786	2,785,682

Attachment: Polychemie Inc (8040 : Freeport Warehouse Application for Polychemie Inc.)

Polychemie Inc. - Hancock County Warehouse
Total Shipments by State
Tax Year Ended 12.31.20

Ship-To State	Sum of Amount in USD	% of Sales to Total
AK	5,565.60	0.00406%
AL	5,556,065.49	4.05632%
AR	2,421,147.51	1.76761%
AZ	194,901.88	0.14229%
CA	1,609,548.13	1.17508%
CO	1,080,269.49	0.78867%
CT	491,598.39	0.35890%
DE	395,757.11	0.28893%
FL	1,873,928.47	1.36810%
GA	2,908,544.96	2.12344%
HI	18.67	0.00001%
IA	263,188.07	0.19215%
ID	172,489.75	0.12593%
IL	2,054,298.14	1.49978%
IN	492,121.60	0.35928%
KS	19,374.55	0.01414%
KY	366,841.55	0.26782%
LA	4,960,454.45	3.62148%
MA	502,591.44	0.36693%
MD	466,938.32	0.34090%
ME	723,743.57	0.52838%
MI	2,988,447.68	2.18178%
MN	361,107.18	0.26363%
MO	2,360,562.74	1.72338%
MS	1,651,844.61	1.20596%
MT	152,077.78	0.11103%
NC	3,894,475.25	2.84324%
ND	141,142.06	0.10304%
NE	1,049,523.45	0.76623%
NH	128,836.90	0.09406%
NJ	214,248.33	0.15642%
NM	93,402.94	0.06819%
NV	83,145.39	0.06070%
NY	624,477.17	0.45591%
OH	3,290,691.57	2.40243%
OK	1,338,256.48	0.97702%
OR	906,305.68	0.66167%
PA	4,964,577.38	3.62449%
PR	100,607.04	0.07345%

Attachment: Polychemie Inc (8040 : Freeport Warehouse Application for Polychemie Inc.)

SC	2,196,532.41	1.60362%
SD	347,076.78	0.25339%
TN	6,885,876.41	5.02717%
TX	37,932,351.39	27.69327%
UT	336,396.74	0.24559%
VA	3,606,848.27	2.63325%
VT	75,217.95	0.05491%
WA	815,271.88	0.59521%
WI	1,817,280.37	1.32674%
WV	542,541.26	0.39609%
FOREIGN	31,514,683.29	23.00792%
Grand Total	**136,973,193.52**	**100.00000%**

Attachment: Polychemie Inc (8040 : Freeport Warehouse Application for Polychemie Inc.)

Jimmie Ladner, Jr.
Hancock County
Tax Assessor / Collector

Post Office Box 2428
Bay St. Louis, MS 39521-2428
Toll Free - 1.888.409.6651
FAX - 228.466.6239

Phone Numbers:
COLLECTOR - 228.467.1669
ASSESSOR - 228.467.5727
APPRAISAL - 228.467.0130

To: Hancock County
Board of Supervisors

Date: April 19, 2021

1. Request the following to be spread on the board minutes.

2. Request the following to be approved by the Board of Supervisors.

   a) Request the Board of Supervisors to approve the Free Port Warehouse Application for DAK AMERICAS MISSISSIPPI, INC.
   b) Request the Board of Supervisors to approve the Free Port Warehouse Application for POLYCHEMIE INC.
   c) Request the Board of Supervisors to approve the Increase/Decrease in Assessment for Real/Personal Property.

3. General Discussion

If my staff or I can be of any assistance to you please feel free to call.

Sincerely,

Jimmie Ladner Jr.

Jimmie Ladner, Jr.
Hancock County
Assessor/Tax Collector

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

Form 60-605 (Rev. 6/99)
Formerly 71-026

PETITION FOR REDUCTION OF ASSESSMENT

Property of **SEE ATTACHED REPORT** School Dist. _____ Road Dist. _____

STATE OF MISSISSIPPI
COUNTY OF HANCOCK

Now comes Jimmie Ladner, Jr. and applies for a reduction in the assessments against the petitioners on the **REAL/PERSONAL PROPERTY** Assessment Roll for the year **2020.**

PER ATTACHED FORM 60-606 **TOTAL: 31,827**

AFFIDAVIT FOR CHANGE

STATE OF MISSISSIPPI
COUNTY OF HANCOCK

Page	Line	Parcel Land	Improvement	Total Value	Change

Owner _____ Reason for Change **SEE ATTACHED REPORT**

Application is hereby made by, or on behalf of, the taxpayer named for change or reduction of assessment, and the parties signed below swear to and certify that all facts stated are true.

_____ _____
AFFIANT TAX PAYER

Witness my signature this the 19TH day of April, 2021.

TAX ASSESSOR Jimmie Ladner Jr.

STATE OF MISSISSIPPI
COUNTY OF HANCOCK

ORDER

It appearing to the Board of Supervisors from evidence, both oral and documentary, offered in support of said application that the assessment should be changed or reduced;

IT IS, THEREFORE, ORDERED by the Board of Supervisors of Hancock County, Mississippi, that a total reduction of the assessment on said roll of $ _____ and said changes being for the tax year **2020.**

IT IS FURTHER ORDERED that the Clerk of this Board certify two copies of this order to the Department of Revenue. The Clerk of this Board is hereby authorized and directed to change the Original Assessment Roll in his office, and the Tax Collector of this County is hereby authorized and directed to change the copy in his possession to conform with the provisions of this order, and the Tax Collector be given the proper credit therefor, including district taxes, and Homestead Exemption, if any be adjusted.

ORDERED AND ADJUDGED THIS THE 19TH day of April, 2021.

_____
President of Board of Supervisors

CLERK'S CERTIFICATE

I, Timothy A. Kellar, Clerk of the Board of Supervisors of HANCOCK COUNTY, State of Mississippi, do hereby certify that the foregoing is a true and correct transcript of an order of said Board of Supervisors, passed on the 19th day of April, 2021 as the same appears on Page _____ of Minute Book _____ of said Board, now on file in the office of said Clerk in the City of Bay St. Louis of Hancock in said County.

Witness my hand and official seal, this the 19TH day of April, 2021.

_____
Clerk of the Board of Supervisors of said County

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

Form 60-607 (Rev 6/99)
Formerly 71-027

NOTICE TO INCREASE THE ASSESSMENT OF REAL/PERSONAL PROPERTY

STATE OF MISSISSIPPI **COUNTY OF HANCOCK**

Assessed to **SEE ATTACHED REPORT.**

In _____ Road District _____ School District_____ Municipality _____

To the Board of Supervisors of Hancock County, Mississippi:

Now comes Jimmie Ladner, Jr. and gives notice as required by Section 27-35-147, Code of 1972, that the assessment of the property herein described should be increased; the said property being assessed on the **Personal Property** Assessment Roll of said County.

The undersigned recommends that the assessment of the said property should be INCREASED as shown below:

Page	Line	Parcel Number	Land Value	Improvements	Total Value	Total Increase
						100,276

Reason for increase: **SEE ATTACHED LIST**

Witness my signature this the 19TH day of April, 2021.

Jimmie Ladner Jr.
(Signature of Officer)

ASSESSOR/TAX COLLECTOR
(Title of Officer)

Acceptance by Tax Payer: _____ Date: _____

And it affirmatively appearing to this board:

1. That the Clerk of this Board has given the required notice to said owner to the last known address, by mail, more than ten days before this meeting, as directed by the Order of this Board; and who appeared an presented objections (or failed to appear);
2. That the said owner has, in writing, agreed to the increase, waived notice, entered appearance before this Board and requested that the assessment be made final;

And the Board having heard the evidence, and carefully considered the same, and being satisfied that the said assessment should be increased, as herein set forth;

IT IS, THEREFORE, ORDERED AND ADJUDGED by this Board that an increase in the said original assessment be and is hereby made ad finally approved as follows:

The amount at Page ____, Line ____, be increased from $_____to $_____.

IT IS FURTHER ORDERED, that the Clerk of this Board is hereby directed and commanded to certify two copies of this order to the Department of Revenue, as required by Section 27-35-149.

ORDERED AND ADJUDGED the 19TH day of April, 2021.

_____
President of the Board

CLERK'S CERTIFICATE

I, Timothy A. Kellar, Clerk of the Board of Supervisors of Hancock County, State of Mississippi, do hereby certify that the foregoing is a true and correct transcript of an order of said Board of Supervisors, passed on the 19TH day of April, 2021 as the same appears on Page ____ of Minute Book_____ of said Board, now on file in the office of said Clerk in the City of Bay St. Louis of Hancock in said County.

Witness my hand and official seal this the 19TH day of April, 2021.

_____ by: _____
Clerk of the Board of Supervisors of Said County

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

HANCOCK COUNTY
BOARD ORDER CHANGES FOR:
3/01/2021 THROUGH 3/31/2021

PARCEL NUMBER	PROPERTY OWNER NAME		TOTAL VALUE
000001275	MEDIACOM COMMUNICATIONS CORP		75,723
			129,834
		ADDED VALUE	54,111
000001276	MEDIACOM COMMUNICATIONS CORP		112,186
			139,457
		ADDED VALUE	27,271
000001277	MEDIACOM COMMUNICATIONS CORP		29,415
			48,309
		ADDED VALUE	18,894
000001955	EL MAGUEY		12,965
			7,443
		REDUCED VALUE	5,522-
000001955	EL MAGUEY		14,383
			7,443
		REDUCED VALUE	6,940-
000001955	EL MAGUEY		16,217
			7,443
		REDUCED VALUE	8,774-
000001955	EL MAGUEY		18,034
			7,443
		REDUCED VALUE	10,591-
000005475	MOSS TOWING (IMPOUND YARD)		2,524
			2,524
		NO VALUE CHANGE	0
		TOTAL ORIGINAL VALUE	281,447
		TOTAL NEW VALUE	349,896
		NET VALUE CHANGE	68,449
		TOTAL ADDED VALUE	100,276
		TOTAL REDUCED VALUE	31,827-

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

Form 60-605 (Rev. 6/99)
Formerly 71-026

PETITION FOR REDUCTION OF ASSESSMENT

Property of **SEE ATTACHED REPORT** School Dist. _____ Road Dist. _____

STATE OF MISSISSIPPI
COUNTY OF HANCOCK

Now comes Jimmie Ladner, Jr. and applies for a reduction in the assessments against the petitioners on the **REAL/PERSONAL PROPERTY** Assessment Roll for the year **2020.**

PER ATTACHED FORM 60-606 **TOTAL: 92,408**

AFFIDAVIT FOR CHANGE

STATE OF MISSISSIPPI
COUNTY OF HANCOCK

Page	Line	Parcel Land	Improvement	Total Value	Change

Owner _____ Reason for Change **SEE ATTACHED REPORT**

Application is hereby made by, or on behalf of, the taxpayer named for change or reduction of assessment, and the parties signed below swear to and certify that all facts stated are true.

_____ _____
AFFIANT TAX PAYER

Witness my signature this the 19TH day of April, 2021.

TAX ASSESSOR Jimmie Ladner Jr.

STATE OF MISSISSIPPI
COUNTY OF HANCOCK

ORDER

It appearing to the Board of Supervisors from evidence, both oral and documentary, offered in support of said application that the assessment should be changed or reduced;

IT IS, THEREFORE, ORDERED by the Board of Supervisors of Hancock County, Mississippi, that a total reduction of the assessment on said roll of $ _____ and said changes being for the tax year **2020.**

IT IS FURTHER ORDERED that the Clerk of this Board certify two copies of this order to the Department of Revenue. The Clerk of this Board is hereby authorized and directed to change the Original Assessment Roll in his office, and the Tax Collector of this County is hereby authorized and directed to change the copy in his possession to conform with the provisions of this order, and the Tax Collector be given the proper credit therefor, including district taxes, and Homestead Exemption, if any be adjusted.

ORDERED AND ADJUDGED THIS THE 19TH day of April, 2021.

_____
President of Board of Supervisors

CLERK'S CERTIFICATE

I, Timothy A. Kellar, Clerk of the Board of Supervisors of HANCOCK COUNTY, State of Mississippi, do hereby certify that the foregoing is a true and correct transcript of an order of said Board of Supervisors, passed on the 19th day of April, 2021 as the same appears on Page _____ of Minute Book _____ of said Board, now on file in the office of said Clerk in the City of Bay St. Louis of Hancock in said County.

Witness my hand and official seal, this the 19TH day of April, 2021.

_____
Clerk of the Board of Supervisors of said County

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

Form 60-607 (Rev 6/99)
Formerly 71-027

NOTICE TO INCREASE THE ASSESSMENT OF REAL/PERSONAL PROPERTY

STATE OF MISSISSIPPI **COUNTY OF HANCOCK**

Assessed to **SEE ATTACHED REPORT.**

In _____ Road District _____ School District_____ Municipality _____

To the Board of Supervisors of Hancock County, Mississippi:

Now comes Jimmie Ladner, Jr. and gives notice as required by Section 27-35-147, Code of 1972, that the assessment of the property herein described should be increased; the said property being assessed on the **Personal Property** Assessment Roll of said County.

The undersigned recommends that the assessment of the said property should be INCREASED as shown below:

Page	Line	Parcel Number	Land Value	Improvements	Total Value	Total Increase
						5,644

Reason for increase: **SEE ATTACHED LIST**

Witness my signature this the 19TH day of April, 2021.

Jimmie Ladner Jr.
(Signature of Officer)

ASSESSOR/TAX COLLECTOR
(Title of Officer)

Acceptance by Tax Payer: _____ Date: _____

And it affirmatively appearing to this board:

1. That the Clerk of this Board has given the required notice to said owner to the last known address, by mail, more than ten days before this meeting, as directed by the Order of this Board; and who appeared an presented objections (or failed to appear);
2. That the said owner has, in writing, agreed to the increase, waived notice, entered appearance before this Board and requested that the assessment be made final;

And the Board having heard the evidence, and carefully considered the same, and being satisfied that the said assessment should be increased, as herein set forth;

IT IS, THEREFORE, ORDERED AND ADJUDGED by this Board that an increase in the said original assessment be and is hereby made ad finally approved as follows:

The amount at Page ____, Line ____, be increased from $_____to $_____.

IT IS FURTHER ORDERED, that the Clerk of this Board is hereby directed and commanded to certify two copies of this order to the Department of Revenue, as required by Section 27-35-149.

ORDERED AND ADJUDGED the 19TH day of April, 2021.

_____
President of the Board

CLERK'S CERTIFICATE

I, Timothy A. Kellar, Clerk of the Board of Supervisors of Hancock County, State of Mississippi, do hereby certify that the foregoing is a true and correct transcript of an order of said Board of Supervisors, passed on the 19TH day of April, 2021 as the same appears on Page ____ of Minute Book_____ of said Board, now on file in the office of said Clerk in the City of Bay St. Louis of Hancock in said County.

Witness my hand and official seal this the 19TH day of April, 2021.

_____ by: _____
Clerk of the Board of Supervisors of Said County

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

DATE: 4/01/2021
TIME: 15:18:12

HANCOCK COUNTY
BOARD ORDER CHANGES FOR:
3/01/2021 THROUGH 3/31/2021

PARCEL NUMBER	PROPERTY OWNER NAME		LAND VALUE	IMP VALUE	TOTAL VALUE
014 -0-20-026.001	LADNER GREG		2,744	0	2,744
			116	0	116
		REDUCED VALUE	2,628-	0	2,628-
014 -0-20-027.000	SHAW VALERIE ETAL		2,025	3,646	5,671
			41	75	116
		REDUCED VALUE	1,984-	3,571-	5,555-
015 -0-15-023.001	LADNER PENNY		6,987	131,874	138,861
			4,658	87,916	92,574
		REDUCED VALUE	2,329-	43,958-	46,287-
054 -0-18-036.002	LADNER DARRIN W		5,019	6,783	11,802
			5,019	2,558	7,577
		REDUCED VALUE	0	4,225-	4,225-
056 -0-14-010.000	ORY CHRISTOPHER B ETAL		2,499	16,364	18,863
			1,666	10,909	12,575
		REDUCED VALUE	833-	5,455-	6,288-
056 -0-24-002.000	LADNER WERLIN J JR		3,406	3,516	6,922
			2,495	2,344	4,839
		REDUCED VALUE	911-	1,172-	2,083-
067K-1-36-043.000	RAGAN CLINTON		1,800	18,721	20,521
			1,200	12,480	13,680
		REDUCED VALUE	600-	6,241-	6,841-
136N-1-37-016.003	MORAN THOMAS A		5,000	18,572	23,572
			5,000	18,572	23,572
		NO VALUE CHANGE	0	0	0
136N-1-37-016.003	MORAN THOMAS A		5,000	18,572	23,572
			5,000	18,572	23,572
		NO VALUE CHANGE	0	0	0
136N-1-37-016.003	MORAN THOMAS A		5,000	18,572	23,572
			5,000	18,572	23,572
		NO VALUE CHANGE	0	0	0
137A-0-42-066.000	HAYES JOSHUA ETAL		3,180	12,111	15,291
			3,180	12,111	15,291
		NO VALUE CHANGE	0	0	0
137Q-0-44-059.000	MARQUAR FRANK		2,250	6,863	9,113
			1,500	4,575	6,075
		REDUCED VALUE	750-	2,288-	3,038-
138N-1-33-136.000	R & C HOLDINGS LLC		900	22,982	23,882
			600	21,772	22,372
		REDUCED VALUE	300-	1,210-	1,510-
138N-1-33-137.000	R & C HOLDINGS LLC		900	24,098	24,998
			600	22,829	23,429
		REDUCED VALUE	300-	1,269-	1,569-

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

DATE: 4/01/2021
TIME: 15:18:12

HANCOCK COUNTY
BOARD ORDER CHANGES FOR:
3/01/2021 THROUGH 3/31/2021

PARCEL NUMBER	PROPERTY OWNER NAME		LAND VALUE	IMP VALUE	TOTAL VALUE
138N-1-33-154.000	STEEL KRISTOFOR		450	24,176	24,626
			450	21,772	22,222
		REDUCED VALUE	0	2,404-	2,404-
149D-2-21-055.000	BRELAND WILLIAM C ETAL		3,078	9,871	12,949
			2,943	9,871	12,814
		REDUCED VALUE	135-	0	135-
149D-2-21-055.000	BRELAND WILLIAM C ETAL		2,943	9,871	12,814
			2,943	9,871	12,814
		NO VALUE CHANGE	0	0	0
149D-2-21-055.002			0	0	0
			300	0	300
		ADDED VALUE	300	0	300
149E-0-29-112.000	BRADLEY YOLANDE ETAL TRUSTEES		1,250	5,644	6,894
			1,250	5,644	6,894
		NO VALUE CHANGE	0	0	0
162A-0-03-003.001	HAMILTON STANLEY J ETUX		968	7,950	8,918
			645	5,300	5,945
		REDUCED VALUE	323-	2,650-	2,973-
163Q-0-08-032.000	HOFFMAN ELIZABETH		0	0	0
			960	4,384	5,344
		ADDED VALUE	960	4,384	5,344
163Q-0-08-032.000	HOFFMAN ELIZABETH		1,440	6,538	7,978
			960	4,359	5,319
		REDUCED VALUE	480-	2,179-	2,659-
164D-0-18-009.003	NECAISE RYAN ANTHONY		394	12,288	12,682
			277	8,192	8,469
		REDUCED VALUE	117-	4,096-	4,213-
176 -0-14-018.000	HODA FARRON J ETUX		669	12,751	13,420
			669	12,751	13,420
		NO VALUE CHANGE	0	0	0
			57,902	391,763	449,665
			47,472	315,429	362,901
		NET VALUE CHANGE	10,430-	76,334-	86,764-
		TOTAL ADDED VALUE	1,260	4,384	5,644
		TOTAL REDUCED VALUE	11,690-	80,718-	92,408-

Attachment: Increase Decrease Assessments (8041 : Increase/Decrease in Assessments.)

Hancock County Treatment Court

Board of Supervisors Meeting – April 5, 2021

To: Board of Supervisors

From: Trent Favre, County and Youth Court Judge

Date: April 5, 2021

Re: Treatment Court (Family Court)

For Approval: Personnel for Treatment Court Department (Family Court):

1. Approval of Hiring of Cecile Tebo, LCSW.[1] Date of hire (first day of work) will be April 12, 2021. Salary = $55,000.00.[2] A copy of her curriculum vitae is attached as Exhibit "A." A copy of her job description is attached as Exhibit "B".
2. Approval of Transfer of Sarah Johnson to Treatment Court Department (Family Court) as new Program Coordinator. Date of Transfer will be effective May 1, 2021. New Rate of Pay = $15.75 per hour.[3] A copy of her new job description is attached as Exhibit "C".

For Discussion: Changes and approvals necessary for Youth Court Department before May 1, 2020:

1. Re-assignment of Sarah Johnson's Duties (See job description in Exhibit "D".)
2. Change of Rate of Pay for Employees as a result of elimination of Sarah Johnson's position and re-assignment of her duties:
   a. Amy Dunn – increase of $____ per hour
   b. Brandy Marquar – increase of $____ per hour
   c. Magan Bourn – increase of $____ per hour

---

[1] Geroma Void with USDOJ, per email of March 12, 2021, has received the qualifications and proposed salary of Cecile Tebo and approved her hiring.

[2] According to Grant Budget, the salary for the therapist/social worker was set at $45,000. The recommended salary of $55,000 is more in line with the suggested salary per AOC guidelines for treatment court personnel. The salary for the program coordinator will be reduced. Geroma Void advised that a budget modification would not be required since the overall budget in personnel category would not exceed the budgeted amount.

[3] Geroma Void has reviewed and approved her hiring based on her qualifications.

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

CECILE W. TEBO, LCSW

Cecile W. Tebo, LCSW, a New Orleans Native, is currently the Director of Officer Assistance Program with the New Orleans Police Department and was the past Commander of the New Orleans Police Department Crisis Unit. In that capacity she responded to 911 calls involving people in our community that were having a mental health crisis. For the 20 years prior, she was involved in the field of adoption where she assisted in over 1500 adoption placements.

Since Katrina, Cecile has invested a great deal of her time in promoting awareness of the plight of the mentally Ill in New Orleans. The challenges in servicing this population are among the most difficult, a challenge she has met with tremendous energy and enthusiasm. When not on the ground responding to their acute needs, she has been successful in securing many spots on local television and radio shows to share their needs and the services that are and are not available in the community. Her advocacy on behalf of the mentally ill keeps this population at the forefront of needs as the city rebuilds.

Cecile's work has been highlighted locally as well as nationally on CNN, NBC, NPR ,MORE and W magazine. She has been a past contributor to the Times Picayune, Gambit, Uptown Messenger and assisted in the production of WDSU's weekly Mental Health Minute, a show highlighting mental health community services. She was also a regular guest on Channel 8 Fox News Monday Morning, titled mental health Monday in which she highlighted various mental health programs around town.

Cecile has served on the board of Family Service of Greater New Orleans, Gulf Coast Services and the New Orleans Advocacy Center. She has been the recipient of many honors, including the City Business' Top 50 Women, The City Business Health Care Hero, Family Service Outstanding Person award, CADA media award, Grace House Women of Substance award, and was named one of the 10 top females by New Orleans Magazine.



Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

CECILE W. TEBO, LCSW
434 Easterbrook St.
Bay Saint Louis, MS 39520
504-908-5799

EDUCATION:

MASTER OF SOCIAL WORK
Tulane University
New Orleans, LA
December, 1984

BACHELOR OF ARTS IN HUMAN DEVELOPMENT
Mount Vernon College
Washington, DC
May, 1982

PROFESSIONAL EXPERIENCE:

MEDICAL DIRECTOR
New Orleans Police Department (NOPD)
Officer Assistance Program (OAP)/Crisis Intervention Team (CIT)
October 2015-Present

Responsibilities: Program development and continued operations including: fiscal management, staffing, training, community outreach, and promotion of various social services-based programs. Implementation of Federal Consent Decree requirements and support for ongoing DOJ and Judge audits and oversight.

- Officer Assistance Program (OAP). Development and implementation of NOPD's OAP including: Confidential Counseling, Substance Abuse Counseling, Peer Support Counseling, Referrals, Crisis Counseling, Stress Management Counseling, Community Case Consultation, Communication Enhancement Skills Training, and Critical Incident Debriefing.
- Peer Support Program (PSP). Development and implementation of NOPD's PSS including over 32 peer support officers.
- Crisis Intervention Team (CIT). Academy instructor for CIT and officer certification. Completed training and certification of over 260 NOPD officers and introduction to CIT for over 200 recruits. Serve as CIT community coordinator.
- Critical Incident Stress Management (CISM). Serve as member in Louisiana's regional CISM team.

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

PROGRAM DIRECTOR/CLINICAL SOCIAL WORKER
National Alliance on Mental Illness (NAMI)
May 2013 - October 2015

Responsibilities: Program Development and implementation of Family Crisis Center to support the needs of families dealing with family members with mental illness and substance abuse disorders. Implemented intervention and full case management needs including medical, psychological, clinical, housing, occupational, and financial support. Served as professional staff member providing Clinical Social services to NAMI members.

ADMINISTRATOR/CRISIS UNIT COMMANDER
New Orleans Police Department (NOPD)
Crisis Unit
New Orleans, LA
October 2004-May 2013

Responsibilities: Overall management of the NOPD Crisis Unit, including: fiscal management, training of technicians, policy and program development. Led the 911 call response for delivery of crisis intervention services to citizens of New Orleans involving persons who were suicidal, homicidal and/or gravely disabled. Member of NOPD SWAT/Negotiation Team.

EXECUTIVE DIRECTOR
About Adopt, LLC
New Orleans, LA
September 1994-September 2005

Responsibilities: Contract services provided for birthparent counseling: adoption home studies; registry counseling; consultations and adoption related seminars.

PROGRAM DIRECTOR
American Adoptions of Louisiana, Inc.
New Orleans, LA
September 2001-September 2005

Responsibilities: Overall management of maternity and adoption service, including supervision of staff and social work students, training and education on adoption related issues throughout the community, counseling birthparents and families.

PROGRAM DIRECTOR
Volunteer of America of Greater New Orleans
Maternity and Adoption Program
Metairie, LA
November 1989-August 1993

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Responsibilities: Overall management of the Maternity and Adoption Services Program including: supervision of staff, volunteers and students, management of property, financial and fundraising activities, development and maintenance of effective client treatment and residential services in compliance with licensing and regulatory requirements, development and implementation of approved program goals, objectives and budget, conduct educational seminars throughout the community.

MATERNITY SUPERVISOR
Volunteers of America of Greater New Orleans
Maternity and Adoption Program
May-1988 – November 1989

CLINICAL SOCIAL WORKER
Associated Catholic Charities
Metairie, LA
September 1984-December 1987

Responsibilities: Long-term therapy with families of adjudicated delinquents, marital therapy, parent education groups, therapeutic work with girls, psycho-social evaluation, and referral to community agencies.

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Licensed Masters Social Worker

The successful applicant will have completed their master degree in social work and will have passed the LMSW licensure examination.

Knowledge base and understanding required for the position:
Social worker must have taken a DSM course and must demonstrate knowledge of the relationship between trauma, attachment injury and addiction. The strong candidate will have had a field placement or experience in an agency or facility that had substance misuse, abuse and addiction and or family clients. The strong candidate will understand the significance of interpersonal neurobiology and multi stressed living environments and addiction.

Duties:

Social Worker will see all respondents (defendants) of the court ordered for drug treatment by the Judge.

1. Social Worker will complete an extensive assessment to include:

Clients Ecological System including supports and potential impediments to recovery and optimal family functioning.
ASAM in conjunction with Fellow and team
Three Generational Genogram to identify and document patterns in general health, mental health addiction and substance misuse, trauma and relational and attachment patterns.
Adult Attachment Interview to help determine early attachment injuries and patterns
Addiction and substance misuse abuse tools:
Drug and Alcohol Screening (DACT)- Determines the severity of social problems related to substance abuse. (Adult and adolescent versions).
Trauma Screening Tools:
ACE and Life Event Checklist (LEC) and PC-PTSD to determine incidence and severity and relational proximity of trauma.
As needed:
Suicide Ideation and Safety plan
Anxiety Screener- BECK or other
Depression Screener- BECK, PHQ-9 or other
Mood and Personality Disorder Screeners

2. Social Worker will work with the person of concern and client/social worker chosen support system to develop Factors for resiliency and relapse recovery planning
3. Social Worker will help the person of concern apply for Medicaid when eligible and not covered.



Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

4. Social Worker will develop coordinate, implement and manage treatment plans for social/behavioral components of case for person of concern and family system and incorporate physician recommendations and orders.
5. Social Worker will provide family treatment modules and service referrals to incorporate change throughout the family system.
6. Social Worker will implement physician orders and provide physician complete reporting of client case.
7. Social Worker will be available for updates and reporting to court (within HIPPA guidelines and client releases).
8. Social worker will help with project data reporting.

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Program Coordinator

Program Coordinator duties shall include, but not be limited to:

a) Overseeing drug court budget and resources;
b) Maintaining individual files on participants
c) Directing work assignments;
d) Coordinating the day-to-day operations of the family treatment court;
e) Responsible for developing policy and implementation of programs, goals, strategies and objectives;
f) Scheduling and coordinating parent appointments (drug testing, doctor appointments, visitation, etc.) (shared responsibility with Social Worker);
g) Working with Social Worker on compiling statistical data and guiding and participating in program evaluation;
h) Contract management;
i) Coordinating with Youth Court Administrator for preparation and management of treatment court dockets;
j) Assisting with solicitation of community support;
k) Coordinating with multi-disciplinary planning, teamwork and training;
l) Case management services, as needed, to support social worker;
m) Procuring necessary supplies; and
n) Other duties as set forth in Treatment Court Employee Handbook.



Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Amy (current)

A. Asst. Court Administrator

B. Deputy Clerk

This is a professional position to ensure the impartial and expedient disposition of all cases of the Court. Incumbent assists the Court Administrator in performing all non-judicial tasks of the court, maintaining all statistical reports, serving as liaison with the general public and members of the Bar, coordinating and assisting in the duties of the clerks of the courts related to the judicial duties of the clerks, providing general administrative support for Judge of the district, and performing other duties assigned by the Judge.

Other specific duties:

- Create files for protection cases
- Custodian of files
- Enter and maintain interested parties for each case
- Process court orders
- Handle release of records requests
- Process all appellate matters
- Prepare and process required court notices, including notices to parties, MDCPS, foster parents
- Manage case court filing fees
- Maintain placement letters and information
- Attend court hearings and prepare court orders
- Receiving Clerk duties/Assist with inventory
- Manages alerts for Judge
- Assists Judge with troubleshooting related to MYCIDS
- Assist Judge with preparation of court orders, warrants and other pleadings
- Assist Court Administrator
- Assist with front desk duties
- Deputy Clerk duties
- Organize/Assist with organizing court scheduling and docketing
- Other duties as assigned by the Judge or Court Administrator



Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

-

Brandy (current)

A. CPS Intake and Court Services Coordinator (General AOC description)

B. Deputy Clerk

This is professional work involving the intake of abuse and neglect case information and entry of case information into the Mississippi Youth Court Information Delivery System (MYCIDS). Additionally, the Intake and Court Services Coordinator may perform other duties as assigned to them by the Youth Court Judge as may be needed in the Youth Court jurisdiction(s) of their employment. Incumbent exercises initiative and judgement in the conduct of all duties performed. Supervision is received from the judge at the Mississippi Youth Court level in the Mississippi Court System.

Other Specific Duties:

- Obtain call log and investigations from CPS
- Assist Judge with tracking of referrals
- Review investigation reports submitted by MDCPS
- File investigation reports in MYCIDS
- Make recommendations and obtain follow up information to submit to the Judge
- Complete intake orders for the investigations and submit to Judge
- Prepare custody orders
- Track In-home Cases and coordinate with MDCPS
- Set Shelter Hearings and coordinate attendance with MDCPS, CASA, Family Representative and others as necessary
- Set Show Cause Hearings and coordinate attendance with MDCPS, CASA, Family Representative and others as necessary
- Assist with DYS intake when necessary
- Assist prosecutor with administrative duties related to Shelter and Show Cause Hearings
- Attend court hearings and prepare court orders
- Assist Judge with preparation of court orders, warrants and other pleadings
- Serve as court's liaison to Hancock County's Multi-Disciplinary Team
- Assist Court Administrator or Deputy Court Administrator
- Assist with front desk duties
- Deputy Clerk duties
- Other duties as assigned by the Judge or Court Administrator

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Sarah (current)

A. DYS Intake and Court Services Coordinator (General AOC description)

B. Prosecutor Assistant

C. Deputy Clerk:

This is professional work involving the intake of delinquent case information and entry of case information into the Mississippi Youth Court Information Delivery System (MYCIDS). Additionally, the Intake and Court Services Coordinator may perform other duties as assigned to them by the Youth Court Judge as may be needed in the Youth Court jurisdiction(s) of their employment. Incumbent exercises initiative and judgement in the conduct of all duties performed. Supervision is received from the judge at the Mississippi Youth Court level in the Mississippi Court System.

Other Specific Duties:

- Obtain, review, and process delinquent referral, affidavit, or police report
- Conduct initial delinquent intake screening with minor and minor's parent or guardian
- Assist Prosecutor with intake recommendations and complete intake orders for submission to Judge
- Assist Prosecutor with preparation of petitions, subpoenas and other pleadings
- Coordinate Truancy and Educational Neglect Cases with School Attendance Officer and Court
- Prepare files for Prosecutor
- Assist Prosecutor with protection and delinquent petitions
- Prepare summons packets, subpoenas and required notices for service of process.
- Coordinate witnesses and evidence
- Coordinate attorney appointments for all DYS cases and prepare required notices
- Prepare required GAL notices
- Track all statutory timelines for referrals, petitions and hearings.
- Coordinate and track court mental health referrals
- Coordinate communication among court (Judge, Prosecutor and Counselors)
- Coordinate drug testing (as assigned)
- Assist Court Administrator or Deputy Court Administrator
- Assist with front desk duties

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

- Deputy Clerk duties
- Other duties as assigned by the Prosecutor
- Other duties as assigned by the Judge or Court Administrator

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Magan (current)

Administrative Assistant/Secretary (General AOC description):

The duties of the Administrative Assistant/Secretary include the performance of legal stenographic work and performing other duties related to the assignment. Included also are such tasks as management of telephone calls, composing and reviewing correspondence, obtaining and presenting information, setting up and maintaining files and records, utilizing general office equipment and typing. Supervision is received from a Judge or Judges at the trial court level in the Mississippi Court System, although the applicant would be an employee of the Administrative Office of Courts.

Other Specific Duties:

- Prepares correspondence, orders and judgments, as directed
- Prepares and maintains files, documentation, legal documents, and various reports.
- Prepares files for court proceedings
- Manages termination of parental rights cases for Judge and coordinates with County Court
- Distributes reports and other documents to attorneys and parties
- Maintains case information tracking spreadsheets for Judge
- Manages telephones, facsimiles and other correspondence
- Manages and files MDCPS court reports and drug screens
- Manges restitution payments (Collects restitution – bonded position)
- Maintains equipment inventory
- Utilizes general office equipment.
- Assist Court Administrator or Deputy Court Administrator
- Assist with front desk duties
- Deputy Clerk duties
- Other duties as assigned by the Judge or Court Administrator

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Amy (proposed)

A. Asst. Court Administrator

B. Co-Prosecutor Assistant

B. Deputy Clerk:

This is a professional position to ensure the impartial and expedient disposition of all cases of the Court. Incumbent assists the Court Administrator in performing all non-judicial tasks of the court, maintaining all statistical reports, serving as liaison with the general public and members of the Bar, coordinating and assisting in the duties of the clerks of the courts related to the judicial duties of the clerks, providing general administrative support for Judge of the district, and performing other duties assigned by the Judge.

Other specific duties:

- Create files for protection cases
- Custodian of files
- Enter and maintain interested parties for each case
- Process court orders
- Handle release of records requests
- Process all appellate matters
- Prepare and process required court notices, including notices to parties, MDCPS, foster parents
- Manage case court filing fees
- Maintain placement letters and information
- Attend court hearings and prepare court orders
- Receiving Clerk duties/Assist with inventory
- Manages alerts for Judge
- Assists Judge with troubleshooting related to MYCIDS
- Assist Judge with preparation of court orders, warrants and other pleadings
- Assist Court Administrator
- Assist with front desk duties
- Deputy Clerk duties
- Organize/Assist with organizing court scheduling and docketing
- Other duties as assigned by the Judge or Court Administrator

New Duties:

- Coordinate and track court mental health referrals



Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

- Prepare files for Prosecutor
- Assist Prosecutor with protection and delinquent petitions
- Prepare summons packets, subpoenas and required notices for service of process.
- Coordinate witnesses and evidence
- Prepare required GAL notices

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Brandy (proposed)

A. CPS/DYS Intake and Court Services Coordinator (General AOC description)

B. Deputy Clerk:

This is professional work involving the intake of abuse and neglect case information and entry of case information into the Mississippi Youth Court Information Delivery System (MYCIDS). Additionally, the Intake and Court Services Coordinator may perform other duties as assigned to them by the Youth Court Judge as may be needed in the Youth Court jurisdiction(s) of their employment. Incumbent exercises initiative and judgement in the conduct of all duties performed. Supervision is received from the judge at the Mississippi Youth Court level in the Mississippi Court System.

Other Specific Duties:

- Obtain call log and investigations from CPS
- Assist Judge with tracking of referrals
- Review investigation reports submitted by MDCPS
- File investigation reports in MYCIDS
- Make recommendations and obtain follow up information to submit to the Judge
- Complete intake orders for the investigations and submit to Judge
- Prepare custody orders
- Track In-home Cases and coordinate with MDCPS
- Set Shelter Hearings and coordinate attendance with MDCPS, CASA, Family Representative and others as necessary
- Set Show Cause Hearings and coordinate attendance with MDCPS, CASA, Family Representative and others as necessary
- Assist with DYS intake when necessary
- Assist prosecutor with administrative duties related to Shelter and Show Cause Hearings
- Attend court hearings and prepare court orders
- Assist Judge with preparation of court orders, warrants and other pleadings
- Serve as court's liaison to Hancock County's Multi-Disciplinary Team
- Assist Court Administrator or Deputy Court Administrator
- Assist with front desk duties
- Deputy Clerk duties
- Other duties as assigned by the Judge or Court Administrator

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

New Duties:

- Obtain, review, and process delinquent referral, affidavit, or police report
- Conduct initial delinquent intake screening with minor and minor's parent or guardian
- Assist Prosecutor with intake recommendations and complete intake orders for submission to Judge
- Assist Prosecutor with preparation of petitions, subpoenas and other pleadings
- Track all statutory timelines for referrals, petitions and hearings.

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Magan (proposed)

A. Administrative Assistant/Secretary (General AOC description)

B. Co-Prosecutor Assistant:

The duties of the Administrative Assistant/Secretary include the performance of legal stenographic work and performing other duties related to the assignment. Included also are such tasks as management of telephone calls, composing and reviewing correspondence, obtaining and presenting information, setting up and maintaining files and records, utilizing general office equipment and typing. Supervision is received from a Judge or Judges at the trial court level in the Mississippi Court System, although the applicant would be an employee of the Administrative Office of Courts.

Other Specific Duties:

- Prepares correspondence, orders and judgments, as directed
- Prepares and maintains files, documentation, legal documents, and various reports.
- Prepares files for court proceedings
- Manages termination of parental rights cases for Judge and coordinates with County Court
- Distributes reports and other documents to attorneys and parties
- Maintains case information tracking spreadsheets for Judge
- Manages telephones, facsimiles and other correspondence
- Manages and files MDCPS court reports and drug screens
- Manges restitution payments (Collects restitution – bonded position)
- Maintains equipment inventory
- Utilizes general office equipment.
- Assist Court Administrator or Deputy Court Administrator
- Assist with front desk duties
- Deputy Clerk duties
- Other duties as assigned by the Judge or Court Administrator

New Duties:

- Coordinate Truancy and Educational Neglect Cases with School Attendance Officer and Court
- Coordinate drug testing (as assigned)
- Coordinate attorney appointments for all DYS cases and prepare required notices

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

- Coordinate communication among court (Judge, Prosecutor and Counselors)

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

Amy
Brandy
Megan

Sarah (current)

A. DYS Intake and Court Services Coordinator (General AOC description)

B. Prosecutor Assistant

C. Deputy Clerk:

This is professional work involving the intake of delinquent case information and entry of case information into the Mississippi Youth Court Information Delivery System (MYCIDS). Additionally, the Intake and Court Services Coordinator may perform other duties as assigned to them by the Youth Court Judge as may be needed in the Youth Court jurisdiction(s) of their employment. Incumbent exercises initiative and judgement in the conduct of all duties performed. Supervision is received from the judge at the Mississippi Youth Court level in the Mississippi Court System.

Other Specific Duties:

- Obtain, review, and process delinquent referral, affidavit, or police report
- Conduct initial delinquent intake screening with minor and minor's parent or guardian
- Assist Prosecutor with intake recommendations and complete intake orders for submission to Judge
- Assist Prosecutor with preparation of petitions, subpoenas and other pleadings
- Coordinate Truancy and Educational Neglect Cases with School Attendance Officer and Court
- Prepare files for Prosecutor
- Assist Prosecutor with protection and delinquent petitions
- Prepare summons packets, subpoenas and required notices for service of process.
- Coordinate witnesses and evidence
- Coordinate attorney appointments for all DYS cases and prepare required notices
- Prepare required GAL notices
- Track all statutory timelines for referrals, petitions and hearings;
- Coordinate and track court mental health referrals
- Coordinate communication among court (Judge, Prosecutor and Counselors)
- Coordinate drug testing (as assigned)
- Assist Court Administrator or Deputy Court Administrator
- Assist with front desk duties

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

- Deputy Clerk duties
- Other duties as assigned by the Prosecutor
- Other duties as assigned by the Judge or Court Administrator

Attachment: 20210405 - Hancock County Treatment Court - Personnel (8059 : Discussion: Personnel for Hancock County Treatment Court.)

TIMOTHY A. KELLAR
CHANCERY CLERK - LAND REDEMPTION
854 HWY 90, STE B
BAY ST. LOUIS, MISSISSIPPI 39520

THE FIRST, A NATIONAL BANK ASC
800 HWY 90, BAY ST. LOUIS, MS 39520

CHECK # 3010

85-336
653

VOID AFTER 1 YEAR

CHK DATE	AMOUNT
4/06/2021	$*****6143.91

*****6143 **DOLLARS & 91 CENTS**

PAY TO THE ORDER OF:

GENERAL COUNTY

00000

NON-NEGOTIABLE
NON-NEGOTIABLE
NON-NEGOTIABLE

⑈003010 3⑈ ⑆065303360⑆ ⑈0805007051⑈ ⑈00006143 91⑈

Attachment: 20210406150918 (7993 : Chancery Clerk March Land Redemption Settlement Check.)

Vendor	Invoice	----Pay To----	Amount	Typ	JNL	CHECK#
DMNDHD	2021033004	CITY OF DIAMONDHEAD	196.71 *	R	A	
19 0173	2021033067	CORE INVESTMENTS LLC	504.03 *	R	A	
18 0075	2021033032	CYNTHIA V KNOBLOCK	657.33 *	R	A	
19 0075	2021033053	CYNTHIA V KNOBLOCK	561.06 *	R	A	
19 0204	2021033078	DAVID CRUZ	56.15 *	R	A	
19 0130	2021033058	DENNIS E LASTRAPES	91.32 *	R	A	
18 0074	2021033031	DONNA M TORRES DBA NESTOR TORRES	520.10 *	R	A	
GENC	2021033006	GENERAL COUNTY	6143.91 *	R	A	
18 0016	2021033014	GERGORY RICHARDSON	505.05 *	R	A	
18 0034	2021033021	GJ TAX SALE PROPERTIES	17227.24 *	R	A	
18 0003	2021033010	GREENSPRING PROPERTIES	577.60 *	R	A	
19 0161	2021033064	GUARDIAN TAX MS LLC	5253.04 *	R	A	
CO	2021033003	HANCOCK COUNTY	5947.73 *	R	A	
23	2021033081	HANCOCK COUNTY SHERIFF	400.00 *	R	A	
MDAH	2021033007	HANCOCK CTY(FOR DEPT O	145.00 *	R	A	
19 0153	2021033059	HIGH SIERRA TAX SALE P	3768.08 *	R	A	
19 0198	2021033074	HOME EXPERT SOLUTIONS DBA STEVEN POST	3175.86 *	R	A	
19 0201	2021033075	JALEESA D JACKSON	123.00 *	R	A	
19 0025	2021033043	JIM BECKHAM	2797.00 *	R	A	

Attachment: 20210406150918 (7993 : Chancery Clerk March Land Redemption Settlement Check.)

COMPTON ENGINEERING, INC.
ENGINEERING, SURVEYING & ENVIRONMENTAL SERVICE

156 Nixon Street
Biloxi, MS 39530

Phone: 228.432.2133
Fax: 228.432.8149

comptonengineering.com

PASCAGOULA
BILOXI
BAY ST. LOUIS

TRANSMITTAL

Date: April 14, 2021

Total No. of Pages: 10
(including this cover)

To: All Planholders

From: G. Joey Duggan, III
Senior Vice President

Re: Repairs to Hancock County Arena

Attached herewith is Addendum No. 1 for the above referenced project.

PLEASE ACKNOWLEDGE YOUR RECEIPT OF THIS ADDENDUM BY COMPLETING THE ACKNOWLEDGEMENT BELOW AND FAXING THIS PAGE ONLY TO (228) 467-2720 OR EMAILING TO COMPTON@COMPTONENGINEERING.COM. Acknowledgement of this addendum on page 1 of the Bid form is also required.

If you have any questions regarding this addendum, please call me at (228) 467-2770.

ACKNOWLEDGEMENT FORM

ADDENDUM NO. 1

FOR

REPAIRS TO HANCOCK COUNTY ARENA

TO: Compton Engineering, Inc.
3036 Longfellow Drive
Bay St. Louis, MS 39520

Telephone: (228) 467-2770
Facsimile: (228) 467-2720
Email: compton@comptonengineering.com

We hereby acknowledge receipt of Addendum No. 1 for the above referenced project. We will ensure that Addendum No. 1 is acknowledged in the bid submitted by our company.

Print name of company: _____

Print name of person acknowledging receipt of addendum: _____

Signature of person acknowledging receipt of addendum: _____

Date of acknowledgement: _____

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

SECTION 00901-01
ADDENDUM NO. 1

Dated: April 14, 2021

Project:	Repairs to Hancock County Arena	Owner: Hancock County Board of Supervisors	Engineer's Project No.: 220-076.008

The following changes, additions, and/or deletions are hereby made a part of the Project Manual for the Repairs to Hancock County Arena for the Hancock County Board of Supervisors dated March 24, 2021 as fully and completely as if the same were fully and completely set forth therein:

PROJECT MANUAL

Part 4 – Technical Specifications

1. SECTION 09906 HIGH-PERFORMANCE FIELD COATINGS: **REPLACE** this section in its entirety with **Attachment No. 1 to Addendum No. 1**. This Section has been amended to clarify the scope of work and the minimum level of cleaning required for coating new and existing materials.

Part 5- Drawings

1. SHEET G1.0 VICINITY MAP, GENERAL NOTES AND SHEET INDEX: **REPLACE** this section in its entirety with **Attachment No. 2A to Addendum No. 1**. This drawing has been modified to correct the sheet index and add notes to clarify the scope of work.

2. SHEET S2.1 COLUMN REPAIRS: **ADD** this section in its entirety with **Attachment No. 2B to Addendum No. 1**. This drawing has been modified to clarify the scope of work at column base prior to casting concrete.

All bidders shall acknowledge receipt and acceptance of this Addendum No. 1 consisting of one (1) page plus attachments by signing the acknowledgement form preceding this addendum and acknowledging receipt on page 1 of the Section 00410-Bid. Bids submitted without acknowledging receipt of the addendum may be considered non-responsive.

Sincerely,

HANCOCK COUNTY BOARD OF SUPERVISORS

By:_____
G. Joey Duggan, III, Senior Vice President

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

ATTACHMENT NO. 1 TO ADDENDUM NO. 1

SECTION 09906
HIGH-PERFORMANCE FIELD COATINGS

1.0 GENERAL

1.1 The Work in this Section shall include furnishing all materials, equipment, and labor necessary for the surface preparation and application of high-performance coating systems on new (uncoated) and existing (coated) exterior steel component. It is the intent of this Project that all existing primary and secondary metal building components be coated.

1.2 RELATED SECTIONS

Division 01	General Requirements
Section 05125	Metal Building Components

1.3 MEASUREMENT AND PAYMENT

Payment for Work in this Section shall be included in the unit price/lump sum price as outlined in the Bid. Bid price shall include all cost of labor, materials, and incidentals complete.

1.4 REFERENCES

The publications listed below form part of this specification. Each publication shall be the latest revision and addendum in effect on the date this specification is issued for construction unless noted otherwise. Except as modified by the requirements specified herein or the details of the Drawings, Work included in this specification shall conform to the applicable provisions of these publications.

ISO 8501-1	Sa2 Thorough Blast Cleaning
SSPC-PA-1	Shop, Field, and Maintenance Coating of Metals
SSPC-SP2	Hand Tool Cleaning
SSPC-SP3	Power Tool Cleaning
SSPC-SP6/NACE No. 3	Commercial Blast Cleaning
SSPC-SP7/NACE No. 4	Brush-Off Blast Cleaning
SSPC-SP10/NACE No. 2	Near-White Blast Cleaning

1.5 SUBMITTALS

The following shall be submitted in accordance with "Section 01330 – Submittals", in sufficient detail to show full compliance with the specification:

SD-01 Product Data: For each type of product indicated, include the following:

a. Preparation requirements and application instructions:
   1. Indicate VOC content.
b. Cross-reference to paint system and locations of application areas. Use same designations indicated in schedules.
c. Manufacturer's Certification of Compliance with referenced specifications and standards signed by Manufacturer's Representative.

SD-02 Contract Closeout: Provide the following:

a. Coating Maintenance Manual: Provide coating maintenance manual including area summary with finish schedule, area detail designating location where each product/color/finish was used, product data pages, material safety data sheets, care and cleaning instructions, touch-up procedures, and color samples of each color and finish used.

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

b. Furnish extra materials, from the same product run, that match products installed and that are packaged with protective covering for storage and identified with labels describing contents.
   1. Paint: 10% or 1 gallon, whichever is greater, of each material and color applied.
c. Provide 1 year warranty against defective workmanship and materials.

1.6 QUALITY ASSURANCE

1.6.1 All Work to apply the specified protective coatings to coated or uncoated metal surfaces shall be provided in accordance with the requirements of SSPC-PA-1.

1.6.2 Provide products of same manufacturer for each coat in a coating system.

1.6.3 Independent Testing by Contractor

1.6.3.1 Should the Engineer/Owner observe unapproved material on-site, suspect improper millage of coating, or any other evidence of workmanship not complying with these specifications, then the Engineer/Owner reserves the right to invoke the following procedure:

1.6.3.1.1 Direct the Contractor to engage the services of a qualified testing agency to sample coating materials. Contractor will be notified in advance and may be present when samples are taken.

1.6.3.1.2 Direct the Contractor to engage the services of a qualified testing agency to perform tests for compliance with product application requirements.

1.6.3.1.3 Contractor nay be directed to stop applying paints if test results show materials being used do not comply with product requirements. Contractor shall remove noncomplying coating materials from Project site, pay for testing, and recoat surfaces coated with rejected materials. Contractor will be required to remove rejected materials from previously coated surfaces if, on recoating with complying materials, the two coatings are incompatible.

1.7 DELIVERY, STORAGE, AND HANDLING

1.7.1 Delivery and Handling

1.7.1.1 Deliver products to Project site in an undamaged condition in manufacturer's original sealed containers, complete with labels and instructions for handling, storing, unpacking, protecting, and installing. Packaging shall bear the manufacture’s label with the following information:
1. Product name and type (description).
2. Batch date.
3. Color number.
4. VOC content.
5. Environmental handling requirements.
6. Surface preparation requirements.
7. Application instructions.

1.7.2 Storage and Protection

1.7.2.1 Store materials not in use in tightly covered containers in well-ventilated areas with ambient temperatures continuously maintained at not less than 45 deg F.
1. Maintain containers in clean condition, free of foreign materials and residue.
2. Remove rags and waste from storage areas daily.

1.8 PROJECT/SITE CONDITIONS

1.8.1 Apply coatings only when temperature of surfaces to be coated and surrounding air temperatures are between 50 and 95 deg F.

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

1.8.2 Do not apply coatings when relative humidity exceeds 85 percent; at temperatures less than 5 deg F above the dew point; or to damp or wet surfaces.

1.8.3 Do not apply exterior coatings in snow, rain, fog, or mist.

1.8.4 Hazardous Materials: It is not expected that hazardous materials will be encountered in the Work. If suspected hazardous materials are encountered, do not disturb; immediately notify Engineer and Owner.

1.9 WARRANTY

1.9.1 The Contractor and coating manufacturer shall jointly and severally warranty to the Owner and guarantee the Work under this Section against defective workmanship and materials for a period of 1 year commencing on the date of final acceptance of the Work.

1.10 FACTORY-APPLIED COATINGS

1.10.1 Submit to the Engineer for review, manufacturer's certification that states factory applied coating system meets or exceeds requirements specified herein.

2.0 PRODUCTS

2.1 MANUFACTURERS

2.1.1 Basis-of-Design Product is Sherwin-Williams Company. Provide Sherwin-Williams Company, Carboline, or equal. Products indicated in Section 3.6 SCHEDULE.

2.1.2 Source Limitations: Obtain paint materials from single source from single listed manufacturer.

2.2 MATERIALS

2.2.1 High-Performance Coatings, General

2.2.1.1 Material Compatibility

2.2.1.1.1 Provide materials for use within each coating system that are compatible with one another and substrates indicated, under conditions of service and application as demonstrated by manufacturer, based on testing and field experience.

2.2.1.1.2 For each coat in a coating system, provide products recommended in writing by manufacturers of topcoat for use in coating system and on substrate indicated.

2.2.1.2 VOC Content

2.2.1.2.1 For field applications that are inside the weatherproofing system, paints and coatings shall comply with VOC content limits of authorities having jurisdiction.

2.2.1.3 Colors: As selected by Professional from Manufacturer's full range.

3.0 EXECUTION

3.1 EXAMINATION

3.1.1 Examine substrates and conditions, with Applicator present, for compliance with requirements for maximum moisture content and other conditions affecting performance of the Work. Verify suitability of substrates, including surface conditions and compatibility with existing primers and finishes. Where acceptability of substrate conditions is in question, apply samples and perform in-situ testing to verify compatibility, adhesion, and film integrity of new paint application.

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

3.1.2 Report in writing conditions that may affect application, appearance, or performance of paint.

3.1.3 Verify suitability of substrates, including surface conditions and compatibility, with existing finishes and primers.

3.1.4 Proceed with coating application only after unsatisfactory conditions have been corrected; application of coating indicates acceptance of surfaces and conditions.

3.1.5 Method(s) used in the actual cleaning shall be the one(s) which provide the necessary level of cleanliness with the least amount of surface alteration.

3.2 PREPARATION

3.2.1 Items not to be painted which are in contact with or adjacent to, below, or in the vicinity of surfaces to be painted shall be removed or protected prior to surface preparation and painting operations. Items may include, but shall not be limited to, grass, bleachers, concrete, gates, fencing, buildings, equipment, fans, lighting, etc.

3.2.2 Comply with manufacturer's written instructions and recommendations in "MPI Architectural Painting Specification Manual" applicable to substrates indicated.

3.2.3 Remove hardware, covers, plates, and similar items already in place that are removable and are not to be painted. If removal is impractical or impossible because of size or weight of item, provide surface-applied protection before surface preparation and painting. After completing painting operations, use workers skilled in the trades involved to reinstall items that were removed. Remove surface-applied protection.

3.2.4 Clean substrates of substances that could impair bond of coatings, including dust, dirt, oil, grease, and defective or incompatible paints and encapsulants. For new steel (bare metal) and existing previously primed steel, prepare in accordance with the specified SSPC/NACE. Prepare primed surfaces prior to intermediate coat, in accordance with ISO 8501-1 Sa 2.

3.2.4.1 It is not necessary to remove all previous coats of primer or paint if the previous coat is adhere soundly and fully and is compatible with the new paint system.

3.2.5 Remove incompatible primers and reprime substrate with compatible primers or apply tie coat as required to produce coating systems indicated.

3.2.6 New Steel Substrates: Clean, prepare, pretreat (if required), and protect surface as per the specified SSPC. Clean using methods recommended in writing by paint manufacturer but not less than the following:

SSPC-SP 10/NACE No. 2, "Near-White Blast Cleaning." (Members to be modified, extended, or replaced)
SSPC-SP 6/NACE No. 3, "Commercial Blast Cleaning."
SSPC-SP 7/NACE No. 4, "Brush-Off Blast Cleaning." (Members to be restored)

3.2.7 Existing Primed Steel Substrates (including all existing exposed steel components and existing column bases to be concealed in concrete): Clean field welds, bolted connections, and abraded areas of shop paint, and paint exposed areas with the same material as used for shop priming using method recommended in writing by paint manufacturer but not less than the following:

SSPC-SP2, "Hand Tool Cleaning"
SSPC-SP3, "Power Tool Cleaning"

3.2.8 Galvanized-Metal Substrates: Remove grease and oil residue from galvanized sheet metal by mechanical methods to produce clean, lightly etched surfaces that promote adhesion of subsequently applied coatings.

3.2.9 All waste material shall be considered hazardous material and shall be collected and properly disposed of at the end of each work day.

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

3.2.10 Remove only as much paint and rust each day as can be primed that same day. Bare iron and steel will begin to rust again within a mater of hours. Allowing unprotected, bare material to be exposed overnight is prohibits.

3.2.11 Using high heat as a method to prepare for primer and paint is prohibited.

3.2.12 Existing welds and adjacent areas shall be prepared such that there is: (1) no undercutting or reverse ridges on the weld bead, (2) weld spatter on or adjacent to the weld or any other area to be painted, and (3) no sharp peaks or ridges along the weld bead. All embedded pieces of electrode or wire shall be ground flush with the adjacent surface of the weld bead.

3.2.13 All sharp edges shall be rounded or chamfered and all burrs, jagged edges, and surface defects shall be ground smooth.

3.3 APPLICATION

3.3.1 Follow all appropriate regulations provided by the EPA Regional office and/or the State office.

3.3.2 Apply high-performance coatings according to manufacturer's written instructions.

3.3.3 Use applicators and techniques suited for coating and substrate indicated.

3.3.4 Prime as soon as possible after surfaces have been prepared and before rust has a chance to form again. Before installation of new material, coat all surfaces with prime coat only.

3.3.5 Do not apply coatings over labels of independent testing agencies or equipment name, identification, performance rating, or nomenclature plates.

3.3.6 Tint each undercoat a lighter shade to facilitate identification of each coat if multiple coats of the same material are to be applied. Tint undercoats to match color of finish coat, but provide sufficient difference in shade of undercoats to distinguish each separate coat.

3.3.7 If undercoats or other conditions show through final coat, apply additional coats until cured film has a uniform coating finish, color, and appearance.

3.3.8 Apply coatings to produce surface films without cloudiness, spotting, holidays, laps, brush marks, runs, sags, ropiness, or other surface imperfections.

3.3.9 Paint Mixing: Multiple-component coatings shall be prepared using all of the contents of the container for each component as packaged by the paint manufacturer. No partial batches will be permitted. Multiple-component coatings that have been mixed shall not be used beyond their pot life. The Contractor shall provide small quantity kits for touchup painting and for painting other small areas. Only the components specified and furnished by the paint manufacturer shall be mixed. No intermixing of additional components for reasons of color or otherwise, even within the same generic type of coating, will be permitted.

3.3.10 Paint materials shall be kept sealed when not in use.

3.3.11 Coverage is listed as either total minimum dry film thickness in mils (MDFT). The number of coats is the minimum required irrespective of the coating thickness. Additional coats may be required to obtain the minimum required paint thickness, depending on method of application, differences in manufacturers' products, and atmospheric conditions. Maximum film build per coat shall not exceed the coating manufacturer's recommendations.

3.3.12 Particular attention shall be given edges, angles, flanges, etc. Where insufficient film thicknesses are likely to be present, ensure proper millage in these areas.

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

3.4 FIELD QUALITY CONTROL

3.4.1 Dry Film Thickness Testing: The services of a qualified testing and inspecting agency may be engaged to inspect and test coatings for dry film thickness.

3.4.1.1 Contractor shall touch up and restore coated surfaces damaged by testing.

3.4.1.2 If test results show that dry film thickness of applied coating does not comply with coating manufacturer's written recommendations, Contractor shall pay for testing and apply additional coats as needed to provide dry film thickness that complies with coating manufacturer's written recommendations.

3.5 CLEANING AND PROTECTION

3.5.1 At end of each workday, remove rubbish, empty cans, rags, and other discarded materials from Project site.

3.5.2 After completing coating application, clean spattered surfaces. Remove spattered coatings by washing, scraping, or other methods. Do not scratch or damage adjacent finished surfaces.

3.5.3 Protect work of other trades against damage from coating operation. Correct damage by cleaning, repairing, replacing, and recoating, as approved by Professional, and leave in an undamaged condition.

3.5.4 At completion, all painted surfaces and coatings shall be inspected. All damaged spots, whether due to defective materials or workmanship or defects of surfaces covered shall be touched up and the finish restored. Areas to be touched up shall be clean to comply with SSPC-PA1. Additional coats of paint and coatings required to cover all spots or discoloration of every sort shall be applied at no additional costs to the Owner.

3.6 SCHEDULE

3.6.1 Steel Substrates:

3.6.1.1 Pigmented Polyurethane over Bare Metal:

a. Prime Coat: Primer, zinc-rich, epoxy 3.0 to 5.0 mils dry, per coat:
   1. S-W Zinc Clad III HS 100
   2. Carboline Carboguard 859 (Gray 0700)

b. Intermediate Coat: Epoxy, high-build, low gloss 5.0 to 10 mils dry, per coat:
   1. S-W Macropoxy 646-100, B58-600 Series
   2. Carboline Carboguard 880

c. Topcoat: Polyurethane, two-component, pigmented, gloss 2.0 to 4.0 mils dry, per coat:
   1. S-W Pro Industrial Waterbased Acrolon 100 Polyurethane, B65-720 Series
   2. Carboline Carboxane 2000 Topcoat

3.6.1.2 Pigmented Polyurethane over Epoxy Zinc-Rich Primer System:


a. Intermediate Coat: Epoxy, high-build, low gloss 5.0 to 10 mils dry, per coat:
   1. S-W Macropoxy 646-100, B58-600 Series
   2. Carboline Carboguard 880

b. Topcoat: Polyurethane, two-component, pigmented, gloss 2.0 to 4.0 mils dry, per coat:
   1. S-W Pro Industrial Waterbased Acrolon 100 Polyurethane, B65-720 Series
   2. Carboline Carboxane 2000 Topcoat


*** END OF SECTION ***

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)


PROPRIETARY RIGHTS CLAUSE: INFORMATION AND DATA CONTAINED ON THIS DRAWING IS CONFIDENTIAL. IF GIVEN TO AN ENTITY NOT HAVING A CONTRACTUAL RELATIONSHIP WITH THE ENGINEER, THE INFORMATION SHALL NOT BE USED WITHOUT PRIOR WRITTEN PERMISSION. THIS LEGEND SHALL BE MARKED ON ANY REPRODUCTIONS HEREOF IN WHOLE OR IN PART. COMPTON ENGINEERING, INC. © COPYRIGHT 1996



STATE OF MISSISSIPPI
NTS



HANCOCK COUNTY
NTS



SITE LOCATION MAP
NTS

GENERAL NOTES

1. IT IS THE INTENT OF THE CONTRACT DOCUMENTS TO PROVIDE FOR COMPLETE AND FINISHED WORK. ALL MISCELLANEOUS COMPONENTS, PARTS, ANCHORS, AND OTHER INCIDENTAL ITEMS REQUIRED FOR COMPLETE ASSEMBLY, FUNCTIONING AND OPERATION OF AN ITEM OR SYSTEM SHALL BE PROVIDED, WHETHER OR NOT SPECIFICALLY CALLED FOR.
2. THE DRAWINGS AND SPECIFICATIONS ARE INTENDED TO DEFINE THE GENERAL DESIGN AND SCOPE OF THE WORK REQUIRED TO COMPLETE THE WORK. THE CONTRACTOR SHALL INCLUDE ALL COMPONENTS WHICH ARE NORMALLY INCIDENTAL TO THE WORK. THOSE COMPONENTS WHICH ARE NOT SHOWN ON THE DRAWING OR SPECIFIED BUT WHICH ARE REQUIRED AS AN ESSENTIAL AESTHETIC, FUNCTIONAL OR CODE REQUIRED ELEMENT OF THE WORK ARE TO BE INCLUDED.
3. TO ESTABLISH THE COMPLETE SCOPE OF ITS WORK AND TO EFFECT CLOSE COORDINATION WITH THE OTHER TRADES, EACH TRADE SHALL COMPLETELY REVIEW THE PLANS AND SPECIFICATIONS, NOT ONLY FOR ITS RESPECTIVE TRADE, BUT FOR THE WORK OF THE OTHER RELATED TRADES AS WELL. TITLES OF DIVISIONS (AND SECTIONS IN SPECIFICATIONS) IDENTIFYING WORK ARE PROVIDED FOR ORGANIZATIONAL AND REFERENCE PURPOSES AND SHALL NOT BE TAKEN AS AN ABSOLUTE SEPARATION OF THE TRADES OR OF THE UNITS OF MATERIAL AND LABOR.
4. CONTRACTOR SHALL COORDINATE AND OBTAIN ALL NECESSARY PERMITS AND APPROVALS OR GUIDELINES FROM GOVERNING REGULATORY AGENCIES BEFORE PROCEEDING WITH ANY ITEMS OF WORK UNDER OR WITHIN SUCH JURISDICTION(S).
5. ALL DIMENSIONS AND TIE-INS GOVERNED BY EXISTING CONDITIONS ARE APPROXIMATE AND ARE NOT GUARANTEED TO BE CORRECT. ALL SUCH DIMENSIONS AND CONDITIONS SHALL BE FIELD VERIFIED BY THE GENERAL CONTRACTOR PRIOR TO PROCEEDING WITH ANY WORK. IF CONDITIONS AND DIMENSIONS VARY FROM THOSE SHOWN, THE CONTRACTOR SHALL NOTIFY THE ARCHITECT BEFORE PROCEEDING WITH WORK WHERE DIMENSIONS ARE NOT SHOWN. USE EXACT DIMENSIONS. DO NOT SCALE WHERE DIMENSIONS ARE SHOWN WITH +/- INDICATIONS ADJUSTMENTS MAY BE MADE TO SUIT FIELD CONDITIONS.
6. VERIFY CONDITIONS, SERVICES, DIMENSIONS, AND ELEVATIONS OF SITE.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE EXACT LOCATIONS OF ALL EXISTING UNDERGROUND UTILITIES. CALL BEFORE YOU DIG @ MISSISSIPPI ONE CALL SYSTEMS INC. PH#1-800-227-6477.
8. THE CONTRACTOR SHALL SUBCONTRACT WITH SUPPLIERS AND FABRICATION AND INSTALLATION COMPANIES WHICH CAN DEMONSTRATE THAT THEY POSSESS THE KNOWLEDGE, EXPERIENCE, AND PROVEN CAPABILITIES TO FULLY PERFORM ALL ASPECTS OF THE WORK REQUIRED WITHOUT OMISSION.
9. THE SCOPE OF THE PROJECT INCLUDES COATING ALL PRIMARY FRAMES AND SECONDARY METAL BUILDING MEMBERS.
10. REFER TO SECTION 09906 FOR COATING SPECIFICATION.

C

CONCRETE:

1. ALL CONCRETE SHALL BE 3000 PSI UNLESS NOTED OTHERWISE. ALL REINFORCING STEEL SHOULD BE GRADE 60 AND SHALL CONFORM TO THE ASTM SPECIFICATION A615. DETAILING OF REINFORCING STEEL SHALL CONFORM TO THE AMERICAN CONCRETE INSTITUTE DETAILING MANUAL. WELDED WIRE FABRIC SHALL CONFORM TO ASTM SPECIFICATION A185 (GRADE 60). LAP CONTINUOUS UNSCHEDULED REINFORCING BARS 30 DIAMETERS UNLESS OTHERWISE NOTED. THERE SHALL BE NO HORIZONTAL CONSTRUCTION JOINTS IN CONCRETE POURS UNLESS APPROVED BY THE ENGINEER. ALL CONSTRUCTION JOINTS SHALL BE MADE WITH VERTICAL BULKHEADS. THE ENGINEER SHALL APPROVE THE CONTROL AND CONSTRUCTION JOINT. LOCATIONS SUBMITTED BY THE CONTRACTOR PRIOR TO THE CONTRACTOR FORMING FOR CONCRETE PLACEMENT.
2. ALL WORK SHALL CONFORM TO THE LATEST REQUIREMENTS OF ACI 318, CRSI AND THE INTERNATIONAL BUILDING CODES.

CONCRETE ANCHORS:

1. ANCHORS SHALL CONFORM TO THE REQUIREMENTS OF ANSI/ASTM STANDARD TEST METHODS FOR STRENGTH OF ANCHORS IN CONCRETE AND MASONRY ELEMENTS, DESIGNATION E488-10. THEY SHALL BE INSTALLED SO AS TO DEVELOP WITH A MAXIMUM PROVEN CAPACITY FOR THEIR TYPE AND SIZE, OR THE CAPACITY SHOWN ON THE DRAWINGS WITH A MINIMUM FACTOR OF SAFETY OF FOUR. INSTALLATION SHALL BE MADE WITH STRICT ADHERENCE TO THE MANUFACTURER'S RECOMMENDATIONS. ALL ANCHORS SHALL HAVE STANDARD U.S. THREADS (UNC).
2. STUD TYPE ANCHORS SHALL BE GALVANIZED. EACH ANCHOR SHALL BE PROVIDED WITH A TYPE 316 STAINLESS STEEL NUT WASHER OF THE PROPER SIZE. ANCHORS SHALL BE PARABOLT MADE BY USM CORP., TEMPLE, PA.; KWIK-BOLT MADE BY HILTI FASTENING SYSTEMS, STAMFORD, CT.; OR WEDGE TYPE STUD BOLT ANCHOR BY STAR EXPANSION INDUSTRIES CORP., MOUNTAINVILLE, N.Y.
3. INTERNALLY THREADED TYPE ANCHORS SHALL BE MADE FROM HIGH-STRENGTH STEEL WITH A RUST RESISTANT COATING. EACH ANCHOR SHALL BE PROVIDED WITH A GALVANIZED WASHER AND BOLT OF THE PROPER SIZE AND LENGTH UNLESS NOTED OTHERWISE ON THE DRAWINGS. ANCHORS MAY BE SELF DRILLING OR DROP-IN TYPE; SELF DRILL SHIELD OR PLUG TYPE MADE BY HILTI FASTENING SYSTEMS, STAMFORD, CT.; MULTI-SET OR SELF DRILLING ANCHORS MADE BY ITT PHILLIPS DRILL DIVISION, MICHIGAN CITY, IN.

REINFORCING STEEL:

1. ALL REINFORCING STEEL SHALL BE GRADE 60 AND SHALL CONFORM TO ASTM A615. DETAILING OF REINFORCING STEEL SHALL CONFORM TO THE AMERICAN CONCRETE INSTITUTE DETAILING MANUAL. REINFORCING STEEL SHALL BE GALVANIZED OR EPOXY COATED WHERE INDICATED ON THE DRAWINGS.
2. PROVIDE STANDARD, BAR CHAIRS AND SPACERS AT 5'-0" CENTERS FOR ALL SLABS AND BEAMS ABOVE GRADE.
3. PROVIDE 20 GAUGE SHEET METAL BAR CHAIRS AT 4'-0" MAXIMUM CENTERS EACH WAY FOR ALL REINFORCING FOR SLABS AND BEAMS ON GRADE AND PILE CAPS.
4. LAP SPLICES SHALL BE CLASS A TENSION PER LATEST EDITION OF ACI 318 UNLESS NOTED OTHERWISE. WIRE FABRIC MUST OVERLAP ONE FULL MESH PLUS 6 INCHES AT SIDE AND END LAPS AND TIED TOGETHER.
5. REINFORCING STEEL MINIMUM COVERAGE SHALL BE AS FOLLOWS:

A. CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH:	3"
B. CONCRETE EXPOSED TO EARTH OR WEATHER:	
NO. 6 THROUGH NO. 18 BARS	2"
NO. 5 BAR, W31 OR D31 WIRE, AND SMALLER	1-1/2"
C. CONCRETE NOT EXPOSED TO WEATHER OR IN CONTACT WITH GROUND:	
SLABS, WALLS, JOISTS:	
NO. 14 AND NO. 18 BARS	1-1/2"
NO. 11 BAR AND SMALLER	3/4"
BEAMS, COLUMNS:	
PRIMARY REINFORCEMENT, TIES, STIRRUPS, SPIRALS	1-1/2"
SHELLS, FOLDED PLATE MEMBERS:	
NO. 6 BAR AND LARGER	3/4"
NO. 5 BAR, W31 OR D31 WIRE, AND SMALLER	1/2"

6. WELDED WIRE FABRIC (WWF) SHALL CONFORM TO ASTM A185. SUPPORT WWF AT THE PROPER DEPTH PRIOR TO PLACING CONCRETE. PULLING UP WWF WHILE THE CONCRETE IS BEING PLACED WILL NOT BE ALLOWED. IN LIEU OF WWF, #3 BARS PLACED AT 12 INCHES ON CENTER EACH WAY, MAY BE USED AT THE CONTRACTOR'S OPTION AND AT THE CONTRACTORS EXPENSE.

ATTACHMENTS:

1. WELDING PROCEDURE TO BE IN ACCORDANCE WITH AWS D1.2-98 SPECIFICATIONS FOR WELDING SHEET STEEL IN STRUCTURES. CONSULT AWS D19.0 WELDING ZINC COATED STEEL AND ANSI Z49.1 FOR INFORMATION REGARDING SAFE WELDING PROCEDURES. USE 1/8" E60XX ELECTRODE MINIMUM. MINIMUM WELD THROAT THICKNESS (t) MUST MATCH OR EXCEED THE THICKNESS OF THE THINNEST CONNECTED SHEET.
2. IN WELDING, THE ZINC COATING ON UNIMAST STEEL FRAMING WILL BE BURNED AWAY; THEREFORE, A ZINC RICH PAINT MUST BE APPLIED TO THE WELD AREA TO PROVIDE RESISTANCE.
3. ALL CONNECTIONS SHALL BE COMPLETE AT THE TIME OF INSTALLATION. FAILURE TO PROMPTLY COMPLETE CONNECTIONS MAY COMPROMISE THE STRUCTURAL INTEGRITY OF THE BUILDING.

SHEET INDEX:

GENERAL

COVER SHEET — G0.0
SITE LOCATION MAP, SHEET INDEX, GENERAL NOTES, & ABBREVS. — G1.0

STRUCTURAL

ARENA & BARN EXISTING CONDITIONS OVERALL BUILDING PLAN — S0.0
EXISTING CONDITIONS @ ARENA — S1.0
EXISTING CONDITIONS @ BARN & BARN BUILDING SECTION — S1.1
ARENA & BARN AREA REFLECTED CEILING PLAN — S1.2
ARENA BUILDING SECTIONS — S2.0
COLUMN REPAIRS — S2.1

C

ABBREVIATIONS

ADA	AMERICANS W/ DISABILITIES ACT	MTL.	METAL
ADD'L	ADDITIONAL	NAT.	NATURAL
A.F.F.	ABOVE FINISHED FLOOR	N	NORTH
AL	ALUMINUM	NO.	NUMBER
ARCH.	ARCHITECTURAL	N.T.S.	NOT TO SCALE
BLDG.	BUILDING	O.C.	ON CENTER
BM.	BEAM	O.D.	OUTSIDE DIAMETER
BOT.	BOTTOM	OPP.	OPPOSITE
BRD.	BOARD	PAV'MT	PAVEMENT
C.C.	CENTER TO CENTER	PL.	PLATE
C.J.	CONTROL JOINT	PLF.	POUNDS PER LINEAR FOOT
CMU.	CONCRETE MASONRY UNIT	PLYWD.	PLYWOOD
CONC.	CONCRETE	PNT.	PAINT
CONSTR.	CONSTRUCTION	PR.	PAIR
CJ	CONSTRUCTION JOINT	PROJ.	PROJECTION
CONT.	CONTINUOUS	PSF.	POUNDS PER SQUARE FOOT
CLG. HT.	CEILING HEIGHT	PSI.	POUNDS PER SQUARE INCH
DIA./ Ø	DIAMETER	PTD.	PAINTED
DIM.	DIMENSION	RAD.	RADIUS
DS.	DOWNSPOUT	RD.	ROAD
DWG./S	DRAWING/S	REINF.	REINFORCED
E	EAST	REQ'D.	REQUIRED
EA.	EACH	RF	RADIO FREQUENCY
E.F.	EACH FACE	S	SOUTH
E.J.	EXPANSION JOINT	SCHED.	SCHEDULE
ELEC.	ELECTRIC	SECT.	SECTION
EL.	ELEVATION	SHT.	SHEET
E.W.	EACH WAY	SL.	SLOPE
ENG.	ENGINEER	SIM.	SIMILAR
EQ.	EQUAL	SPEC.	SPECIFICATION
EXIST.	EXISTING	SS.	STAINLESS STEEL
EXP.	EXPANSION	ST.	STREET
EXT.	EXTERIOR	STD.	STANDARD
F.F.	FAR FACE - N.F. - NEAR FACE	STL.	STEEL
FDN.	FOUNDATION	STOR.	STORAGE
F..E.	FINISHED FLOOR ELEVATION	STRUCT.	STRUCTURAL
F.R.P.	FIBER REINFORCED POLYMER	SUSP'D	SUSPENDED
FTG.	FOOTING	TBD.	TO BE DETERMINED
G.B.	GRADE BEAM	THK.	THICK
G.C.	GENERAL CONTRACTOR	TYP.	TYPICAL
G.L.	GLASS	T&B	TOP AND BOTTOM
GR.	GRADE	T&G	TOUNGE AND GROOVE
GYP.	GYPSUM	T/STRUC.	TOP OF STRUCTURE
HP.	HIGH POINT	UON	UNLESS OTHERWISE NOTED
H.B.	HOSE BIBB	VERT.	VERTICAL
H/C	HANDICAPPED	W	WEST
HDW.	HARDWARE	W/	WITH
H.M.	HOLLOW METAL	W.C.	WATER CLOSET
HORR.	HORIZONTAL	WD.	WOOD
HT.	HEIGHT	WSTP	WATERSTOP
HWY.	HIGHWAY	WTR.	WATER
I.D.	INSIDE DIAMETER	W.W.F.	WELDED WIRE FABRIC
INFO.	INFORMATION	WIND.	WINDOW
INSUL.	INSULATION	℄	CENTERLINE/COLUMN LINE
INT.	INTERIOR	℄	PROPERTY LINE
LP.	LOW POINT	℄	STRUCTURAL LINE
LOUV.	LOUVER	R	RIDGE LINE
MAT.	MATERIAL		
MAX.	MAXIMUM		
MECH.	MECHANICAL		
MFR.	MANUFACTURER		
MGR.	MANAGER		
MIN.	MINIMUM		
MISC.	MISCELLANEOUS		
MSHD	MISSISSIPPI STATE HEALTH DEPARTMENT		

MISSISSIPPI ONE-CALL SYSTEM, INC. DIAL 811 STOP-CALL BEFORE YOU DIG

Rev. No. C

COMPTON ENGINEERING, INC.
ENGINEERING, SURVEYING & ENVIRONMENTAL SERVICES
PASCAGOULA • BILOXI • BAY ST. LOUIS
228-762-3970 228-432-2133 228-467-2770
www.comptonengineering.com

LLI

REPAIRS TO HANCOCK COUNTY ARENA
HANCOCK COUNTY

VICINITY MAP, GENERAL NOTES AND SHEET INDEX

SCALE: AS NOTED
JOB NO.: 220-076.008
DATE: OCTOBER 2020
DSGN.: GJD
DWG. BY: JLS
CHK.: GMR
APVD.:

VERIFY SCALES
BAR IS ONE INCH ON ORIGINAL DRAWING. IF NOT ONE INCH ON THIS SHEET ADJUST SCALES ACCORDINGLY


0 1"

G1.0


	DATE	DESCRIPTION	BY	APVD
A	02/24/21	ISSUED FOR REVIEW	JLS	GJD
B	03-24-21	ISSUED FOR BID	JLS	GJD
C	04-12-21	ATTACHMENT 2A TO ADDENDUM NO. 1	JLS	GJD

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena.)

PROPRIETARY RIGHTS CLAUSE: INFORMATION AND DATA CONTAINED ON THIS DRAWING IS CONFIDENTIAL. IF GIVEN TO AN ENTITY NOT HAVING A CONTRACTUAL RELATIONSHIP WITH THE ENGINEER, THE INFORMATION SHALL NOT BE USED WITHOUT PRIOR WRITTEN PERMISSION. THIS LEGEND SHALL BE MARKED ON ANY REPRODUCTIONS HEREOF IN WHOLE OR IN PART. COMPTON ENGINEERING, INC. © COPYRIGHT 1996




EXISTING




PROPOSED

1. ALL PEDESTALS TO BE SAME HEIGHT. CONTRACTOR TO BASE FINAL HEIGHT ON HIGHEST POINT OF DETERIORATION.



SECTION A-A




*NOTE: ALL PORTIONS OF EXISTING COLUMN BASES SHALL BE CLEANED, PREPARED AND COATED PER THE SPECIFICATIONS C

1 TYPICAL DAMAGED COLUMN REPAIR - TYPE A (EXISTING PORTION OF EXPOSED ANCHOR BOLT THREAD SALVAGEABLE)


SCALE: 3/4" = 1'-0"

3 TYPICAL BASE PLATE

SCALE: 3" = 1'-0"




EXISTING




DEMO

1. TEMPORARILY SHORE COLUMN PRIOR TO DEMO.
2. REMOVE SOIL AROUND PEDESTAL.
3. REMOVE NUTS AND CORRODED PORTION OF ANCHOR BOLT.
4. REMOVE CONCRETE PEDESTAL TO EXPOSE NON DETERIORATED ANCHOR BOLT THREAD.



PROPOSED

5. ANCHOR BOLTS ARE NOT DESIGNED TO PROVIDE FOR BUILDING STABILITY DURING ERECTION. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING TEMPORARY BRACING UNTIL ALL STRUCTURAL COMPONENTS HAVE BEEN INSTALLED AND SECURED.
6. INCREASING PROJECTION HEIGHT MAY BE NECESSARY TO ACCOMMODATE LEVELING NUTS. CONTRACTOR TO INCREASE BOLT LENGTH AS NECESSARY.



SECTION B-B

2 TYPICAL DAMAGED COLUMN REPAIR - TYPE B (DEMO OF PEDESTAL TO REVEAL USABLE ANCHOR BOLT THREAD)

SCALE: 3/4" = 1'-0"

Rev. No. C

	DATE	DESCRIPTION	BY	APVD
A	02/24/21	ISSUED FOR REVIEW	JLS	GJD
B	03-24-21	ISSUED FOR BID	JLS	GJD
C	04-12-21	ATTACHMENT NO. 2B TO ADDENDUM NO. 1	JLS	GJD

COMPTON ENGINEERING, INC.
ENGINEERING, SURVEYING & ENVIRONMENTAL SERVICES
PASCAGOULA • BILOXI • BAY ST. LOUIS
228-762-3970 228-432-2133 228-467-2770
www.comptonengineering.com

REPAIRS TO HANCOCK COUNTY ARENA
HANCOCK COUNTY
COLUMN REPAIR

SCALE: AS NOTED
JOB NO.: 220-076.008
DATE: OCTOBER 2020
DSGN.: GJD
DWG. BY: JLS
CHK.: GMR
APVD.: GMR

VERIFY SCALES
DAR IS ONE INCH ON ORIGINAL DRAWING IF NOT ONE INCH ON THIS SHEET ADJUST SCALES ACCORDINGLY.
0 1"

S2.1

Attachment: 00901-01 Addendum No. 1 (8039 : Repairs to HC Arena)

Hancock County Termination Notice

DATE 4-12-2021 EMPLOYEE Richard Carter

The Hancock County employee handbook, page 38 reads:

Employees of Hancock County are employed "at will". They can be dismissed at any time and for any reason, with or without notice. Discipline or dismissal may result from such policy violations as insubordination, dangerous behavior or horseplay, felony or misdemeanor conviction, neglect of duty, drug or alcohol use, theft or unauthorized use of Hancock County resources, falsification of documents, incompetence, or other actions that violate policies or disrupt the workplace.

Discipline is determined by supervisors and department heads and may include a progressive discipline process. The progressive discipline process includes steps such as a verbal warning, written reprimand, suspension from duty, demotion, final warning, and separation by involuntary dismissal.

In the event of dismissal, the employee will be provided with such notice and rights to be heard as are required by law.

The action is being taken for the following reason(s):

Richard has not shown up to work or called into let anyone know why for two weeks.

In order to complete the exit process, please return all County property issued to you. Also schedule an appointment with the Human Resources Department to complete insurance and retirement forms (if applicable). This action need to be completed by _____.

Employee's Signature _____ Date _____

Department Head Signature Vic Johnson Date 4-12-21

County Administrator _____ Date _____

Attachment: Richard Carter terminati_20210412160503 (8011 : Richard Carter termination from Road and Bridge Department.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

April 1, 2021

Hancock County Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Monthly Report: March 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the month of March 2021 in Hancock County, MS. Please see attached document for a complete monthly report.

Sincerely,

Alan Moran

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Monthly Activity Recap - March 1-31, 2021
Hancock County
YEAR TO DATE: BEGINNING NOVEMBER 9 2020

ADULTICIDING REPORT

	# OF NIGHTS	TRUCK MILES SPRAYED	ACERAGE TREATED
THIS MONTH	15	1890.5	68,058.00
LAST MONTH	7	592	10,260.00
YEAR- TO-DATE	38	4385.5	156,258.00

LARVICIDING REPORT

	COMMENTS	MILES TREATED FOR STANDING WATER
THIS MONTH	BIOLARVICIDE TREATMENT	0
LAST MONTH	BIOLARVICIDE TREATMENT	4.1
YEAR-TO-DATE	BIOLARVICIDE TREATMENT	4.1

SERVICING REQUESTS RECEIVED

	ADULTICIDING	LARVICIDING
THIS MONTH	6	0
LAST MONTH	0	0
YEAR-TO-DATE	19	0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

ADULT MOSQUITO INDEX
HANCOCK COUNTY
MONTH: MARCH 2021

COMMENTS: *TRAPPING WILL NOT BE INCLUDED IN THIS REPORT DUE TO INSUFFICENT WEATHER CONDITIONS. TRAPPING WAS PERFORMED BUT WAS UNABLE TO COLLECT ACCURATE NUMBERS OF MOSQUITOS NEEDED FOR JACKSON.

	GRAVID TRAPS		LIGHT TRAPS	
TRAP LOCATION	# TRAP DAYS PER WEEK	MONTH TOTAL	# TRAP NIGHTS PER WEEK	MONTH TOTAL
PEARLINGTON	1	4	2	8
PORT BIENVILLE	1	4	2	8
LAKESHORE/BAYOU CADDY	1	4	2	8
BAYSIDE PARK	1	4	2	8
CLERMONT HARBOR	1	4	2	8
WAV AVE/ SOUTH 90/ NICHOLSON	1	4	2	8
SHORELINE PARK	1	4	2	8
BSL/ WAV/ NICHOLSON/ 90 SOUTH	1	4	2	8
N BAY ST LOUIS/ CEDAR POINT	1	4	2	8
N BAY ST LOUIS/ I-10	1	4	2	8
S DIAMONDHEAD	1	4	2	8
N DIAMONDHEAD	1	4	2	8
KILN DELISLE SOUTH/ KILN WEST	1	4	2	8
KILN	1	4	2	8
ROCKY HILL	1	4	2	8
DEDEAUX/ STANDARD	1	4	2	8
SELLERS/CRANE CREEK	1	4	2	8
ANNER/ CEASER	1	4	2	8
NECAISE/WHITE CYPRESS LAKES	1	4	2	8
LEETOWN/ BENVILLE	1	4	2	8
BAYOU BACON	1	4	2	8
FLAT TOP	1	4	2	8

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

NEW JERSEY LIGHT TRAP & GRAVID TRAP DATA

HANCOCK COUNTY

MONTH OF MARCH 2021

COMMENTS: * STATE ONLY REQUIRES TRAPPING MARCH - OCTOBER

LIGHT TRAP LOCATIONS		Total	AEDES				PSORO		ANDES		CULEX			CULI	COQ	other
			SOL	ALB	VEX	TAEN	COL	HOW	QUAD	CRUC	REST	ERRAT	SAL	INOR	PERT	
PEARLINGTON	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 1	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORT BIENVILLE	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 2	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAKESHORE/BAYOU CADDY	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 3	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BAYSIDE PARK	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 4	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLERMONT HARBOR	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 5	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WAVELAND	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 6	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHORELINE PARK	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 7	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S BAY ST LOUS	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 8	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N BAY ST LOUIS/ CEDAR POINT	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 9	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N BAY ST LOUIS/ I-10	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 10	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S DIAMONDHEAD	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 11	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N DIAMONDHEAD	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 12	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KILN DELISLE SOUTH/ KILN WEST	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 13	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROCKY HILL	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 14	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KILN	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 15	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEDEAUX/ STANDARD	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 16	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SELLERS/CRANE CREEK	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 17	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANNER/ CEASER	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 18	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NECAISE/WHITE CYPRESS LAKES	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 19	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEETOWN/ BENVILLE	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 20	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BAYOU BACON	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 21	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FLAT TOP	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ZONE 22	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors President
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 1-6 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 1-6, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 1, 2021 TO MARCH 6, 2021

PERFORMED MARCH 1, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 3, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 4, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 1-6 2021

ADULTICIDING REPORT

Miles Sprayed— 309

Acerage Treated— 11,124

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 0

Larviciding _ 0

- Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors President
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 7-13 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 7-13, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 7, 2021 TO MARCH 13, 2021

PERFORMED MARCH 7, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 8, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 9, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 10, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 11, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 7-13 2021

ADULTICIDING REPORT

Miles Sprayed— 485

Acerage Treated— 17,460

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 0

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 14-20 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 14-20, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions. Trapping was performed but was unable to collect accurate number of mosquitos needed for Jackson.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 14, 2021 TO MARCH 20, 2021

PERFORMED MARCH 15, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 17, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 18, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 14-20 2021

ADULTICIDING REPORT

Miles Sprayed— 607.5

Acerage Treated— 21,870

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 2

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 21-27 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 21-27, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions. Trapping was performed but was unable to collect accurate number of mosquitos needed for Jackson.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 21, 2021 TO MARCH 27, 2021

PERFORMED MARCH 22, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 24, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 21-27 2021

ADULTICIDING REPORT

Miles Sprayed— 239

Acerage Treated— 8604

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 0

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 28-31 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 28-31, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions. Trapping was performed but was unable to collect accurate number of mosquitos needed for Jackson.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 28, 2021 TO MARCH 31, 2021

PERFORMED MARCH 29, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 31, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 28-31 2021

ADULTICIDING REPORT

Miles Sprayed— 250

Acerage Treated— 9000

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 4

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors President
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 1-6 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 1-6, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 1, 2021 TO MARCH 6, 2021

PERFORMED MARCH 1, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 3, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 4, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 1-6 2021

ADULTICIDING REPORT

Miles Sprayed— 309

Acerage Treated— 11,124

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 0

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	219	**Sorted By**	Time
Total Distance Traveled	105.8 mi.	**Selected Vehicle**	10 (vin: 1GCHSDE33G1109077)
Average Speed	14 mph	**Report Time Period**	Mar 1 12:00 AM to Mar 6 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	March 16, 2021 1:37:57 PM
Max Speed	74 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.


wex TELEMATICS


Philips Pest Control LLC

Export Data | Email Report

Speed Graphs »

show/hide





Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 10

Mon Mar 1, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:50:23 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	12.40v	14,717 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
9:50:23 PM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	12.40v	14,717 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS

Tue Mar 2, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:50:23 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	12.40v	14,717 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
9:50:23 PM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	12.37v	14,717 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS

Wed Mar 3, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:50:23 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	12.37v	14,717 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:27:53 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	no data	14,717 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS

6:29:52 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	14.32v	14,718 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:31:52 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	14.17v	14,720 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:33:02 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	14.23v	14,720 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:33:52 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	97,969.6	14.20v	14,722 min	30.43902	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:35:52 PM	On		6 mph	0 mph	6 mph S	-	0.767 g	0.543 g	0.0 mi.	97,969.6	14.20v	14,724 min	30.43899	-89.41457	18403 Joe Moran Rd, Kiln, MS
6:37:52 PM	On		42 mph	25 mph	33 mph SW	-	1.302 g	0.473 g	0.9 mi.	97,970.5	14.14v	14,726 min	30.42875	-89.41832	Joe Moran Rd, Kiln, MS
6:39:52 PM	On		40 mph	30 mph	35 mph W	-	0.282 g	0.261 g	1.9 mi.	97,971.5	14.26v	14,728 min	30.42922	-89.42838	Cuevas Rd, Kiln, MS
6:41:52 PM	On		59 mph	33 mph	55 mph NW	55 mph	1.029 g	0.351 g	3.0 mi.	97,972.6	14.17v	14,730 min	30.43166	-89.44563	MS-43, Kiln, MS
6:43:52 PM	On		53 mph	49 mph	51 mph NW	55 mph	0.090 g	0.082 g	4.6 mi.	97,974.2	14.23v	14,732 min	30.44705	-89.46520	MS-43, Kiln, MS
6:45:52 PM	On		60 mph	53 mph	53 mph NW	55 mph	0.069 g	0.078 g	6.4 mi.	97,976.0	14.14v	14,734 min	30.46536	-89.48629	MS-43, Picayune, MS
6:47:52 PM	On		57 mph	54 mph	55 mph N	55 mph	0.057 g	0.057 g	8.2 mi.	97,977.8	14.20v	14,736 min	30.48938	-89.49552	21894 MS-43, Picayune, MS
6:49:52 PM	On		56 mph	44 mph	24 mph N	35 mph	0.122 g	0.286 g	9.7 mi.	97,979.3	14.14v	14,738 min	30.51058	-89.49531	Leetown Rd, Picayune, MS
6:51:52 PM	On		39 mph	29 mph	0 mph N	35 mph	0.147 g	0.461 g	10.7 mi.	97,980.3	14.23v	14,740 min	30.52425	-89.49836	24258 Leetown Rd, Picayune, MS
6:53:52 PM	On		24 mph	16 mph	14 mph N	35 mph	0.894 g	0.229 g	11.2 mi.	97,980.8	14.17v	14,742 min	30.53092	-89.50312	24878 Leetown Rd, Picayune, MS
6:55:52 PM	On		17 mph	15 mph	15 mph NW	35 mph	0.204 g	0.229 g	11.7 mi.	97,981.3	14.35v	14,744 min	30.53773	-89.50713	Leetown Rd, Picayune, MS
6:57:52 PM	On		20 mph	16 mph	14 mph E	-	0.127 g	0.139 g	12.2 mi.	97,981.8	14.20v	14,746 min	30.54222	-89.50786	25411 William Rd, Picayune, MS
6:59:52 PM	On		16 mph	11 mph	11 mph W	-	0.102 g	0.122 g	12.6 mi.	97,982.2	14.20v	14,748 min	30.54222	-89.50925	William Rd, Picayune, MS
7:01:52 PM	On		17 mph	13 mph	15 mph NW	35 mph	0.882 g	0.416 g	13.0 mi.	97,982.6	14.20v	14,750 min	30.54699	-89.51286	Leetown Rd, Picayune, MS
7:03:52 PM	On		16 mph	13 mph	13 mph S	-	0.102 g	0.090 g	13.4 mi.	97,983.0	14.17v	14,752 min	30.54719	-89.51565	11200 Bud Lee Rd, Picayune, MS
7:05:52 PM	On		17 mph	13 mph	10 mph E	-	0.159 g	0.204 g	13.9 mi.	97,983.5	14.23v	14,754 min	30.54393	-89.51848	Bud Lee Rd, Picayune, MS
7:07:52 PM	On		10 mph	6 mph	0 mph SW	-	0.114 g	0.461 g	14.1 mi.	97,983.7	14.07v	14,756 min	30.54347	-89.51519	11121 Old Kiln Rd, Picayune, MS
7:09:52 PM	On		2 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	14.1 mi.	97,983.7	14.17v	14,758 min	30.54347	-89.51519	11121 Old Kiln Rd, Picayune, MS
7:11:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	14.1 mi.	97,983.7	14.26v	14,760 min	30.54347	-89.51519	11121 Old Kiln Rd, Picayune, MS
7:13:52 PM	On		16 mph	11 mph	11 mph N	-	0.767 g	0.102 g	14.5 mi.	97,984.1	14.23v	14,762 min	30.54538	-89.51945	11295 Bud Lee Rd, Picayune, MS
7:15:52 PM	On		23 mph	16 mph	0 mph E	35 mph	0.237 g	0.314 g	15.0 mi.	97,984.6	13.98v	14,764 min	30.54957	-89.51455	26199 Leetown Rd, Picayune, MS

3/16/2021 Activity Detail Report - WEX

7:17:52 PM	On		19 mph	13 mph	14 mph E	-	0.714 g	0.159 g	15.4 mi.	97,985.0	14.14v	14,766 min	30.55341	-89.51243	Tom Lee Rd, Picayune, MS
7:19:52 PM	On		16 mph	9 mph	12 mph NW	-	0.678 g	0.396 g	15.7 mi.	97,985.3	14.04v	14,768 min	30.55366	-89.50973	Tom Lee Rd, Picayune, MS
7:21:52 PM	On		14 mph	12 mph	12 mph N	35 mph	0.294 g	0.261 g	16.1 mi.	97,985.7	14.23v	14,770 min	30.55293	-89.51605	Leetown Rd, Picayune, MS
7:23:52 PM	On		14 mph	13 mph	14 mph E	-	0.155 g	0.216 g	16.5 mi.	97,986.1	14.20v	14,772 min	30.55685	-89.51539	Possum Fork Rd, Picayune, MS
7:25:52 PM	On		20 mph	15 mph	18 mph E	-	0.127 g	0.192 g	17.0 mi.	97,986.6	14.20v	14,774 min	30.55825	-89.50804	10120 Possum Fork Rd, Picayune, MS
7:27:52 PM	On		21 mph	15 mph	20 mph N	-	0.184 g	0.224 g	17.6 mi.	97,987.2	14.07v	14,776 min	30.56449	-89.50522	Possum Fork Rd, Picayune, MS
7:29:52 PM	On		19 mph	14 mph	12 mph W	-	0.151 g	0.306 g	18.0 mi.	97,987.6	14.11v	14,778 min	30.56772	-89.51071	Possum Fork Rd, Picayune, MS
7:31:52 PM	On		18 mph	12 mph	18 mph N	35 mph	0.204 g	0.269 g	18.4 mi.	97,988.0	14.20v	14,780 min	30.56999	-89.51425	Leetown Rd, Picayune, MS
7:33:52 PM	On		19 mph	14 mph	15 mph W	-	0.339 g	0.869 g	18.9 mi.	97,988.5	14.17v	14,782 min	30.57537	-89.51570	28004 Gaston Lee Rd, Picayune, MS
7:35:52 PM	On		17 mph	12 mph	7 mph N	-	0.351 g	0.694 g	19.3 mi.	97,988.9	14.23v	14,784 min	30.58003	-89.51912	Gaston Lee Rd, Picayune, MS
7:37:52 PM	On		15 mph	9 mph	15 mph SE	-	0.657 g	0.531 g	19.6 mi.	97,989.2	14.23v	14,786 min	30.57624	-89.51797	Gaston Lee Rd, Picayune, MS
7:39:52 PM	On		28 mph	17 mph	18 mph N	35 mph	0.408 g	0.502 g	20.2 mi.	97,989.8	14.17v	14,788 min	30.57962	-89.51329	28160 Leetown Rd, Picayune, MS
7:41:52 PM	On		46 mph	28 mph	38 mph SE	-	0.204 g	0.196 g	21.1 mi.	97,990.7	14.17v	14,790 min	30.58265	-89.50329	Caesar Necaise Rd, Picayune, MS
7:43:52 PM	On		48 mph	42 mph	48 mph E	-	0.114 g	0.151 g	22.5 mi.	97,992.1	14.14v	14,792 min	30.58207	-89.48010	8849 Caesar Necaise Rd, Perkinston, MS
7:45:52 PM	On		60 mph	53 mph	60 mph NE	-	0.102 g	0.090 g	24.3 mi.	97,993.9	14.38v	14,794 min	30.59010	-89.45247	Caesar Necaise Rd, Perkinston, MS
7:47:52 PM	On		63 mph	47 mph	7 mph NW	-	0.216 g	0.269 g	25.9 mi.	97,995.5	13.98v	14,796 min	30.60466	-89.43504	Necaise Anna Rd, Perkinston, MS
7:49:52 PM	On		7 mph	0 mph	0 mph SW	-	0.702 g	0.473 g	25.9 mi.	97,995.5	13.92v	14,798 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:51:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.80v	14,800 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:53:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.04v	14,800 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:53:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.01v	14,802 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:55:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.77v	14,804 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:57:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.01v	14,806 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:58:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.14v	14,806 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
7:59:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.68v	14,808 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:01:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.01v	14,810 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS

/16/2021 Activity Detail Report - WEX

8:03:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.68v	14,810 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:03:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.56v	14,812 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:05:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.11v	14,814 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:07:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.35v	14,816 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:08:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.14v	14,816 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:09:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.95v	14,818 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:11:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.20v	14,820 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:13:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.86v	14,820 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:13:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.83v	14,822 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:15:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.89v	14,824 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:17:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.86v	14,826 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:18:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	14.20v	14,826 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:19:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.92v	14,828 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:21:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.83v	14,830 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:23:26 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.86v	14,830 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:23:52 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	25.9 mi.	97,995.5	13.80v	14,832 min	30.60459	-89.43514	6049 Necaise Anna Rd, Perkinston, MS
8:25:52 PM	On		16 mph	2 mph	11 mph E	-	0.633 g	0.420 g	25.9 mi.	97,995.5	13.68v	14,834 min	30.60414	-89.43402	Necaise Anna Rd, Perkinston, MS
8:27:52 PM	On		49 mph	38 mph	39 mph E	-	0.824 g	0.510 g	27.2 mi.	97,996.8	13.50v	14,836 min	30.60185	-89.41483	5021 Caesar Necaise Rd, Perkinston, MS
8:29:52 PM	On		58 mph	47 mph	56 mph S	55 mph	0.229 g	0.249 g	28.8 mi.	97,998.4	13.56v	14,838 min	30.58084	-89.40653	MS-603, Perkinston, MS
8:31:52 PM	On		56 mph	53 mph	50 mph S	55 mph	0.114 g	0.171 g	30.6 mi.	98,000.2	13.65v	14,840 min	30.55617	-89.41053	26625 MS-603, Kiln, MS
8:33:52 PM	On		52 mph	48 mph	33 mph SW	55 mph	0.082 g	0.273 g	32.2 mi.	98,001.8	13.53v	14,842 min	30.53753	-89.42502	25239 MS-603, Kiln, MS
8:35:52 PM	On		34 mph	29 mph	34 mph E	-	0.261 g	0.261 g	33.1 mi.	98,002.7	13.56v	14,844 min	30.52962	-89.41210	Road 357, Kiln, MS
8:37:52 PM	On		37 mph	25 mph	12 mph S	-	0.273 g	0.400 g	34.0 mi.	98,003.6	13.59v	14,846 min	30.52106	-89.40883	Nubbin Ln, Kiln, MS
8:39:52 PM	On		12 mph	2 mph	0 mph W	-	0.057 g	0.371 g	34.0 mi.	98,003.6	13.56v	14,848 min	30.52012	-89.40890	23083 Nubbin Ln, Kiln, MS
8:41:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.59v	14,850 min	30.52012	-89.40890	23083 Nubbin Ln, Kiln, MS

/16/2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
8:43:32 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.62v	14,850 min	30.52012	-89.40890	23083 Nubbin Ln, Kiln, MS
8:43:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.62v	14,852 min	30.52012	-89.40890	23083 Nubbin Ln, Kiln, MS
8:45:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.59v	14,854 min	30.52012	-89.40890	23083 Nubbin Ln, Kiln, MS
8:47:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.62v	14,856 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:48:32 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.59v	14,856 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:49:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.56v	14,858 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:51:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.56v	14,860 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:53:32 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.59v	14,860 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:53:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.56v	14,862 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:55:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	12.13v	14,864 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:56:02 PM	Off		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	12.43v	14,865 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:56:48 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	14.62v	14,865 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
8:58:48 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	14.20v	14,867 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
9:00:48 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	34.0 mi.	98,003.6	13.56v	14,869 min	30.52009	-89.40886	23083 Nubbin Ln, Kiln, MS
9:02:48 PM	On		42 mph	13 mph	42 mph SW	-	0.939 g	0.408 g	34.5 mi.	98,004.1	13.62v	14,871 min	30.51997	-89.41301	C C Rd, Kiln, MS
9:04:48 PM	On		52 mph	42 mph	36 mph S	55 mph	0.306 g	0.286 g	35.9 mi.	98,005.5	13.59v	14,873 min	30.51085	-89.43282	23427 MS-603, Kiln, MS
9:06:48 PM	On		60 mph	54 mph	55 mph SE	55 mph	0.249 g	0.306 g	37.7 mi.	98,007.3	13.59v	14,875 min	30.48595	-89.42868	MS-603, Kiln, MS
9:08:48 PM	On		63 mph	54 mph	59 mph S	55 mph	0.114 g	0.147 g	39.5 mi.	98,009.1	13.62v	14,877 min	30.46168	-89.43660	MS-603, Kiln, MS
9:10:48 PM	On		60 mph	49 mph	53 mph E	-	0.110 g	0.216 g	41.1 mi.	98,010.7	13.59v	14,879 min	30.45261	-89.41882	Firetower Rd, Kiln, MS
9:12:48 PM	On		56 mph	39 mph	33 mph SW	-	0.388 g	0.306 g	42.4 mi.	98,012.0	13.56v	14,881 min	30.44195	-89.40875	Joe Moran Rd, Kiln, MS
9:14:48 PM	On		37 mph	18 mph	4 mph N	-	0.563 g	0.396 g	43.1 mi.	98,012.7	13.53v	14,883 min	30.43905	-89.41461	Joe Moran Rd, Kiln, MS
9:16:48 PM	On		6 mph	0 mph	0 mph E	-	0.563 g	0.543 g	43.1 mi.	98,012.7	12.46v	14,885 min	30.43911	-89.41443	18403 Joe Moran Rd, Kiln, MS
9:16:58 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	43.1 mi.	98,012.7	12.46v	14,885 min	30.43911	-89.41443	18403 Joe Moran Rd, Kiln, MS

Thu Mar 4, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location

9:21:27 AM		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.59v	14,885 min	30.43919	-89.41424	18403 Joe Moran Rd, Kiln, MS
5:35:54 PM	On	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	14.84v	14,885 min	30.43919	-89.41424	18403 Joe Moran Rd, Kiln, MS
5:37:53 PM	On	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	14.20v	14,887 min	30.43919	-89.41424	18403 Joe Moran Rd, Kiln, MS
5:39:53 PM	On	2 mph	0 mph	2 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	14.20v	14,889 min	30.43919	-89.41424	Joe Moran Rd, Kiln, MS
5:41:53 PM	On	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.59v	14,891 min	30.43919	-89.41424	18403 Joe Moran Rd, Kiln, MS
5:42:03 PM	Off	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.55v	14,891 min	30.43919	-89.41424	18403 Joe Moran Rd, Kiln, MS
5:47:58 PM	On	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.13v	14,891 min	30.43919	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:49:58 PM	On	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.43v	14,893 min	30.43919	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:50:08 PM	Off	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.40v	14,893 min	30.43919	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:57:03 PM	On	5 mph	0 mph	4 mph S	-	0.000 g	0.000 g	0.0 mi.	98,012.7	14.68v	14,893 min	30.43918	-89.41456	18403 Joe Moran Rd, Kiln, MS
5:59:03 PM	On	3 mph	0 mph	0 mph S	-	0.000 g	0.498 g	0.0 mi.	98,012.7	12.37v	14,895 min	30.43909	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:59:13 PM	Off	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,012.7	12.37v	14,895 min	30.43909	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:02:07 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,012.7	14.80v	14,895 min	30.43909	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:04:07 PM	On	23 mph	3 mph	23 mph W	-	1.073 g	0.327 g	0.1 mi.	98,012.8	14.20v	14,897 min	30.43804	-89.41534	Joe Moran Rd, Kiln, MS
6:06:07 PM	On	42 mph	37 mph	40 mph S	-	0.237 g	0.318 g	1.3 mi.	98,014.0	14.23v	14,899 min	30.42198	-89.42129	17299 Old Joe Moran St, Kiln, MS
6:08:07 PM	On	44 mph	32 mph	28 mph S	-	0.927 g	0.351 g	2.4 mi.	98,015.1	14.23v	14,901 min	30.40952	-89.42733	16105 Old Joe Moran St, Kiln, MS
6:10:07 PM	On	49 mph	31 mph	49 mph W	45 mph	0.498 g	0.363 g	3.4 mi.	98,016.1	14.17v	14,903 min	30.40658	-89.43949	MS-43, Kiln, MS
6:12:07 PM	On	53 mph	29 mph	10 mph N	-	0.633 g	0.518 g	4.4 mi.	98,017.1	14.17v	14,905 min	30.40056	-89.45058	Road 429, Kiln, MS
6:14:07 PM	On	11 mph	4 mph	0 mph E	-	0.735 g	0.510 g	4.5 mi.	98,017.2	14.11v	14,907 min	30.40252	-89.45015	7190 Paradise Ln, Kiln, MS
6:16:07 PM	On	4 mph	0 mph	0 mph NE	-	0.678 g	0.510 g	4.5 mi.	98,017.2	14.01v	14,909 min	30.40288	-89.45013	7190 Paradise Ln, Kiln, MS
6:18:07 PM	On	27 mph	9 mph	24 mph E	-	0.747 g	0.351 g	4.8 mi.	98,017.5	14.04v	14,911 min	30.39968	-89.44884	Paradise Rd, Kiln, MS
6:20:07 PM	On	65 mph	52 mph	65 mph SE	65 mph	0.306 g	0.196 g	6.5 mi.	98,019.2	14.17v	14,913 min	30.37688	-89.43613	MS-43, Kiln, MS
6:22:07 PM	On	68 mph	53 mph	48 mph S	55 mph	0.269 g	0.171 g	8.3 mi.	98,021.0	14.20v	14,915 min	30.35462	-89.42242	12961 MS-603, Bay St Louis, MS
6:24:07 PM	On	66 mph	61 mph	62 mph SE	55 mph	0.078 g	0.057 g	10.4 mi.	98,023.1	14.23v	14,917 min	30.32702	-89.42310	MS-43, Bay St Louis, MS
6:26:07 PM	On	65 mph	50 mph	51 mph S	35 mph	1.224 g	0.473 g	12.0 mi.	98,024.7	14.14v	14,919 min	30.30980	-89.40661	9219 Kiln Waveland Cutoff Rd, Bay St Louis, MS

16/2021 Activity Detail Report - WEX

6:28:07 PM	On	50 mph	33 mph	40 mph E	45 mph	0.159 g	0.363 g	13.1 mi.	98,025.8	13.59v	14,921 min	30.30014	-89.39545	701 US-90, Waveland, MS
6:30:07 PM	On	45 mph	22 mph	0 mph N	45 mph	1.257 g	0.473 g	13.8 mi.	98,026.5	13.59v	14,923 min	30.30290	-89.38543	471 US-90, Waveland, MS
6:32:07 PM	On	4 mph	0 mph	4 mph N	45 mph	0.861 g	0.461 g	13.9 mi.	98,026.6	13.56v	14,925 min	30.30306	-89.38547	471 US-90, Waveland, MS
6:34:07 PM	On	45 mph	21 mph	45 mph E	45 mph	1.086 g	0.359 g	14.5 mi.	98,027.2	13.86v	14,927 min	30.30705	-89.37519	223 US-90, Waveland, MS
6:36:07 PM	On	50 mph	34 mph	42 mph E	45 mph	1.073 g	0.416 g	15.7 mi.	98,028.4	13.62v	14,929 min	30.31314	-89.35736	1070 US-90, Bay St Louis, MS
6:38:06 PM	On	57 mph	49 mph	57 mph E	65 mph	0.082 g	0.069 g	17.3 mi.	98,030.0	13.71v	14,931 min	30.32007	-89.33118	US-90, Bay St Louis, MS
6:40:07 PM	On	57 mph	29 mph	13 mph W	-	0.780 g	0.314 g	18.3 mi.	98,031.0	13.56v	14,933 min	30.32480	-89.32964	99 Felicity St, Bay St Louis, MS
6:42:07 PM	On	17 mph	16 mph	16 mph W	-	0.102 g	0.057 g	18.8 mi.	98,031.5	13.59v	14,935 min	30.32743	-89.33794	163 Felicity St, Bay St Louis, MS
6:44:07 PM	On	18 mph	15 mph	15 mph W	-	0.849 g	0.510 g	19.3 mi.	98,032.0	13.62v	14,937 min	30.32987	-89.34561	401 Felicity St, Bay St Louis, MS
6:46:07 PM	On	19 mph	16 mph	14 mph NE	-	0.155 g	0.184 g	19.8 mi.	98,032.5	13.56v	14,939 min	30.33429	-89.35091	417 Casino Magic Dr, Bay St Louis, MS
6:48:07 PM	On	24 mph	3 mph	0 mph NE	-	0.135 g	0.298 g	19.9 mi.	98,032.6	13.62v	14,941 min	30.33550	-89.34952	Engman Ave, Bay St Louis, MS
6:50:07 PM	On	9 mph	1 mph	9 mph NE	-	0.780 g	0.000 g	20.0 mi.	98,032.7	13.53v	14,943 min	30.33571	-89.34925	Engman Ave, Bay St Louis, MS
6:52:06 PM	On	13 mph	11 mph	12 mph E	-	0.216 g	0.114 g	20.3 mi.	98,033.0	13.59v	14,945 min	30.33471	-89.34361	460 Thomas St, Bay St Louis, MS
6:54:06 PM	On	13 mph	10 mph	10 mph E	-	0.837 g	0.396 g	20.7 mi.	98,033.4	13.62v	14,947 min	30.33293	-89.33799	318 Thomas St, Bay St Louis, MS
6:56:06 PM	On	13 mph	11 mph	11 mph W	-	0.180 g	0.192 g	21.0 mi.	98,033.7	13.56v	14,949 min	30.33324	-89.33674	105 Austin Ln, Bay St Louis, MS
6:58:06 PM	On	14 mph	11 mph	14 mph E	-	0.780 g	0.327 g	21.4 mi.	98,034.1	13.59v	14,951 min	30.33125	-89.33531	212 Leonard Ave, Bay St Louis, MS
7:00:06 PM	On	16 mph	13 mph	14 mph W	-	0.963 g	0.327 g	21.8 mi.	98,034.5	13.56v	14,953 min	30.33132	-89.33239	107 Beverly Dr, Bay St Louis, MS
7:02:06 PM	On	16 mph	11 mph	14 mph S	-	0.665 g	0.416 g	22.2 mi.	98,034.9	13.41v	14,955 min	30.32905	-89.33065	900 N Beach Blvd, Bay St Louis, MS
7:04:06 PM	On	17 mph	14 mph	16 mph W	-	0.094 g	0.127 g	22.7 mi.	98,035.4	13.62v	14,957 min	30.33124	-89.33792	309 Boardman Ave, Bay St Louis, MS
7:06:06 PM	On	16 mph	11 mph	9 mph SE	-	0.824 g	0.371 g	23.0 mi.	98,035.7	13.59v	14,959 min	30.32938	-89.33563	123 Oaks Blvd, Bay St Louis, MS
7:08:06 PM	On	19 mph	13 mph	18 mph S	-	0.939 g	0.327 g	23.4 mi.	98,036.1	13.41v	14,961 min	30.32822	-89.33966	800 Dunbar Ave, Bay St Louis, MS
7:10:06 PM	On	20 mph	14 mph	10 mph E	-	0.167 g	0.204 g	23.9 mi.	98,036.6	13.68v	14,963 min	30.33181	-89.34374	250 Pine Dr, Bay St Louis, MS
7:12:06 PM	On	12 mph	9 mph	12 mph E	-	1.461 g	0.441 g	24.2 mi.	98,036.9	13.56v	14,965 min	30.33096	-89.34309	230 Arcola Ct, Bay St Louis, MS
7:14:06 PM	On	15 mph	12 mph	11 mph E	-	0.780 g	0.396 g	24.6 mi.	98,037.3	13.59v	14,967 min	30.33030	-89.34126	210 Corinth Dr, Bay St Louis, MS
7:16:06 PM	On	16 mph	13 mph	11 mph E	-	0.122 g	0.139 g	25.0 mi.	98,037.7	13.56v	14,969 min	30.32769	-89.33536	140 Leopold St, Bay St Louis, MS

3/16/2021 Activity Detail Report - WEX

7:18:06 PM	On	19 mph	14 mph	19 mph N	-	0.837 g	0.453 g	25.5 mi.	98,038.2	13.53v	14,971 min	30.32700	-89.33006	841 N Beach Blvd, Bay St Louis, MS
7:20:06 PM	On	22 mph	18 mph	14 mph W	-	0.184 g	0.192 g	26.1 mi.	98,038.8	13.62v	14,973 min	30.33362	-89.33409	127 Julia St, Bay St Louis, MS
7:22:06 PM	On	16 mph	12 mph	10 mph W	-	0.918 g	0.327 g	26.5 mi.	98,039.2	13.56v	14,975 min	30.33572	-89.34066	Julia St, Bay St Louis, MS
7:24:06 PM	On	14 mph	12 mph	11 mph NE	-	0.249 g	0.204 g	26.9 mi.	98,039.6	13.53v	14,977 min	30.33784	-89.34664	Engman Ave, Bay St Louis, MS
7:26:06 PM	On	15 mph	12 mph	14 mph N	-	0.894 g	0.339 g	27.3 mi.	98,040.0	13.56v	14,979 min	30.34259	-89.34335	Engman Ave, Bay St Louis, MS
7:28:06 PM	On	16 mph	13 mph	12 mph E	-	0.216 g	0.167 g	27.7 mi.	98,040.4	13.62v	14,981 min	30.33981	-89.34525	Blakemore St, Bay St Louis, MS
7:30:06 PM	On	14 mph	12 mph	14 mph E	-	1.020 g	0.384 g	28.1 mi.	98,040.8	13.56v	14,983 min	30.33783	-89.33903	209 Blakemore St, Bay St Louis, MS
7:32:06 PM	On	19 mph	14 mph	14 mph NW	-	0.882 g	0.453 g	28.6 mi.	98,041.3	13.41v	14,985 min	30.34113	-89.33730	2099 N Beach Blvd, Bay St Louis, MS
7:34:06 PM	On	15 mph	12 mph	14 mph N	-	0.196 g	0.192 g	29.0 mi.	98,041.7	13.59v	14,987 min	30.33893	-89.33584	1535 Dunbar Ave, Bay St Louis, MS
7:36:06 PM	On	14 mph	11 mph	2 mph N	-	0.804 g	0.441 g	29.3 mi.	98,042.0	13.65v	14,989 min	30.33863	-89.33475	Paradise Point Dr, Bay St Louis, MS
7:38:06 PM	On	15 mph	10 mph	10 mph W	-	0.735 g	0.453 g	29.7 mi.	98,042.4	13.53v	14,991 min	30.33617	-89.33736	205 Harrison Ct, Bay St Louis, MS
7:40:06 PM	On	12 mph	8 mph	0 mph E	-	0.690 g	0.473 g	29.9 mi.	98,042.6	13.71v	14,993 min	30.33732	-89.34111	128 Harrison Ct, Bay St Louis, MS
7:42:06 PM	On	34 mph	12 mph	14 mph E	-	0.690 g	0.306 g	30.3 mi.	98,043.0	13.59v	14,995 min	30.33491	-89.33555	208 Chartres St, Bay St Louis, MS
7:44:06 PM	On	14 mph	11 mph	2 mph N	-	0.159 g	0.473 g	30.7 mi.	98,043.4	13.47v	14,997 min	30.33426	-89.33145	1299 N Beach Blvd, Bay St Louis, MS
7:46:06 PM	On	22 mph	13 mph	12 mph S	-	0.869 g	0.408 g	31.2 mi.	98,043.9	13.59v	14,999 min	30.33669	-89.33674	Dunbar Ave, Bay St Louis, MS
7:48:06 PM	On	43 mph	25 mph	24 mph W	-	0.192 g	0.294 g	32.0 mi.	98,044.7	13.53v	15,001 min	30.32893	-89.34279	225 Felicity St, Bay St Louis, MS
7:50:06 PM	On	22 mph	16 mph	16 mph S	-	0.927 g	0.453 g	32.5 mi.	98,045.2	13.50v	15,003 min	30.32637	-89.33891	Dunbar Ave, Bay St Louis, MS
7:52:06 PM	On	13 mph	11 mph	11 mph E	-	0.147 g	0.159 g	32.9 mi.	98,045.6	13.59v	15,005 min	30.32746	-89.34312	218 Old Bay Ln, Bay St Louis, MS
7:54:06 PM	On	16 mph	10 mph	9 mph SE	-	1.800 g	0.531 g	33.2 mi.	98,045.9	13.65v	15,007 min	30.32542	-89.33851	798 Dunbar Ave, Bay St Louis, MS
7:56:06 PM	On	14 mph	10 mph	8 mph NW	-	1.073 g	0.396 g	33.5 mi.	98,046.2	13.59v	15,009 min	30.32688	-89.34353	Commagere Blvd, Bay St Louis, MS
7:58:06 PM	On	17 mph	11 mph	16 mph S	-	0.204 g	0.192 g	33.9 mi.	98,046.6	13.56v	15,011 min	30.32491	-89.33833	798 Dunbar Ave, Bay St Louis, MS
8:00:06 PM	On	19 mph	14 mph	14 mph NW	-	0.212 g	0.127 g	34.4 mi.	98,047.1	13.59v	15,013 min	30.32362	-89.34208	603 Highland Dr, Bay St Louis, MS
8:02:06 PM	On	15 mph	11 mph	15 mph SE	-	0.792 g	0.429 g	34.8 mi.	98,047.5	13.56v	15,015 min	30.32458	-89.34268	608 Athletic Dr, Bay St Louis, MS
8:04:06 PM	On	29 mph	16 mph	16 mph W	-	0.951 g	0.294 g	35.3 mi.	98,048.0	13.59v	15,017 min	30.32135	-89.33799	501 Esplanade Ave, Bay St Louis, MS
8:06:06 PM	On	18 mph	15 mph	16 mph W	-	0.147 g	0.147 g	35.8 mi.	98,048.5	13.62v	15,019 min	30.32381	-89.34588	703 Esplanade Ave, Bay St Louis, MS

8:08:06 PM	On	17 mph	13 mph	14 mph E	-	0.127 g	0.224 g	36.2 mi.	98,048.9	13.62v	15,021 min	30.32184	-89.34305	502 Vine Cir, Bay St Louis, MS
8:10:06 PM	On	16 mph	10 mph	9 mph E	-	0.735 g	0.351 g	36.6 mi.	98,049.3	13.62v	15,023 min	30.32048	-89.34146	508 Sunset Dr, Bay St Louis, MS
8:12:06 PM	On	13 mph	10 mph	11 mph W	-	0.894 g	0.498 g	36.9 mi.	98,049.6	13.59v	15,025 min	30.32122	-89.34358	603 Sunset Dr, Bay St Louis, MS
8:14:06 PM	On	16 mph	11 mph	16 mph E	-	0.339 g	0.261 g	37.3 mi.	98,050.0	13.59v	15,027 min	30.31993	-89.34628	698 Carroll Ave, Bay St Louis, MS
8:16:06 PM	On	29 mph	16 mph	0 mph SW	-	1.029 g	0.396 g	37.8 mi.	98,050.5	13.47v	15,029 min	30.31860	-89.34860	Pine St, Bay St Louis, MS
8:18:06 PM	On	30 mph	16 mph	8 mph W	-	0.996 g	0.159 g	38.3 mi.	98,051.0	13.62v	15,031 min	30.31674	-89.35574	Paradise Ln, Bay St Louis, MS
8:20:06 PM	On	18 mph	12 mph	4 mph N	-	1.257 g	0.461 g	38.7 mi.	98,051.4	13.53v	15,033 min	30.31692	-89.36244	Kingston Rd, Bay St Louis, MS
8:22:06 PM	On	74 mph	29 mph	16 mph NW	-	0.633 g	0.229 g	39.7 mi.	98,052.4	13.59v	15,035 min	30.32531	-89.36880	10416 Paradise Ln, Bay St Louis, MS
8:24:06 PM	On	16 mph	12 mph	11 mph W	-	0.184 g	0.159 g	40.1 mi.	98,052.8	13.53v	15,037 min	30.32983	-89.37021	1704 Blue Meadow Rd, Bay St Louis, MS
8:26:06 PM	On	19 mph	13 mph	12 mph SW	-	0.767 g	0.359 g	40.5 mi.	98,053.2	13.56v	15,039 min	30.33205	-89.37330	1861 Blue Meadow Rd, Bay St Louis, MS
8:28:06 PM	On	19 mph	15 mph	12 mph E	-	0.127 g	0.114 g	41.0 mi.	98,053.7	13.62v	15,041 min	30.32983	-89.36685	1627 Blue Meadow Rd, Bay St Louis, MS
8:30:06 PM	On	16 mph	13 mph	2 mph S	-	0.633 g	0.314 g	41.5 mi.	98,054.2	13.53v	15,043 min	30.33607	-89.36643	108 Harrison Rd, Bay St Louis, MS
8:32:06 PM	On	28 mph	7 mph	28 mph S	-	0.918 g	0.473 g	41.7 mi.	98,054.4	13.62v	15,045 min	30.33266	-89.36658	Harrison Rd, Bay St Louis, MS
8:34:06 PM	On	29 mph	14 mph	13 mph N	-	0.722 g	0.306 g	42.1 mi.	98,054.8	13.59v	15,047 min	30.33311	-89.36556	61 Good St, Bay St Louis, MS
8:36:06 PM	On	24 mph	11 mph	24 mph S	-	0.804 g	0.473 g	42.5 mi.	98,055.2	13.56v	15,049 min	30.33357	-89.36557	66 Good St, Bay St Louis, MS
8:38:06 PM	On	29 mph	17 mph	14 mph N	-	0.167 g	0.249 g	43.1 mi.	98,055.8	13.56v	15,051 min	30.33347	-89.36459	69 Fiber St, Bay St Louis, MS
8:40:06 PM	On	32 mph	16 mph	31 mph S	-	0.735 g	0.273 g	43.6 mi.	98,056.3	13.59v	15,053 min	30.33086	-89.36459	28 Fiber St, Bay St Louis, MS
8:42:06 PM	On	31 mph	17 mph	16 mph N	-	0.282 g	0.339 g	44.2 mi.	98,056.9	13.62v	15,055 min	30.33622	-89.36362	187 Wolfe St, Bay St Louis, MS
8:44:06 PM	On	24 mph	14 mph	4 mph SE	-	0.918 g	0.359 g	44.6 mi.	98,057.3	13.56v	15,057 min	30.32985	-89.36361	Blue Meadow Rd, Bay St Louis, MS
8:46:06 PM	On	23 mph	16 mph	12 mph W	-	0.159 g	0.192 g	45.2 mi.	98,057.9	13.50v	15,059 min	30.32387	-89.36024	10033 Quail Way, Bay St Louis, MS
8:48:06 PM	On	19 mph	9 mph	13 mph SE	-	0.996 g	0.453 g	45.5 mi.	98,058.2	13.56v	15,061 min	30.32534	-89.35858	1367 Blue Meadow Rd, Bay St Louis, MS
8:50:06 PM	On	16 mph	10 mph	15 mph N	-	0.747 g	0.543 g	45.8 mi.	98,058.5	13.56v	15,063 min	30.32470	-89.35800	Oliver St, Bay St Louis, MS
8:52:06 PM	On	39 mph	21 mph	25 mph SE	-	0.351 g	0.171 g	46.5 mi.	98,059.2	13.62v	15,065 min	30.33172	-89.35497	Felicity St, Bay St Louis, MS
8:54:06 PM	On	47 mph	31 mph	35 mph SE	-	0.282 g	0.269 g	47.5 mi.	98,060.2	13.56v	15,067 min	30.32193	-89.35204	Blue Meadow Rd, Bay St Louis, MS
8:56:06 PM	On	49 mph	36 mph	49 mph W	45 mph	0.159 g	0.237 g	48.7 mi.	98,061.4	13.56v	15,069 min	30.31292	-89.35853	1075 US-90, Bay St Louis, MS

8:58:06 PM	On	51 mph	35 mph	40 mph W	-	0.212 g	0.294 g	49.9 mi.	98,062.6	13.62v	15,071 min	30.31172	-89.37771	Longfellow Rd, Bay St Louis, MS
9:00:06 PM	On	68 mph	50 mph	58 mph NW	55 mph	0.237 g	0.286 g	51.6 mi.	98,064.3	13.50v	15,073 min	30.31567	-89.40489	10442 MS-603, Bay St Louis, MS
9:02:06 PM	On	63 mph	49 mph	58 mph NW	55 mph	0.261 g	0.261 g	53.2 mi.	98,065.9	13.59v	15,075 min	30.33076	-89.42532	11280 MS-43, Bay St Louis, MS
9:04:06 PM	On	66 mph	62 mph	60 mph N	55 mph	0.294 g	0.261 g	55.3 mi.	98,068.0	13.56v	15,077 min	30.35915	-89.42357	MS-43, Bay St Louis, MS
9:06:06 PM	On	66 mph	59 mph	52 mph N	55 mph	0.147 g	0.159 g	57.2 mi.	98,069.9	13.68v	15,079 min	30.38363	-89.43940	14488 MS-43, Kiln, MS
9:08:06 PM	On	61 mph	51 mph	44 mph NE	45 mph	0.127 g	0.273 g	58.9 mi.	98,071.6	13.53v	15,081 min	30.40533	-89.44467	16258 MS-43, Kiln, MS
9:10:06 PM	On	55 mph	37 mph	29 mph N	-	0.261 g	0.318 g	60.2 mi.	98,072.9	13.59v	15,083 min	30.40768	-89.42733	Old Joe Moran St, Kiln, MS
9:12:06 PM	On	52 mph	42 mph	42 mph NE	-	0.249 g	0.159 g	61.5 mi.	98,074.2	13.62v	15,085 min	30.42474	-89.42060	17378 Joe Moran Rd, Kiln, MS
9:14:06 PM	On	50 mph	35 mph	9 mph E	-	0.192 g	0.237 g	62.7 mi.	98,075.4	13.47v	15,087 min	30.43913	-89.41442	Joe Moran Rd, Kiln, MS
9:16:06 PM	On	6 mph	0 mph	0 mph NE	-	0.000 g	0.282 g	62.7 mi.	98,075.4	12.55v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS
9:16:17 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	62.7 mi.	98,075.4	12.55v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS

Fri Mar 5, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:20:46 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.59v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS
9:20:46 PM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.52v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS

Sat Mar 6, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:20:46 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.49v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS
9:20:46 PM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.46v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 1.3361 seconds.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	431	**Sorted By**	Time
Total Distance Traveled	203.3 mi.	**Selected Vehicle**	12 (vin: 1GTH5AE9F1161333)
Average Speed	14 mph	**Report Time Period**	Mar 1 12:00 AM to Mar 6 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	March 16, 2021 1:38:46 PM
Max Speed	68 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.

WEX TELEMATICS

Philips Pest Control LLC

Export Data | Email Report

Speed Graphs »

show/hide





Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 12

Mon Mar 1, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
4:37:17 AM			0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	12.52v	8,772 min	30.43908	-89.41449	18403 Joe Moran Rd, Kiln, MS
4:37:17 PM			3 mph	0 mph	3 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.41v	8,772 min	30.43908	-89.41449	Joe Moran Rd, Kiln, MS
4:37:19 PM	On		3 mph	0 mph	3 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.41v	8,772 min	30.43908	-89.41449	Joe Moran Rd, Kiln, MS
4:39:18 PM	On		5 mph	0 mph	0 mph N	-	1.008 g	0.359 g	0.0 mi.	75,901.2	12.55v	8,774 min	30.43923	-89.41460	18403 Joe Moran Rd, Kiln, MS
4:39:28 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	75,901.2	12.55v	8,774 min	30.43923	-89.41460	18403 Joe Moran Rd, Kiln, MS
4:39:46 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.84v	8,774 min	30.43924	-89.41451	18403 Joe Moran Rd, Kiln, MS
4:41:46 PM	On		6 mph	0 mph	0 mph S	-	0.804 g	0.429 g	0.0 mi.	75,901.2	14.29v	8,776 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:43:46 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.20v	8,778 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:45:46 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.14v	8,780 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:46:06 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.20v	8,780 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS

4:47:46 PM	On		2 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.26v	8,782 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:49:46 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.23v	8,784 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:51:06 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.20v	8,784 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:51:46 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,901.2	14.23v	8,786 min	30.43893	-89.41454	18403 Joe Moran Rd, Kiln, MS
4:53:46 PM	On		22 mph	6 mph	18 mph SW	-	0.767 g	0.518 g	0.2 mi.	75,901.4	14.23v	8,788 min	30.43746	-89.41703	Joe Moran Rd, Kiln, MS
4:55:46 PM	On		33 mph	29 mph	30 mph SW	-	0.204 g	0.196 g	1.2 mi.	75,902.4	14.04v	8,790 min	30.42440	-89.42077	17361 Old Joe Moran Rd, Kiln, MS
4:57:46 PM	On		34 mph	29 mph	30 mph SW	-	0.102 g	0.102 g	2.1 mi.	75,903.3	14.23v	8,792 min	30.41117	-89.42426	16255 Old Joe Moran St, Kiln, MS
4:59:46 PM	On		39 mph	25 mph	35 mph NW	35 mph	0.939 g	0.306 g	3.0 mi.	75,904.2	14.32v	8,794 min	30.40853	-89.43367	6218 Kiln-Delisle Rd, Kiln, MS
5:01:46 PM	On		49 mph	40 mph	49 mph SE	55 mph	0.171 g	0.167 g	4.3 mi.	75,905.5	13.89v	8,796 min	30.39805	-89.44802	15957 MS-43, Kiln, MS
5:03:46 PM	On		55 mph	40 mph	46 mph S	55 mph	0.951 g	0.282 g	5.7 mi.	75,906.9	14.14v	8,798 min	30.38059	-89.43806	14445 MS-43, Kiln, MS
5:05:46 PM	On		58 mph	42 mph	52 mph S	55 mph	1.008 g	0.314 g	7.1 mi.	75,908.3	13.92v	8,800 min	30.36369	-89.42555	13265 MS-43, Kiln, MS
5:07:46 PM	On		52 mph	49 mph	52 mph S	55 mph	0.069 g	0.167 g	8.7 mi.	75,909.9	14.23v	8,802 min	30.34144	-89.42776	MS-43, Bay St Louis, MS
5:09:46 PM	On		56 mph	53 mph	52 mph SE	55 mph	0.069 g	0.057 g	10.4 mi.	75,911.6	14.17v	8,804 min	30.32103	-89.41412	10813 MS-43, Bay St Louis, MS
5:11:46 PM	On		52 mph	34 mph	34 mph S	35 mph	0.167 g	0.216 g	11.6 mi.	75,912.8	14.17v	8,806 min	30.30770	-89.40638	Kiln Waveland Cutoff Rd, Bay St Louis, MS
5:13:46 PM	On		40 mph	24 mph	0 mph SE	30 mph	0.057 g	0.441 g	12.4 mi.	75,913.6	14.01v	8,808 min	30.29983	-89.39775	2103 Waveland Ave, Waveland, MS
5:15:46 PM	On		41 mph	18 mph	40 mph E	45 mph	0.939 g	0.037 g	13.0 mi.	75,914.2	13.62v	8,810 min	30.30249	-89.38866	US-90, Waveland, MS
5:17:46 PM	On		40 mph	25 mph	0 mph E	45 mph	1.041 g	0.453 g	13.8 mi.	75,915.0	13.56v	8,812 min	30.30699	-89.37568	314 US-90, Waveland, MS
5:19:46 PM	On		29 mph	6 mph	24 mph W	45 mph	1.041 g	0.314 g	14.0 mi.	75,915.2	13.50v	8,814 min	30.30628	-89.37801	US-90, Waveland, MS
5:21:46 PM	On		43 mph	12 mph	43 mph W	45 mph	1.029 g	0.314 g	14.4 mi.	75,915.6	13.62v	8,816 min	30.30419	-89.38405	458 US-90, Waveland, MS
5:23:46 PM	On		42 mph	25 mph	0 mph W	45 mph	0.906 g	0.461 g	15.2 mi.	75,916.4	13.56v	8,818 min	30.29964	-89.39719	725 US-90, Waveland, MS
5:25:46 PM	On		35 mph	21 mph	32 mph S	30 mph	1.233 g	0.037 g	15.9 mi.	75,917.1	13.59v	8,820 min	30.28949	-89.39697	1519 Waveland Ave, Waveland, MS
5:27:46 PM	On		35 mph	26 mph	10 mph S	-	0.069 g	0.151 g	16.8 mi.	75,918.0	13.53v	8,822 min	30.27938	-89.38912	929 Sears Ave, Waveland, MS
5:29:46 PM	On		14 mph	8 mph	7 mph W	-	0.861 g	0.359 g	17.1 mi.	75,918.3	13.65v	8,824 min	30.27639	-89.39026	200 Broad St, Waveland, MS
5:31:46 PM	On		18 mph	10 mph	13 mph N	-	0.678 g	0.351 g	17.4 mi.	75,918.6	13.59v	8,826 min	30.27538	-89.39235	704 Tippen St, Waveland, MS
5:33:46 PM	On		14 mph	8 mph	10 mph E	-	2.016 g	0.543 g	17.7 mi.	75,918.9	13.65v	8,828 min	30.27634	-89.39135	301 Broad St, Waveland, MS

5:35:46 PM	On	13 mph	8 mph	9 mph S	-	1.233 g	0.473 g	17.9 mi.	75,919.1	13.44v	8,830 min	30.27519	-89.39025	701 View St, Waveland, MS
5:37:46 PM	On	17 mph	11 mph	16 mph W	-	1.029 g	0.416 g	18.3 mi.	75,919.5	13.62v	8,832 min	30.27148	-89.38972	138 Sundance Pass, Waveland, MS
5:39:46 PM	On	17 mph	10 mph	4 mph NW	-	0.167 g	0.241 g	18.6 mi.	75,919.8	13.65v	8,834 min	30.27321	-89.39179	Hunter Holw, Waveland, MS
5:41:46 PM	On	17 mph	10 mph	1 mph SE	-	1.041 g	0.359 g	19.0 mi.	75,920.2	13.47v	8,836 min	30.27091	-89.39063	401 Taylor Trl, Waveland, MS
5:43:46 PM	On	16 mph	9 mph	2 mph S	-	1.449 g	0.498 g	19.3 mi.	75,920.5	13.41v	8,838 min	30.27122	-89.38608	208 5th St, Waveland, MS
5:45:46 PM	On	14 mph	7 mph	9 mph W	-	0.816 g	0.429 g	19.5 mi.	75,920.7	13.50v	8,840 min	30.27061	-89.38689	208 4th St, Waveland, MS
5:47:46 PM	On	15 mph	8 mph	11 mph S	-	0.792 g	0.461 g	19.8 mi.	75,921.0	13.38v	8,842 min	30.27000	-89.38704	309 Sears Ave, Waveland, MS
5:49:46 PM	On	16 mph	6 mph	6 mph S	-	1.110 g	0.531 g	19.9 mi.	75,921.1	13.59v	8,844 min	30.26975	-89.38703	211 Sears Ave, Waveland, MS
5:51:46 PM	On	22 mph	11 mph	5 mph NE	-	0.906 g	0.441 g	20.3 mi.	75,921.5	13.62v	8,846 min	30.26920	-89.38907	217 2nd St, Waveland, MS
5:53:46 PM	On	12 mph	9 mph	0 mph SE	25 mph	0.171 g	0.396 g	20.6 mi.	75,921.8	13.68v	8,848 min	30.26770	-89.38562	750 S Beach Blvd, Waveland, MS
5:55:46 PM	On	19 mph	14 mph	14 mph NW	-	0.861 g	0.167 g	21.1 mi.	75,922.3	13.62v	8,850 min	30.27216	-89.38308	156 Market St, Waveland, MS
5:57:46 PM	On	15 mph	12 mph	10 mph W	-	0.192 g	0.196 g	21.5 mi.	75,922.7	13.47v	8,852 min	30.27568	-89.38695	314 Roberts St, Waveland, MS
5:59:46 PM	On	17 mph	12 mph	2 mph E	-	0.249 g	0.359 g	21.9 mi.	75,923.1	13.47v	8,854 min	30.27570	-89.38694	313 Roberts St, Waveland, MS
6:01:46 PM	On	16 mph	9 mph	12 mph E	-	0.837 g	0.473 g	22.2 mi.	75,923.4	13.62v	8,856 min	30.27469	-89.38728	209 Piney Ridge Rd, Waveland, MS
6:03:46 PM	On	14 mph	9 mph	10 mph W	-	0.747 g	0.339 g	22.5 mi.	75,923.7	13.65v	8,858 min	30.27206	-89.38746	Dogwood Dr, Waveland, MS
6:05:46 PM	On	16 mph	11 mph	14 mph S	-	1.482 g	0.359 g	22.8 mi.	75,924.0	13.62v	8,860 min	30.27259	-89.38818	115 Dogwood Dr, Waveland, MS
6:07:46 PM	On	16 mph	12 mph	0 mph E	-	0.861 g	0.510 g	23.2 mi.	75,924.4	13.53v	8,862 min	30.27472	-89.38509	201 Market St, Waveland, MS
6:09:46 PM	On	13 mph	9 mph	11 mph E	-	0.837 g	0.453 g	23.5 mi.	75,924.7	13.59v	8,864 min	30.27555	-89.38246	137 Fell St, Waveland, MS
6:11:46 PM	On	16 mph	12 mph	12 mph SE	-	0.918 g	0.339 g	23.9 mi.	75,925.1	13.50v	8,866 min	30.27335	-89.37716	Oak Blvd, Waveland, MS
6:13:46 PM	On	20 mph	13 mph	11 mph NW	25 mph	0.678 g	0.473 g	24.4 mi.	75,925.6	13.62v	8,868 min	30.27365	-89.38162	140 Waveland Ave, Waveland, MS
6:15:46 PM	On	16 mph	13 mph	11 mph NW	-	0.249 g	0.224 g	24.8 mi.	75,926.0	13.62v	8,870 min	30.27745	-89.38418	310 Water St, Waveland, MS
6:17:46 PM	On	15 mph	11 mph	13 mph SE	-	1.029 g	0.408 g	25.1 mi.	75,926.3	13.62v	8,872 min	30.27928	-89.38532	411 Tide St, Waveland, MS
6:19:46 PM	On	14 mph	12 mph	13 mph NE	-	0.147 g	0.216 g	25.5 mi.	75,926.7	13.59v	8,874 min	30.27575	-89.38009	304 Fell St, Waveland, MS
6:21:46 PM	On	13 mph	10 mph	11 mph SW	-	0.714 g	0.453 g	25.9 mi.	75,927.1	13.62v	8,876 min	30.27675	-89.38360	104 Hickory St, Waveland, MS
6:23:46 PM	On	17 mph	10 mph	4 mph E	-	1.131 g	0.408 g	26.2 mi.	75,927.4	13.62v	8,878 min	30.27916	-89.38386	Surf St, Waveland, MS

6:25:46 PM	On	14 mph	10 mph	14 mph NW	-	0.816 g	0.396 g	26.5 mi.	75,927.7	13.62v	8,880 min	30.27969	-89.38454	414 Surf St, Waveland, MS
6:27:46 PM	On	14 mph	11 mph	12 mph SE	-	0.735 g	0.531 g	26.9 mi.	75,928.1	13.62v	8,882 min	30.27834	-89.38141	229 Sandy St, Waveland, MS
6:29:46 PM	On	16 mph	10 mph	1 mph NE	-	0.204 g	0.429 g	27.3 mi.	75,928.5	13.47v	8,884 min	30.27625	-89.37751	103 Pine Ridge Dr, Waveland, MS
6:31:46 PM	On	14 mph	8 mph	12 mph NW	-	0.951 g	0.416 g	27.5 mi.	75,928.7	13.62v	8,886 min	30.27885	-89.38064	222 Pine Ridge Dr, Waveland, MS
6:33:46 PM	On	15 mph	11 mph	7 mph SE	-	0.780 g	0.351 g	27.9 mi.	75,929.1	13.65v	8,888 min	30.28188	-89.38498	Hickey St, Waveland, MS
6:35:46 PM	On	15 mph	8 mph	0 mph NW	-	0.996 g	0.473 g	28.1 mi.	75,929.3	13.50v	8,890 min	30.28194	-89.38507	410 S Central Ave, Waveland, MS
6:37:46 PM	On	16 mph	9 mph	7 mph W	-	0.894 g	0.531 g	28.4 mi.	75,929.6	13.59v	8,892 min	30.27918	-89.38383	Surf St, Waveland, MS
6:39:46 PM	On	16 mph	12 mph	15 mph NW	25 mph	0.824 g	0.498 g	28.8 mi.	75,930.0	13.50v	8,894 min	30.27976	-89.38878	498 Waveland Ave, Waveland, MS
6:41:46 PM	On	22 mph	15 mph	7 mph SE	-	0.882 g	0.408 g	29.3 mi.	75,930.5	13.50v	8,896 min	30.28126	-89.38231	263 Farrar Ln, Waveland, MS
6:43:46 PM	On	16 mph	12 mph	11 mph SE	-	0.114 g	0.159 g	29.8 mi.	75,931.0	13.62v	8,898 min	30.27848	-89.37732	114 Marcus Dr, Waveland, MS
6:45:46 PM	On	15 mph	4 mph	15 mph NW	-	0.927 g	0.461 g	29.9 mi.	75,931.1	13.62v	8,900 min	30.27896	-89.37827	Marcus Dr, Waveland, MS
6:47:46 PM	On	18 mph	14 mph	12 mph S	-	0.906 g	0.429 g	30.3 mi.	75,931.5	13.56v	8,902 min	30.28268	-89.38379	338 S Central Ave, Waveland, MS
6:49:46 PM	On	17 mph	14 mph	11 mph SE	-	0.204 g	0.127 g	30.8 mi.	75,932.0	13.65v	8,904 min	30.27788	-89.37833	205 Farrar Ln, Waveland, MS
6:51:46 PM	On	25 mph	14 mph	25 mph SW	25 mph	0.690 g	0.294 g	31.3 mi.	75,932.5	13.59v	8,906 min	30.27278	-89.37762	S Beach Blvd, Waveland, MS
6:53:46 PM	On	26 mph	15 mph	16 mph NW	25 mph	0.102 g	0.159 g	31.7 mi.	75,932.9	13.62v	8,908 min	30.27494	-89.38255	152 Waveland Ave, Waveland, MS
6:55:46 PM	On	20 mph	16 mph	5 mph NE	25 mph	0.078 g	0.441 g	32.3 mi.	75,933.5	13.50v	8,910 min	30.27999	-89.38886	Waveland Ave, Waveland, MS
6:57:46 PM	On	25 mph	19 mph	24 mph NW	30 mph	1.416 g	0.135 g	32.9 mi.	75,934.1	13.65v	8,912 min	30.28735	-89.39546	1304 Waveland Ave, Waveland, MS
6:59:46 PM	On	27 mph	22 mph	8 mph E	-	0.090 g	0.192 g	33.7 mi.	75,934.9	13.62v	8,914 min	30.29757	-89.39738	Auderer Blvd, Waveland, MS
7:01:46 PM	On	27 mph	12 mph	27 mph E	45 mph	0.171 g	0.171 g	34.0 mi.	75,935.2	13.62v	8,916 min	30.30070	-89.39380	619 US-90, Waveland, MS
7:03:46 PM	On	29 mph	10 mph	12 mph S	-	1.927 g	0.371 g	34.4 mi.	75,935.6	13.65v	8,918 min	30.30003	-89.39018	1535 Margie St, Waveland, MS
7:05:46 PM	On	16 mph	11 mph	15 mph S	-	0.192 g	0.237 g	34.7 mi.	75,935.9	13.65v	8,920 min	30.29553	-89.39181	Sharon St, Waveland, MS
7:07:46 PM	On	15 mph	8 mph	8 mph S	-	0.633 g	0.441 g	35.0 mi.	75,936.2	13.62v	8,922 min	30.29583	-89.39286	1398 Perkins St, Waveland, MS
7:09:46 PM	On	15 mph	7 mph	14 mph S	-	0.735 g	0.473 g	35.2 mi.	75,936.4	13.65v	8,924 min	30.29563	-89.39063	1215 Margie St, Waveland, MS
7:11:45 PM	On	16 mph	8 mph	0 mph W	-	0.849 g	0.498 g	35.5 mi.	75,936.7	13.53v	8,926 min	30.29343	-89.39287	1207 Grove St, Waveland, MS
7:13:45 PM	On	5 mph	0 mph	1 mph S	-	0.714 g	0.498 g	35.5 mi.	75,936.7	13.71v	8,928 min	30.29341	-89.39190	1120 Grove St, Waveland, MS

3/16/2021

Activity Detail Report - WEX

7:15:45 PM	On		16 mph	10 mph	14 mph W	-	0.951 g	0.416 g	35.8 mi.	75,937.0	13.65v	8,930 min	30.29250	-89.39328	824 Rue de Lasalle St, Waveland, MS
7:17:45 PM	On		14 mph	3 mph	4 mph S	-	0.576 g	0.498 g	35.9 mi.	75,937.1	13.56v	8,932 min	30.29267	-89.39386	Monroe St, Waveland, MS
7:19:45 PM	On		14 mph	7 mph	4 mph W	-	0.906 g	0.518 g	36.2 mi.	75,937.4	13.50v	8,934 min	30.29341	-89.39497	1109 Adams St, Waveland, MS
7:21:45 PM	On		14 mph	7 mph	6 mph W	-	0.939 g	0.429 g	36.4 mi.	75,937.6	13.65v	8,936 min	30.29426	-89.39606	1032 Hubbard St, Waveland, MS
7:23:46 PM	On		30 mph	17 mph	27 mph SE	30 mph	0.780 g	0.416 g	37.0 mi.	75,938.2	13.62v	8,938 min	30.28751	-89.39560	1315 Waveland Ave, Waveland, MS
7:25:45 PM	On		30 mph	21 mph	2 mph SE	30 mph	0.102 g	0.461 g	37.7 mi.	75,938.9	13.65v	8,940 min	30.27949	-89.38843	445 Waveland Ave, Waveland, MS
7:27:45 PM	On		21 mph	12 mph	21 mph NE	-	2.073 g	0.518 g	38.1 mi.	75,939.3	13.62v	8,942 min	30.28242	-89.38439	S Central Ave, Waveland, MS
7:29:45 PM	On		24 mph	17 mph	14 mph SE	-	0.127 g	0.237 g	38.7 mi.	75,939.9	13.65v	8,944 min	30.28052	-89.37871	181 Vacation Ln, Waveland, MS
7:31:45 PM	On		22 mph	11 mph	0 mph SE	25 mph	0.078 g	0.429 g	39.0 mi.	75,940.2	13.53v	8,946 min	30.27675	-89.37408	300 S Beach Blvd, Waveland, MS
7:33:45 PM	On		25 mph	14 mph	13 mph NW	-	1.686 g	0.461 g	39.5 mi.	75,940.7	13.65v	8,948 min	30.28176	-89.37360	132 Favre St, Waveland, MS
7:35:45 PM	On		17 mph	13 mph	14 mph W	-	0.241 g	0.204 g	39.9 mi.	75,941.1	13.65v	8,950 min	30.28275	-89.37876	350 Gordon St, Waveland, MS
7:37:45 PM	On		24 mph	10 mph	24 mph SW	-	0.849 g	0.384 g	40.3 mi.	75,941.5	13.62v	8,952 min	30.28342	-89.38248	324 S Central Ave, Waveland, MS
7:39:45 PM	On		31 mph	22 mph	27 mph NW	30 mph	0.196 g	0.273 g	41.0 mi.	75,942.2	13.59v	8,954 min	30.28356	-89.39199	806 Waveland Ave, Waveland, MS
7:41:45 PM	On		33 mph	28 mph	31 mph N	30 mph	0.114 g	0.090 g	41.9 mi.	75,943.1	13.59v	8,956 min	30.29549	-89.39764	1814 Waveland Ave, Waveland, MS
7:43:45 PM	On		43 mph	33 mph	40 mph E	45 mph	0.306 g	0.269 g	43.0 mi.	75,944.2	13.62v	8,958 min	30.30392	-89.38444	463 US-90, Waveland, MS
7:45:45 PM	On		41 mph	10 mph	0 mph SE	45 mph	0.057 g	0.429 g	43.3 mi.	75,944.5	13.62v	8,960 min	30.30507	-89.37982	405 US-90, Waveland, MS
7:47:45 PM	On		0 mph	0 mph	0 mph SE	45 mph	0.000 g	0.000 g	43.3 mi.	75,944.5	13.65v	8,962 min	30.30507	-89.37982	405 US-90, Waveland, MS
7:49:41 PM		Idling - OBD	0 mph	0 mph	0 mph SE	45 mph	0.000 g	0.000 g	43.3 mi.	75,944.5	13.59v	8,962 min	30.30507	-89.37982	405 US-90, Waveland, MS
7:49:45 PM	On		0 mph	0 mph	0 mph SE	45 mph	0.000 g	0.000 g	43.3 mi.	75,944.5	13.59v	8,964 min	30.30507	-89.37982	405 US-90, Waveland, MS
7:51:45 PM	On		0 mph	0 mph	0 mph SE	45 mph	0.000 g	0.000 g	43.3 mi.	75,944.5	13.59v	8,966 min	30.30507	-89.37982	405 US-90, Waveland, MS
7:53:45 PM	On		1 mph	0 mph	1 mph SE	45 mph	0.000 g	0.000 g	43.3 mi.	75,944.5	13.62v	8,968 min	30.30507	-89.37982	405 US-90, Waveland, MS
7:55:45 PM	On		25 mph	15 mph	22 mph SE	30 mph	0.702 g	0.224 g	43.8 mi.	75,945.0	13.62v	8,970 min	30.30266	-89.37447	1903 Nicholson Ave, Waveland, MS
7:57:45 PM	On		24 mph	8 mph	9 mph SW	-	1.596 g	0.416 g	44.1 mi.	75,945.3	13.62v	8,972 min	30.30078	-89.37612	1801 McLaurin Rd, Waveland, MS
7:59:45 PM	On		16 mph	9 mph	0 mph SE	-	1.576 g	0.416 g	44.4 mi.	75,945.6	13.68v	8,974 min	30.30000	-89.37925	1022 St Joseph St, Waveland, MS
8:01:45 PM	On		13 mph	4 mph	13 mph SE	-	0.000 g	0.000 g	44.5 mi.	75,945.7	13.62v	8,976 min	30.29858	-89.37797	1003 St Joseph St, Waveland, MS

8:03:45 PM	On	18 mph	12 mph	14 mph S	-	3.069 g	0.396 g	44.9 mi.	75,946.1	13.62v	8,978 min	30.29296	-89.37656	707 St Joseph St, Waveland, MS
8:05:46 PM	On	17 mph	8 mph	17 mph S	-	2.049 g	0.486 g	45.2 mi.	75,946.4	13.62v	8,980 min	30.28907	-89.37644	St Joseph St, Waveland, MS
8:07:45 PM	On	19 mph	14 mph	9 mph S	-	0.849 g	0.371 g	45.7 mi.	75,946.9	13.44v	8,982 min	30.28577	-89.38072	411 Combel St, Waveland, MS
8:09:45 PM	On	13 mph	6 mph	10 mph N	-	1.224 g	0.429 g	45.8 mi.	75,947.0	13.62v	8,984 min	30.28775	-89.38176	400 Singleton St, Waveland, MS
8:11:45 PM	On	14 mph	8 mph	11 mph SW	-	0.996 g	0.441 g	46.1 mi.	75,947.3	13.65v	8,986 min	30.28703	-89.38384	Herlihy St, Waveland, MS
8:13:45 PM	On	14 mph	9 mph	10 mph N	-	0.767 g	0.384 g	46.4 mi.	75,947.6	13.59v	8,988 min	30.28394	-89.38321	310 Hargett St, Waveland, MS
8:15:45 PM	On	13 mph	8 mph	9 mph N	-	0.971 g	0.441 g	46.6 mi.	75,947.8	13.62v	8,990 min	30.28378	-89.38386	218 Olivari St, Waveland, MS
8:17:45 PM	On	14 mph	7 mph	0 mph NE	-	0.792 g	0.441 g	46.9 mi.	75,948.1	13.71v	8,992 min	30.28416	-89.38475	204 Hart St, Waveland, MS
8:19:45 PM	On	12 mph	6 mph	6 mph E	-	0.767 g	0.473 g	47.1 mi.	75,948.3	13.68v	8,994 min	30.28520	-89.38682	705 Morris St, Waveland, MS
8:21:45 PM	On	14 mph	9 mph	4 mph N	-	1.029 g	0.498 g	47.4 mi.	75,948.6	13.19v	8,996 min	30.28696	-89.38392	404 Olivari St, Waveland, MS
8:23:45 PM	On	16 mph	10 mph	12 mph W	-	0.804 g	0.359 g	47.7 mi.	75,948.9	13.62v	8,998 min	30.28701	-89.38745	612 Herlihy St, Waveland, MS
8:25:45 PM	On	18 mph	14 mph	12 mph SW	-	1.073 g	0.282 g	48.1 mi.	75,949.3	13.62v	9,000 min	30.28646	-89.39492	Herlihy St, Waveland, MS
8:27:45 PM	On	14 mph	11 mph	11 mph NE	-	0.139 g	0.171 g	48.5 mi.	75,949.7	13.62v	9,002 min	30.28539	-89.39491	1027 Amar St, Waveland, MS
8:29:45 PM	On	14 mph	10 mph	11 mph W	-	0.678 g	0.359 g	48.9 mi.	75,950.1	13.65v	9,004 min	30.28397	-89.39704	1120 Spruce St, Waveland, MS
8:31:45 PM	On	12 mph	3 mph	9 mph NE	-	0.702 g	0.453 g	49.0 mi.	75,950.2	13.62v	9,006 min	30.28401	-89.39565	1063 Spruce St, Waveland, MS
8:33:45 PM	On	11 mph	6 mph	7 mph NE	-	1.065 g	0.498 g	49.2 mi.	75,950.4	13.65v	9,008 min	30.28397	-89.39284	801 Willow St, Waveland, MS
8:35:45 PM	On	16 mph	9 mph	11 mph S	-	2.457 g	0.531 g	49.5 mi.	75,950.7	13.47v	9,010 min	30.28348	-89.39025	201 Sycamore St, Waveland, MS
8:37:45 PM	On	14 mph	9 mph	11 mph SW	-	1.053 g	0.498 g	49.8 mi.	75,951.0	13.47v	9,012 min	30.28319	-89.39136	808 Birch St, Waveland, MS
8:39:45 PM	On	18 mph	6 mph	4 mph SE	-	0.927 g	0.396 g	50.0 mi.	75,951.2	13.62v	9,014 min	30.28243	-89.38911	701 Cedar St, Waveland, MS
8:41:45 PM	On	16 mph	8 mph	2 mph N	-	0.780 g	0.461 g	50.2 mi.	75,951.4	13.62v	9,016 min	30.28521	-89.38989	300 Sycamore St, Waveland, MS
8:43:45 PM	On	22 mph	8 mph	22 mph SE	30 mph	0.894 g	0.416 g	50.5 mi.	75,951.7	13.62v	9,018 min	30.28462	-89.39296	905 Waveland Ave, Waveland, MS
8:45:45 PM	On	22 mph	13 mph	13 mph W	-	1.278 g	0.371 g	50.9 mi.	75,952.1	13.47v	9,020 min	30.28301	-89.39708	Shipp St, Waveland, MS
8:47:45 PM	On	16 mph	9 mph	16 mph S	-	0.759 g	0.429 g	51.2 mi.	75,952.4	13.62v	9,022 min	30.28188	-89.39355	Toranto St, Waveland, MS
8:49:45 PM	On	16 mph	8 mph	12 mph E	-	0.963 g	0.486 g	51.5 mi.	75,952.7	13.62v	9,024 min	30.28129	-89.39664	Taranto St, Waveland, MS
8:51:45 PM	On	14 mph	8 mph	1 mph E	-	0.171 g	0.441 g	51.7 mi.	75,952.9	13.47v	9,026 min	30.28034	-89.39531	1109 Duverney Rd, Waveland, MS

8:53:45 PM	On	16 mph	4 mph	0 mph E	-	0.869 g	0.486 g	51.9 mi.	75,953.1	13.50v	9,028 min	30.28123	-89.39401	1103 Taranto St, Waveland, MS
8:55:45 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	51.9 mi.	75,953.1	13.44v	9,030 min	30.28123	-89.39401	1103 Taranto St, Waveland, MS
8:57:45 PM	On	15 mph	7 mph	8 mph NW	30 mph	0.869 g	0.510 g	52.1 mi.	75,953.3	13.65v	9,032 min	30.28249	-89.39105	702 Waveland Ave, Waveland, MS
8:59:45 PM	On	22 mph	17 mph	1 mph NE	-	0.147 g	0.473 g	52.7 mi.	75,953.9	13.62v	9,034 min	30.28893	-89.39631	1045 Carroll St, Waveland, MS
9:01:45 PM	On	14 mph	10 mph	0 mph N	-	1.392 g	0.486 g	53.0 mi.	75,954.2	13.53v	9,036 min	30.29241	-89.39390	825 Rue de Lasalle St, Waveland, MS
9:03:45 PM	On	24 mph	12 mph	24 mph N	30 mph	0.792 g	0.510 g	53.4 mi.	75,954.6	13.62v	9,038 min	30.29570	-89.39762	1834 Waveland Ave, Waveland, MS
9:05:45 PM	On	35 mph	19 mph	32 mph NW	35 mph	0.927 g	0.408 g	54.0 mi.	75,955.2	13.59v	9,040 min	30.30269	-89.40241	2324 Waveland Ave, Waveland, MS
9:07:45 PM	On	34 mph	30 mph	25 mph N	35 mph	0.127 g	0.114 g	55.1 mi.	75,956.3	13.62v	9,042 min	30.31575	-89.40723	10140 Kiln Waveland Cutoff Rd, Bay St Louis, MS
9:09:45 PM	On	51 mph	39 mph	47 mph NW	55 mph	1.167 g	0.408 g	56.3 mi.	75,957.5	13.59v	9,044 min	30.32739	-89.42317	MS-43, Bay St Louis, MS
9:11:45 PM	On	53 mph	51 mph	53 mph N	55 mph	0.057 g	0.045 g	58.0 mi.	75,959.2	13.56v	9,046 min	30.35013	-89.42346	12198 MS-43, Bay St Louis, MS
9:13:45 PM	On	60 mph	43 mph	60 mph NW	55 mph	1.029 g	0.498 g	59.5 mi.	75,960.7	13.68v	9,048 min	30.36954	-89.42873	13440 MS-43, Kiln, MS
9:15:45 PM	On	60 mph	48 mph	43 mph NW	55 mph	0.065 g	0.069 g	61.1 mi.	75,962.3	13.65v	9,050 min	30.38923	-89.44266	15224 MS-43, Kiln, MS
9:17:45 PM	On	50 mph	44 mph	42 mph E	45 mph	0.167 g	0.057 g	62.6 mi.	75,963.8	13.59v	9,052 min	30.40647	-89.44128	16384 MS-43, Kiln, MS
9:19:45 PM	On	44 mph	34 mph	30 mph N	-	0.216 g	0.294 g	63.7 mi.	75,964.9	13.80v	9,054 min	30.40927	-89.42734	Old Joe Moran St, Kiln, MS
9:21:45 PM	On	40 mph	34 mph	36 mph N	-	0.180 g	0.196 g	64.8 mi.	75,966.0	13.41v	9,056 min	30.42292	-89.42132	Old Joe Moran St, Kiln, MS
9:23:45 PM	On	45 mph	36 mph	16 mph E	-	0.147 g	0.159 g	66.0 mi.	75,967.2	13.80v	9,058 min	30.43805	-89.41467	Joe Moran Rd, Kiln, MS
9:25:45 PM	On	13 mph	2 mph	0 mph E	-	0.171 g	0.486 g	66.1 mi.	75,967.3	12.71v	9,060 min	30.43903	-89.41447	18403 Joe Moran Rd, Kiln, MS
9:25:56 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	66.1 mi.	75,967.3	12.68v	9,061 min	30.43903	-89.41447	18403 Joe Moran Rd, Kiln, MS

Tue Mar 2, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:30:25 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	75,967.3	12.71v	9,061 min	30.43903	-89.41447	18403 Joe Moran Rd, Kiln, MS
9:30:25 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	75,967.3	12.65v	9,061 min	30.43903	-89.41447	18403 Joe Moran Rd, Kiln, MS

Wed Mar 3, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:30:23 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	75,967.3	12.62v	9,061 min	30.43903	-89.41447	18403 Joe Moran Rd, Kiln, MS

12:25:59 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	75,967.3	14.53v	9,061 min	30.43903	-89.41447	18403 Joe Moran Rd, Kiln, MS
12:27:58 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,967.3	12.77v	9,063 min	30.43922	-89.41449	18403 Joe Moran Rd, Kiln, MS
12:28:08 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,967.3	12.74v	9,063 min	30.43922	-89.41449	18403 Joe Moran Rd, Kiln, MS
12:36:52 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	75,967.3	14.62v	9,063 min	30.43908	-89.41453	18403 Joe Moran Rd, Kiln, MS
12:38:52 PM	On		12 mph	2 mph	11 mph S	-	1.029 g	0.314 g	0.1 mi.	75,967.4	14.38v	9,065 min	30.43823	-89.41453	Joe Moran Rd, Kiln, MS
12:40:52 PM	On		29 mph	10 mph	0 mph W	-	0.147 g	0.351 g	0.4 mi.	75,967.7	14.59v	9,067 min	30.43931	-89.41065	18511 Joe Moran Rd, Kiln, MS
12:42:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	14.50v	9,069 min	30.43931	-89.41065	18511 Joe Moran Rd, Kiln, MS
12:44:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	14.20v	9,071 min	30.43929	-89.41061	18511 Joe Moran Rd, Kiln, MS
12:45:17 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	14.44v	9,071 min	30.43929	-89.41061	18511 Joe Moran Rd, Kiln, MS
12:46:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	13.83v	9,073 min	30.43929	-89.41061	18511 Joe Moran Rd, Kiln, MS
12:48:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	13.95v	9,075 min	30.43929	-89.41061	18511 Joe Moran Rd, Kiln, MS
12:50:17 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	13.95v	9,075 min	30.43929	-89.41061	18511 Joe Moran Rd, Kiln, MS
12:50:52 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	75,967.7	14.26v	9,077 min	30.43929	-89.41061	18511 Joe Moran Rd, Kiln, MS
12:52:52 PM	On		10 mph	1 mph	0 mph S	-	0.824 g	0.490 g	0.4 mi.	75,967.7	13.80v	9,079 min	30.43946	-89.41064	18511 Joe Moran Rd, Kiln, MS
12:54:52 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.4 mi.	75,967.7	13.80v	9,081 min	30.43946	-89.41064	18511 Joe Moran Rd, Kiln, MS
12:56:52 PM	On		13 mph	3 mph	0 mph SW	-	0.951 g	0.429 g	0.5 mi.	75,967.8	14.04v	9,083 min	30.43832	-89.41044	18511 Joe Moran Rd, Kiln, MS
12:58:52 PM	On		29 mph	5 mph	29 mph N	-	0.918 g	0.461 g	0.7 mi.	75,968.0	13.68v	9,085 min	30.43992	-89.40974	Joe Moran Rd, Kiln, MS
1:00:52 PM	On		46 mph	32 mph	45 mph E	-	0.171 g	0.318 g	1.7 mi.	75,969.0	13.65v	9,087 min	30.44705	-89.39837	Firetower Rd, Kiln, MS
1:02:52 PM	On		53 mph	46 mph	46 mph NE	-	0.127 g	0.180 g	3.3 mi.	75,970.6	13.68v	9,089 min	30.45985	-89.37956	Firetower Rd, Kiln, MS
1:04:52 PM	On		54 mph	42 mph	52 mph E	-	0.767 g	0.388 g	4.7 mi.	75,972.0	13.71v	9,091 min	30.46699	-89.35874	2121 Firetower Rd, Kiln, MS
1:06:52 PM	On		55 mph	40 mph	6 mph N	-	0.355 g	0.261 g	6.0 mi.	75,973.3	13.95v	9,093 min	30.45808	-89.34273	20082 Road 392, Pass Christian, MS
1:08:52 PM	On		2 mph	0 mph	0 mph N	-	0.000 g	0.359 g	6.0 mi.	75,973.3	13.77v	9,095 min	30.45808	-89.34273	20095 Road 392, Pass Christian, MS
1:10:52 PM	On		1 mph	0 mph	0 mph N	-	0.000 g	0.000 g	6.0 mi.	75,973.3	13.77v	9,097 min	30.45808	-89.34273	20095 Road 392, Pass Christian, MS
1:12:52 PM	On		4 mph	1 mph	0 mph NW	-	0.804 g	0.510 g	6.0 mi.	75,973.3	13.71v	9,099 min	30.45847	-89.34275	20081 Road 392, Pass Christian, MS
1:14:52 PM	On		6 mph	1 mph	0 mph S	-	0.690 g	0.453 g	6.1 mi.	75,973.4	13.71v	9,101 min	30.45818	-89.34270	20095 Road 392, Pass Christian, MS

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

3/16/2021

Activity Detail Report - WEX

1:16:52 PM	On	48 mph	21 mph	48 mph S	-	1.302 g	0.600 g	6.7 mi.	75,974.0	13.62v	9,103 min	30.44914	-89.34013	Edwin Ladner Rd, Pass Christian, MS
1:18:52 PM	On	52 mph	48 mph	47 mph SW	-	0.114 g	0.122 g	8.3 mi.	75,975.6	13.62v	9,105 min	30.42823	-89.33463	Edwin Ladner Rd, Pass Christian, MS
1:20:52 PM	On	52 mph	38 mph	39 mph S	30 mph	0.273 g	0.363 g	9.6 mi.	75,976.9	13.65v	9,107 min	30.41265	-89.34331	16788 Kapalama Dr, Pass Christian, MS
1:22:52 PM	On	39 mph	32 mph	25 mph SW	-	0.057 g	0.110 g	10.7 mi.	75,978.0	13.56v	9,109 min	30.40206	-89.35503	97169 Kapalama Dr, Diamondhead, MS
1:24:52 PM	On	30 mph	5 mph	27 mph NE	-	0.971 g	0.473 g	10.8 mi.	75,978.1	13.65v	9,111 min	30.40265	-89.35345	97190 Kapalama Dr, Diamondhead, MS
1:26:52 PM	On	33 mph	27 mph	33 mph SW	30 mph	0.314 g	0.490 g	11.8 mi.	75,979.1	13.62v	9,113 min	30.39232	-89.35808	77109 Golf Club Dr, Diamondhead, MS
1:28:52 PM	On	35 mph	26 mph	35 mph SW	30 mph	0.714 g	0.473 g	12.6 mi.	75,979.9	13.62v	9,115 min	30.38185	-89.36597	5517 Golf Club Dr, Diamondhead, MS
1:30:52 PM	On	37 mph	24 mph	0 mph SW	30 mph	0.237 g	0.416 g	13.4 mi.	75,980.7	13.71v	9,117 min	30.37807	-89.37486	5436 Diamondhead Dr E, Diamondhead, MS
1:32:52 PM	On	0 mph	0 mph	0 mph SW	25 mph	0.000 g	0.000 g	13.4 mi.	75,980.7	13.71v	9,119 min	30.37804	-89.37485	4499 Kalani Dr, Diamondhead, MS
1:34:52 PM	On	25 mph	9 mph	12 mph SW	25 mph	0.882 g	0.282 g	13.8 mi.	75,981.1	13.44v	9,121 min	30.37529	-89.37762	W Aloha Dr, Diamondhead, MS
1:36:52 PM	On	11 mph	1 mph	0 mph SE	35 mph	0.127 g	0.371 g	13.8 mi.	75,981.1	12.89v	9,123 min	30.37500	-89.37767	100 Diamondhead Dr N, Diamondhead, MS
1:37:02 PM	Off	0 mph	0 mph	0 mph SE	35 mph	0.000 g	0.000 g	13.8 mi.	75,981.1	12.89v	9,123 min	30.37500	-89.37767	100 Diamondhead Dr N, Diamondhead, MS
1:40:20 PM	On	0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	13.8 mi.	75,981.1	14.71v	9,123 min	30.37494	-89.37772	102 Diamondhead Dr N, Diamondhead, MS
1:42:20 PM	On	15 mph	3 mph	14 mph S	30 mph	0.963 g	0.461 g	13.9 mi.	75,981.2	13.95v	9,125 min	30.37516	-89.37803	107 Diamondhead Dr N, Diamondhead, MS
1:44:20 PM	On	68 mph	55 mph	64 mph W	70 mph	0.196 g	0.122 g	15.7 mi.	75,983.0	13.59v	9,127 min	30.36427	-89.40442	I-10, Kiln, MS
1:46:20 PM	On	65 mph	46 mph	52 mph S	55 mph	1.143 g	0.339 g	17.2 mi.	75,984.5	13.47v	9,129 min	30.35475	-89.42236	12961 MS-603, Bay St Louis, MS
1:48:20 PM	On	61 mph	57 mph	61 mph SE	55 mph	0.065 g	0.024 g	19.1 mi.	75,986.4	13.62v	9,131 min	30.32890	-89.42433	11199 MS-43, Bay St Louis, MS
1:50:20 PM	On	61 mph	48 mph	37 mph S	35 mph	0.127 g	0.306 g	20.7 mi.	75,988.0	13.62v	9,133 min	30.31309	-89.40696	10025 Kiln Waveland Cutoff Rd, Bay St Louis, MS
1:52:20 PM	On	42 mph	34 mph	22 mph SE	30 mph	0.057 g	0.110 g	21.9 mi.	75,989.2	14.01v	9,135 min	30.30000	-89.39808	2111 Waveland Ave, Waveland, MS
1:54:20 PM	On	48 mph	18 mph	48 mph W	45 mph	0.951 g	0.371 g	22.5 mi.	75,989.8	13.62v	9,137 min	30.29887	-89.40691	US-90, Bay St Louis, MS
1:56:20 PM	On	59 mph	48 mph	24 mph S	-	0.082 g	0.249 g	24.1 mi.	75,991.4	13.59v	9,139 min	30.29815	-89.43241	8159 Hancock Dr, Bay St Louis, MS
1:58:20 PM	On	29 mph	16 mph	2 mph W	-	0.127 g	0.441 g	24.6 mi.	75,991.9	13.68v	9,141 min	30.29531	-89.43859	W Clay St, Bay St Louis, MS
2:00:20 PM	On	12 mph	1 mph	0 mph SW	-	1.233 g	0.486 g	24.6 mi.	75,991.9	13.68v	9,143 min	30.29527	-89.43913	6176 W Clay St, Bay St Louis, MS
2:02:20 PM	On	26 mph	15 mph	24 mph E	-	3.037 g	0.314 g	25.1 mi.	75,992.4	13.56v	9,145 min	30.29663	-89.44095	6261 W Adams St, Bay St Louis, MS
2:04:20 PM	On	39 mph	23 mph	39 mph E	65 mph	1.008 g	0.298 g	25.9 mi.	75,993.2	13.59v	9,147 min	30.29922	-89.43071	6073 US-90, Bay St Louis, MS

2:06:20 PM	On	58 mph	51 mph	45 mph E	45 mph	0.102 g	0.057 g	27.6 mi.	75,994.9	13.56v	9,149 min	30.29881	-89.40238	US-90, Waveland, MS
2:08:20 PM	On	45 mph	21 mph	0 mph N	45 mph	0.906 g	0.441 g	28.3 mi.	75,995.6	12.98v	9,151 min	30.30167	-89.39279	612 US-90, Waveland, MS
2:08:30 PM	Off	0 mph	0 mph	0 mph N	45 mph	0.000 g	0.000 g	28.3 mi.	75,995.6	12.86v	9,151 min	30.30167	-89.39279	612 US-90, Waveland, MS
2:32:48 PM	On	0 mph	0 mph	0 mph N	45 mph	0.000 g	0.000 g	28.3 mi.	75,995.6	14.84v	9,151 min	30.30165	-89.39278	612 US-90, Waveland, MS
2:34:48 PM	On	32 mph	5 mph	0 mph W	45 mph	1.429 g	0.441 g	28.5 mi.	75,995.8	14.04v	9,153 min	30.30030	-89.39530	638 US-90, Waveland, MS
2:36:48 PM	On	37 mph	27 mph	26 mph E	35 mph	0.927 g	0.249 g	29.3 mi.	75,996.6	13.62v	9,155 min	30.30164	-89.38093	Old Spanish Trl, Waveland, MS
2:38:48 PM	On	32 mph	23 mph	32 mph E	35 mph	0.984 g	0.359 g	30.1 mi.	75,997.4	13.59v	9,157 min	30.30226	-89.36780	1320 Old Spanish Trl, Bay St Louis, MS
2:40:48 PM	On	33 mph	29 mph	33 mph E	35 mph	0.273 g	0.294 g	31.1 mi.	75,998.4	13.56v	9,159 min	30.30570	-89.35236	Old Spanish Trl, Bay St Louis, MS
2:42:48 PM	On	32 mph	13 mph	10 mph NE	-	1.473 g	0.441 g	31.5 mi.	75,998.8	13.53v	9,161 min	30.30460	-89.34926	501 Ramaux St, Bay St Louis, MS
2:44:48 PM	On	13 mph	1 mph	0 mph N	-	0.069 g	0.441 g	31.5 mi.	75,998.8	13.59v	9,163 min	30.30506	-89.34894	599 Ramaux St, Bay St Louis, MS
2:46:48 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	31.5 mi.	75,998.8	13.47v	9,165 min	30.30506	-89.34894	599 Ramaux St, Bay St Louis, MS
2:48:48 PM	On	35 mph	22 mph	29 mph NE	-	0.906 g	0.396 g	32.3 mi.	75,999.6	13.53v	9,167 min	30.31000	-89.34352	298 Old Spanish Trl, Bay St Louis, MS
2:50:48 PM	On	34 mph	20 mph	4 mph N	-	0.939 g	0.384 g	32.9 mi.	76,000.2	13.56v	9,169 min	30.31578	-89.33639	427 St George St, Bay St Louis, MS
2:52:48 PM	On	7 mph	0 mph	7 mph W	-	0.780 g	0.518 g	32.9 mi.	76,000.2	13.62v	9,171 min	30.31574	-89.33646	427 St George St, Bay St Louis, MS
2:54:48 PM	On	20 mph	10 mph	2 mph N	-	0.204 g	0.327 g	33.3 mi.	76,000.6	13.44v	9,173 min	30.31649	-89.33505	415 Carroll Ave, Bay St Louis, MS
2:56:48 PM	On	12 mph	2 mph	0 mph NE	-	2.400 g	0.429 g	33.3 mi.	76,000.6	13.56v	9,175 min	30.31685	-89.33591	419 Carroll Ave, Bay St Louis, MS
2:58:48 PM	On	19 mph	5 mph	19 mph W	-	1.041 g	0.416 g	33.5 mi.	76,000.8	13.50v	9,177 min	30.31748	-89.33845	501 Carroll Ave, Bay St Louis, MS
3:00:48 PM	On	38 mph	19 mph	37 mph W	45 mph	1.245 g	0.416 g	34.1 mi.	76,001.4	13.53v	9,179 min	30.31643	-89.34820	US-90, Bay St Louis, MS
3:02:48 PM	On	44 mph	39 mph	42 mph W	45 mph	0.078 g	0.159 g	35.4 mi.	76,002.7	13.47v	9,181 min	30.30958	-89.36824	2040 US-90, Waveland, MS
3:04:48 PM	On	42 mph	27 mph	40 mph W	45 mph	0.927 g	0.314 g	36.3 mi.	76,003.6	13.44v	9,183 min	30.30478	-89.38226	US-90, Waveland, MS
3:06:48 PM	On	41 mph	30 mph	36 mph W	45 mph	1.110 g	0.359 g	37.3 mi.	76,004.6	13.47v	9,185 min	30.29951	-89.39798	1200 US-90, Waveland, MS
3:08:48 PM	On	63 mph	53 mph	62 mph W	65 mph	0.122 g	0.057 g	39.1 mi.	76,006.4	13.56v	9,187 min	30.29941	-89.42746	6008 US-90, Bay St Louis, MS
3:10:48 PM	On	64 mph	52 mph	2 mph SW	35 mph	0.049 g	0.510 g	40.8 mi.	76,008.1	13.50v	9,189 min	30.30024	-89.45620	Lakeshore Rd, Bay St Louis, MS
3:12:48 PM	On	38 mph	10 mph	38 mph S	35 mph	0.971 g	0.396 g	41.1 mi.	76,008.4	13.44v	9,191 min	30.29555	-89.45649	8529 Lakeshore Rd, Bay St Louis, MS
3:14:48 PM	On	49 mph	46 mph	47 mph S	35 mph	0.139 g	0.180 g	42.6 mi.	76,009.9	13.68v	9,193 min	30.27399	-89.45187	7225 Lakeshore Rd, Bay St Louis, MS

Activity Detail Report - WEX

3/16/2021

3:16:48 PM	On	50 mph	39 mph	50 mph SW	35 mph	0.702 g	0.510 g	43.9 mi.	76,011.2	13.44v	9,195 min	30.26020 -89.45777	Pearlington Rd, Bay St Louis, MS
3:18:48 PM	On	50 mph	45 mph	35 mph W	35 mph	0.090 g	0.180 g	45.4 mi.	76,012.7	13.53v	9,197 min	30.24783 -89.47739	9008 Pearlington Rd, Bay St Louis, MS
3:20:48 PM	On	44 mph	30 mph	42 mph E	35 mph	1.053 g	0.331 g	46.4 mi.	76,013.7	13.47v	9,199 min	30.24954 -89.47083	8379 Pearlington Rd, Bay St Louis, MS
3:22:48 PM	On	52 mph	33 mph	52 mph W	35 mph	1.053 g	0.429 g	47.5 mi.	76,014.8	13.47v	9,201 min	30.24934 -89.47152	Pearlington Rd, Bay St Louis, MS
3:24:48 PM	On	53 mph	8 mph	0 mph N	35 mph	0.057 g	0.461 g	47.8 mi.	76,015.1	13.56v	9,203 min	30.24845 -89.47572	8570 Pearlington Rd, Bay St Louis, MS
3:26:48 PM	On	4 mph	0 mph	2 mph W	35 mph	0.837 g	0.461 g	47.8 mi.	76,015.1	13.74v	9,205 min	30.24849 -89.47575	8570 Pearlington Rd, Bay St Louis, MS
3:28:48 PM	On	54 mph	40 mph	54 mph NE	35 mph	1.098 g	0.531 g	49.1 mi.	76,016.4	13.68v	9,207 min	30.25940 -89.45872	7575 Pearlington Rd, Bay St Louis, MS
3:30:48 PM	On	56 mph	45 mph	49 mph E	35 mph	1.098 g	0.453 g	50.6 mi.	76,017.9	13.53v	9,209 min	30.27085 -89.43818	Pearlington Rd, Bay St Louis, MS
3:32:48 PM	On	52 mph	48 mph	48 mph E	35 mph	0.102 g	0.114 g	52.2 mi.	76,019.5	13.41v	9,211 min	30.27436 -89.41281	5515 Pearlington Rd, Bay St Louis, MS
3:34:48 PM	On	56 mph	51 mph	30 mph N	35 mph	0.082 g	0.159 g	53.9 mi.	76,021.2	13.56v	9,213 min	30.29809 -89.41010	5017 Lower Bay Rd, Bay St Louis, MS
3:36:48 PM	On	52 mph	23 mph	6 mph E	45 mph	0.951 g	0.453 g	54.7 mi.	76,022.0	13.38v	9,215 min	30.29950 -89.39781	801 US-90, Waveland, MS
3:38:48 PM	On	43 mph	15 mph	43 mph NW	35 mph	1.224 g	0.416 g	55.2 mi.	76,022.5	13.50v	9,217 min	30.30373 -89.40416	2326 Waveland Ave, Waveland, MS
3:40:48 PM	On	57 mph	37 mph	57 mph NW	55 mph	0.894 g	0.461 g	56.4 mi.	76,023.7	13.56v	9,219 min	30.31903 -89.41053	MS-43, Bay St Louis, MS
3:42:48 PM	On	66 mph	65 mph	61 mph N	55 mph	0.069 g	0.090 g	58.5 mi.	76,025.8	13.56v	9,221 min	30.34360 -89.42656	12064 MS-603, Bay St Louis, MS
3:44:48 PM	On	61 mph	36 mph	35 mph N	55 mph	1.053 g	0.441 g	59.7 mi.	76,027.0	13.53v	9,223 min	30.35998 -89.42391	MS-43, Kiln, MS
3:46:48 PM	On	58 mph	47 mph	39 mph N	55 mph	0.090 g	0.102 g	61.3 mi.	76,028.6	13.56v	9,225 min	30.37917 -89.43746	14046 MS-43, Kiln, MS
3:48:48 PM	On	50 mph	35 mph	45 mph NW	55 mph	0.837 g	0.453 g	62.5 mi.	76,029.8	13.50v	9,227 min	30.39449 -89.44585	15392 MS-603, Kiln, MS
3:50:48 PM	On	50 mph	44 mph	9 mph N	45 mph	0.065 g	0.282 g	63.9 mi.	76,031.2	13.65v	9,229 min	30.40864 -89.43582	16580 MS-43, Kiln, MS
3:52:48 PM	On	10 mph	0 mph	0 mph N	45 mph	0.057 g	0.269 g	64.0 mi.	76,031.3	12.71v	9,231 min	30.40882 -89.43567	16595 MS-43, Kiln, MS
3:52:58 PM	Off	0 mph	0 mph	0 mph N	45 mph	0.000 g	0.000 g	64.0 mi.	76,031.3	12.71v	9,231 min	30.40882 -89.43567	16595 MS-43, Kiln, MS
4:04:09 PM	On	0 mph	0 mph	0 mph N	45 mph	0.000 g	0.000 g	64.0 mi.	76,031.3	14.62v	9,231 min	30.40882 -89.43567	16595 MS-43, Kiln, MS
4:06:08 PM	On	46 mph	12 mph	41 mph E	35 mph	0.906 g	0.416 g	64.4 mi.	76,031.7	13.86v	9,233 min	30.40682 -89.42900	Kiln-Delisle Rd, Kiln, MS
4:08:08 PM	On	41 mph	32 mph	35 mph NE	-	0.184 g	0.237 g	65.5 mi.	76,032.8	14.17v	9,235 min	30.41782 -89.42217	Old Joe Moran St, Kiln, MS
4:10:08 PM	On	45 mph	36 mph	45 mph N	-	0.114 g	0.159 g	66.6 mi.	76,033.9	13.62v	9,237 min	30.43412 -89.41708	Joe Moran Rd, Kiln, MS
4:12:08 PM	On	45 mph	14 mph	0 mph N	-	0.127 g	0.363 g	67.1 mi.	76,034.4	13.59v	9,239 min	30.43913 -89.41456	18403 Joe Moran Rd, Kiln, MS

4:14:08 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	67.1 mi.	76,034.4	12.92v	9,241 min	30.43913	-89.41456	18403 Joe Moran Rd, Kiln, MS
4:14:18 PM	Off	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	67.1 mi.	76,034.4	12.89v	9,241 min	30.43913	-89.41456	18403 Joe Moran Rd, Kiln, MS
4:17:25 PM	On	7 mph	0 mph	7 mph E	-	0.000 g	0.000 g	67.1 mi.	76,034.4	14.41v	9,241 min	30.43918	-89.41462	Joe Moran Rd, Kiln, MS
4:19:24 PM	On	8 mph	0 mph	0 mph E	-	0.000 g	0.429 g	67.1 mi.	76,034.4	12.83v	9,243 min	30.43918	-89.41457	18403 Joe Moran Rd, Kiln, MS
4:19:34 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	67.1 mi.	76,034.4	12.83v	9,244 min	30.43918	-89.41457	18403 Joe Moran Rd, Kiln, MS
4:32:15 PM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	67.1 mi.	76,034.4	14.74v	9,244 min	30.43914	-89.41450	18403 Joe Moran Rd, Kiln, MS
4:34:14 PM	On	5 mph	0 mph	0 mph NE	-	0.678 g	0.461 g	67.1 mi.	76,034.4	12.80v	9,246 min	30.43913	-89.41451	18403 Joe Moran Rd, Kiln, MS
4:34:24 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	67.1 mi.	76,034.4	12.77v	9,246 min	30.43913	-89.41451	18403 Joe Moran Rd, Kiln, MS
4:47:00 PM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	67.1 mi.	76,034.4	14.80v	9,246 min	30.43915	-89.41457	18403 Joe Moran Rd, Kiln, MS
4:48:59 PM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	67.1 mi.	76,034.4	14.29v	9,248 min	30.43915	-89.41457	18403 Joe Moran Rd, Kiln, MS
4:50:59 PM	On	34 mph	12 mph	34 mph S	-	1.224 g	0.339 g	67.5 mi.	76,034.8	13.83v	9,250 min	30.43494	-89.41707	Joe Moran Rd, Kiln, MS
4:52:59 PM	On	39 mph	32 mph	30 mph S	-	0.282 g	0.224 g	68.6 mi.	76,035.9	13.44v	9,252 min	30.42038	-89.42120	Old Joe Moran St, Kiln, MS
4:54:59 PM	On	41 mph	34 mph	9 mph SW	-	0.159 g	0.339 g	69.7 mi.	76,037.0	13.28v	9,254 min	30.40681	-89.42734	16023 Old Joe Moran St, Kiln, MS
4:56:59 PM	On	47 mph	22 mph	47 mph SW	45 mph	1.122 g	0.298 g	70.4 mi.	76,037.7	13.50v	9,256 min	30.40682	-89.43749	16497 MS-43, Kiln, MS
4:58:59 PM	On	53 mph	50 mph	53 mph SE	55 mph	0.306 g	0.237 g	72.1 mi.	76,039.4	13.44v	9,258 min	30.38992	-89.44308	15207 MS-43, Kiln, MS
5:00:59 PM	On	57 mph	49 mph	57 mph SE	55 mph	0.114 g	0.192 g	73.7 mi.	76,041.0	13.56v	9,260 min	30.36978	-89.42919	MS-43, Kiln, MS
5:02:59 PM	On	63 mph	52 mph	63 mph E	70 mph	0.249 g	0.363 g	75.4 mi.	76,042.7	13.59v	9,262 min	30.36211	-89.41070	I-10, Bay St Louis, MS
5:04:59 PM	On	66 mph	63 mph	44 mph E	40 mph	0.045 g	0.204 g	77.5 mi.	76,044.8	13.56v	9,264 min	30.37103	-89.37745	16, Diamondhead, MS
5:06:59 PM	On	41 mph	26 mph	29 mph N	35 mph	0.171 g	0.273 g	78.4 mi.	76,045.7	13.47v	9,266 min	30.37422	-89.37764	Diamondhead Dr N, Diamondhead, MS
5:08:59 PM	On	28 mph	3 mph	0 mph NE	35 mph	0.714 g	0.531 g	78.5 mi.	76,045.8	13.50v	9,268 min	30.37429	-89.37826	105 Diamondhead Dr N, Diamondhead, MS
5:10:59 PM	On	0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	78.5 mi.	76,045.8	13.53v	9,270 min	30.37429	-89.37826	105 Diamondhead Dr N, Diamondhead, MS
5:12:59 PM	On	2 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	78.5 mi.	76,045.8	13.50v	9,272 min	30.37429	-89.37826	105 Diamondhead Dr N, Diamondhead, MS
5:14:59 PM	On	32 mph	12 mph	29 mph N	30 mph	2.514 g	0.396 g	78.9 mi.	76,046.2	13.62v	9,274 min	30.37931	-89.37803	Diamondhead Dr N, Diamondhead, MS
5:16:59 PM	On	29 mph	4 mph	0 mph N	30 mph	0.045 g	0.359 g	79.1 mi.	76,046.4	13.65v	9,276 min	30.38137	-89.37869	5386 Diamondhead Cir, Diamondhead, MS
5:18:59 PM	On	0 mph	0 mph	0 mph N	30 mph	0.000 g	0.000 g	79.1 mi.	76,046.4	13.62v	9,278 min	30.38137	-89.37869	5386 Diamondhead Cir, Diamondhead, MS

Activity Detail Report - WEX

5:20:59 PM	On	29 mph	10 mph	27 mph SW	-	0.906 g	0.343 g	79.4 mi.	76,046.7	13.62v	9,280 min	30.38095	-89.38344	5322 Noma Dr, Diamondhead, MS
5:22:59 PM	On	30 mph	11 mph	13 mph SW	-	0.927 g	0.396 g	79.7 mi.	76,047.0	13.62v	9,282 min	30.37842	-89.38522	Oaks Blvd, Diamondhead, MS
5:24:59 PM	On	15 mph	10 mph	11 mph SW	-	0.351 g	0.363 g	80.1 mi.	76,047.4	13.38v	9,284 min	30.37668	-89.38411	3 Live Oak Ct, Diamondhead, MS
5:26:59 PM	On	15 mph	10 mph	9 mph W	-	0.478 g	0.453 g	80.4 mi.	76,047.7	13.65v	9,286 min	30.37893	-89.38277	2 Possum Way, Diamondhead, MS
5:28:59 PM	On	13 mph	9 mph	12 mph SW	-	1.837 g	0.453 g	80.7 mi.	76,048.0	13.65v	9,288 min	30.38053	-89.38291	4 Whispering Branch Way, Diamondhead, MS
5:30:59 PM	On	23 mph	12 mph	23 mph SW	-	1.020 g	0.376 g	81.1 mi.	76,048.4	13.65v	9,290 min	30.37850	-89.38648	5258 Noma Dr, Diamondhead, MS
5:32:59 PM	On	23 mph	14 mph	9 mph S	-	0.351 g	0.229 g	81.6 mi.	76,048.9	13.62v	9,292 min	30.37536	-89.38731	4224 Noma Pl, Diamondhead, MS
5:34:59 PM	On	19 mph	13 mph	9 mph NE	-	0.894 g	0.384 g	82.0 mi.	76,049.3	13.65v	9,294 min	30.37094	-89.39115	42003 Noma Dr, Diamondhead, MS
5:36:59 PM	On	24 mph	19 mph	22 mph N	-	0.249 g	0.184 g	82.6 mi.	76,049.9	13.62v	9,296 min	30.37794	-89.38662	5239 Noma Dr, Diamondhead, MS
5:38:59 PM	On	22 mph	19 mph	21 mph NW	30 mph	0.269 g	0.327 g	83.3 mi.	76,050.6	13.62v	9,298 min	30.38171	-89.37873	5383 Diamondhead Cir, Diamondhead, MS
5:40:59 PM	On	21 mph	11 mph	9 mph NW	30 mph	3.388 g	0.351 g	83.6 mi.	76,050.9	13.65v	9,300 min	30.38603	-89.38142	63743 Diamondhead Dr N, Diamondhead, MS
5:42:59 PM	On	15 mph	12 mph	11 mph E	-	0.229 g	0.229 g	84.0 mi.	76,051.3	13.65v	9,302 min	30.38537	-89.38419	6324 Bambo St, Diamondhead, MS
5:44:59 PM	On	16 mph	11 mph	11 mph E	-	1.437 g	0.429 g	84.4 mi.	76,051.7	13.65v	9,304 min	30.38449	-89.38440	636 Banyan Pl, Diamondhead, MS
5:46:59 PM	On	16 mph	13 mph	4 mph W	-	0.216 g	0.510 g	84.8 mi.	76,052.1	13.56v	9,306 min	30.38813	-89.38605	99 Devils Elbow, Diamondhead, MS
5:48:59 PM	On	11 mph	7 mph	8 mph NE	30 mph	0.714 g	0.237 g	85.0 mi.	76,052.3	13.65v	9,308 min	30.38954	-89.38680	Diamondhead Dr N, Diamondhead, MS
5:50:59 PM	On	12 mph	7 mph	2 mph NE	-	0.657 g	0.510 g	85.2 mi.	76,052.5	13.01v	9,310 min	30.38712	-89.38718	36 Devils Elbow, Diamondhead, MS
5:52:59 PM	On	16 mph	10 mph	11 mph NW	-	0.657 g	0.518 g	85.6 mi.	76,052.9	13.65v	9,312 min	30.39131	-89.38607	722 Akikai Dr, Diamondhead, MS
5:54:59 PM	On	14 mph	10 mph	13 mph SE	30 mph	2.245 g	0.396 g	85.9 mi.	76,053.2	13.62v	9,314 min	30.39196	-89.38313	73665 Diamondhead Dr N, Diamondhead, MS
5:56:59 PM	On	15 mph	11 mph	11 mph E	30 mph	1.800 g	0.498 g	86.3 mi.	76,053.6	13.62v	9,316 min	30.39110	-89.37777	74617 Diamondhead Dr N, Diamondhead, MS
5:58:59 PM	On	16 mph	13 mph	12 mph E	30 mph	0.155 g	0.192 g	86.7 mi.	76,054.0	13.65v	9,318 min	30.39461	-89.37243	85569 Diamondhead Dr W, Diamondhead, MS
6:00:59 PM	On	17 mph	15 mph	17 mph NE	30 mph	0.122 g	0.147 g	87.2 mi.	76,054.5	13.50v	9,320 min	30.39959	-89.36677	95505 Diamondhead Dr W, Diamondhead, MS
6:02:59 PM	On	19 mph	15 mph	17 mph SE	30 mph	1.347 g	0.473 g	87.7 mi.	76,055.0	13.65v	9,322 min	30.39919	-89.35938	Diamondhead Dr W, Diamondhead, MS
6:04:59 PM	On	17 mph	11 mph	9 mph S	30 mph	2.131 g	0.416 g	88.0 mi.	76,055.3	13.44v	9,324 min	30.39578	-89.35462	Diamondhead, MS
6:06:59 PM	On	9 mph	5 mph	8 mph NE	30 mph	0.882 g	0.453 g	88.2 mi.	76,055.5	13.65v	9,326 min	30.39544	-89.35545	Golf Club Dr, Diamondhead, MS
6:08:59 PM	On	17 mph	4 mph	0 mph SE	-	0.180 g	0.543 g	88.3 mi.	76,055.6	13.56v	9,328 min	30.39524	-89.35331	88402 Diamondhead Dr E, Diamondhead, MS

9 PM	On	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	88.3 mi.	76,055.6	13.62v	9,330 min	30.39527	-89.35324	88402 Diamondhead Dr E, Diamondhead, MS
6:12:59 PM	On	15 mph	5 mph	14 mph SW	-	1.947 g	0.122 g	88.5 mi.	76,055.8	13.65v	9,332 min	30.39381	-89.35474	8714 Manini Way, Diamondhead, MS
6:14:59 PM	On	18 mph	11 mph	12 mph NW	-	0.180 g	0.171 g	88.9 mi.	76,056.2	13.65v	9,334 min	30.39174	-89.35606	778 Malie Pl, Diamondhead, MS
6:16:59 PM	On	16 mph	9 mph	10 mph SW	-	0.824 g	0.518 g	89.2 mi.	76,056.5	13.65v	9,336 min	30.39271	-89.35457	8712 Mamalu Pl, Diamondhead, MS
6:18:59 PM	On	14 mph	10 mph	9 mph NW	-	1.845 g	0.371 g	89.5 mi.	76,056.8	13.62v	9,338 min	30.39382	-89.35302	882 Malino Pl, Diamondhead, MS
6:20:59 PM	On	16 mph	10 mph	9 mph S	-	0.690 g	0.461 g	89.8 mi.	76,057.1	13.65v	9,340 min	30.39341	-89.35129	Alawai Ave, Diamondhead, MS
6:22:59 PM	On	16 mph	12 mph	10 mph S	-	0.159 g	0.184 g	90.2 mi.	76,057.5	13.65v	9,342 min	30.39138	-89.35084	7830 Alawai Ave, Diamondhead, MS
6:24:59 PM	On	13 mph	10 mph	12 mph NE	-	1.290 g	0.371 g	90.5 mi.	76,057.8	13.68v	9,344 min	30.39030	-89.35406	774 Puna Pl, Diamondhead, MS
6:26:59 PM	On	14 mph	11 mph	10 mph NE	-	0.882 g	0.408 g	90.9 mi.	76,058.2	13.68v	9,346 min	30.38822	-89.35325	788 Puna Ct, Diamondhead, MS
6:28:59 PM	On	15 mph	11 mph	10 mph SE	-	0.759 g	0.510 g	91.3 mi.	76,058.6	13.59v	9,348 min	30.38830	-89.35480	7728 Laie Pl, Diamondhead, MS
6:30:59 PM	On	18 mph	12 mph	12 mph SE	-	1.473 g	0.429 g	91.7 mi.	76,059.0	13.65v	9,350 min	30.38854	-89.35233	78112 Hilo Way, Diamondhead, MS
6:32:59 PM	On	14 mph	11 mph	13 mph SE	-	0.122 g	0.159 g	92.0 mi.	76,059.3	13.59v	9,352 min	30.38770	-89.35100	78126 Hilo Way, Diamondhead, MS
6:34:59 PM	On	15 mph	11 mph	9 mph N	-	0.722 g	0.441 g	92.4 mi.	76,059.7	13.62v	9,354 min	30.39028	-89.34849	Maui St, Diamondhead, MS
6:36:59 PM	On	14 mph	9 mph	12 mph W	-	1.506 g	0.453 g	92.7 mi.	76,060.0	13.65v	9,356 min	30.39130	-89.34902	7834 Maui Pl, Diamondhead, MS
6:38:59 PM	On	13 mph	10 mph	9 mph NE	-	0.971 g	0.416 g	93.0 mi.	76,060.3	13.65v	9,358 min	30.39052	-89.34654	792 Ewa St, Diamondhead, MS
6:40:59 PM	On	16 mph	12 mph	12 mph SE	-	0.171 g	0.204 g	93.4 mi.	76,060.7	13.62v	9,360 min	30.39023	-89.34639	7947 Hilo Way, Diamondhead, MS
6:42:59 PM	On	14 mph	10 mph	12 mph S	-	0.204 g	0.286 g	93.8 mi.	76,061.1	13.59v	9,362 min	30.38834	-89.34578	7933 Hilo Way, Diamondhead, MS
6:44:59 PM	On	12 mph	10 mph	10 mph NE	-	0.139 g	0.159 g	94.1 mi.	76,061.4	13.59v	9,364 min	30.38827	-89.34685	794 Koko Pl, Diamondhead, MS
6:46:59 PM	On	12 mph	9 mph	11 mph W	-	0.147 g	0.159 g	94.4 mi.	76,061.7	13.65v	9,366 min	30.38679	-89.34792	6817 Hllo Way, Diamondhead, MS
6:48:59 PM	On	12 mph	9 mph	11 mph E	-	0.633 g	0.429 g	94.7 mi.	76,062.0	13.62v	9,368 min	30.38650	-89.34932	8 Pelican Cv, Diamondhead, MS
6:50:59 PM	On	17 mph	12 mph	7 mph W	-	0.722 g	0.306 g	95.1 mi.	76,062.4	13.65v	9,370 min	30.38495	-89.35297	6821 Hilo St, Diamondhead, MS
6:52:59 PM	On	15 mph	11 mph	14 mph NW	-	0.894 g	0.371 g	95.5 mi.	76,062.8	13.62v	9,372 min	30.38674	-89.35326	682 Oahu Ct, Diamondhead, MS
6:54:59 PM	On	16 mph	10 mph	5 mph S	-	2.400 g	0.429 g	95.8 mi.	76,063.1	13.62v	9,374 min	30.38357	-89.35397	6807 Hilo St, Diamondhead, MS
6:56:59 PM	On	19 mph	13 mph	14 mph NE	-	2.298 g	0.216 g	96.2 mi.	76,063.5	13.65v	9,376 min	30.38372	-89.35169	6870 Awini Ct, Diamondhead, MS
6:58:59 PM	On	14 mph	10 mph	13 mph SE	-	0.804 g	0.429 g	96.6 mi.	76,063.9	13.35v	9,378 min	30.38330	-89.35130	6870 Awini St, Diamondhead, MS

Activity Detail Report - WEX

7:00:59 PM	On	16 mph	9 mph	9 mph NE	-	0.849 g	0.396 g	96.8 mi.	76,064.1	13.62v	9,380 min	30.38285	-89.34975	6830 Aupuni Pl, Diamondhead, MS
7:02:59 PM	On	15 mph	10 mph	13 mph W	-	0.690 g	0.531 g	97.2 mi.	76,064.5	13.65v	9,382 min	30.38284	-89.34725	Apona St, Diamondhead, MS
7:04:59 PM	On	16 mph	11 mph	14 mph NE	-	0.759 g	0.429 g	97.6 mi.	76,064.9	13.59v	9,384 min	30.38458	-89.34719	68232 Diamondhead Dr E, Diamondhead, MS
7:06:59 PM	On	15 mph	10 mph	9 mph NE	-	0.159 g	0.139 g	97.9 mi.	76,065.2	13.65v	9,386 min	30.38465	-89.34587	6914 Aulena Ct, Diamondhead, MS
7:08:59 PM	On	12 mph	10 mph	12 mph S	-	1.041 g	0.359 g	98.2 mi.	76,065.5	13.50v	9,388 min	30.38542	-89.34551	6938 Aulena Pl, Diamondhead, MS
7:10:59 PM	On	18 mph	10 mph	4 mph SW	-	1.020 g	0.473 g	98.6 mi.	76,065.9	13.65v	9,390 min	30.38414	-89.34320	692 Apuwai Pl, Diamondhead, MS
7:12:59 PM	On	16 mph	12 mph	5 mph N	-	0.261 g	0.204 g	99.0 mi.	76,066.3	13.62v	9,392 min	30.38477	-89.34337	6960 Apuwai Pl, Diamondhead, MS
7:14:59 PM	On	20 mph	13 mph	13 mph NE	-	0.171 g	0.237 g	99.4 mi.	76,066.7	13.65v	9,394 min	30.38779	-89.34312	7910 Apaki Pl, Diamondhead, MS
7:16:59 PM	On	17 mph	11 mph	17 mph N	-	0.229 g	0.261 g	99.8 mi.	76,067.1	13.62v	9,396 min	30.38793	-89.34202	79296 Diamondhead Dr E, Diamondhead, MS
7:18:59 PM	On	20 mph	14 mph	12 mph N	-	0.331 g	0.331 g	100.2 mi.	76,067.5	13.65v	9,398 min	30.38883	-89.34455	7902 Ewa Ct, Diamondhead, MS
7:20:59 PM	On	22 mph	15 mph	19 mph W	-	0.690 g	0.771 g	100.7 mi.	76,068.0	13.62v	9,400 min	30.39044	-89.34897	7876 Hilo Way, Diamondhead, MS
7:22:59 PM	On	19 mph	13 mph	15 mph SW	-	0.204 g	0.229 g	101.2 mi.	76,068.5	13.65v	9,402 min	30.38919	-89.34924	7832 Maui Cir, Diamondhead, MS
7:24:59 PM	On	27 mph	15 mph	9 mph SW	-	0.184 g	0.318 g	101.6 mi.	76,068.9	13.65v	9,404 min	30.38490	-89.35301	6821 Hilo St, Diamondhead, MS
7:26:59 PM	On	29 mph	14 mph	12 mph W	-	0.171 g	0.286 g	102.1 mi.	76,069.4	13.62v	9,406 min	30.38047	-89.35591	5716 Alkii Way, Diamondhead, MS
7:28:59 PM	On	15 mph	11 mph	10 mph NW	-	0.224 g	0.261 g	102.5 mi.	76,069.8	13.62v	9,408 min	30.38080	-89.35791	5189 Anoai Pl, Diamondhead, MS
7:30:59 PM	On	20 mph	14 mph	17 mph W	-	0.286 g	0.229 g	103.0 mi.	76,070.3	13.53v	9,410 min	30.38324	-89.36058	6612 Ahihi St, Diamondhead, MS
7:32:59 PM	On	19 mph	12 mph	17 mph N	-	0.212 g	0.216 g	103.4 mi.	76,070.7	13.65v	9,412 min	30.38415	-89.36071	6640 Ahekolo Cir, Diamondhead, MS
7:34:59 PM	On	17 mph	13 mph	15 mph W	-	0.298 g	0.249 g	103.8 mi.	76,071.1	13.65v	9,414 min	30.38539	-89.36185	6658 Ahekolo Cir, Diamondhead, MS
7:36:59 PM	On	21 mph	14 mph	13 mph NE	-	0.204 g	0.261 g	104.3 mi.	76,071.6	13.62v	9,416 min	30.38398	-89.36376	6646 Alii Pl, Diamondhead, MS
7:38:59 PM	On	19 mph	13 mph	11 mph NE	-	0.249 g	0.237 g	104.7 mi.	76,072.0	13.62v	9,418 min	30.38028	-89.36330	5630 Ahuawa Pl, Diamondhead, MS
7:40:59 PM	On	18 mph	12 mph	11 mph SW	-	0.216 g	0.237 g	105.1 mi.	76,072.4	13.68v	9,420 min	30.38101	-89.36210	566 Ahuli Pl, Diamondhead, MS
7:42:59 PM	On	15 mph	9 mph	11 mph NE	-	1.098 g	0.453 g	105.4 mi.	76,072.7	13.65v	9,422 min	30.38232	-89.36166	6628 Ahekolo Cir, Diamondhead, MS
7:44:59 PM	On	24 mph	18 mph	21 mph W	-	0.147 g	0.196 g	106.0 mi.	76,073.3	13.59v	9,424 min	30.37827	-89.36309	56113 Diamondhead Dr E, Diamondhead, MS
7:46:59 PM	On	20 mph	12 mph	13 mph W	-	1.335 g	0.269 g	106.4 mi.	76,073.7	13.65v	9,426 min	30.37695	-89.36784	5511 Aila St, Diamondhead, MS
7:48:59 PM	On	19 mph	13 mph	19 mph NW	-	0.171 g	0.237 g	106.8 mi.	76,074.1	13.62v	9,428 min	30.37888	-89.36475	56103 Diamondhead Dr E, Diamondhead, MS

Activity Detail Report - WEX

3/16/2021														
7:50:59 PM	On		31 mph	22 mph	23 mph S	25 mph	0.249 g	0.224 g	107.6 mi.	76,074.9	13.62v	9,430 min	30.37685	-89.37531	4435 Kalani Dr, Diamondhead, MS
7:52:59 PM	On		25 mph	10 mph	0 mph E	35 mph	0.576 g	0.461 g	107.9 mi.	76,075.2	13.53v	9,432 min	30.37427	-89.37833	105 Diamondhead Dr N, Diamondhead, MS
7:54:59 PM	On		4 mph	0 mph	0 mph NE	35 mph	0.645 g	0.461 g	107.9 mi.	76,075.2	13.53v	9,434 min	30.37430	-89.37827	105 Diamondhead Dr N, Diamondhead, MS
7:56:59 PM	On		0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	107.9 mi.	76,075.2	13.53v	9,436 min	30.37430	-89.37827	105 Diamondhead Dr N, Diamondhead, MS
7:58:59 PM	On		2 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	107.9 mi.	76,075.2	13.50v	9,438 min	30.37430	-89.37827	105 Diamondhead Dr N, Diamondhead, MS
7:59:22 PM		Idling - OBD	0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	107.9 mi.	76,075.2	13.50v	9,438 min	30.37430	-89.37827	105 Diamondhead Dr N, Diamondhead, MS
8:00:59 PM	On		13 mph	4 mph	2 mph E	-	0.894 g	0.510 g	108.0 mi.	76,075.3	13.62v	9,440 min	30.37532	-89.37828	105 Gex Rd, Diamondhead, MS
8:02:59 PM	On		23 mph	14 mph	9 mph S	-	0.747 g	0.473 g	108.5 mi.	76,075.8	13.62v	9,442 min	30.37932	-89.37425	5427 Kaiki Dr, Diamondhead, MS
8:04:59 PM	On		26 mph	15 mph	26 mph W	30 mph	0.171 g	0.184 g	109.0 mi.	76,076.3	13.65v	9,444 min	30.37771	-89.37364	5443 Diamondhead Dr E, Diamondhead, MS
8:06:59 PM	On		25 mph	10 mph	11 mph NW	-	0.767 g	0.453 g	109.3 mi.	76,076.6	13.65v	9,446 min	30.38031	-89.37481	5432 Kaiki Dr, Diamondhead, MS
8:08:59 PM	On		20 mph	12 mph	11 mph NW	-	0.147 g	0.241 g	109.7 mi.	76,077.0	13.50v	9,448 min	30.38410	-89.37710	648 Apelehama Ct, Diamondhead, MS
8:10:59 PM	On		19 mph	12 mph	14 mph NW	-	0.180 g	0.192 g	110.1 mi.	76,077.4	13.65v	9,450 min	30.38378	-89.37887	6418 Apelehama Rd, Diamondhead, MS
8:12:59 PM	On		20 mph	14 mph	10 mph W	-	0.139 g	0.127 g	110.6 mi.	76,077.9	13.65v	9,452 min	30.38480	-89.37612	6424 Apelehama Cir, Diamondhead, MS
8:14:59 PM	On		16 mph	9 mph	9 mph S	-	1.633 g	0.531 g	110.9 mi.	76,078.2	13.65v	9,454 min	30.38420	-89.37365	6432 Iona St, Diamondhead, MS
8:16:59 PM	On		17 mph	8 mph	14 mph N	-	1.992 g	0.531 g	111.2 mi.	76,078.5	13.65v	9,456 min	30.38646	-89.37379	647 Iona St, Diamondhead, MS
8:18:59 PM	On		16 mph	10 mph	6 mph E	-	0.159 g	0.237 g	111.5 mi.	76,078.8	13.62v	9,458 min	30.38696	-89.37609	6420 Oliwa Pl, Diamondhead, MS
8:20:59 PM	On		16 mph	12 mph	14 mph NW	-	0.171 g	0.180 g	111.9 mi.	76,079.2	13.65v	9,460 min	30.38722	-89.37797	6413 Kome Dr, Diamondhead, MS
8:22:59 PM	On		16 mph	10 mph	11 mph SE	-	0.147 g	0.261 g	112.2 mi.	76,079.5	13.65v	9,462 min	30.38902	-89.37811	725 Leke Pl, Diamondhead, MS
8:24:59 PM	On		16 mph	13 mph	11 mph E	-	0.159 g	0.204 g	112.7 mi.	76,080.0	13.50v	9,464 min	30.38779	-89.37194	7550 Mahalohui Dr, Diamondhead, MS
8:26:59 PM	On		19 mph	12 mph	13 mph N	-	0.343 g	0.167 g	113.0 mi.	76,080.3	13.62v	9,466 min	30.38330	-89.37181	6531 Koula Dr, Diamondhead, MS
8:28:59 PM	On		17 mph	11 mph	17 mph N	-	1.098 g	0.441 g	113.4 mi.	76,080.7	13.65v	9,468 min	30.38521	-89.37182	6511 Koula Dr, Diamondhead, MS
8:30:59 PM	On		17 mph	11 mph	11 mph E	-	0.747 g	0.396 g	113.8 mi.	76,081.1	13.65v	9,470 min	30.38541	-89.37007	6557 Alakoko Dr, Diamondhead, MS
8:32:59 PM	On		16 mph	11 mph	14 mph SW	-	0.216 g	0.237 g	114.2 mi.	76,081.5	13.50v	9,472 min	30.38438	-89.36712	Iolani Ct, Diamondhead, MS
8:34:59 PM	On		20 mph	12 mph	19 mph SW	-	0.306 g	0.273 g	114.6 mi.	76,081.9	13.50v	9,474 min	30.38151	-89.36871	555 Alakoko Dr, Diamondhead, MS
8:36:59 PM	On		19 mph	11 mph	7 mph SE	-	1.633 g	0.486 g	114.9 mi.	76,082.2	13.68v	9,476 min	30.37998	-89.37067	550 Hanauma Pl, Diamondhead, MS

8:59 PM	On	11 mph	4 mph	2 mph N	-	0.735 g	0.453 g	115.0 mi.	76,082.3	13.59v	9,478 min	30.37965	-89.37139	5500 Hanauma St, Diamondhead, MS
8:40:59 PM	On	17 mph	10 mph	17 mph N	-	0.824 g	0.241 g	115.4 mi.	76,082.7	13.62v	9,480 min	30.38213	-89.37048	6545 Mauna Loa Dr, Diamondhead, MS
8:42:59 PM	On	17 mph	11 mph	6 mph E	-	0.171 g	0.216 g	115.8 mi.	76,083.1	13.65v	9,482 min	30.38317	-89.36802	6510 Mauna Loa Ct, Diamondhead, MS
8:44:59 PM	On	16 mph	10 mph	11 mph E	-	1.506 g	0.371 g	116.1 mi.	76,083.4	13.62v	9,484 min	30.38587	-89.36541	660 Hale Ct, Diamondhead, MS
8:46:59 PM	On	25 mph	14 mph	13 mph W	-	0.849 g	0.416 g	116.6 mi.	76,083.9	13.68v	9,486 min	30.38798	-89.36313	7600 Fairway Dr, Diamondhead, MS
8:48:59 PM	On	18 mph	12 mph	8 mph E	-	0.767 g	0.384 g	117.0 mi.	76,084.3	13.65v	9,488 min	30.38793	-89.36951	7635 Fairway Dr, Diamondhead, MS
8:50:59 PM	On	16 mph	10 mph	0 mph NE	-	0.735 g	0.384 g	117.3 mi.	76,084.6	13.44v	9,490 min	30.38810	-89.36573	7614 Fairway Dr, Diamondhead, MS
8:52:59 PM	On	22 mph	8 mph	22 mph NE	30 mph	0.816 g	0.216 g	117.6 mi.	76,084.9	13.65v	9,492 min	30.38841	-89.36240	6674 Golf Club Dr, Diamondhead, MS
8:54:59 PM	On	24 mph	13 mph	7 mph NE	-	0.184 g	0.224 g	118.0 mi.	76,085.3	13.53v	9,494 min	30.39014	-89.36334	752 Oakmont Way, Diamondhead, MS
8:56:59 PM	On	18 mph	9 mph	12 mph W	-	1.939 g	0.429 g	118.3 mi.	76,085.6	13.59v	9,496 min	30.39176	-89.36551	752 Crooked Stick Dr, Diamondhead, MS
8:58:59 PM	On	16 mph	10 mph	11 mph NW	-	0.759 g	0.408 g	118.6 mi.	76,085.9	13.68v	9,498 min	30.39170	-89.36891	7520 Crooked Stick Dr, Diamondhead, MS
9:00:59 PM	On	16 mph	11 mph	12 mph NE	-	0.461 g	0.384 g	119.0 mi.	76,086.3	13.65v	9,500 min	30.39245	-89.37103	754 Augusta Way, Diamondhead, MS
9:02:59 PM	On	16 mph	10 mph	6 mph SE	-	0.286 g	0.249 g	119.3 mi.	76,086.6	13.62v	9,502 min	30.39186	-89.36993	Crooked Stick Dr, Diamondhead, MS
9:04:59 PM	On	21 mph	15 mph	19 mph SW	-	0.216 g	0.363 g	119.8 mi.	76,087.1	13.65v	9,504 min	30.38989	-89.36613	756 Turnberry Dr, Diamondhead, MS
9:06:59 PM	On	21 mph	15 mph	8 mph W	-	0.204 g	0.216 g	120.3 mi.	76,087.6	13.50v	9,506 min	30.38956	-89.37415	Turnberry Dr, Diamondhead, MS
9:08:59 PM	On	17 mph	11 mph	6 mph S	-	0.253 g	0.286 g	120.7 mi.	76,088.0	13.62v	9,508 min	30.38966	-89.37434	7434 Turnberry Way, Diamondhead, MS
9:10:59 PM	On	17 mph	12 mph	11 mph NW	-	0.792 g	0.522 g	121.1 mi.	76,088.4	13.65v	9,510 min	30.39140	-89.37954	Analii St, Diamondhead, MS
9:12:59 PM	On	19 mph	13 mph	14 mph E	-	0.282 g	0.376 g	121.5 mi.	76,088.8	13.65v	9,512 min	30.39683	-89.37953	83153 Lola Dr, Diamondhead, MS
9:14:59 PM	On	14 mph	11 mph	5 mph S	-	0.102 g	0.139 g	121.8 mi.	76,089.1	13.65v	9,514 min	30.39417	-89.37624	848 Amoka Pl, Diamondhead, MS
9:16:59 PM	On	17 mph	11 mph	9 mph E	-	0.127 g	0.229 g	122.2 mi.	76,089.5	13.62v	9,516 min	30.39513	-89.37952	832 Amoka Ct, Diamondhead, MS
9:18:59 PM	On	15 mph	9 mph	12 mph S	-	0.192 g	0.204 g	122.5 mi.	76,089.8	13.59v	9,518 min	30.39396	-89.38001	8331 Amoka Dr, Diamondhead, MS
9:20:59 PM	On	14 mph	8 mph	0 mph E	-	0.127 g	0.473 g	122.8 mi.	76,090.1	13.62v	9,520 min	30.39273	-89.37853	749 Kaleki Way, Diamondhead, MS
9:22:59 PM	On	16 mph	4 mph	14 mph N	-	0.963 g	0.102 g	122.9 mi.	76,090.2	13.62v	9,522 min	30.39457	-89.37817	8434 Kaleki Way, Diamondhead, MS
9:24:59 PM	On	17 mph	12 mph	17 mph W	-	0.229 g	0.237 g	123.3 mi.	76,090.6	13.62v	9,524 min	30.39197	-89.37820	7444 Ieke Dr, Diamondhead, MS
9:26:59 PM	On	18 mph	13 mph	6 mph W	-	0.416 g	0.273 g	123.8 mi.	76,091.1	13.65v	9,526 min	30.39522	-89.38141	83190 Lola Dr, Diamondhead, MS

9:28:59 PM	On	18 mph	13 mph	7 mph NW	-	0.804 g	0.371 g	124.2 mi.	76,091.5	13.50v	9,528 min	30.39742	-89.38714	8240 Maunalani Pl, Diamondhead, MS
9:30:59 PM	On	16 mph	12 mph	11 mph NW	-	0.269 g	0.237 g	124.6 mi.	76,091.9	13.65v	9,530 min	30.39645	-89.38169	Kui Pl, Diamondhead, MS
9:32:59 PM	On	16 mph	11 mph	7 mph SW	-	0.216 g	0.286 g	125.0 mi.	76,092.3	13.62v	9,532 min	30.39948	-89.37949	Mohonua Pl, Diamondhead, MS
9:34:59 PM	On	15 mph	12 mph	15 mph E	-	0.192 g	0.192 g	125.3 mi.	76,092.6	13.65v	9,534 min	30.39841	-89.37843	8429 Makiki Dr, Diamondhead, MS
9:36:59 PM	On	19 mph	10 mph	13 mph S	-	1.008 g	0.453 g	125.7 mi.	76,093.0	13.62v	9,536 min	30.39801	-89.37543	84100 OP la Way, Diamondhead, MS
9:38:59 PM	On	15 mph	10 mph	11 mph E	-	0.314 g	0.216 g	126.0 mi.	76,093.3	13.65v	9,538 min	30.39867	-89.37703	8415 Makiki Dr, Diamondhead, MS
9:40:59 PM	On	19 mph	14 mph	14 mph SE	-	0.816 g	0.486 g	126.5 mi.	76,093.8	13.62v	9,540 min	30.39543	-89.37319	84107 Bayou Dr, Diamondhead, MS
9:42:59 PM	On	24 mph	18 mph	24 mph NE	30 mph	0.184 g	0.204 g	127.1 mi.	76,094.4	13.62v	9,542 min	30.40000	-89.36632	Diamondhead Dr W, Diamondhead, MS
9:44:59 PM	On	27 mph	20 mph	27 mph E	-	0.216 g	0.408 g	127.7 mi.	76,095.0	13.62v	9,544 min	30.40187	-89.35673	Kapalama Dr, Diamondhead, MS
9:46:59 PM	On	29 mph	24 mph	23 mph NE	30 mph	0.102 g	0.090 g	128.5 mi.	76,095.8	13.65v	9,546 min	30.40765	-89.34539	Kapalama Dr, Pass Christian, MS
9:48:59 PM	On	30 mph	24 mph	9 mph NW	45 mph	0.837 g	0.429 g	129.3 mi.	76,096.6	13.65v	9,548 min	30.41872	-89.34167	Kiln-Delisle Rd, Pass Christian, MS
9:50:59 PM	On	48 mph	40 mph	45 mph W	45 mph	0.318 g	0.204 g	130.7 mi.	76,098.0	13.62v	9,550 min	30.42453	-89.36231	1854 Kiln-Delisle Rd, Kiln, MS
9:52:59 PM	On	47 mph	32 mph	30 mph NW	-	0.261 g	0.298 g	131.7 mi.	76,099.0	13.62v	9,552 min	30.43404	-89.36961	Fenton Dedeaux Rd, Kiln, MS
9:54:59 PM	On	41 mph	35 mph	34 mph N	-	0.453 g	0.286 g	132.9 mi.	76,100.2	13.62v	9,554 min	30.45094	-89.37169	Fenton Dedeaux Rd, Kiln, MS
9:56:59 PM	On	47 mph	35 mph	44 mph SW	-	0.306 g	0.241 g	134.0 mi.	76,101.3	13.59v	9,556 min	30.46149	-89.37824	Firetower Rd, Kiln, MS
9:58:59 PM	On	65 mph	51 mph	50 mph W	-	0.237 g	0.147 g	135.7 mi.	76,103.0	13.59v	9,558 min	30.44701	-89.39878	Firetower Rd, Kiln, MS
10:00:59 PM	On	50 mph	30 mph	30 mph S	-	0.461 g	0.661 g	136.7 mi.	76,104.0	13.62v	9,560 min	30.44046	-89.40970	Joe Moran Rd, Kiln, MS
10:02:59 PM	On	33 mph	15 mph	0 mph E	-	0.445 g	0.363 g	137.2 mi.	76,104.5	12.55v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
10:03:09 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	137.2 mi.	76,104.5	12.37v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS

Thu Mar 4, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:07:38 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.77v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
10:07:37 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.71v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS

Fri Mar 5, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location

10:07:36 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.68v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
10:07:36 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.65v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS

Sat Mar 6, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:07:35 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.62v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
10:07:35 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.59v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 2.3181 seconds.

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors President
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 7-13 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 7-13, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 7, 2021 TO MARCH 13, 2021

PERFORMED MARCH 7, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 8, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 9, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 10, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 11, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 7-13 2021

ADULTICIDING REPORT

Miles Sprayed— 485

Acerage Treated— 17,460

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 0

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	449	**Sorted By**	Time
Total Distance Traveled	260.7 mi.	**Selected Vehicle**	10 (vin: 1GCHSDE33G1109077)
Average Speed	18 mph	**Report Time Period**	Mar 7 12:00 AM to Mar 13 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	March 16, 2021 1:38:22 PM
Max Speed	78 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.


WEX TELEMATICS

Philips Pest Control LLC


Export Data | Email Report

Speed Graphs »

show/hide



Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 10

Sun Mar 7, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:20:46 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.43v	15,089 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS
5:32:01 PM	On		3 mph	0 mph	3 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	14.56v	15,089 min	30.43914	-89.41442	Joe Moran Rd, Kiln, MS
5:33:57 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.40v	15,091 min	30.43914	-89.41442	18403 Joe Moran Rd, Kiln, MS
5:34:08 PM	Off		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.40v	15,092 min	30.43920	-89.41463	18403 Joe Moran Rd, Kiln, MS
5:38:50 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,075.4	14.26v	15,092 min	30.43919	-89.41464	18403 Joe Moran Rd, Kiln, MS
5:40:50 PM	On		7 mph	1 mph	0 mph S	-	0.759 g	0.371 g	0.0 mi.	98,075.4	12.28v	15,094 min	30.43902	-89.41454	18403 Joe Moran Rd, Kiln, MS
5:41:01 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,075.4	12.10v	15,094 min	30.43902	-89.41454	18403 Joe Moran Rd, Kiln, MS
5:46:09 PM	On		3 mph	0 mph	3 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,075.4	14.68v	15,094 min	30.43912	-89.41471	18403 Joe Moran Rd, Kiln, MS
5:48:08 PM	On		8 mph	2 mph	0 mph S	-	0.861 g	0.441 g	0.1 mi.	98,075.5	14.07v	15,096 min	30.43819	-89.41458	18403 Joe Moran Rd, Kiln, MS
5:50:08 PM	On		35 mph	23 mph	35 mph NE	-	0.816 g	0.196 g	0.9 mi.	98,076.3	14.17v	15,098 min	30.44479	-89.40773	Joe Moran Rd, Kiln, MS

5:52:08 PM	On	61 mph	47 mph	50 mph NE	-	1.073 g	0.384 g	2.4 mi.	98,077.8	14.26v	15,100 min	30.45228	-89.38436	Firetower Rd, Kiln, MS
5:54:08 PM	On	50 mph	39 mph	44 mph S	-	0.216 g	0.204 g	3.8 mi.	98,079.2	14.20v	15,102 min	30.45946	-89.37329	Fenton Dedeaux Rd, Kiln, MS
5:56:08 PM	On	52 mph	45 mph	50 mph S	-	0.229 g	0.306 g	5.2 mi.	98,080.6	14.20v	15,104 min	30.43802	-89.37099	Fenton Dedeaux Rd, Kiln, MS
5:58:08 PM	On	61 mph	47 mph	60 mph E	65 mph	1.053 g	0.351 g	6.8 mi.	98,082.2	14.20v	15,106 min	30.42498	-89.35898	1581 Kiln-Delisle Rd, Kiln, MS
6:00:08 PM	On	62 mph	50 mph	43 mph S	30 mph	0.249 g	0.306 g	8.5 mi.	98,083.9	14.20v	15,108 min	30.41116	-89.34393	Kapalama Dr, Pass Christian, MS
6:02:08 PM	On	47 mph	39 mph	20 mph NW	-	0.204 g	0.237 g	9.8 mi.	98,085.2	14.20v	15,110 min	30.40241	-89.36042	96119 Kapalama Dr, Diamondhead, MS
6:04:08 PM	On	51 mph	15 mph	0 mph N	-	0.184 g	0.486 g	10.3 mi.	98,085.7	12.65v	15,112 min	30.40603	-89.36766	Kapalama Dr, Diamondhead, MS
6:04:19 PM	Off	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	10.3 mi.	98,085.7	12.68v	15,112 min	30.40602	-89.36765	Kapalama Dr, Diamondhead, MS
6:12:02 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	10.3 mi.	98,085.7	14.80v	15,112 min	30.40602	-89.36765	Kapalama Dr, Diamondhead, MS
6:14:01 PM	On	10 mph	3 mph	6 mph W	-	0.837 g	0.359 g	10.4 mi.	98,085.8	14.20v	15,114 min	30.40710	-89.36825	Kapalama Dr, Diamondhead, MS
6:16:01 PM	On	7 mph	2 mph	0 mph S	-	0.078 g	0.408 g	10.4 mi.	98,085.8	14.23v	15,116 min	30.40674	-89.36899	Kapalama Dr, Diamondhead, MS
6:18:01 PM	On	42 mph	19 mph	15 mph SW	-	0.918 g	0.371 g	11.1 mi.	98,086.5	14.17v	15,118 min	30.40216	-89.36051	9613 Kino St, Diamondhead, MS
6:20:01 PM	On	40 mph	22 mph	29 mph SW	30 mph	1.086 g	0.429 g	11.8 mi.	98,087.2	14.20v	15,120 min	30.39473	-89.35501	87137 Golf Club Dr, Diamondhead, MS
6:22:01 PM	On	34 mph	20 mph	14 mph W	-	0.273 g	0.249 g	12.5 mi.	98,087.9	14.11v	15,122 min	30.39039	-89.36372	756 Cherryhill Dr, Diamondhead, MS
6:24:01 PM	On	17 mph	11 mph	9 mph SE	-	0.939 g	0.498 g	12.9 mi.	98,088.3	14.17v	15,124 min	30.39171	-89.36598	750 Doral Ct, Diamondhead, MS
6:26:01 PM	On	13 mph	10 mph	6 mph S	-	0.690 g	0.429 g	13.2 mi.	98,088.6	14.04v	15,126 min	30.39173	-89.36897	754 Spyglass Ct, Diamondhead, MS
6:28:01 PM	On	14 mph	11 mph	12 mph SW	-	0.204 g	0.192 g	13.5 mi.	98,088.9	14.20v	15,128 min	30.39266	-89.37049	7520 Augusta Way, Diamondhead, MS
6:30:01 PM	On	24 mph	10 mph	24 mph E	-	0.192 g	0.343 g	13.9 mi.	98,089.3	14.26v	15,130 min	30.39166	-89.36905	7531 Crooked Stick Dr, Diamondhead, MS
6:32:01 PM	On	30 mph	17 mph	12 mph W	-	0.184 g	0.306 g	14.4 mi.	98,089.8	14.20v	15,132 min	30.38956	-89.36793	7516 Turnberry Dr, Diamondhead, MS
6:34:01 PM	On	15 mph	12 mph	12 mph N	-	0.147 g	0.094 g	14.9 mi.	98,090.3	14.20v	15,134 min	30.38986	-89.37432	7425 Turnberry Way, Diamondhead, MS
6:36:01 PM	On	14 mph	12 mph	14 mph NW	-	0.249 g	0.261 g	15.2 mi.	98,090.6	14.17v	15,136 min	30.39034	-89.37627	Turnberry Dr, Diamondhead, MS
6:38:01 PM	On	15 mph	11 mph	13 mph S	-	0.984 g	0.286 g	15.6 mi.	98,091.0	13.59v	15,138 min	30.38747	-89.37470	6489 Kome Dr, Diamondhead, MS
6:40:01 PM	On	14 mph	11 mph	10 mph NW	-	0.127 g	0.127 g	16.0 mi.	98,091.4	14.29v	15,140 min	30.38595	-89.37658	Kome Dr, Diamondhead, MS
6:42:01 PM	On	16 mph	11 mph	12 mph NE	-	0.159 g	0.180 g	16.4 mi.	98,091.8	13.50v	15,142 min	30.38890	-89.37772	731 Kome Dr, Diamondhead, MS
6:44:01 PM	On	17 mph	10 mph	12 mph S	-	1.073 g	0.257 g	16.7 mi.	98,092.1	13.89v	15,144 min	30.38711	-89.37375	644 Iona St, Diamondhead, MS

Activity Detail Report - WEX

6:46:01 PM	On	15 mph	11 mph	12 mph W	-	1.073 g	0.351 g	17.1 mi.	98,092.5	13.83v	15,146 min	30.38321	-89.37620	602 Apelehama Rd, Diamondhead, MS
6:48:01 PM	On	16 mph	12 mph	12 mph N	-	0.180 g	0.224 g	17.4 mi.	98,092.8	13.59v	15,148 min	30.38424	-89.37905	6420 Apelehama Rd, Diamondhead, MS
6:50:01 PM	On	13 mph	11 mph	8 mph W	-	0.135 g	0.102 g	17.8 mi.	98,093.2	13.98v	15,150 min	30.38510	-89.37495	6420 Apelehama Cir, Diamondhead, MS
6:52:01 PM	On	13 mph	10 mph	10 mph E	-	0.918 g	0.408 g	18.1 mi.	98,093.5	13.53v	15,152 min	30.38446	-89.37276	6492 Kalipekona Way, Diamondhead, MS
6:54:01 PM	On	17 mph	13 mph	11 mph N	-	0.249 g	0.294 g	18.6 mi.	98,094.0	13.95v	15,154 min	30.38688	-89.37094	6570 Alakoko Dr, Diamondhead, MS
6:56:01 PM	On	11 mph	4 mph	11 mph S	-	1.020 g	0.359 g	18.7 mi.	98,094.1	13.59v	15,156 min	30.38749	-89.37190	654 Kiko St, Diamondhead, MS
6:58:01 PM	On	15 mph	13 mph	12 mph NE	-	0.269 g	0.376 g	19.1 mi.	98,094.5	13.53v	15,158 min	30.38643	-89.37120	651 Koula Dr, Diamondhead, MS
7:00:01 PM	On	14 mph	9 mph	10 mph SW	-	0.229 g	0.216 g	19.4 mi.	98,094.8	13.56v	15,160 min	30.38652	-89.37101	650 Koula Dr, Diamondhead, MS
7:02:01 PM	On	20 mph	11 mph	4 mph NE	-	0.759 g	0.351 g	19.8 mi.	98,095.2	13.65v	15,162 min	30.38359	-89.37446	6414 Huko Ct, Diamondhead, MS
7:04:01 PM	On	33 mph	15 mph	0 mph E	-	0.759 g	0.408 g	20.3 mi.	98,095.7	13.53v	15,164 min	30.38535	-89.36983	6553 Alakoko Dr, Diamondhead, MS
7:06:01 PM	On	14 mph	10 mph	14 mph W	-	0.906 g	0.269 g	20.7 mi.	98,096.1	13.59v	15,166 min	30.38449	-89.36695	6620 Iolani Ct, Diamondhead, MS
7:08:01 PM	On	18 mph	11 mph	18 mph SW	-	0.204 g	0.249 g	21.0 mi.	98,096.4	13.50v	15,168 min	30.38182	-89.36832	559 Alakoko Dr, Diamondhead, MS
7:10:01 PM	On	18 mph	4 mph	0 mph NE	-	0.563 g	0.486 g	21.2 mi.	98,096.6	13.68v	15,170 min	30.38050	-89.36939	552 Alakoko Pl, Diamondhead, MS
7:12:01 PM	On	16 mph	8 mph	2 mph W	-	1.780 g	0.294 g	21.4 mi.	98,096.8	13.35v	15,172 min	30.37962	-89.37127	5529 Hanauma St, Diamondhead, MS
7:14:01 PM	On	15 mph	9 mph	8 mph W	-	1.167 g	0.461 g	21.7 mi.	98,097.1	13.65v	15,174 min	30.38231	-89.36963	6514 Hanauma Ct, Diamondhead, MS
7:16:01 PM	On	17 mph	11 mph	11 mph NW	-	0.224 g	0.282 g	22.1 mi.	98,097.5	13.71v	15,176 min	30.38284	-89.36904	6534 Mauna Loa Pl, Diamondhead, MS
7:18:01 PM	On	16 mph	11 mph	15 mph NW	-	0.237 g	0.224 g	22.5 mi.	98,097.9	13.53v	15,178 min	30.38366	-89.36832	6522 Mauna Loa Ct, Diamondhead, MS
7:20:01 PM	On	17 mph	12 mph	7 mph SE	-	0.298 g	0.396 g	22.9 mi.	98,098.3	13.71v	15,180 min	30.38537	-89.36579	669 Mauna Loa Dr, Diamondhead, MS
7:22:01 PM	On	43 mph	27 mph	37 mph NE	-	0.216 g	0.327 g	23.8 mi.	98,099.2	13.59v	15,182 min	30.37906	-89.36131	56124 Diamondhead Dr E, Diamondhead, MS
7:24:01 PM	On	38 mph	22 mph	0 mph W	-	0.171 g	0.453 g	24.5 mi.	98,099.9	12.10v	15,184 min	30.38168	-89.35369	5798 Anuaea Ct, Diamondhead, MS
7:24:11 PM	Off	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	24.5 mi.	98,099.9	12.04v	15,184 min	30.38168	-89.35369	5798 Anuaea Ct, Diamondhead, MS
7:36:19 PM	On	2 mph	0 mph	2 mph SE	-	0.000 g	0.000 g	24.5 mi.	98,099.9	14.59v	15,184 min	30.38163	-89.35361	Diamondhead Dr E, Diamondhead, MS
7:38:18 PM	On	28 mph	16 mph	23 mph E	-	0.780 g	0.473 g	25.1 mi.	98,100.5	14.17v	15,186 min	30.38522	-89.34592	69244 Diamondhead Dr E, Diamondhead, MS
7:40:18 PM	On	26 mph	22 mph	22 mph NW	-	0.269 g	0.241 g	25.8 mi.	98,101.2	13.65v	15,188 min	30.39215	-89.34268	Diamondhead Dr E, Diamondhead, MS
7:42:18 PM	On	27 mph	24 mph	21 mph NW	-	0.114 g	0.122 g	26.6 mi.	98,102.0	13.53v	15,190 min	30.39535	-89.35322	88402 Diamondhead Dr E, Diamondhead, MS

7:44:18 PM	On		32 mph	19 mph	19 mph E	30 mph	0.849 g	0.327 g	27.2 mi.	98,102.6	13.59v	15,192 min	30.40284	-89.35261	98190 Kapalama Dr, Diamondhead, MS
7:46:18 PM	On		35 mph	23 mph	0 mph N	-	0.192 g	0.371 g	28.0 mi.	98,103.4	13.83v	15,194 min	30.41026	-89.34377	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:48:18 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	14.01v	15,196 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:50:18 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	13.95v	15,198 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:51:28 PM		Idling - OBD	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	13.92v	15,198 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:52:18 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	13.95v	15,200 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:54:18 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	12.49v	15,202 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:54:28 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	12.43v	15,202 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
9:06:07 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	14.62v	15,202 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
9:08:06 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.0 mi.	98,103.4	14.17v	15,204 min	30.41028	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
9:10:06 PM	On		34 mph	11 mph	33 mph N	30 mph	0.894 g	0.396 g	28.4 mi.	98,103.8	14.17v	15,206 min	30.41534	-89.34251	Kapalama Dr, Pass Christian, MS
9:12:06 PM	On		53 mph	36 mph	52 mph NW	45 mph	0.894 g	0.286 g	29.6 mi.	98,105.0	14.23v	15,208 min	30.42437	-89.35621	1354 Kiln-Delisle Rd, Kiln, MS
9:14:06 PM	On		54 mph	41 mph	42 mph N	-	0.273 g	0.249 g	30.9 mi.	98,106.3	14.17v	15,210 min	30.43297	-89.36926	Fenton Dedeaux Rd, Kiln, MS
9:16:06 PM	On		42 mph	41 mph	40 mph N	-	0.286 g	0.180 g	32.3 mi.	98,107.7	13.89v	15,212 min	30.45232	-89.37194	Fenton Dedeaux Rd, Kiln, MS
9:18:06 PM	On		47 mph	38 mph	47 mph SW	-	0.237 g	0.441 g	33.5 mi.	98,108.9	13.56v	15,214 min	30.45908	-89.38011	3110 Firetower Rd, Kiln, MS
9:20:06 PM	On		55 mph	51 mph	50 mph W	-	0.192 g	0.102 g	35.2 mi.	98,110.6	13.62v	15,216 min	30.44674	-89.40208	Firetower Rd, Kiln, MS
9:22:06 PM	On		50 mph	32 mph	30 mph W	-	0.363 g	0.363 g	36.3 mi.	98,111.7	13.59v	15,218 min	30.43821	-89.41191	Joe Moran Rd, Kiln, MS
9:24:06 PM	On		31 mph	7 mph	0 mph E	-	0.212 g	0.408 g	36.5 mi.	98,111.9	13.59v	15,220 min	30.43909	-89.41446	18403 Joe Moran Rd, Kiln, MS
9:26:06 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.5 mi.	98,111.9	12.49v	15,222 min	30.43909	-89.41446	18403 Joe Moran Rd, Kiln, MS
9:26:16 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.5 mi.	98,111.9	12.49v	15,222 min	30.43909	-89.41446	18403 Joe Moran Rd, Kiln, MS

Mon Mar 8, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:30:45 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.59v	15,222 min	30.43909	-89.41446	18403 Joe Moran Rd, Kiln, MS
6:00:52 PM	On		4 mph	0 mph	4 mph E	-	0.000 g	0.000 g	0.0 mi.	98,111.9	14.65v	15,222 min	30.43909	-89.41446	Joe Moran Rd, Kiln, MS
6:02:51 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.31v	15,224 min	30.43909	-89.41446	18403 Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

6:03:01 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.34v	15,225 min	30.43909 -89.41446	18403 Joe Moran Rd, Kiln, MS
6:08:13 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.07v	15,225 min	30.43932 -89.41450	18403 Joe Moran Rd, Kiln, MS
6:10:13 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.43v	15,227 min	30.43927 -89.41457	18403 Joe Moran Rd, Kiln, MS
6:10:23 PM	Off	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.43v	15,227 min	30.43927 -89.41457	18403 Joe Moran Rd, Kiln, MS
6:13:28 PM	On	7 mph	0 mph	7 mph S	-	0.000 g	0.000 g	0.0 mi.	98,111.9	14.56v	15,227 min	30.43917 -89.41447	18403 Joe Moran Rd, Kiln, MS
6:15:28 PM	On	8 mph	0 mph	0 mph S	-	0.971 g	0.371 g	0.0 mi.	98,111.9	12.52v	15,229 min	30.43903 -89.41448	18403 Joe Moran Rd, Kiln, MS
6:15:38 PM	Off	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,111.9	12.52v	15,229 min	30.43903 -89.41448	18403 Joe Moran Rd, Kiln, MS
6:27:39 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,111.9	14.80v	15,229 min	30.43898 -89.41453	18403 Joe Moran Rd, Kiln, MS
6:29:39 PM	On	25 mph	5 mph	25 mph W	-	0.837 g	0.224 g	0.2 mi.	98,112.1	14.20v	15,231 min	30.43765 -89.41663	Joe Moran Rd, Kiln, MS
6:31:39 PM	On	47 mph	28 mph	38 mph SW	-	0.702 g	0.510 g	1.2 mi.	98,113.1	14.26v	15,233 min	30.42486 -89.42052	17381 Old Joe Moran Rd, Kiln, MS
6:33:39 PM	On	47 mph	38 mph	29 mph S	-	0.306 g	0.249 g	2.4 mi.	98,114.3	14.23v	15,235 min	30.40971 -89.42729	16105 Old Joe Moran St, Kiln, MS
6:35:39 PM	On	50 mph	32 mph	43 mph E	35 mph	0.861 g	0.331 g	3.5 mi.	98,115.4	14.14v	15,237 min	30.40455 -89.41319	Kiln-Delisle Rd, Kiln, MS
6:37:39 PM	On	44 mph	19 mph	14 mph N	-	0.861 g	0.461 g	4.1 mi.	98,116.0	14.23v	15,239 min	30.40907 -89.40635	16098 Magnolia St, Kiln, MS
6:39:39 PM	On	14 mph	10 mph	0 mph NW	-	0.894 g	0.396 g	4.5 mi.	98,116.4	14.17v	15,241 min	30.41425 -89.40629	4203 Orchid St, Kiln, MS
6:41:39 PM	On	11 mph	6 mph	11 mph E	-	0.906 g	0.171 g	4.7 mi.	98,116.6	14.17v	15,243 min	30.41439 -89.40282	4155 Orchid St, Kiln, MS
6:43:39 PM	On	12 mph	10 mph	11 mph N	-	0.147 g	0.090 g	5.0 mi.	98,116.9	13.68v	15,245 min	30.41839 -89.40164	Carnation St, Kiln, MS
6:45:39 PM	On	11 mph	8 mph	9 mph N	-	0.204 g	0.110 g	5.3 mi.	98,117.2	13.80v	15,247 min	30.42017 -89.39904	17016 Azalea St, Kiln, MS
6:47:39 PM	On	11 mph	7 mph	6 mph N	-	0.747 g	0.531 g	5.5 mi.	98,117.4	13.47v	15,249 min	30.42358 -89.39895	Azalea St, Kiln, MS
6:49:39 PM	On	17 mph	10 mph	14 mph W	-	2.482 g	0.441 g	5.8 mi.	98,117.7	13.62v	15,251 min	30.41903 -89.39938	Wisteria St, Kiln, MS
6:51:39 PM	On	21 mph	11 mph	9 mph N	-	0.747 g	0.518 g	6.2 mi.	98,118.1	13.59v	15,253 min	30.42246 -89.40169	Carnation St, Kiln, MS
6:53:39 PM	On	11 mph	9 mph	9 mph N	-	0.135 g	0.057 g	6.5 mi.	98,118.4	13.62v	15,255 min	30.42694 -89.40170	Carnation St, Kiln, MS
6:55:39 PM	On	10 mph	7 mph	7 mph S	-	0.192 g	0.241 g	6.7 mi.	98,118.6	13.38v	15,257 min	30.42767 -89.40444	Gardenia St, Kiln, MS
6:57:39 PM	On	8 mph	6 mph	5 mph S	-	0.192 g	0.286 g	6.9 mi.	98,118.8	13.62v	15,259 min	30.42471 -89.40456	Gardenia St, Kiln, MS
6:59:39 PM	On	10 mph	7 mph	8 mph S	-	0.090 g	0.090 g	7.1 mi.	98,119.0	13.59v	15,261 min	30.42134 -89.40458	Gardenia St, Kiln, MS
7:01:39 PM	On	8 mph	6 mph	7 mph S	-	0.090 g	0.122 g	7.3 mi.	98,119.2	13.56v	15,263 min	30.41808 -89.40460	Gardenia St, Kiln, MS

Activity Detail Report - WEX

/16/2021															
7:03:39 PM	On		8 mph	6 mph	7 mph S	-	0.090 g	0.090 g	7.6 mi.	98,119.5	13.56v	15,265 min	30.41483	-89.40459	Gardenia St, Kiln, MS
7:05:39 PM	On		9 mph	6 mph	7 mph N	-	0.665 g	0.461 g	7.8 mi.	98,119.7	13.59v	15,267 min	30.41513	-89.40726	Camellia St, Kiln, MS
7:07:39 PM	On		8 mph	3 mph	0 mph N	-	0.114 g	0.384 g	7.9 mi.	98,119.8	13.56v	15,269 min	30.41666	-89.40732	17097 Camellia St, Kiln, MS
7:09:39 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	7.9 mi.	98,119.8	13.65v	15,271 min	30.41661	-89.40749	17097 Camellia St, Kiln, MS
7:11:39 PM	On		6 mph	2 mph	6 mph N	-	0.657 g	0.147 g	8.0 mi.	98,119.9	13.59v	15,273 min	30.41793	-89.40734	Camellia St, Kiln, MS
7:13:39 PM	On		7 mph	6 mph	3 mph N	-	0.114 g	0.122 g	8.1 mi.	98,120.0	13.62v	15,275 min	30.42081	-89.40732	Camellia St, Kiln, MS
7:15:39 PM	On		8 mph	6 mph	7 mph N	-	0.114 g	0.184 g	8.3 mi.	98,120.2	13.62v	15,277 min	30.42377	-89.40731	Camellia St, Kiln, MS
7:17:39 PM	On		9 mph	7 mph	7 mph N	-	0.102 g	0.212 g	8.6 mi.	98,120.5	13.62v	15,279 min	30.42719	-89.40734	Camellia St, Kiln, MS
7:19:39 PM	On		19 mph	10 mph	14 mph S	-	0.861 g	0.371 g	8.9 mi.	98,120.8	13.59v	15,281 min	30.42400	-89.40738	Camellia St, Kiln, MS
7:21:39 PM	On		15 mph	13 mph	14 mph S	-	0.171 g	0.229 g	9.3 mi.	98,121.2	13.53v	15,283 min	30.41765	-89.40737	Camellia St, Kiln, MS
7:23:39 PM	On		15 mph	3 mph	14 mph S	-	2.322 g	0.429 g	9.4 mi.	98,121.3	13.56v	15,285 min	30.41611	-89.40735	Camellia St, Kiln, MS
7:25:39 PM	On		43 mph	16 mph	42 mph S	-	0.792 g	0.453 g	10.0 mi.	98,121.9	13.59v	15,287 min	30.40877	-89.40643	Magnolia St, Kiln, MS
7:27:39 PM	On		61 mph	33 mph	53 mph E	35 mph	0.971 g	0.331 g	11.1 mi.	98,123.0	13.59v	15,289 min	30.41125	-89.39184	3781 Kiln-Delisle Rd, Kiln, MS
7:29:39 PM	On		63 mph	53 mph	22 mph N	-	0.192 g	0.237 g	12.8 mi.	98,124.7	13.62v	15,291 min	30.42389	-89.36742	17030 Fenton Dedeaux Rd, Kiln, MS
7:31:39 PM	On		62 mph	54 mph	56 mph N	-	0.192 g	0.057 g	14.6 mi.	98,126.5	13.56v	15,293 min	30.44962	-89.37146	Fenton Dedeaux Rd, Kiln, MS
7:33:39 PM	On		58 mph	48 mph	52 mph N	-	1.176 g	0.396 g	16.2 mi.	98,128.1	13.59v	15,295 min	30.47219	-89.37610	20542 Fenton-Dedeaux Rd, Kiln, MS
7:35:39 PM	On		59 mph	51 mph	27 mph N	-	0.147 g	0.420 g	17.9 mi.	98,129.8	13.38v	15,297 min	30.48915	-89.35749	Fenton Dedeaux Rd, Kiln, MS
7:37:39 PM	On		30 mph	13 mph	0 mph SE	-	0.318 g	0.384 g	18.3 mi.	98,130.2	13.53v	15,299 min	30.48949	-89.36115	22131 Fenton Dedeaux Rd, Kiln, MS
7:39:39 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	18.3 mi.	98,130.2	13.56v	15,301 min	30.48949	-89.36115	22131 Fenton Dedeaux Rd, Kiln, MS
7:41:39 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	18.3 mi.	98,130.2	13.56v	15,303 min	30.48949	-89.36115	22131 Fenton Dedeaux Rd, Kiln, MS
7:42:10 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	18.3 mi.	98,130.2	13.53v	15,303 min	30.48949	-89.36115	22131 Fenton Dedeaux Rd, Kiln, MS
7:43:39 PM	On		4 mph	0 mph	0 mph W	-	0.714 g	0.486 g	18.4 mi.	98,130.3	13.50v	15,305 min	30.48960	-89.36145	22131 Fenton Dedeaux Rd, Kiln, MS
7:45:39 PM	On		4 mph	0 mph	4 mph W	-	0.612 g	0.000 g	18.4 mi.	98,130.3	13.47v	15,307 min	30.48959	-89.36154	Christine Ladner Rd, Kiln, MS
7:47:39 PM	On		47 mph	27 mph	47 mph SW	-	0.408 g	0.261 g	19.3 mi.	98,131.2	13.59v	15,309 min	30.48386	-89.36282	21555 Fenton Dedeaux Rd, Kiln, MS
7:49:39 PM	On		55 mph	51 mph	52 mph S	-	0.237 g	0.273 g	20.9 mi.	98,132.8	13.47v	15,311 min	30.46527	-89.37552	Fenton Dedeaux Rd, Kiln, MS

7:51:39 PM	On		78 mph	50 mph	76 mph W	-	0.294 g	0.388 g	22.6 mi.	98,134.5	13.44v	15,313 min	30.44846	-89.39287	Firetower Rd, Kiln, MS
7:51:40 PM		Speeding - OBD	74 mph	72 mph	72 mph W	-	0.000 g	0.094 g	22.6 mi.	98,134.5	13.50v	15,313 min	30.44837	-89.39319	Firetower Rd, Kiln, MS
7:53:39 PM	On		74 mph	44 mph	40 mph S	-	0.261 g	0.363 g	24.1 mi.	98,136.0	13.56v	15,315 min	30.43899	-89.40984	Joe Moran Rd, Kiln, MS
7:55:39 PM	On		42 mph	11 mph	0 mph E	-	0.122 g	0.396 g	24.5 mi.	98,136.4	13.53v	15,317 min	30.43905	-89.41447	18403 Joe Moran Rd, Kiln, MS
7:57:39 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	24.5 mi.	98,136.4	13.62v	15,319 min	30.43905	-89.41447	18403 Joe Moran Rd, Kiln, MS
7:59:39 PM	On		17 mph	3 mph	17 mph W	-	0.780 g	0.416 g	24.6 mi.	98,136.5	13.56v	15,321 min	30.43803	-89.41512	Joe Moran Rd, Kiln, MS
8:01:39 PM	On		42 mph	32 mph	36 mph SW	-	0.535 g	0.237 g	25.6 mi.	98,137.5	13.47v	15,323 min	30.42434	-89.42089	17341 Old Joe Moran Rd, Kiln, MS
8:03:39 PM	On		41 mph	35 mph	20 mph S	-	0.135 g	0.282 g	26.8 mi.	98,138.7	13.59v	15,325 min	30.41036	-89.42730	16135 Old Joe Moran St, Kiln, MS
8:05:39 PM	On		47 mph	23 mph	17 mph W	-	1.041 g	0.461 g	27.6 mi.	98,139.5	13.50v	15,327 min	30.40919	-89.43552	6130 Kiln-Picayune Rd, Kiln, MS
8:07:39 PM	On		14 mph	1 mph	0 mph S	45 mph	0.000 g	0.327 g	27.6 mi.	98,139.5	13.53v	15,329 min	30.40908	-89.43579	16597 MS-43, Kiln, MS
8:09:39 PM	On		0 mph	0 mph	0 mph S	45 mph	0.000 g	0.000 g	27.6 mi.	98,139.5	13.56v	15,331 min	30.40908	-89.43579	16597 MS-43, Kiln, MS
8:10:58 PM		Idling - OBD	0 mph	0 mph	0 mph S	45 mph	0.000 g	0.000 g	27.6 mi.	98,139.5	13.59v	15,331 min	30.40908	-89.43579	16597 MS-43, Kiln, MS
8:11:39 PM	On		0 mph	0 mph	0 mph S	45 mph	0.000 g	0.000 g	27.6 mi.	98,139.5	13.62v	15,333 min	30.40908	-89.43579	16597 MS-43, Kiln, MS
8:13:39 PM	On		50 mph	25 mph	50 mph SW	45 mph	1.200 g	0.351 g	28.4 mi.	98,140.3	13.56v	15,335 min	30.40347	-89.44620	16171 MS-43, Kiln, MS
8:15:39 PM	On		62 mph	56 mph	60 mph S	55 mph	0.069 g	0.090 g	30.3 mi.	98,142.2	13.62v	15,337 min	30.37887	-89.43735	MS-43, Kiln, MS
8:17:39 PM	On		66 mph	52 mph	53 mph S	55 mph	0.286 g	0.261 g	32.0 mi.	98,143.9	13.56v	15,339 min	30.35739	-89.42303	13099 MS-43, Bay St Louis, MS
8:19:39 PM	On		70 mph	61 mph	62 mph SE	55 mph	0.159 g	0.127 g	34.1 mi.	98,146.0	13.59v	15,341 min	30.32946	-89.42466	MS-43, Bay St Louis, MS
8:21:39 PM	On		66 mph	61 mph	61 mph E	55 mph	0.069 g	0.102 g	36.1 mi.	98,148.0	13.59v	15,343 min	30.31353	-89.39710	10139 MS-603, Bay St Louis, MS
8:23:39 PM	On		62 mph	47 mph	39 mph E	45 mph	0.078 g	0.180 g	37.7 mi.	98,149.6	13.59v	15,345 min	30.30758	-89.37368	217 US-90, Waveland, MS
8:25:39 PM	On		45 mph	30 mph	31 mph E	45 mph	1.200 g	0.441 g	38.7 mi.	98,150.6	13.59v	15,347 min	30.31291	-89.35812	1098 US-90, Bay St Louis, MS
8:27:39 PM	On		50 mph	47 mph	47 mph E	45 mph	0.069 g	0.069 g	40.2 mi.	98,152.1	13.53v	15,349 min	30.32007	-89.33360	US-90, Bay St Louis, MS
8:29:39 PM	On		52 mph	13 mph	0 mph S	-	0.082 g	0.371 g	40.7 mi.	98,152.6	13.44v	15,351 min	30.31915	-89.32662	648 N 2nd St, Bay St Louis, MS
8:31:39 PM	On		31 mph	8 mph	22 mph NW	-	1.029 g	0.531 g	40.9 mi.	98,152.8	13.59v	15,353 min	30.32009	-89.32394	632 N Beach Blvd, Bay St Louis, MS
8:33:39 PM	On		25 mph	17 mph	14 mph W	-	0.102 g	0.204 g	41.5 mi.	98,153.4	13.59v	15,355 min	30.32529	-89.33119	111 Felicity St, Bay St Louis, MS
8:35:39 PM	On		16 mph	14 mph	14 mph W	-	0.147 g	0.273 g	42.0 mi.	98,153.9	13.59v	15,357 min	30.32774	-89.33903	171 Felicity St, Bay St Louis, MS

8:37:39 PM	On	17 mph	13 mph	15 mph W	-	0.702 g	0.498 g	42.4 mi.	98,154.3	13.59v	15,359 min	30.32997	-89.34590	401 Felicity St, Bay St Louis, MS
8:39:39 PM	On	17 mph	14 mph	10 mph NE	-	0.102 g	0.147 g	42.9 mi.	98,154.8	13.62v	15,361 min	30.33408	-89.35118	691 Casino Magic Dr, Bay St Louis, MS
8:41:39 PM	On	18 mph	14 mph	12 mph E	-	0.147 g	0.139 g	43.4 mi.	98,155.3	13.53v	15,363 min	30.33507	-89.34467	472 Thomas St, Bay St Louis, MS
8:43:39 PM	On	15 mph	13 mph	14 mph SE	-	0.984 g	0.429 g	43.8 mi.	98,155.7	13.56v	15,365 min	30.33294	-89.33780	316 Thomas St, Bay St Louis, MS
8:45:39 PM	On	15 mph	11 mph	6 mph W	-	0.216 g	0.147 g	44.1 mi.	98,156.0	13.59v	15,367 min	30.33328	-89.33678	105 Austin Ln, Bay St Louis, MS
8:47:39 PM	On	16 mph	12 mph	16 mph E	-	1.065 g	0.359 g	44.6 mi.	98,156.5	13.53v	15,369 min	30.33111	-89.33455	204 Leonard Ave, Bay St Louis, MS
8:49:39 PM	On	17 mph	13 mph	14 mph W	-	0.171 g	0.216 g	45.0 mi.	98,156.9	13.59v	15,371 min	30.32963	-89.33299	105 Boardman Ave, Bay St Louis, MS
8:51:39 PM	On	16 mph	13 mph	12 mph SE	-	0.882 g	0.429 g	45.4 mi.	98,157.3	13.44v	15,373 min	30.33057	-89.33915	101 Oaks Blvd, Bay St Louis, MS
8:53:39 PM	On	13 mph	10 mph	9 mph NW	-	0.286 g	0.249 g	45.8 mi.	98,157.7	13.56v	15,375 min	30.33002	-89.33700	114 Oaks Blvd, Bay St Louis, MS
8:55:39 PM	On	23 mph	10 mph	4 mph W	-	1.131 g	0.453 g	46.1 mi.	98,158.0	13.62v	15,377 min	30.32799	-89.33971	Felicity St, Bay St Louis, MS
8:57:39 PM	On	24 mph	14 mph	11 mph E	-	1.053 g	0.359 g	46.6 mi.	98,158.5	13.71v	15,379 min	30.33183	-89.34342	250 Pine Dr, Bay St Louis, MS
8:59:39 PM	On	12 mph	9 mph	12 mph E	-	0.951 g	0.461 g	46.9 mi.	98,158.8	13.59v	15,381 min	30.33091	-89.34292	228 Arcola Ct, Bay St Louis, MS
9:01:39 PM	On	14 mph	11 mph	11 mph NE	-	0.804 g	0.408 g	47.3 mi.	98,159.2	13.62v	15,383 min	30.33027	-89.34142	210 Corinth Dr, Bay St Louis, MS
9:03:39 PM	On	15 mph	10 mph	13 mph E	-	0.963 g	0.396 g	47.6 mi.	98,159.5	13.59v	15,385 min	30.32848	-89.33610	144 Melody Ln, Bay St Louis, MS
9:05:39 PM	On	14 mph	12 mph	13 mph E	-	0.127 g	0.069 g	48.0 mi.	98,159.9	13.59v	15,387 min	30.32604	-89.33020	104 Leopold St, Bay St Louis, MS
9:07:39 PM	On	20 mph	14 mph	12 mph W	-	0.780 g	0.408 g	48.5 mi.	98,160.4	13.59v	15,389 min	30.33109	-89.33173	105 Beverly Dr, Bay St Louis, MS
9:09:39 PM	On	19 mph	9 mph	19 mph S	-	0.984 g	0.416 g	48.8 mi.	98,160.7	13.59v	15,391 min	30.33038	-89.33075	1002 N Beach Blvd, Bay St Louis, MS
9:11:39 PM	On	39 mph	26 mph	1 mph S	-	0.184 g	0.408 g	49.7 mi.	98,161.6	13.38v	15,393 min	30.31966	-89.32380	623 N Beach Blvd, Bay St Louis, MS
9:13:39 PM	On	32 mph	21 mph	25 mph W	-	1.155 g	0.498 g	50.4 mi.	98,162.3	13.62v	15,395 min	30.31212	-89.32672	Demontluzin St, Bay St Louis, MS
9:15:39 PM	On	31 mph	11 mph	31 mph W	-	0.882 g	0.531 g	50.7 mi.	98,162.6	13.53v	15,397 min	30.31234	-89.33178	321 Main St, Bay St Louis, MS
9:17:39 PM	On	35 mph	24 mph	27 mph SW	-	0.882 g	0.388 g	51.5 mi.	98,163.4	13.56v	15,399 min	30.31072	-89.34233	111 Old Spanish Trl, Bay St Louis, MS
9:19:39 PM	On	34 mph	23 mph	32 mph W	25 mph	1.053 g	0.486 g	52.3 mi.	98,164.2	13.62v	15,401 min	30.31073	-89.35302	815 Washington St, Bay St Louis, MS
9:21:39 PM	On	41 mph	27 mph	37 mph W	-	1.200 g	0.510 g	53.2 mi.	98,165.1	13.62v	15,403 min	30.31168	-89.36775	2024 Longfellow Rd, Bay St Louis, MS
9:23:39 PM	On	42 mph	34 mph	40 mph W	45 mph	0.261 g	0.261 g	54.3 mi.	98,166.2	13.62v	15,405 min	30.31200	-89.38627	9582 MS-43, Bay St Louis, MS
9:25:39 PM	On	60 mph	49 mph	54 mph NW	55 mph	0.159 g	0.159 g	56.0 mi.	98,167.9	13.62v	15,407 min	30.31962	-89.41137	10694 MS-603, Bay St Louis, MS

9:27:39 PM	On	60 mph	55 mph	54 mph N	55 mph	0.094 g	0.090 g	57.8 mi.	98,169.7	13.53v	15,409 min	30.34010	-89.42797	11488 MS-43, Bay St Louis, MS
9:29:39 PM	On	72 mph	57 mph	68 mph N	55 mph	0.237 g	0.135 g	59.7 mi.	98,171.6	13.41v	15,411 min	30.36629	-89.42639	13294 MS-43, Kiln, MS
9:31:39 PM	On	68 mph	54 mph	53 mph NW	55 mph	0.094 g	0.102 g	61.5 mi.	98,173.4	13.65v	15,413 min	30.38852	-89.44221	15086 MS-43, Kiln, MS
9:33:39 PM	On	55 mph	52 mph	53 mph E	45 mph	0.053 g	0.122 g	63.3 mi.	98,175.2	13.59v	15,415 min	30.40669	-89.43785	MS-43, Kiln, MS
9:35:39 PM	On	58 mph	49 mph	14 mph E	-	0.184 g	0.249 g	64.9 mi.	98,176.8	13.59v	15,417 min	30.42902	-89.43364	Cuevas Rd, Kiln, MS
9:37:39 PM	On	44 mph	35 mph	44 mph N	-	0.249 g	0.408 g	66.1 mi.	98,178.0	13.59v	15,419 min	30.42635	-89.41957	Joe Moran Rd, Kiln, MS
9:39:39 PM	On	50 mph	31 mph	0 mph E	-	0.294 g	0.371 g	67.1 mi.	98,179.0	13.53v	15,421 min	30.43911	-89.41447	18403 Joe Moran Rd, Kiln, MS
9:41:39 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	67.1 mi.	98,179.0	12.34v	15,423 min	30.43911	-89.41447	18403 Joe Moran Rd, Kiln, MS
9:41:49 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	67.1 mi.	98,179.0	12.37v	15,423 min	30.43911	-89.41447	18403 Joe Moran Rd, Kiln, MS

Tue Mar 9, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:46:19 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,179.0	12.55v	15,423 min	30.43911	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:38:31 PM	On		6 mph	0 mph	2 mph E	-	0.000 g	0.000 g	0.0 mi.	98,179.0	14.68v	15,423 min	30.43911	-89.41447	Joe Moran Rd, Kiln, MS
5:40:29 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,179.0	14.62v	15,425 min	30.43911	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:42:29 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,179.0	12.37v	15,427 min	30.43924	-89.41467	18403 Joe Moran Rd, Kiln, MS
5:42:40 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,179.0	12.34v	15,427 min	30.43924	-89.41467	18403 Joe Moran Rd, Kiln, MS
5:52:33 PM	On		9 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,179.0	13.07v	15,427 min	30.43914	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:54:32 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,179.0	12.52v	15,429 min	30.43919	-89.41456	18403 Joe Moran Rd, Kiln, MS
5:54:43 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,179.0	12.49v	15,429 min	30.43919	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:22:17 PM	On		6 mph	0 mph	6 mph S	-	0.000 g	0.000 g	0.0 mi.	98,179.0	14.84v	15,429 min	30.43919	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:24:16 PM	On		14 mph	6 mph	13 mph S	-	1.506 g	0.396 g	0.2 mi.	98,179.2	14.04v	15,431 min	30.43707	-89.41724	Joe Moran Rd, Kiln, MS
6:26:16 PM	On		37 mph	31 mph	31 mph S	-	0.229 g	0.237 g	1.2 mi.	98,180.2	14.17v	15,433 min	30.42302	-89.42134	17299 Old Joe Moran St, Kiln, MS
6:28:16 PM	On		38 mph	33 mph	22 mph S	-	0.147 g	0.192 g	2.3 mi.	98,181.3	14.20v	15,435 min	30.41012	-89.42733	16133 Old Joe Moran St, Kiln, MS
6:30:16 PM	On		52 mph	32 mph	52 mph W	45 mph	1.167 g	0.408 g	3.4 mi.	98,182.4	14.20v	15,437 min	30.40654	-89.43944	MS-43, Kiln, MS
6:32:16 PM	On		54 mph	53 mph	51 mph SE	55 mph	0.057 g	0.082 g	5.1 mi.	98,184.1	14.26v	15,439 min	30.38720	-89.44146	14961 MS-43, Kiln, MS

6:34:16 PM	On	57 mph	44 mph	57 mph SE	55 mph	1.290 g	0.429 g	6.6 mi.	98,185.6	14.17v	15,441 min	30.36903	-89.42862	MS-43, Kiln, MS
6:36:16 PM	On	57 mph	55 mph	57 mph S	55 mph	0.192 g	0.122 g	8.5 mi.	98,187.5	14.20v	15,443 min	30.34419	-89.42650	MS-43, Bay St Louis, MS
6:38:16 PM	On	57 mph	56 mph	57 mph SE	55 mph	0.069 g	0.057 g	10.3 mi.	98,189.3	14.29v	15,445 min	30.32190	-89.41557	10829 MS-43, Bay St Louis, MS
6:40:16 PM	On	62 mph	54 mph	62 mph E	55 mph	0.114 g	0.102 g	12.1 mi.	98,191.1	14.23v	15,447 min	30.31226	-89.38811	9499 MS-43, Bay St Louis, MS
6:42:16 PM	On	62 mph	26 mph	37 mph E	45 mph	1.020 g	0.408 g	13.0 mi.	98,192.0	13.56v	15,449 min	30.30663	-89.37645	309 US-90, Waveland, MS
6:44:16 PM	On	46 mph	33 mph	0 mph NE	25 mph	0.102 g	0.408 g	14.1 mi.	98,193.1	13.50v	15,451 min	30.31246	-89.35943	1001 Washington St, Bay St Louis, MS
6:46:16 PM	On	47 mph	37 mph	45 mph E	45 mph	0.906 g	0.094 g	15.3 mi.	98,194.3	13.62v	15,453 min	30.31908	-89.34015	354 US-90, Bay St Louis, MS
6:48:16 PM	On	53 mph	33 mph	29 mph NW	-	1.098 g	0.396 g	16.4 mi.	98,195.4	13.92v	15,455 min	30.32077	-89.32465	634 N Beach Blvd, Bay St Louis, MS
6:50:16 PM	On	30 mph	23 mph	23 mph N	-	0.102 g	0.147 g	17.2 mi.	98,196.2	13.59v	15,457 min	30.33031	-89.33073	1003 N Beach Blvd, Bay St Louis, MS
6:52:16 PM	On	24 mph	14 mph	12 mph W	-	0.090 g	0.122 g	17.6 mi.	98,196.6	13.59v	15,459 min	30.33419	-89.33595	211 Julia St, Bay St Louis, MS
6:54:16 PM	On	14 mph	11 mph	12 mph W	-	0.192 g	0.216 g	18.0 mi.	98,197.0	13.56v	15,461 min	30.33609	-89.34210	Julia St, Bay St Louis, MS
6:56:16 PM	On	12 mph	10 mph	12 mph NE	-	0.894 g	0.306 g	18.3 mi.	98,197.3	13.59v	15,463 min	30.33802	-89.34641	Engman Ave, Bay St Louis, MS
6:58:16 PM	On	14 mph	12 mph	7 mph N	-	0.918 g	0.396 g	18.8 mi.	98,197.8	13.50v	15,465 min	30.34316	-89.34309	Engman Ave, Bay St Louis, MS
7:00:16 PM	On	16 mph	11 mph	11 mph E	-	0.971 g	0.518 g	19.1 mi.	98,198.1	13.59v	15,467 min	30.33988	-89.34535	Blakemore St, Bay St Louis, MS
7:02:16 PM	On	14 mph	12 mph	12 mph E	-	2.106 g	0.351 g	19.5 mi.	98,198.5	13.53v	15,469 min	30.33788	-89.33924	219 Blakemore St, Bay St Louis, MS
7:04:16 PM	On	14 mph	10 mph	2 mph NE	-	0.837 g	0.473 g	19.8 mi.	98,198.8	13.56v	15,471 min	30.33934	-89.33568	1535 Dunbar Ave, Bay St Louis, MS
7:06:16 PM	On	16 mph	12 mph	11 mph N	-	0.869 g	0.159 g	20.3 mi.	98,199.3	13.62v	15,473 min	30.33861	-89.33769	127 Dogwood Rd, Bay St Louis, MS
7:08:16 PM	On	14 mph	12 mph	11 mph S	-	0.171 g	0.204 g	20.7 mi.	98,199.7	13.59v	15,475 min	30.33746	-89.33587	24 Paradise Point Dr, Bay St Louis, MS
7:10:16 PM	On	23 mph	14 mph	11 mph E	-	0.216 g	0.294 g	21.1 mi.	98,200.1	13.59v	15,477 min	30.33685	-89.33606	200 Fox Dr, Bay St Louis, MS
7:12:16 PM	On	20 mph	13 mph	16 mph S	-	0.261 g	0.196 g	21.5 mi.	98,200.5	13.53v	15,479 min	30.33347	-89.33111	1224 N Beach Blvd, Bay St Louis, MS
7:14:16 PM	On	15 mph	13 mph	6 mph N	-	0.702 g	0.510 g	22.0 mi.	98,201.0	13.59v	15,481 min	30.33559	-89.33725	1361 Dunbar Ave, Bay St Louis, MS
7:16:16 PM	On	14 mph	10 mph	11 mph E	-	0.678 g	0.486 g	22.3 mi.	98,201.3	13.59v	15,483 min	30.33714	-89.34049	128 Harrison Ct, Bay St Louis, MS
7:18:16 PM	On	14 mph	12 mph	14 mph S	-	0.180 g	0.159 g	22.7 mi.	98,201.7	13.56v	15,485 min	30.33337	-89.33821	1200 Dunbar Ave, Bay St Louis, MS
7:20:16 PM	On	16 mph	14 mph	14 mph S	-	0.094 g	0.069 g	23.2 mi.	98,202.2	13.56v	15,487 min	30.32683	-89.33914	748 Dunbar Ave, Bay St Louis, MS
7:22:16 PM	On	15 mph	10 mph	8 mph S	-	0.147 g	0.159 g	23.5 mi.	98,202.5	13.59v	15,489 min	30.32767	-89.34372	220 Old Bay Ln, Bay St Louis, MS

7:24:16 PM	On	12 mph	10 mph	11 mph S	-	0.906 g	0.339 g	23.9 mi.	98,202.9	13.65v	15,491 min	30.32575	-89.33869	730 Dunbar Ave, Bay St Louis, MS
7:26:16 PM	On	14 mph	11 mph	7 mph E	-	0.090 g	0.159 g	24.2 mi.	98,203.2	13.62v	15,493 min	30.32705	-89.34344	Old Bay Ln, Bay St Louis, MS
7:28:16 PM	On	15 mph	11 mph	15 mph S	-	0.249 g	0.159 g	24.6 mi.	98,203.6	13.59v	15,495 min	30.32449	-89.33814	740 Dunbar Ave, Bay St Louis, MS
7:30:16 PM	On	17 mph	13 mph	14 mph W	-	0.155 g	0.127 g	25.0 mi.	98,204.0	13.62v	15,497 min	30.32359	-89.34201	603 Highland Dr, Bay St Louis, MS
7:32:16 PM	On	17 mph	14 mph	13 mph E	-	0.192 g	0.135 g	25.5 mi.	98,204.5	13.62v	15,499 min	30.32420	-89.34146	600 Athletic Dr, Bay St Louis, MS
7:34:16 PM	On	19 mph	14 mph	12 mph W	-	0.184 g	0.184 g	26.0 mi.	98,205.0	13.62v	15,501 min	30.32140	-89.33814	501 Esplanade Ave, Bay St Louis, MS
7:36:16 PM	On	14 mph	13 mph	12 mph W	-	0.114 g	0.090 g	26.4 mi.	98,205.4	13.65v	15,503 min	30.32357	-89.34503	617 Esplanade Ave, Bay St Louis, MS
7:38:16 PM	On	14 mph	11 mph	10 mph E	-	0.780 g	0.486 g	26.8 mi.	98,205.8	13.59v	15,505 min	30.32143	-89.34447	608 Sunset Dr, Bay St Louis, MS
7:40:16 PM	On	16 mph	11 mph	11 mph NW	-	0.204 g	0.273 g	27.2 mi.	98,206.2	13.56v	15,507 min	30.32041	-89.34121	509 Sunset Dr, Bay St Louis, MS
7:42:16 PM	On	15 mph	11 mph	12 mph NW	-	0.180 g	0.171 g	27.5 mi.	98,206.5	13.65v	15,509 min	30.32183	-89.34292	501 Vine Cir, Bay St Louis, MS
7:44:16 PM	On	14 mph	11 mph	14 mph S	-	0.767 g	0.371 g	27.9 mi.	98,206.9	13.59v	15,511 min	30.32090	-89.34680	604 Beyer Dr, Bay St Louis, MS
7:46:16 PM	On	16 mph	11 mph	8 mph SE	-	0.996 g	0.510 g	28.3 mi.	98,207.3	13.50v	15,513 min	30.31884	-89.34181	Bay St Louis, MS
7:48:16 PM	On	24 mph	17 mph	22 mph SW	25 mph	1.029 g	0.384 g	28.8 mi.	98,207.8	13.59v	15,515 min	30.31330	-89.33983	208 St Francis St, Bay St Louis, MS
7:50:16 PM	On	29 mph	19 mph	17 mph E	15 mph	1.020 g	0.473 g	29.5 mi.	98,208.5	13.68v	15,517 min	30.30650	-89.33948	401 Washington St, Bay St Louis, MS
7:52:16 PM	On	35 mph	18 mph	19 mph W	-	0.894 g	0.384 g	30.1 mi.	98,209.1	13.59v	15,519 min	30.30428	-89.33657	233 Citizen St, Bay St Louis, MS
7:54:16 PM	On	18 mph	12 mph	15 mph W	-	0.861 g	0.441 g	30.5 mi.	98,209.5	13.59v	15,521 min	30.30627	-89.34292	417 Citizen St, Bay St Louis, MS
7:56:16 PM	On	25 mph	18 mph	24 mph W	35 mph	1.131 g	0.408 g	31.1 mi.	98,210.1	13.62v	15,523 min	30.30560	-89.35290	827 Old Spanish Trl, Bay St Louis, MS
7:58:16 PM	On	30 mph	21 mph	22 mph W	-	0.171 g	0.286 g	31.8 mi.	98,210.8	13.62v	15,525 min	30.30803	-89.35981	Bismark St, Bay St Louis, MS
8:00:16 PM	On	26 mph	7 mph	0 mph S	-	0.702 g	0.396 g	32.0 mi.	98,211.0	13.53v	15,527 min	30.30793	-89.36383	501 Turner St, Bay St Louis, MS
8:02:16 PM	On	4 mph	0 mph	0 mph W	-	0.816 g	0.473 g	32.0 mi.	98,211.0	13.53v	15,529 min	30.30804	-89.36378	311 Bismark St, Bay St Louis, MS
8:04:16 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	32.0 mi.	98,211.0	13.56v	15,531 min	30.30804	-89.36378	311 Bismark St, Bay St Louis, MS
8:06:16 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	32.0 mi.	98,211.0	13.59v	15,533 min	30.30807	-89.36375	311 Bismark St, Bay St Louis, MS
8:08:16 PM	On	34 mph	19 mph	34 mph W	35 mph	0.971 g	0.229 g	32.7 mi.	98,211.7	13.59v	15,535 min	30.30222	-89.36907	205 Old Spanish Trl, Waveland, MS
8:10:16 PM	On	34 mph	20 mph	0 mph NW	30 mph	0.861 g	0.461 g	33.3 mi.	98,212.3	13.44v	15,537 min	30.30590	-89.37816	2196 Nicholson Ave, Waveland, MS
8:12:16 PM	On	59 mph	35 mph	52 mph W	55 mph	1.269 g	0.090 g	34.5 mi.	98,213.5	13.59v	15,539 min	30.31340	-89.39485	10080 MS-603, Bay St Louis, MS

8:14:16 PM	On	63 mph	44 mph	48 mph NW	55 mph	1.269 g	0.371 g	36.0 mi.	98,215.0	13.59v	15,541 min	30.32275	-89.41653	10904 MS-603, Bay St Louis, MS
8:16:16 PM	On	60 mph	51 mph	60 mph N	55 mph	0.082 g	0.110 g	37.7 mi.	98,216.7	13.56v	15,543 min	30.34337	-89.42669	MS-43, Bay St Louis, MS
8:18:16 PM	On	63 mph	47 mph	63 mph N	55 mph	1.155 g	0.339 g	39.2 mi.	98,218.2	13.56v	15,545 min	30.36505	-89.42586	13254 MS-43, Kiln, MS
8:20:16 PM	On	67 mph	56 mph	35 mph NW	55 mph	0.069 g	0.180 g	41.1 mi.	98,220.1	13.62v	15,547 min	30.38798	-89.44189	15034 MS-43, Kiln, MS
8:22:16 PM	On	50 mph	40 mph	38 mph NE	45 mph	0.286 g	0.216 g	42.4 mi.	98,221.4	13.62v	15,549 min	30.40513	-89.44492	16246 MS-43, Kiln, MS
8:24:16 PM	On	50 mph	35 mph	48 mph N	55 mph	0.216 g	0.241 g	43.6 mi.	98,222.6	13.56v	15,551 min	30.41609	-89.43324	MS-43, Kiln, MS
8:26:16 PM	On	52 mph	42 mph	31 mph E	-	0.204 g	0.261 g	45.0 mi.	98,224.0	13.62v	15,553 min	30.42919	-89.42571	Cuevas Rd, Kiln, MS
8:28:16 PM	On	48 mph	31 mph	39 mph N	-	0.747 g	0.473 g	46.0 mi.	98,225.0	13.68v	15,555 min	30.43085	-89.41716	Joe Moran Rd, Kiln, MS
8:30:16 PM	On	43 mph	21 mph	0 mph SE	-	0.261 g	0.351 g	46.7 mi.	98,225.7	13.53v	15,557 min	30.43911	-89.41456	18403 Joe Moran Rd, Kiln, MS
8:32:16 PM	On	3 mph	0 mph	0 mph S	-	0.837 g	0.371 g	46.7 mi.	98,225.7	13.59v	15,559 min	30.43910	-89.41454	18403 Joe Moran Rd, Kiln, MS
8:34:16 PM	On	43 mph	21 mph	40 mph S	-	0.984 g	0.535 g	47.4 mi.	98,226.4	13.56v	15,561 min	30.43070	-89.41714	Joe Moran Rd, Kiln, MS
8:36:16 PM	On	44 mph	39 mph	42 mph S	-	0.388 g	0.273 g	48.7 mi.	98,227.7	13.50v	15,563 min	30.41304	-89.42259	Old Joe Moran St, Kiln, MS
8:38:16 PM	On	48 mph	30 mph	47 mph E	65 mph	0.837 g	0.351 g	49.7 mi.	98,228.7	13.53v	15,565 min	30.40535	-89.42140	5425 Kiln-Delisle Rd, Kiln, MS
8:40:16 PM	On	47 mph	21 mph	9 mph W	-	0.180 g	0.363 g	50.4 mi.	98,229.4	13.59v	15,567 min	30.41085	-89.41749	Sam Favre Rd, Kiln, MS
8:42:16 PM	On	9 mph	1 mph	0 mph SW	-	0.082 g	0.384 g	50.4 mi.	98,229.4	13.56v	15,569 min	30.41103	-89.41826	16301 Sam Favre Rd, Kiln, MS
8:44:16 PM	On	22 mph	4 mph	20 mph N	-	0.690 g	0.510 g	50.6 mi.	98,229.6	13.53v	15,571 min	30.41196	-89.41689	Sam Favre Rd, Kiln, MS
8:46:16 PM	On	34 mph	12 mph	34 mph S	-	0.665 g	0.384 g	51.0 mi.	98,230.0	13.56v	15,573 min	30.40815	-89.41675	Sam Favre Rd, Kiln, MS
8:48:16 PM	On	57 mph	41 mph	7 mph N	45 mph	0.318 g	0.314 g	52.3 mi.	98,231.3	13.65v	15,575 min	30.40925	-89.43526	MS-43, Kiln, MS
8:50:16 PM	On	66 mph	56 mph	61 mph N	55 mph	0.249 g	0.147 g	54.2 mi.	98,233.2	13.62v	15,577 min	30.43609	-89.43236	MS-603, Kiln, MS
8:52:16 PM	On	60 mph	42 mph	10 mph N	-	0.184 g	0.363 g	55.6 mi.	98,234.6	13.62v	15,579 min	30.45217	-89.42862	6116 Firetower Rd, Kiln, MS
8:54:16 PM	On	9 mph	3 mph	0 mph SW	-	0.261 g	0.473 g	55.7 mi.	98,234.7	13.59v	15,581 min	30.45339	-89.42925	6126 Firetower Rd, Kiln, MS
8:56:16 PM	On	4 mph	1 mph	2 mph S	-	0.722 g	0.531 g	55.7 mi.	98,234.7	13.59v	15,583 min	30.45282	-89.42922	Hunter Dr, Kiln, MS
8:58:16 PM	On	5 mph	3 mph	5 mph SE	-	0.657 g	0.543 g	55.8 mi.	98,234.8	13.56v	15,585 min	30.45286	-89.42873	19021 Hunter Dr, Kiln, MS
9:00:16 PM	On	50 mph	25 mph	50 mph E	-	0.927 g	0.543 g	56.7 mi.	98,235.7	13.56v	15,587 min	30.45170	-89.41565	Firetower Rd, Kiln, MS
9:02:16 PM	On	55 mph	39 mph	40 mph S	-	0.241 g	0.408 g	58.0 mi.	98,237.0	13.59v	15,589 min	30.43969	-89.40974	Joe Moran Rd, Kiln, MS

3/16/2021

9:04:16 PM	On	41 mph	13 mph	0 mph SE	-	0.294 g	0.371 g	58.4 mi.	98,237.4	12.34v	15,591 min	30.43909	-89.41445	18403 Joe Moran Rd, Kiln, MS
9:04:26 PM	Off	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	58.4 mi.	98,237.4	12.37v	15,592 min	30.43909	-89.41445	18403 Joe Moran Rd, Kiln, MS

Wed Mar 10, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:08:56 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,237.4	12.52v	15,592 min	30.43909	-89.41445	18403 Joe Moran Rd, Kiln, MS
6:48:25 PM	On		2 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,237.4	14.53v	15,592 min	30.43909	-89.41445	18403 Joe Moran Rd, Kiln, MS
6:50:24 PM	On		5 mph	0 mph	0 mph SE	-	0.951 g	0.339 g	0.0 mi.	98,237.4	12.40v	15,593 min	30.43920	-89.41462	18403 Joe Moran Rd, Kiln, MS
6:50:34 PM	Off		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,237.4	12.37v	15,594 min	30.43920	-89.41462	18403 Joe Moran Rd, Kiln, MS
7:13:20 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,237.4	14.62v	15,594 min	30.43908	-89.41454	18403 Joe Moran Rd, Kiln, MS
7:15:19 PM	On		32 mph	8 mph	32 mph S	-	0.882 g	0.473 g	0.3 mi.	98,237.7	14.20v	15,596 min	30.43646	-89.41717	Joe Moran Rd, Kiln, MS
7:17:19 PM	On		46 mph	35 mph	37 mph S	-	0.441 g	0.400 g	1.4 mi.	98,238.8	14.11v	15,598 min	30.42060	-89.42126	Old Joe Moran St, Kiln, MS
7:19:19 PM	On		43 mph	34 mph	14 mph S	-	0.735 g	0.522 g	2.6 mi.	98,240.0	14.07v	15,600 min	30.40687	-89.42735	16023 Old Joe Moran St, Kiln, MS
7:21:19 PM	On		57 mph	34 mph	55 mph SW	45 mph	1.131 g	0.384 g	3.7 mi.	98,241.1	14.20v	15,602 min	30.40570	-89.44426	MS-43, Kiln, MS
7:23:19 PM	On		62 mph	57 mph	60 mph S	55 mph	0.082 g	0.110 g	5.6 mi.	98,243.0	14.20v	15,604 min	30.38112	-89.43834	MS-43, Kiln, MS
7:25:19 PM	On		66 mph	57 mph	16 mph S	55 mph	0.192 g	0.351 g	7.5 mi.	98,244.9	14.38v	15,606 min	30.35747	-89.42309	MS-43, Bay St Louis, MS
7:27:19 PM	On		66 mph	59 mph	65 mph SE	65 mph	0.216 g	0.078 g	9.5 mi.	98,246.9	14.17v	15,608 min	30.33072	-89.42549	MS-43, Bay St Louis, MS
7:29:19 PM	On		65 mph	52 mph	40 mph S	35 mph	0.192 g	0.216 g	11.2 mi.	98,248.6	14.23v	15,610 min	30.31312	-89.40698	Kiln Waveland Cutoff Rd, Bay St Louis, MS
7:31:19 PM	On		39 mph	34 mph	27 mph SE	30 mph	0.241 g	0.363 g	12.4 mi.	98,249.8	13.98v	15,612 min	30.30006	-89.39814	2111 Waveland Ave, Waveland, MS
7:33:19 PM	On		45 mph	21 mph	41 mph E	45 mph	1.155 g	0.396 g	13.1 mi.	98,250.5	13.62v	15,614 min	30.30295	-89.38730	US-90, Waveland, MS
7:35:19 PM	On		45 mph	16 mph	0 mph NW	45 mph	0.792 g	0.408 g	13.6 mi.	98,251.0	12.65v	15,616 min	30.30496	-89.37964	405 US-90, Waveland, MS
7:35:29 PM	Off		0 mph	0 mph	0 mph NW	45 mph	0.000 g	0.000 g	13.6 mi.	98,251.0	12.59v	15,616 min	30.30496	-89.37964	405 US-90, Waveland, MS
7:54:20 PM	On		0 mph	0 mph	0 mph NW	45 mph	0.000 g	0.000 g	13.6 mi.	98,251.0	14.68v	15,616 min	30.30496	-89.37964	405 US-90, Waveland, MS
7:56:19 PM	On		42 mph	11 mph	41 mph W	45 mph	0.816 g	0.294 g	14.0 mi.	98,251.4	14.17v	15,618 min	30.30460	-89.38290	US-90, Waveland, MS
7:58:19 PM	On		52 mph	30 mph	37 mph W	45 mph	1.098 g	0.461 g	15.0 mi.	98,252.4	14.20v	15,620 min	30.29935	-89.39877	886 US-90, Waveland, MS
8:00:19 PM	On		59 mph	53 mph	59 mph W	65 mph	0.102 g	0.069 g	16.8 mi.	98,254.2	14.14v	15,622 min	30.29943	-89.42852	6030 US-90, Bay St Louis, MS

3/16/2021

8:02:19 PM	On		65 mph	60 mph	65 mph W	65 mph	0.057 g	0.057 g	18.8 mi.	98,256.2	14.04v	15,624 min	30.30051	-89.46177	US-90, Bay St Louis, MS
8:04:19 PM	On		67 mph	43 mph	21 mph E	65 mph	0.984 g	0.371 g	20.2 mi.	98,257.6	14.26v	15,626 min	30.30097	-89.48442	US-90, Bay St Louis, MS
8:06:19 PM	On		37 mph	27 mph	13 mph S	-	0.184 g	0.363 g	21.1 mi.	98,258.5	13.83v	15,628 min	30.29015	-89.48174	Oak St, Bay St Louis, MS
8:08:19 PM	On		13 mph	11 mph	10 mph S	-	0.327 g	0.306 g	21.5 mi.	98,258.9	13.59v	15,630 min	30.28470	-89.48175	9039 Oak St, Bay St Louis, MS
8:10:19 PM	On		12 mph	8 mph	12 mph W	-	0.849 g	0.461 g	21.7 mi.	98,259.1	13.83v	15,632 min	30.28490	-89.48339	Queensland St, Bay St Louis, MS
8:12:19 PM	On		13 mph	10 mph	11 mph E	-	0.192 g	0.159 g	22.1 mi.	98,259.5	13.56v	15,634 min	30.28558	-89.48475	9165 Persimmon St, Bay St Louis, MS
8:14:19 PM	On		12 mph	9 mph	6 mph E	-	1.020 g	0.473 g	22.4 mi.	98,259.8	13.62v	15,636 min	30.28558	-89.47937	9051 Persimmon St, Bay St Louis, MS
8:16:19 PM	On		14 mph	10 mph	12 mph E	-	0.963 g	0.531 g	22.7 mi.	98,260.1	13.62v	15,638 min	30.28628	-89.47916	Orange St, Bay St Louis, MS
8:18:19 PM	On		12 mph	8 mph	10 mph W	-	0.951 g	0.441 g	23.0 mi.	98,260.4	13.65v	15,640 min	30.28635	-89.48240	9132 Orange St, Bay St Louis, MS
8:20:19 PM	On		24 mph	11 mph	9 mph E	-	0.792 g	0.396 g	23.3 mi.	98,260.7	13.59v	15,642 min	30.28761	-89.48495	9224 Malabar St, Bay St Louis, MS
8:22:19 PM	On		14 mph	10 mph	8 mph W	-	1.041 g	0.371 g	23.7 mi.	98,261.1	13.41v	15,644 min	30.28898	-89.48273	9152 Kingwood St, Bay St Louis, MS
8:24:19 PM	On		11 mph	6 mph	7 mph N	-	0.894 g	0.473 g	23.9 mi.	98,261.3	13.53v	15,646 min	30.29103	-89.48166	Oak St, Bay St Louis, MS
8:26:19 PM	On		7 mph	6 mph	5 mph N	-	0.171 g	0.229 g	24.0 mi.	98,261.4	13.62v	15,648 min	30.29393	-89.48168	Oak St, Bay St Louis, MS
8:28:19 PM	On		14 mph	5 mph	14 mph N	-	1.947 g	0.531 g	24.2 mi.	98,261.6	13.62v	15,650 min	30.29658	-89.48168	Oak St, Bay St Louis, MS
8:30:19 PM	On		60 mph	39 mph	60 mph E	65 mph	0.816 g	0.461 g	25.5 mi.	98,262.9	13.50v	15,652 min	30.30030	-89.46446	US-90, Bay St Louis, MS
8:30:54 PM		Hard Braking	60 mph	53 mph	9 mph E	65 mph	0.037 g	0.518 g	26.0 mi.	98,263.4	13.56v	15,652 min	30.30000	-89.45614	US-90, Bay St Louis, MS
8:32:19 PM	On		60 mph	39 mph	52 mph S	35 mph	1.008 g	0.518 g	26.8 mi.	98,264.2	13.56v	15,654 min	30.28864	-89.45663	8213 Lakeshore Rd, Bay St Louis, MS
8:34:19 PM	On		57 mph	45 mph	45 mph S	35 mph	0.139 g	0.229 g	28.3 mi.	98,265.7	13.44v	15,656 min	30.26776	-89.44976	Lakeshore Rd, Bay St Louis, MS
8:36:19 PM	On		56 mph	44 mph	55 mph SW	35 mph	0.306 g	0.273 g	29.8 mi.	98,267.2	13.62v	15,658 min	30.25338	-89.46456	Pearlington Rd, Bay St Louis, MS
8:38:19 PM	On		58 mph	23 mph	0 mph NW	35 mph	0.612 g	0.510 g	30.5 mi.	98,267.9	13.44v	15,660 min	30.24839	-89.47568	8570 Pearlington Rd, Bay St Louis, MS
8:40:19 PM	On		7 mph	1 mph	7 mph W	35 mph	0.633 g	0.000 g	30.6 mi.	98,268.0	13.56v	15,662 min	30.24810	-89.47620	Pearlington Rd, Bay St Louis, MS
8:42:19 PM	On		47 mph	14 mph	47 mph NE	35 mph	0.906 g	0.396 g	31.1 mi.	98,268.5	13.56v	15,664 min	30.24985	-89.47004	8345 Pearlington Rd, Bay St Louis, MS
8:44:19 PM	On		57 mph	51 mph	26 mph E	35 mph	0.204 g	0.273 g	32.8 mi.	98,270.2	13.47v	15,666 min	30.26606	-89.44912	7161 Pearlington Rd, Bay St Louis, MS
8:46:19 PM	On		43 mph	29 mph	32 mph NE	-	0.816 g	0.441 g	33.7 mi.	98,271.1	13.59v	15,668 min	30.27444	-89.44473	7220 Hancock Dr, Bay St Louis, MS
8:48:19 PM	On		38 mph	32 mph	37 mph NE	-	0.261 g	0.273 g	34.8 mi.	98,272.2	13.65v	15,670 min	30.28806	-89.43655	7786 Hancock Dr, Bay St Louis, MS

/2021														
0:19 PM	On	37 mph	20 mph	2 mph W	-	0.294 g	0.396 g	35.5 mi.	98,272.9	13.53v	15,672 min	30.29520	-89.43912	6176 W Clay St, Bay St Louis, MS
8:52:19 PM	On	11 mph	4 mph	11 mph W	-	0.000 g	0.000 g	35.6 mi.	98,273.0	13.53v	15,674 min	30.29532	-89.44130	6276 W Clay St, Bay St Louis, MS
8:54:19 PM	On	27 mph	15 mph	27 mph E	-	1.780 g	0.314 g	36.1 mi.	98,273.5	13.56v	15,676 min	30.29664	-89.43870	6185 W Adams St, Bay St Louis, MS
8:56:19 PM	On	53 mph	30 mph	53 mph E	65 mph	0.849 g	0.453 g	37.1 mi.	98,274.5	13.62v	15,678 min	30.29899	-89.42439	US-90, Bay St Louis, MS
8:58:19 PM	On	57 mph	52 mph	46 mph E	45 mph	0.057 g	0.069 g	38.8 mi.	98,276.2	13.56v	15,680 min	30.30014	-89.39540	701 US-90, Waveland, MS
9:00:19 PM	On	50 mph	39 mph	19 mph SE	30 mph	1.053 g	0.351 g	40.1 mi.	98,277.5	13.50v	15,682 min	30.30397	-89.37607	2003 Nicholson Ave, Waveland, MS
9:02:19 PM	On	36 mph	26 mph	25 mph E	35 mph	1.110 g	0.416 g	41.0 mi.	98,278.4	13.56v	15,684 min	30.30333	-89.36264	Old Spanish Trl, Bay St Louis, MS
9:04:19 PM	On	40 mph	27 mph	7 mph SW	-	0.127 g	0.180 g	41.9 mi.	98,279.3	13.47v	15,686 min	30.30467	-89.34919	506 Ramaux St, Bay St Louis, MS
9:06:19 PM	On	9 mph	6 mph	7 mph NE	-	1.539 g	0.461 g	42.1 mi.	98,279.5	13.62v	15,688 min	30.30497	-89.34898	Ramaux St, Bay St Louis, MS
9:08:19 PM	On	25 mph	7 mph	25 mph E	35 mph	0.963 g	0.453 g	42.3 mi.	98,279.7	13.62v	15,690 min	30.30627	-89.34991	728 Old Spanish Trl, Bay St Louis, MS
9:10:19 PM	On	40 mph	28 mph	9 mph NE	25 mph	0.984 g	0.453 g	43.2 mi.	98,280.6	13.56v	15,692 min	30.31461	-89.33901	St Francis St, Bay St Louis, MS
9:12:19 PM	On	28 mph	10 mph	3 mph E	-	0.147 g	0.294 g	43.6 mi.	98,281.0	13.65v	15,694 min	30.31524	-89.33489	412 St George St, Bay St Louis, MS
9:14:19 PM	On	12 mph	5 mph	11 mph W	-	1.269 g	0.498 g	43.7 mi.	98,281.1	13.62v	15,696 min	30.31609	-89.33409	407 Carroll Ave, Bay St Louis, MS
9:16:19 PM	On	26 mph	8 mph	26 mph W	-	0.984 g	0.371 g	44.0 mi.	98,281.4	13.62v	15,698 min	30.31750	-89.33855	509 Carroll Ave, Bay St Louis, MS
9:18:19 PM	On	40 mph	24 mph	39 mph W	45 mph	1.041 g	0.416 g	44.8 mi.	98,282.2	13.56v	15,700 min	30.31551	-89.35095	821 US-90, Bay St Louis, MS
9:20:19 PM	On	42 mph	32 mph	30 mph W	-	0.318 g	0.229 g	45.9 mi.	98,283.3	13.59v	15,702 min	30.31168	-89.36799	2028 Longfellow Rd, Bay St Louis, MS
9:22:19 PM	On	40 mph	30 mph	6 mph W	-	1.041 g	0.396 g	46.9 mi.	98,284.3	13.62v	15,704 min	30.31128	-89.38457	Bay St Louis, MS
9:24:19 PM	On	57 mph	42 mph	19 mph NW	55 mph	1.245 g	0.371 g	48.3 mi.	98,285.7	13.59v	15,706 min	30.31688	-89.40693	MS-43, Bay St Louis, MS
9:26:19 PM	On	61 mph	57 mph	58 mph N	55 mph	0.212 g	0.180 g	50.2 mi.	98,287.6	13.59v	15,708 min	30.33632	-89.42801	MS-43, Bay St Louis, MS
9:28:19 PM	On	58 mph	56 mph	55 mph N	55 mph	0.159 g	0.122 g	52.0 mi.	98,289.4	13.59v	15,710 min	30.36200	-89.42466	13130 MS-43, Kiln, MS
9:30:19 PM	On	60 mph	55 mph	52 mph NW	55 mph	0.147 g	0.094 g	53.9 mi.	98,291.3	13.59v	15,712 min	30.38464	-89.43988	14640 MS-43, Kiln, MS
9:32:19 PM	On	61 mph	51 mph	29 mph NE	45 mph	0.229 g	0.212 g	55.6 mi.	98,293.0	13.59v	15,714 min	30.40596	-89.44370	16302 MS-43, Kiln, MS
9:34:19 PM	On	49 mph	37 mph	31 mph N	-	0.229 g	0.294 g	56.8 mi.	98,294.2	13.62v	15,716 min	30.40857	-89.42733	16070 Old Joe Moran St, Kiln, MS
9:36:19 PM	On	52 mph	39 mph	34 mph NE	-	0.522 g	0.441 g	58.1 mi.	98,295.5	13.59v	15,718 min	30.42439	-89.42080	17364 Joe Moran Rd, Kiln, MS
9:38:19 PM	On	42 mph	33 mph	4 mph NE	-	1.008 g	0.420 g	59.2 mi.	98,296.6	13.50v	15,720 min	30.43809	-89.41454	Joe Moran Rd, Kiln, MS

9:40:19 PM	On	14 mph	2 mph	0 mph SE	-	0.314 g	0.518 g	59.3 mi.	98,296.7	12.40v	15,722 min	30.43904	-89.41439	18403 Joe Moran Rd, Kiln, MS
9:40:29 PM	Off	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	59.3 mi.	98,296.7	12.34v	15,722 min	30.43904	-89.41439	18403 Joe Moran Rd, Kiln, MS

Thu Mar 11, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:44:58 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,296.7	12.52v	15,722 min	30.43904	-89.41439	18403 Joe Moran Rd, Kiln, MS
9:44:58 PM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,296.7	12.46v	15,722 min	30.43904	-89.41439	18403 Joe Moran Rd, Kiln, MS

Fri Mar 12, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
8:44:42 AM	On		2 mph	0 mph	2 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,296.7	14.68v	15,722 min	30.43904	-89.41439	Joe Moran Rd, Kiln, MS
8:46:41 AM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,296.7	12.62v	15,724 min	30.43924	-89.41455	18403 Joe Moran Rd, Kiln, MS
8:46:51 AM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,296.7	12.59v	15,724 min	30.43924	-89.41455	18403 Joe Moran Rd, Kiln, MS
8:50:35 AM	On		7 mph	0 mph	7 mph S	-	0.000 g	0.000 g	0.0 mi.	98,296.7	14.68v	15,724 min	30.43898	-89.41460	18403 Joe Moran Rd, Kiln, MS
8:52:34 AM	On		37 mph	13 mph	0 mph E	-	0.971 g	0.351 g	0.4 mi.	98,297.1	14.68v	15,726 min	30.43555	-89.41059	18516 Joe Moran Rd, Kiln, MS
8:54:34 AM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.4 mi.	98,297.1	14.56v	15,728 min	30.43551	-89.41056	18516 Joe Moran Rd, Kiln, MS
8:56:34 AM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.4 mi.	98,297.1	14.65v	15,730 min	30.43551	-89.41056	18516 Joe Moran Rd, Kiln, MS
8:58:34 AM	On		37 mph	19 mph	33 mph S	-	0.939 g	0.306 g	1.0 mi.	98,297.7	14.56v	15,732 min	30.43659	-89.41720	Joe Moran Rd, Kiln, MS
9:00:34 AM	On		50 mph	43 mph	50 mph S	-	0.343 g	0.286 g	2.5 mi.	98,299.2	14.41v	15,734 min	30.41685	-89.42256	Old Joe Moran St, Kiln, MS
9:02:34 AM	On		50 mph	37 mph	48 mph NW	65 mph	0.212 g	0.420 g	3.7 mi.	98,300.4	14.50v	15,736 min	30.40818	-89.43282	Kiln-Delisle Rd, Kiln, MS
9:04:34 AM	On		52 mph	21 mph	0 mph S	-	0.816 g	0.486 g	4.4 mi.	98,301.1	13.10v	15,738 min	30.40599	-89.44263	Kiln, MS
9:06:34 AM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	4.4 mi.	98,301.1	12.80v	15,740 min	30.40599	-89.44263	Kiln, MS
9:06:44 AM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	4.4 mi.	98,301.1	12.80v	15,740 min	30.40599	-89.44263	Kiln, MS
9:12:45 AM	On		12 mph	0 mph	12 mph N	-	0.000 g	0.000 g	4.4 mi.	98,301.1	14.59v	15,740 min	30.40624	-89.44252	Kiln, MS
9:14:45 AM	On		55 mph	29 mph	0 mph N	-	1.029 g	0.531 g	5.4 mi.	98,302.1	14.65v	15,742 min	30.40699	-89.42737	16023 Old Joe Moran St, Kiln, MS
9:16:45 AM	On		9 mph	1 mph	0 mph N	-	0.792 g	0.384 g	5.5 mi.	98,302.2	14.47v	15,744 min	30.40772	-89.42733	16041 Old Joe Moran St, Kiln, MS
9:18:45 AM	On		11 mph	4 mph	11 mph N	-	1.576 g	0.192 g	5.6 mi.	98,302.3	14.53v	15,746 min	30.41031	-89.42730	Old Joe Moran St, Kiln, MS

Activity Detail Report - WEX

9:20:45 AM	On	43 mph	29 mph	43 mph N	-	0.327 g	0.261 g	6.6 mi.	98,303.3	14.59v	15,748 min	30.42151	-89.42126	Old Joe Moran St, Kiln, MS
9:22:45 AM	On	52 mph	40 mph	16 mph N	-	0.261 g	0.376 g	7.9 mi.	98,304.6	14.53v	15,750 min	30.43842	-89.41454	Joe Moran Rd, Kiln, MS
9:24:45 AM	On	17 mph	1 mph	0 mph NE	-	0.057 g	0.351 g	8.0 mi.	98,304.7	14.29v	15,752 min	30.43885	-89.41448	18403 Joe Moran Rd, Kiln, MS
9:26:45 AM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	8.0 mi.	98,304.7	14.44v	15,754 min	30.43885	-89.41448	18403 Joe Moran Rd, Kiln, MS
9:28:45 AM	On	9 mph	1 mph	5 mph S	-	1.233 g	0.518 g	8.0 mi.	98,304.7	14.14v	15,756 min	30.43907	-89.41455	18403 Joe Moran Rd, Kiln, MS
9:30:45 AM	On	30 mph	19 mph	30 mph S	-	0.780 g	0.518 g	8.6 mi.	98,305.3	13.98v	15,758 min	30.43145	-89.41712	Joe Moran Rd, Kiln, MS
9:32:45 AM	On	35 mph	31 mph	25 mph S	-	0.159 g	0.184 g	9.7 mi.	98,306.4	14.07v	15,760 min	30.41742	-89.42239	Old Joe Moran St, Kiln, MS
9:34:45 AM	On	35 mph	28 mph	18 mph W	35 mph	0.253 g	0.261 g	10.6 mi.	98,307.3	14.53v	15,762 min	30.40683	-89.42771	Kiln-Delisle Rd, Kiln, MS
9:36:45 AM	On	45 mph	22 mph	45 mph W	45 mph	0.906 g	0.384 g	11.3 mi.	98,308.0	14.17v	15,764 min	30.40669	-89.43810	16425 MS-603, Kiln, MS
9:38:45 AM	On	57 mph	50 mph	54 mph SE	55 mph	0.122 g	0.135 g	13.0 mi.	98,309.7	13.80v	15,766 min	30.38920	-89.44266	15133 MS-43, Kiln, MS
9:40:45 AM	On	62 mph	53 mph	62 mph SE	55 mph	0.082 g	0.082 g	14.8 mi.	98,311.5	13.77v	15,768 min	30.36745	-89.42732	MS-43, Kiln, MS
9:42:45 AM	On	62 mph	45 mph	56 mph S	55 mph	0.196 g	0.229 g	16.3 mi.	98,313.0	13.83v	15,770 min	30.34677	-89.42531	MS-43, Bay St Louis, MS
9:44:45 AM	On	62 mph	58 mph	60 mph SE	55 mph	0.057 g	0.065 g	18.2 mi.	98,314.9	13.74v	15,772 min	30.32274	-89.41688	10897 MS-43, Bay St Louis, MS
9:46:45 AM	On	60 mph	42 mph	42 mph S	35 mph	0.110 g	0.327 g	19.6 mi.	98,316.3	13.77v	15,774 min	30.30667	-89.40630	9089 Kiln Waveland Cutoff Rd, Bay St Louis, MS
9:48:45 AM	On	42 mph	21 mph	0 mph E	35 mph	0.069 g	0.396 g	20.3 mi.	98,317.0	13.83v	15,776 min	30.29998	-89.39842	2113 Waveland Ave, Waveland, MS
9:50:45 AM	On	6 mph	0 mph	0 mph N	35 mph	0.665 g	0.486 g	20.3 mi.	98,317.0	13.74v	15,778 min	30.30011	-89.39840	2113 Waveland Ave, Waveland, MS
9:52:45 AM	On	5 mph	2 mph	4 mph NW	35 mph	0.882 g	0.486 g	20.4 mi.	98,317.1	13.89v	15,780 min	30.30072	-89.39922	2210 Waveland Ave, Waveland, MS
9:54:45 AM	On	4 mph	2 mph	3 mph NW	35 mph	0.678 g	0.510 g	20.5 mi.	98,317.2	13.62v	15,782 min	30.30142	-89.40032	2226 Waveland Ave, Waveland, MS
9:56:45 AM	On	6 mph	4 mph	1 mph NW	35 mph	0.000 g	0.000 g	20.6 mi.	98,317.3	13.65v	15,784 min	30.30250	-89.40210	Waveland Ave, Waveland, MS
9:58:45 AM	On	3 mph	0 mph	0 mph SW	-	0.620 g	0.441 g	20.6 mi.	98,317.3	13.71v	15,786 min	30.30285	-89.40279	202 Laurel St, Bay St Louis, MS
10:00:45 AM	On	4 mph	0 mph	4 mph SW	-	0.657 g	0.024 g	20.6 mi.	98,317.3	13.53v	15,788 min	30.30246	-89.40331	203 Laurel St, Waveland, MS
10:02:45 AM	On	5 mph	4 mph	4 mph W	-	0.759 g	0.510 g	20.7 mi.	98,317.4	13.68v	15,790 min	30.30164	-89.40509	9019 Laurel St, Bay St Louis, MS
10:04:45 AM	On	4 mph	0 mph	0 mph SW	-	0.000 g	0.429 g	20.7 mi.	98,317.4	13.74v	15,792 min	30.30162	-89.40512	9063 Iris St, Bay St Louis, MS
10:06:45 AM	On	4 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	20.7 mi.	98,317.4	13.62v	15,794 min	30.30162	-89.40512	9063 Iris St, Bay St Louis, MS
10:08:45 AM	On	4 mph	4 mph	3 mph E	-	0.000 g	0.000 g	20.9 mi.	98,317.6	13.65v	15,796 min	30.29988	-89.40465	4043 Camellia St, Bay St Louis, MS

10:10:45 AM	On	6 mph	4 mph	6 mph E	-	0.612 g	0.053 g	21.0 mi.	98,317.7	13.59v	15,798 min	30.29985	-89.40220	Camellia St, Waveland, MS
10:12:45 AM	On	6 mph	4 mph	2 mph NE	-	0.090 g	0.486 g	21.1 mi.	98,317.8	13.56v	15,800 min	30.30010	-89.39977	Camellia St, Waveland, MS
10:14:45 AM	On	6 mph	2 mph	4 mph W	-	0.657 g	0.441 g	21.2 mi.	98,317.9	13.53v	15,802 min	30.30064	-89.40065	Dogwood St, Waveland, MS
10:16:45 AM	On	4 mph	4 mph	0 mph W	-	0.576 g	0.543 g	21.3 mi.	98,318.0	13.71v	15,804 min	30.30050	-89.40301	222 Dogwood St, Waveland, MS
10:18:45 AM	On	4 mph	4 mph	3 mph W	-	0.000 g	0.000 g	21.5 mi.	98,318.2	13.53v	15,806 min	30.30058	-89.40512	4009 Dogwood St, Bay St Louis, MS
10:20:45 AM	On	6 mph	4 mph	4 mph E	-	0.690 g	0.110 g	21.6 mi.	98,318.3	13.59v	15,808 min	30.30054	-89.40285	219 Dogwood St, Waveland, MS
10:22:45 AM	On	5 mph	1 mph	4 mph E	-	0.045 g	0.510 g	21.7 mi.	98,318.4	13.68v	15,810 min	30.30055	-89.40206	215 Dogwood St, Waveland, MS
10:24:45 AM	On	4 mph	4 mph	4 mph NW	-	0.665 g	0.069 g	21.9 mi.	98,318.6	13.56v	15,812 min	30.30174	-89.40224	2227 Magnolia St, Waveland, MS
10:26:45 AM	On	6 mph	2 mph	3 mph NE	-	0.588 g	0.486 g	21.9 mi.	98,318.6	13.47v	15,814 min	30.30247	-89.40330	202 Laurel St, Bay St Louis, MS
10:28:45 AM	On	5 mph	4 mph	3 mph SW	-	0.824 g	0.453 g	22.1 mi.	98,318.8	13.50v	15,816 min	30.30130	-89.40165	204 Hibiscus St, Waveland, MS
10:30:45 AM	On	4 mph	0 mph	3 mph SW	-	0.000 g	0.000 g	22.1 mi.	98,318.8	13.53v	15,818 min	30.30130	-89.40165	204 Hibiscus St, Waveland, MS
10:32:45 AM	On	4 mph	4 mph	4 mph E	-	0.804 g	0.327 g	22.3 mi.	98,319.0	13.47v	15,820 min	30.30127	-89.40486	9005 Hibiscus St, Bay St Louis, MS
10:34:45 AM	On	6 mph	4 mph	5 mph E	-	0.082 g	0.069 g	22.4 mi.	98,319.1	13.44v	15,822 min	30.30125	-89.40247	209 Hibiscus St, Waveland, MS
10:36:45 AM	On	14 mph	5 mph	0 mph NW	-	0.759 g	0.518 g	22.6 mi.	98,319.3	13.56v	15,824 min	30.30237	-89.40324	206 Laurel St, Bay St Louis, MS
10:38:45 AM	On	10 mph	2 mph	0 mph N	-	0.804 g	0.441 g	22.7 mi.	98,319.4	13.47v	15,826 min	30.30301	-89.40275	199 Laurel St, Waveland, MS
10:40:45 AM	On	6 mph	1 mph	6 mph NW	-	0.702 g	0.384 g	22.7 mi.	98,319.4	13.44v	15,828 min	30.30410	-89.40311	1498 Ontario St, Waveland, MS
10:42:45 AM	On	6 mph	2 mph	0 mph NW	-	0.065 g	0.441 g	22.8 mi.	98,319.5	13.53v	15,830 min	30.30476	-89.40415	9048 Niagara St, Bay St Louis, MS
10:44:45 AM	On	6 mph	4 mph	5 mph N	-	0.702 g	0.127 g	22.9 mi.	98,319.6	13.31v	15,832 min	30.30630	-89.40531	9098 Niagara St, Bay St Louis, MS
10:46:45 AM	On	9 mph	5 mph	2 mph N	-	0.127 g	0.498 g	23.1 mi.	98,319.8	13.35v	15,834 min	30.30894	-89.40557	9192 Niagara St, Bay St Louis, MS
10:48:45 AM	On	4 mph	3 mph	3 mph S	-	0.759 g	0.518 g	23.1 mi.	98,319.8	13.44v	15,836 min	30.30820	-89.40545	9159 Niagara St, Bay St Louis, MS
10:50:45 AM	On	9 mph	6 mph	4 mph SE	-	0.657 g	0.139 g	23.3 mi.	98,320.0	13.38v	15,838 min	30.30543	-89.40491	Niagara St, Bay St Louis, MS
10:52:45 AM	On	7 mph	5 mph	2 mph S	-	0.122 g	0.473 g	23.5 mi.	98,320.2	13.16v	15,840 min	30.30403	-89.40266	101 Laurel St, Waveland, MS
10:54:45 AM	On	6 mph	3 mph	3 mph E	-	0.722 g	0.518 g	23.6 mi.	98,320.3	13.41v	15,842 min	30.30387	-89.40071	1425 Ontario St, Waveland, MS
10:56:45 AM	On	6 mph	4 mph	0 mph E	25 mph	0.735 g	0.543 g	23.7 mi.	98,320.4	13.25v	15,844 min	30.30342	-89.39823	401 Ave B, Waveland, MS
10:58:45 AM	On	7 mph	3 mph	4 mph W	-	0.759 g	0.082 g	23.8 mi.	98,320.5	13.28v	15,846 min	30.30416	-89.39898	1408 Erie St, Waveland, MS

/16/2021														
11:00:45 AM	On	5 mph	4 mph	4 mph W	-	0.759 g	0.486 g	24.0 mi.	98,320.7	13.35v	15,848 min	30.30454	-89.40137	1424 Erie St, Waveland, MS
11:02:45 AM	On	8 mph	5 mph	7 mph E	-	0.657 g	0.473 g	24.2 mi.	98,320.9	13.41v	15,850 min	30.30531	-89.40212	Huron St, Bay St Louis, MS
11:04:45 AM	On	10 mph	5 mph	9 mph E	-	0.257 g	0.204 g	24.3 mi.	98,321.0	13.41v	15,852 min	30.30493	-89.39891	4041 Huron St, Bay St Louis, MS
11:06:45 AM	On	9 mph	2 mph	0 mph E	25 mph	0.094 g	0.453 g	24.4 mi.	98,321.1	13.38v	15,854 min	30.30475	-89.39799	9013 Ave B, Bay St Louis, MS
11:08:45 AM	On	26 mph	12 mph	22 mph N	25 mph	0.702 g	0.171 g	24.8 mi.	98,321.5	13.31v	15,856 min	30.31038	-89.39678	9348 Ave B, Bay St Louis, MS
11:10:45 AM	On	51 mph	29 mph	39 mph SE	45 mph	0.882 g	0.327 g	25.8 mi.	98,322.5	13.35v	15,858 min	30.31063	-89.38384	MS-43, Bay St Louis, MS
11:12:45 AM	On	40 mph	11 mph	0 mph W	-	0.045 g	0.359 g	26.1 mi.	98,322.8	12.55v	15,860 min	30.30894	-89.38007	Waveland, MS
11:12:55 AM	Off	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	26.1 mi.	98,322.8	12.55v	15,860 min	30.30894	-89.38007	Waveland, MS
11:21:02 AM	On	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	26.1 mi.	98,322.8	14.84v	15,860 min	30.30891	-89.38008	Waveland, MS
11:23:02 AM	On	50 mph	12 mph	50 mph NW	45 mph	0.759 g	0.396 g	26.6 mi.	98,323.3	14.11v	15,862 min	30.31156	-89.38521	9516 MS-43, Bay St Louis, MS
11:25:02 AM	On	59 mph	46 mph	49 mph NW	55 mph	1.176 g	0.314 g	28.1 mi.	98,324.8	14.07v	15,864 min	30.31827	-89.40913	10594 MS-603, Bay St Louis, MS
11:27:02 AM	On	65 mph	58 mph	62 mph N	55 mph	0.127 g	0.192 g	30.0 mi.	98,326.7	13.31v	15,866 min	30.33921	-89.42812	11458 MS-43, Bay St Louis, MS
11:29:02 AM	On	63 mph	55 mph	58 mph N	55 mph	0.069 g	0.171 g	31.9 mi.	98,328.6	13.31v	15,868 min	30.36443	-89.42560	13228 MS-43, Kiln, MS
11:31:02 AM	On	63 mph	42 mph	51 mph N	55 mph	1.110 g	0.371 g	33.3 mi.	98,330.0	13.44v	15,870 min	30.38121	-89.43832	14252 MS-43, Kiln, MS
11:33:02 AM	On	51 mph	47 mph	48 mph NE	45 mph	0.078 g	0.127 g	34.8 mi.	98,331.5	13.47v	15,872 min	30.40159	-89.44756	16098 MS-43, Kiln, MS
11:35:02 AM	On	48 mph	33 mph	42 mph N	45 mph	1.200 g	0.408 g	35.9 mi.	98,332.6	13.35v	15,874 min	30.41082	-89.43480	16644 MS-43, Kiln, MS
11:37:02 AM	On	63 mph	50 mph	42 mph E	-	0.147 g	0.339 g	37.6 mi.	98,334.3	13.25v	15,876 min	30.42920	-89.42708	Cuevas Rd, Kiln, MS
11:39:02 AM	On	42 mph	30 mph	39 mph NE	-	0.939 g	0.486 g	38.6 mi.	98,335.3	13.50v	15,878 min	30.42941	-89.41787	Joe Moran Rd, Kiln, MS
11:41:02 AM	On	39 mph	24 mph	2 mph E	-	0.135 g	0.396 g	39.4 mi.	98,336.1	13.35v	15,880 min	30.43909	-89.41453	Joe Moran Rd, Kiln, MS
11:43:02 AM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	39.4 mi.	98,336.1	12.59v	15,882 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS
11:43:12 AM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	39.4 mi.	98,336.1	12.55v	15,883 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS
11:47:42 PM		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	39.4 mi.	98,336.1	12.49v	15,883 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS

Sat Mar 13, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
11:47:42 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,336.1	12.46v	15,883 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

3/16/2021 11:47:42 PM	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,336.1	12.43v	15,883 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 2.8420 seconds.

Activity Detail Overview »

Location Records	365	**Sorted By**	Time
Total Distance Traveled	225.4 mi.	**Selected Vehicle**	12 (vin: 1GTH5AE9F1161333)
Average Speed	18 mph	**Report Time Period**	Mar 7 12:00 AM to Mar 13 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	March 16, 2021 1:39:07 PM
Max Speed	73 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.


wex TELEMATICS


Philips Pest Control LLC

Export Data | Email Report

Speed Graphs »

show/hide





Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 12

Sun Mar 7, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:07:34 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.55v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
10:07:33 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.55v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS

Mon Mar 8, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:07:33 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	12.52v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
7:57:49 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,104.5	14.71v	9,562 min	30.43903	-89.41444	18403 Joe Moran Rd, Kiln, MS
7:59:48 PM	On		8 mph	1 mph	0 mph S	-	1.518 g	0.473 g	0.1 mi.	76,104.6	14.26v	9,564 min	30.43825	-89.41455	18403 Joe Moran Rd, Kiln, MS
8:01:48 PM	On		42 mph	32 mph	37 mph SW	-	0.759 g	0.184 g	1.1 mi.	76,105.6	14.26v	9,566 min	30.42497	-89.42043	Joe Moran Rd, Kiln, MS
8:03:48 PM	On		42 mph	36 mph	24 mph SW	-	0.159 g	0.241 g	2.3 mi.	76,106.8	14.23v	9,568 min	30.41046	-89.42724	Old Joe Moran St, Kiln, MS
8:05:48 PM	On		42 mph	24 mph	9 mph SW	-	0.869 g	0.486 g	3.1 mi.	76,107.6	14.07v	9,570 min	30.40917	-89.43568	Kiln-Picayune Rd, Kiln, MS
8:07:48 PM	On		6 mph	0 mph	0 mph S	45 mph	0.000 g	0.510 g	3.1 mi.	76,107.6	14.23v	9,572 min	30.40906	-89.43576	16595 MS-43, Kiln, MS
8:09:48 PM	On		0 mph	0 mph	0 mph S	45 mph	0.000 g	0.000 g	3.1 mi.	76,107.6	14.17v	9,574 min	30.40906	-89.43576	16595 MS-43, Kiln, MS

8:11:04 PM		Idling - OBD	0 mph	0 mph	0 mph S	45 mph	0.000 g	0.000 g	3.1 mi.	76,107.6	14.23v	9,574 min	30.40906	-89.43576	16595 MS-43, Kiln, MS
8:11:48 PM	On		0 mph	0 mph	0 mph S	45 mph	0.000 g	0.000 g	3.1 mi.	76,107.6	14.20v	9,576 min	30.40906	-89.43576	16595 MS-43, Kiln, MS
8:13:48 PM	On		51 mph	26 mph	51 mph SW	45 mph	0.837 g	0.351 g	4.0 mi.	76,108.5	14.23v	9,578 min	30.40296	-89.44656	16143 MS-43, Kiln, MS
8:15:48 PM	On		61 mph	56 mph	57 mph S	55 mph	0.090 g	0.069 g	5.9 mi.	76,110.4	14.20v	9,580 min	30.37844	-89.43716	MS-43, Kiln, MS
8:17:48 PM	On		65 mph	54 mph	54 mph S	55 mph	0.327 g	0.331 g	7.7 mi.	76,112.2	13.83v	9,582 min	30.35593	-89.42254	MS-43, Bay St Louis, MS
8:19:48 PM	On		66 mph	60 mph	63 mph SE	55 mph	0.135 g	0.196 g	9.7 mi.	76,114.2	13.83v	9,584 min	30.32881	-89.42426	11197 MS-43, Bay St Louis, MS
8:21:48 PM	On		71 mph	61 mph	64 mph E	55 mph	0.057 g	0.102 g	11.7 mi.	76,116.2	13.59v	9,586 min	30.31338	-89.39598	10099 MS-43, Bay St Louis, MS
8:23:48 PM	On		64 mph	47 mph	38 mph E	45 mph	0.135 g	0.229 g	13.3 mi.	76,117.8	13.59v	9,588 min	30.30782	-89.37298	205 US-90, Waveland, MS
8:25:48 PM	On		43 mph	31 mph	37 mph E	45 mph	0.184 g	0.237 g	14.3 mi.	76,118.8	13.62v	9,590 min	30.31330	-89.35701	US-90, Bay St Louis, MS
8:27:48 PM	On		52 mph	47 mph	52 mph E	45 mph	0.090 g	0.102 g	15.9 mi.	76,120.4	13.62v	9,592 min	30.32009	-89.33200	US-90, Bay St Louis, MS
8:29:48 PM	On		53 mph	10 mph	0 mph S	-	0.114 g	0.306 g	16.2 mi.	76,120.7	13.47v	9,594 min	30.31915	-89.32660	27 Chapel Hill Rd, Bay St Louis, MS
8:31:48 PM	On		9 mph	4 mph	5 mph NE	-	1.278 g	0.429 g	16.4 mi.	76,120.9	13.53v	9,596 min	30.31787	-89.32520	104 Hickory Ln, Bay St Louis, MS
8:33:48 PM	On		11 mph	5 mph	4 mph SE	-	0.951 g	0.486 g	16.5 mi.	76,121.0	13.65v	9,598 min	30.31691	-89.32668	122 Bayview Ct, Bay St Louis, MS
8:35:48 PM	On		17 mph	8 mph	17 mph S	25 mph	0.804 g	0.453 g	16.8 mi.	76,121.3	13.47v	9,600 min	30.31510	-89.32353	502 N Beach Blvd, Bay St Louis, MS
8:37:48 PM	On		12 mph	7 mph	6 mph N	-	0.678 g	0.429 g	17.0 mi.	76,121.5	13.68v	9,602 min	30.31607	-89.32699	511 N 2nd St, Bay St Louis, MS
8:39:48 PM	On		10 mph	6 mph	7 mph SE	-	0.645 g	0.408 g	17.2 mi.	76,121.7	13.62v	9,604 min	30.31689	-89.32817	Ruella Ave, Bay St Louis, MS
8:41:48 PM	On		10 mph	5 mph	9 mph S	-	0.159 g	0.498 g	17.4 mi.	76,121.9	13.50v	9,606 min	30.31493	-89.32740	502 N 2nd St, Bay St Louis, MS
8:43:48 PM	On		14 mph	9 mph	7 mph W	-	1.641 g	0.486 g	17.7 mi.	76,122.2	13.62v	9,608 min	30.31315	-89.32467	103 Carroll Ave, Bay St Louis, MS
8:45:48 PM	On		9 mph	7 mph	7 mph N	-	0.906 g	0.498 g	17.9 mi.	76,122.4	13.53v	9,610 min	30.31465	-89.32747	499 N 2nd St, Bay St Louis, MS
8:47:48 PM	On		8 mph	6 mph	7 mph W	-	0.824 g	0.543 g	18.1 mi.	76,122.6	13.62v	9,612 min	30.31583	-89.33070	315 Ulman Ave, Bay St Louis, MS
8:49:48 PM	On		11 mph	7 mph	5 mph NW	-	0.204 g	0.094 g	18.4 mi.	76,122.9	13.65v	9,614 min	30.31743	-89.33361	417 Webster St, Bay St Louis, MS
8:51:48 PM	On		7 mph	6 mph	6 mph W	-	0.078 g	0.065 g	18.6 mi.	76,123.1	13.65v	9,616 min	30.31842	-89.33676	455 Webster St, Bay St Louis, MS
8:53:48 PM	On		12 mph	6 mph	6 mph E	-	1.380 g	0.453 g	18.8 mi.	76,123.3	13.62v	9,618 min	30.31738	-89.33576	420 Ulman Ave, Bay St Louis, MS
8:55:48 PM	On		7 mph	6 mph	2 mph S	-	0.090 g	0.486 g	19.0 mi.	76,123.5	13.50v	9,620 min	30.31602	-89.33331	406 N Necaise Ave, Bay St Louis, MS
8:57:48 PM	On		7 mph	5 mph	5 mph W	-	0.759 g	0.049 g	19.1 mi.	76,123.6	13.62v	9,622 min	30.31675	-89.33605	421 Carroll Ave, Bay St Louis, MS
8:59:48 PM	On		15 mph	5 mph	15 mph N	25 mph	2.502 g	0.453 g	19.3 mi.	76,123.8	13.59v	9,624 min	30.31831	-89.33759	529 Dunbar Ave, Bay St Louis, MS
9:01:48 PM	On		17 mph	9 mph	9 mph E	-	0.078 g	0.204 g	19.6 mi.	76,124.1	13.62v	9,626 min	30.31872	-89.33401	308 Ruella Ave, Bay St Louis, MS
9:03:48 PM	On		13 mph	6 mph	8 mph SE	-	0.939 g	0.371 g	19.8 mi.	76,124.3	13.62v	9,628 min	30.31763	-89.33055	Ruella Ave, Bay St Louis, MS
9:05:48 PM	On		12 mph	7 mph	7 mph SW	-	0.665 g	0.473 g	20.0 mi.	76,124.5	13.44v	9,630 min	30.31654	-89.33248	100 Seminary Dr, Bay St Louis, MS
9:07:48 PM	On		9 mph	2 mph	8 mph S	-	0.588 g	0.498 g	20.1 mi.	76,124.6	13.65v	9,632 min	30.31599	-89.33329	402 N Necaise Ave, Bay St Louis, MS
9:09:48 PM	On		9 mph	9 mph	5 mph S	-	1.327 g	0.122 g	20.5 mi.	76,125.0	13.47v	9,634 min	30.31364	-89.32941	300 N Toulme St, Bay St Louis, MS
9:11:48 PM	On		9 mph	8 mph	9 mph W	-	0.192 g	0.171 g	20.7 mi.	76,125.2	13.62v	9,636 min	30.31487	-89.33359	343 St George St, Bay St Louis, MS
9:13:48 PM	On		10 mph	8 mph	1 mph W	-	0.747 g	0.441 g	21.0 mi.	76,125.5	13.62v	9,638 min	30.31620	-89.33786	445 St George St, Bay St Louis, MS
9:15:48 PM	On		15 mph	1 mph	15 mph S	25 mph	0.882 g	0.000 g	21.0 mi.	76,125.5	13.59v	9,640 min	30.31561	-89.33813	204 Dunbar Ave, Bay St Louis, MS
9:17:48 PM	On		30 mph	14 mph	16 mph SW	-	0.747 g	0.384 g	21.5 mi.	76,126.0	13.62v	9,642 min	30.31060	-89.34255	111 Old Spanish Trl, Bay St Louis, MS
9:19:48 PM	On		33 mph	23 mph	30 mph W	25 mph	0.861 g	0.429 g	22.3 mi.	76,126.8	13.62v	9,644 min	30.31082	-89.35326	Washington St, Bay St Louis, MS
9:21:48 PM	On		40 mph	27 mph	35 mph W	-	0.735 g	0.486 g	23.2 mi.	76,127.7	13.62v	9,646 min	30.31167	-89.36795	2028 Longfellow Rd, Bay St Louis, MS
9:23:48 PM	On		40 mph	33 mph	40 mph NW	45 mph	0.204 g	0.241 g	24.2 mi.	76,128.7	13.59v	9,648 min	30.31189	-89.38599	9558 MS-43, Bay St Louis, MS
9:25:48 PM	On		57 mph	51 mph	52 mph NW	55 mph	0.090 g	0.171 g	26.0 mi.	76,130.5	13.62v	9,650 min	30.32023	-89.41241	10704 MS-603, Bay St Louis, MS

9:27:48 PM	On	59 mph	55 mph	59 mph N	55 mph	0.078 g	0.069 g	27.8 mi.	76,132.3	13.62v	9,652 min	30.34133	-89.42756	MS-43, Bay St Louis, MS
9:29:48 PM	On	65 mph	56 mph	65 mph NW	65 mph	0.069 g	0.082 g	29.7 mi.	76,134.2	13.62v	9,654 min	30.36678	-89.42660	13314 MS-43, Kiln, MS
9:31:48 PM	On	65 mph	53 mph	52 mph NW	55 mph	0.102 g	0.139 g	31.4 mi.	76,135.9	13.65v	9,656 min	30.38847	-89.44216	15080 MS-43, Kiln, MS
9:33:48 PM	On	59 mph	53 mph	47 mph E	45 mph	0.069 g	0.159 g	33.2 mi.	76,137.7	13.65v	9,658 min	30.40680	-89.43751	16500 MS-43, Kiln, MS
9:35:48 PM	On	54 mph	43 mph	48 mph N	55 mph	0.927 g	0.249 g	34.6 mi.	76,139.1	13.59v	9,660 min	30.42635	-89.43412	MS-43, Kiln, MS
9:37:48 PM	On	60 mph	50 mph	44 mph NW	55 mph	0.094 g	0.102 g	36.3 mi.	76,140.8	13.65v	9,662 min	30.45009	-89.43287	19270 MS-603, Kiln, MS
9:39:48 PM	On	47 mph	38 mph	46 mph E	-	0.180 g	0.261 g	37.6 mi.	76,142.1	13.68v	9,664 min	30.45148	-89.41457	5183 Firetower Rd, Kiln, MS
9:41:48 PM	On	47 mph	20 mph	31 mph E	-	1.020 g	0.339 g	38.2 mi.	76,142.7	13.44v	9,666 min	30.44744	-89.40624	Firetower Rd, Kiln, MS
9:43:48 PM	On	39 mph	29 mph	25 mph W	-	0.351 g	0.343 g	39.2 mi.	76,143.7	13.50v	9,668 min	30.43814	-89.41385	Joe Moran Rd, Kiln, MS
9:45:48 PM	On	17 mph	3 mph	0 mph NE	-	1.155 g	0.441 g	39.3 mi.	76,143.8	12.52v	9,670 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
9:45:58 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	39.3 mi.	76,143.8	12.43v	9,670 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS

Tue Mar 9, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:50:28 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	12.71v	9,670 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
5:38:38 PM	On		2 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	14.62v	9,670 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
5:40:36 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	12.28v	9,672 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
5:40:47 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	12.62v	9,672 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:00:39 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	12.68v	9,672 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:02:38 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	12.62v	9,674 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:02:49 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	12.62v	9,674 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:22:12 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,143.8	14.62v	9,674 min	30.43901	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:24:11 PM	On		21 mph	4 mph	21 mph W	-	1.212 g	0.473 g	0.2 mi.	76,144.0	14.23v	9,676 min	30.43787	-89.41600	Joe Moran Rd, Kiln, MS
6:26:11 PM	On		42 mph	30 mph	37 mph SW	-	0.478 g	0.273 g	1.2 mi.	76,145.0	14.26v	9,678 min	30.42469	-89.42063	17371 Old Joe Moran Rd, Kiln, MS
6:28:11 PM	On		39 mph	35 mph	24 mph W	-	0.286 g	0.563 g	2.3 mi.	76,146.1	14.11v	9,680 min	30.41061	-89.42702	Old Joe Moran St, Kiln, MS
6:30:11 PM	On		43 mph	28 mph	41 mph SW	45 mph	0.996 g	0.384 g	3.3 mi.	76,147.1	13.83v	9,682 min	30.40724	-89.43667	16529 MS-43, Kiln, MS
6:32:11 PM	On		57 mph	52 mph	52 mph SE	55 mph	0.082 g	0.045 g	5.0 mi.	76,148.8	13.59v	9,684 min	30.38974	-89.44300	15189 MS-43, Kiln, MS
6:34:11 PM	On		55 mph	46 mph	55 mph SE	55 mph	0.139 g	0.184 g	6.5 mi.	76,150.3	13.59v	9,686 min	30.37069	-89.43020	MS-43, Kiln, MS
6:36:11 PM	On		63 mph	56 mph	57 mph S	55 mph	0.682 g	0.363 g	8.4 mi.	76,152.2	13.62v	9,688 min	30.34559	-89.42585	MS-43, Bay St Louis, MS
6:38:11 PM	On		58 mph	55 mph	56 mph SE	55 mph	0.069 g	0.078 g	10.2 mi.	76,154.0	13.65v	9,690 min	30.32278	-89.41702	10899 MS-43, Bay St Louis, MS
6:40:11 PM	On		61 mph	53 mph	61 mph E	55 mph	0.147 g	0.139 g	12.0 mi.	76,155.8	13.62v	9,692 min	30.31262	-89.39065	9985 MS-603, Bay St Louis, MS
6:42:11 PM	On		61 mph	28 mph	26 mph E	45 mph	0.963 g	0.486 g	12.9 mi.	76,156.7	13.62v	9,694 min	30.30622	-89.37767	321 US-90, Waveland, MS
6:44:11 PM	On		45 mph	35 mph	0 mph E	45 mph	0.135 g	0.282 g	14.1 mi.	76,157.9	13.50v	9,696 min	30.31240	-89.35958	1130 US-90, Bay St Louis, MS
6:46:11 PM	On		47 mph	34 mph	44 mph E	45 mph	1.008 g	0.065 g	15.2 mi.	76,159.0	13.59v	9,698 min	30.31859	-89.34179	384 US-90, Bay St Louis, MS
6:48:11 PM	On		50 mph	28 mph	2 mph S	-	0.882 g	0.429 g	16.2 mi.	76,160.0	13.62v	9,700 min	30.31926	-89.32668	660 N 2nd St, Bay St Louis, MS
6:50:11 PM	On		22 mph	10 mph	0 mph W	-	3.376 g	0.486 g	16.5 mi.	76,160.3	13.44v	9,702 min	30.31491	-89.32769	201 Ulman Ave, Bay St Louis, MS
6:52:11 PM	On		11 mph	5 mph	4 mph SE	-	1.245 g	0.416 g	16.7 mi.	76,160.5	13.62v	9,704 min	30.31456	-89.32905	400 N Toulme St, Bay St Louis, MS
6:54:11 PM	On		7 mph	6 mph	6 mph W	-	1.224 g	0.416 g	16.8 mi.	76,160.6	13.62v	9,706 min	30.31339	-89.32886	205 St George St, Bay St Louis, MS

Activity Detail Report - WEX

/2021														
6:11 PM	On	9 mph	5 mph	8 mph W	-	0.906 g	0.531 g	17.0 mi.	76,160.8	13.62v	9,708 min	30.31358	-89.33135	317 Demontluzin St, Bay St Louis, MS
6:58:11 PM	On	11 mph	6 mph	6 mph SW	-	1.086 g	0.441 g	17.2 mi.	76,161.0	13.62v	9,710 min	30.31401	-89.33450	200 N Necaise Ave, Bay St Louis, MS
7:00:11 PM	On	12 mph	4 mph	12 mph W	-	1.371 g	0.498 g	17.3 mi.	76,161.1	13.62v	9,712 min	30.31368	-89.33597	415 Main St, Bay St Louis, MS
7:02:11 PM	On	15 mph	9 mph	4 mph E	-	2.392 g	0.510 g	17.7 mi.	76,161.5	13.65v	9,714 min	30.31342	-89.33866	444 St John St, Bay St Louis, MS
7:04:11 PM	On	11 mph	7 mph	4 mph E	-	1.641 g	0.441 g	17.9 mi.	76,161.7	13.62v	9,716 min	30.31221	-89.33481	342 St John St, Bay St Louis, MS
7:06:11 PM	On	10 mph	8 mph	1 mph E	-	0.110 g	0.416 g	18.2 mi.	76,162.0	13.65v	9,718 min	30.31093	-89.33069	302 St John St, Bay St Louis, MS
7:08:11 PM	On	13 mph	6 mph	4 mph NW	-	0.963 g	0.461 g	18.4 mi.	76,162.2	13.62v	9,720 min	30.31219	-89.32873	209 State St, Bay St Louis, MS
7:10:11 PM	On	10 mph	8 mph	8 mph NW	-	1.224 g	0.441 g	18.6 mi.	76,162.4	13.62v	9,722 min	30.31350	-89.33290	335 State St, Bay St Louis, MS
7:12:11 PM	On	12 mph	7 mph	11 mph E	-	1.143 g	0.498 g	18.9 mi.	76,162.7	13.62v	9,724 min	30.31276	-89.33316	338 Main St, Bay St Louis, MS
7:14:11 PM	On	17 mph	11 mph	11 mph W	-	0.939 g	0.408 g	19.2 mi.	76,163.0	13.62v	9,726 min	30.31272	-89.32867	209 Demontluzin St, Bay St Louis, MS
7:16:11 PM	On	18 mph	11 mph	7 mph W	-	0.159 g	0.286 g	19.6 mi.	76,163.4	13.62v	9,728 min	30.31462	-89.33473	405 Demontluzin St, Bay St Louis, MS
7:18:11 PM	On	12 mph	6 mph	5 mph SW	25 mph	0.861 g	0.396 g	19.8 mi.	76,163.6	13.59v	9,730 min	30.31561	-89.33807	204 Dunbar Ave, Bay St Louis, MS
7:20:11 PM	On	17 mph	10 mph	11 mph E	-	1.812 g	0.473 g	20.2 mi.	76,164.0	13.65v	9,732 min	30.31241	-89.33850	444 Easterbrook St, Bay St Louis, MS
7:22:11 PM	On	16 mph	11 mph	12 mph N	-	0.792 g	0.441 g	20.5 mi.	76,164.3	13.47v	9,734 min	30.31373	-89.33463	103 N Necaise Ave, Bay St Louis, MS
7:24:11 PM	On	12 mph	6 mph	8 mph NW	-	0.918 g	0.339 g	20.7 mi.	76,164.5	13.65v	9,736 min	30.31497	-89.33744	419 State St, Bay St Louis, MS
7:26:11 PM	On	33 mph	13 mph	33 mph E	45 mph	0.759 g	0.486 g	21.1 mi.	76,164.9	13.62v	9,738 min	30.31987	-89.33590	US-90, Bay St Louis, MS
7:28:11 PM	On	46 mph	33 mph	29 mph S	25 mph	0.127 g	0.180 g	22.3 mi.	76,166.1	13.62v	9,740 min	30.31394	-89.32382	400 N Beach Blvd, Bay St Louis, MS
7:30:11 PM	On	28 mph	15 mph	9 mph S	-	1.506 g	0.339 g	22.7 mi.	76,166.5	13.62v	9,742 min	30.31136	-89.32888	106 S 2nd St, Bay St Louis, MS
7:32:11 PM	On	16 mph	8 mph	7 mph W	-	0.151 g	0.408 g	23.0 mi.	76,166.8	13.59v	9,744 min	30.30812	-89.33069	205 Union St, Bay St Louis, MS
7:34:11 PM	On	11 mph	8 mph	7 mph W	-	1.224 g	0.416 g	23.3 mi.	76,167.1	13.59v	9,746 min	30.30686	-89.33369	211 Keller St, Bay St Louis, MS
7:36:11 PM	On	9 mph	7 mph	5 mph SE	-	0.939 g	0.473 g	23.5 mi.	76,167.3	13.62v	9,748 min	30.30666	-89.33729	256 Sycamore St, Bay St Louis, MS
7:38:11 PM	On	9 mph	7 mph	6 mph E	-	0.082 g	0.192 g	23.8 mi.	76,167.6	13.47v	9,750 min	30.30538	-89.33337	206 Sycamore St, Bay St Louis, MS
7:40:11 PM	On	11 mph	7 mph	6 mph E	-	0.645 g	0.429 g	24.0 mi.	76,167.8	13.65v	9,752 min	30.30570	-89.33015	128 Keller St, Bay St Louis, MS
7:42:11 PM	On	13 mph	4 mph	5 mph W	-	0.918 g	0.473 g	24.2 mi.	76,168.0	13.62v	9,754 min	30.30612	-89.32906	115 Bookter St, Bay St Louis, MS
7:44:11 PM	On	10 mph	7 mph	7 mph S	-	0.906 g	0.473 g	24.4 mi.	76,168.2	13.65v	9,756 min	30.30701	-89.33251	306 Hancock St, Bay St Louis, MS
7:46:11 PM	On	9 mph	7 mph	6 mph E	-	0.192 g	0.090 g	24.6 mi.	76,168.4	13.62v	9,758 min	30.30481	-89.33159	118 Sycamore St, Bay St Louis, MS
7:48:11 PM	On	13 mph	5 mph	4 mph NW	25 mph	0.951 g	0.518 g	24.8 mi.	76,168.6	13.62v	9,760 min	30.30383	-89.33079	101 Washington St, Bay St Louis, MS
7:50:11 PM	On	7 mph	5 mph	0 mph W	25 mph	0.971 g	0.510 g	24.9 mi.	76,168.7	13.50v	9,762 min	30.30464	-89.33344	131 Washington St, Bay St Louis, MS
7:52:11 PM	On	14 mph	6 mph	14 mph W	-	2.449 g	0.510 g	25.1 mi.	76,168.9	13.62v	9,764 min	30.30398	-89.33572	219 Citizen St, Bay St Louis, MS
7:54:11 PM	On	18 mph	11 mph	16 mph W	-	0.869 g	0.453 g	25.5 mi.	76,169.3	13.62v	9,766 min	30.30585	-89.34170	403 Citizen St, Bay St Louis, MS
7:56:11 PM	On	30 mph	19 mph	30 mph W	35 mph	0.861 g	0.441 g	26.1 mi.	76,169.9	13.62v	9,768 min	30.30594	-89.35163	805 Old Spanish Trl, Bay St Louis, MS
7:58:11 PM	On	32 mph	22 mph	9 mph W	-	0.147 g	0.237 g	26.8 mi.	76,170.6	13.53v	9,770 min	30.30802	-89.35869	101 Bismark St, Bay St Louis, MS
8:00:11 PM	On	25 mph	9 mph	0 mph W	-	0.918 g	0.543 g	27.1 mi.	76,170.9	13.62v	9,772 min	30.30805	-89.36387	311 Bismark St, Bay St Louis, MS
8:02:11 PM	On	4 mph	1 mph	0 mph W	-	0.633 g	0.543 g	27.2 mi.	76,171.0	13.53v	9,774 min	30.30808	-89.36449	401 Bismark St, Bay St Louis, MS
8:04:11 PM	On	4 mph	1 mph	0 mph E	-	0.612 g	0.543 g	27.2 mi.	76,171.0	13.62v	9,776 min	30.30802	-89.36409	602 Turner St, Bay St Louis, MS
8:06:11 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	27.2 mi.	76,171.0	13.28v	9,778 min	30.30802	-89.36391	602 Turner St, Bay St Louis, MS
8:08:11 PM	On	32 mph	16 mph	32 mph W	35 mph	0.963 g	0.473 g	27.7 mi.	76,171.5	13.62v	9,780 min	30.30243	-89.36716	1313 Old Spanish Trl, Bay St Louis, MS
8:10:11 PM	On	34 mph	23 mph	10 mph NW	30 mph	1.053 g	0.327 g	28.5 mi.	76,172.3	13.50v	9,782 min	30.30583	-89.37805	2184 Nicholson Ave, Waveland, MS
8:12:11 PM	On	55 mph	30 mph	50 mph W	55 mph	0.882 g	0.408 g	29.5 mi.	76,173.3	13.38v	9,784 min	30.31296	-89.39209	MS-43, Bay St Louis, MS
8:14:11 PM	On	61 mph	45 mph	55 mph NW	55 mph	1.029 g	0.371 g	31.0 mi.	76,174.8	13.62v	9,786 min	30.32159	-89.41463	MS-43, Bay St Louis, MS
8:16:11 PM	On	57 mph	51 mph	57 mph N	55 mph	0.078 g	0.069 g	32.7 mi.	76,176.5	13.59v	9,788 min	30.34170	-89.42747	MS-43, Bay St Louis, MS

8:18:11 PM	On	62 mph	47 mph	53 mph N	55 mph	1.245 g	0.384 g	34.3 mi.	76,178.1	13.65v	9,790 min	30.36316	-89.42511	13178 MS-43, Kiln, MS
8:20:11 PM	On	60 mph	55 mph	48 mph NW	55 mph	0.065 g	0.069 g	36.1 mi.	76,179.9	13.59v	9,792 min	30.38599	-89.44067	14838 MS-43, Kiln, MS
8:22:11 PM	On	49 mph	42 mph	36 mph NE	45 mph	0.171 g	0.204 g	37.5 mi.	76,181.3	13.62v	9,794 min	30.40405	-89.44573	16160 MS-43, Kiln, MS
8:24:11 PM	On	47 mph	35 mph	47 mph N	45 mph	0.139 g	0.204 g	38.7 mi.	76,182.5	13.59v	9,796 min	30.41467	-89.43366	MS-43, Kiln, MS
8:26:11 PM	On	52 mph	40 mph	35 mph E	-	0.171 g	0.204 g	40.0 mi.	76,183.8	13.62v	9,798 min	30.42920	-89.42823	Cuevas Rd, Kiln, MS
8:28:11 PM	On	37 mph	28 mph	35 mph NE	-	0.237 g	0.253 g	41.0 mi.	76,184.8	13.59v	9,800 min	30.42786	-89.41884	Joe Moran Rd, Kiln, MS
8:30:11 PM	On	37 mph	27 mph	7 mph N	-	0.171 g	0.192 g	41.8 mi.	76,185.6	13.65v	9,802 min	30.43878	-89.41455	Joe Moran Rd, Kiln, MS
8:32:11 PM	On	7 mph	1 mph	0 mph NE	-	0.645 g	0.510 g	41.9 mi.	76,185.7	12.74v	9,804 min	30.43905	-89.41448	18403 Joe Moran Rd, Kiln, MS
8:32:22 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	41.9 mi.	76,185.7	12.74v	9,804 min	30.43905	-89.41448	18403 Joe Moran Rd, Kiln, MS

Wed Mar 10, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
8:36:51 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,185.7	12.68v	9,804 min	30.43905	-89.41448	18403 Joe Moran Rd, Kiln, MS
6:48:25 PM	On		4 mph	0 mph	2 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,185.7	14.50v	9,804 min	30.43905	-89.41448	Joe Moran Rd, Kiln, MS
6:50:24 PM	On		5 mph	0 mph	0 mph NW	-	0.984 g	0.408 g	0.0 mi.	76,185.7	12.62v	9,806 min	30.43909	-89.41459	18403 Joe Moran Rd, Kiln, MS
6:50:34 PM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	76,185.7	12.62v	9,807 min	30.43909	-89.41459	18403 Joe Moran Rd, Kiln, MS
7:13:14 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	76,185.7	14.71v	9,807 min	30.43910	-89.41457	18403 Joe Moran Rd, Kiln, MS
7:15:13 PM	On		7 mph	1 mph	0 mph S	-	1.053 g	0.429 g	0.0 mi.	76,185.7	14.23v	9,809 min	30.43829	-89.41454	18403 Joe Moran Rd, Kiln, MS
7:17:13 PM	On		32 mph	22 mph	26 mph N	-	0.792 g	0.269 g	0.7 mi.	76,186.4	14.20v	9,811 min	30.44407	-89.40799	Joe Moran Rd, Kiln, MS
7:19:13 PM	On		51 mph	36 mph	50 mph NE	-	0.939 g	0.371 g	2.0 mi.	76,187.7	13.62v	9,813 min	30.44946	-89.39007	Firetower Rd, Kiln, MS
7:21:13 PM	On		54 mph	43 mph	22 mph SE	-	0.951 g	0.318 g	3.4 mi.	76,189.1	13.62v	9,815 min	30.46331	-89.37495	Fenton Dedeaux Rd, Kiln, MS
7:23:13 PM	On		53 mph	45 mph	53 mph S	-	0.359 g	0.363 g	4.9 mi.	76,190.6	13.65v	9,817 min	30.44165	-89.37126	Fenton Dedeaux Rd, Kiln, MS
7:25:13 PM	On		55 mph	40 mph	29 mph E	45 mph	0.837 g	0.531 g	6.2 mi.	76,191.9	13.65v	9,819 min	30.42348	-89.36662	2237 Kiln-Delisle Rd, Kiln, MS
7:27:13 PM	On		55 mph	47 mph	20 mph E	45 mph	0.171 g	0.249 g	7.8 mi.	76,193.5	13.50v	9,821 min	30.41885	-89.34186	1005 Kiln-Delisle Rd, Pass Christian, MS
7:29:13 PM	On		38 mph	31 mph	6 mph SW	30 mph	0.155 g	0.286 g	8.9 mi.	76,194.6	13.62v	9,823 min	30.40565	-89.34844	Kapalama Dr, Diamondhead, MS
7:31:13 PM	On		36 mph	16 mph	2 mph W	-	0.861 g	0.518 g	9.4 mi.	76,195.1	13.56v	9,825 min	30.40193	-89.35538	97161 Kapalama Dr, Diamondhead, MS
7:33:13 PM	On		4 mph	0 mph	0 mph S	-	0.024 g	0.429 g	9.4 mi.	76,195.1	13.62v	9,827 min	30.40187	-89.35541	97168 Kapalama Dr, Diamondhead, MS
7:35:13 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	9.4 mi.	76,195.1	13.59v	9,829 min	30.40187	-89.35541	97168 Kapalama Dr, Diamondhead, MS
7:37:13 PM	On		25 mph	9 mph	24 mph SE	30 mph	0.824 g	0.273 g	9.7 mi.	76,195.4	13.62v	9,831 min	30.40095	-89.35171	98179 Golf Club Dr, Diamondhead, MS
7:39:13 PM	On		32 mph	25 mph	25 mph SW	30 mph	0.273 g	0.273 g	10.5 mi.	76,196.2	13.59v	9,833 min	30.39135	-89.35910	77101 Golf Club Dr, Diamondhead, MS
7:41:13 PM	On		32 mph	24 mph	32 mph SW	30 mph	0.216 g	0.286 g	11.3 mi.	76,197.0	13.59v	9,835 min	30.38183	-89.36597	5517 Golf Club Dr, Diamondhead, MS
7:43:13 PM	On		33 mph	23 mph	15 mph S	30 mph	0.171 g	0.229 g	12.1 mi.	76,197.8	13.59v	9,837 min	30.37850	-89.37494	5434 Diamondhead Dr E, Diamondhead, MS
7:45:13 PM	On		15 mph	1 mph	0 mph SW	30 mph	0.045 g	0.441 g	12.1 mi.	76,197.8	13.65v	9,839 min	30.37809	-89.37481	5436 Diamondhead Dr E, Diamondhead, MS
7:47:13 PM	On		25 mph	10 mph	11 mph SW	25 mph	1.073 g	0.453 g	12.4 mi.	76,198.1	13.50v	9,841 min	30.37539	-89.37806	W Aloha Dr, Diamondhead, MS
7:49:13 PM	On		62 mph	47 mph	61 mph W	70 mph	0.139 g	0.127 g	14.0 mi.	76,199.7	13.59v	9,843 min	30.36569	-89.39995	I-10, Diamondhead, MS
7:51:13 PM	On		70 mph	52 mph	51 mph N	55 mph	0.204 g	0.249 g	15.7 mi.	76,201.4	13.62v	9,845 min	30.36284	-89.42499	13164 MS-43, Kiln, MS
7:53:13 PM	On		58 mph	53 mph	51 mph NW	55 mph	0.082 g	0.078 g	17.5 mi.	76,203.2	13.59v	9,847 min	30.38483	-89.43998	14680 MS-43, Kiln, MS

13 PM	On	53 mph	51 mph	48 mph NE	45 mph	0.069 g	0.082 g	19.2 mi.	76,204.9	13.59v	9,849 min	30.40612	-89.44322	16318 MS-43, Kiln, MS
7:57:13 PM	On	48 mph	35 mph	17 mph N	-	0.171 g	0.224 g	20.4 mi.	76,206.1	13.59v	9,851 min	30.40698	-89.42621	16010 Sister Mary Ellen Rd, Kiln, MS
7:59:13 PM	On	40 mph	21 mph	15 mph NW	35 mph	0.767 g	0.363 g	21.0 mi.	76,206.7	13.56v	9,853 min	30.40672	-89.42721	6050 Kiln-Delisle Rd, Kiln, MS
8:01:13 PM	On	31 mph	24 mph	30 mph N	-	0.237 g	0.180 g	21.8 mi.	76,207.5	13.62v	9,855 min	30.41528	-89.42251	Old Joe Moran St, Kiln, MS
8:03:13 PM	On	35 mph	30 mph	34 mph NE	-	0.249 g	0.204 g	22.8 mi.	76,208.5	13.59v	9,857 min	30.42882	-89.41818	Joe Moran Rd, Kiln, MS
8:05:13 PM	On	34 mph	29 mph	16 mph E	-	0.110 g	0.159 g	23.8 mi.	76,209.5	13.62v	9,859 min	30.43816	-89.41082	Joe Moran Rd, Kiln, MS
8:07:13 PM	On	16 mph	3 mph	0 mph S	-	0.633 g	0.518 g	23.9 mi.	76,209.6	13.62v	9,861 min	30.43943	-89.41038	18511 Joe Moran Rd, Kiln, MS
8:09:13 PM	On	9 mph	2 mph	7 mph SW	-	0.963 g	0.249 g	24.0 mi.	76,209.7	13.53v	9,863 min	30.43833	-89.41044	Joe Moran Rd, Kiln, MS
8:11:13 PM	On	39 mph	30 mph	31 mph SW	-	0.690 g	0.453 g	25.0 mi.	76,210.7	13.59v	9,865 min	30.42907	-89.41810	Joe Moran Rd, Kiln, MS
8:13:13 PM	On	40 mph	35 mph	34 mph S	-	0.522 g	0.249 g	26.1 mi.	76,211.8	13.59v	9,867 min	30.41290	-89.42259	Old Joe Moran St, Kiln, MS
8:15:13 PM	On	34 mph	19 mph	27 mph W	35 mph	1.053 g	0.318 g	26.8 mi.	76,212.5	13.59v	9,869 min	30.40684	-89.42801	Kiln-Delisle Rd, Kiln, MS
8:17:13 PM	On	47 mph	25 mph	46 mph W	45 mph	0.918 g	0.429 g	27.6 mi.	76,213.3	13.62v	9,871 min	30.40654	-89.44021	16393 MS-43, Kiln, MS
8:19:13 PM	On	53 mph	46 mph	27 mph SE	55 mph	0.069 g	0.139 g	29.2 mi.	76,214.9	13.47v	9,873 min	30.38927	-89.44269	15139 MS-43, Kiln, MS
8:21:13 PM	On	27 mph	5 mph	0 mph NW	55 mph	1.008 g	0.518 g	29.3 mi.	76,215.0	13.65v	9,875 min	30.38910	-89.44237	15212 MS-43, Kiln, MS
8:23:13 PM	On	0 mph	0 mph	0 mph NW	55 mph	0.000 g	0.000 g	29.3 mi.	76,215.0	13.65v	9,877 min	30.38910	-89.44237	15212 MS-43, Kiln, MS
8:25:13 PM	On	2 mph	0 mph	0 mph NW	55 mph	0.000 g	0.000 g	29.3 mi.	76,215.0	13.59v	9,879 min	30.38910	-89.44237	15212 MS-43, Kiln, MS
8:27:13 PM	On	48 mph	41 mph	45 mph NE	45 mph	0.816 g	0.078 g	30.7 mi.	76,216.4	13.62v	9,881 min	30.40602	-89.44354	16306 MS-43, Kiln, MS
8:29:13 PM	On	53 mph	46 mph	53 mph N	55 mph	0.090 g	0.147 g	32.2 mi.	76,217.9	13.59v	9,883 min	30.42277	-89.43384	17286 MS-43, Kiln, MS
8:31:13 PM	On	55 mph	49 mph	55 mph N	55 mph	0.135 g	0.184 g	33.9 mi.	76,219.6	13.59v	9,885 min	30.44616	-89.43157	19100 MS-603, Kiln, MS
8:33:13 PM	On	58 mph	54 mph	47 mph N	55 mph	0.078 g	0.102 g	35.7 mi.	76,221.4	13.59v	9,887 min	30.47012	-89.43065	20570 MS-603, Kiln, MS
8:35:13 PM	On	47 mph	4 mph	0 mph NW	55 mph	0.620 g	0.510 g	35.8 mi.	76,221.5	13.62v	9,889 min	30.47210	-89.42989	20660 MS-603, Kiln, MS
8:37:13 PM	On	35 mph	4 mph	35 mph S	55 mph	0.665 g	0.498 g	36.0 mi.	76,221.7	13.62v	9,891 min	30.47068	-89.43047	MS-603, Kiln, MS
8:39:13 PM	On	42 mph	23 mph	13 mph NW	-	0.155 g	0.351 g	36.7 mi.	76,222.4	13.53v	9,893 min	30.46959	-89.43076	N Necaise Cir, Kiln, MS
8:41:13 PM	On	48 mph	32 mph	22 mph W	-	0.996 g	0.286 g	37.8 mi.	76,223.5	13.62v	9,895 min	30.48191	-89.43124	Crazy Horse Dr, Kiln, MS
8:43:13 PM	On	33 mph	28 mph	27 mph W	-	0.171 g	0.216 g	38.7 mi.	76,224.4	13.62v	9,897 min	30.48204	-89.44671	Crazy Horse Dr, Kiln, MS
8:45:13 PM	On	27 mph	7 mph	2 mph S	-	1.278 g	0.518 g	38.9 mi.	76,224.6	13.62v	9,899 min	30.48192	-89.44889	Crazy Horse Dr, Kiln, MS
8:47:13 PM	On	6 mph	2 mph	0 mph E	-	0.690 g	0.486 g	39.0 mi.	76,224.7	13.65v	9,901 min	30.48107	-89.44882	7151 Crazy Horse Dr, Kiln, MS
8:49:13 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	39.0 mi.	76,224.7	13.62v	9,903 min	30.48107	-89.44882	7151 Crazy Horse Dr, Kiln, MS
8:51:13 PM	On	9 mph	2 mph	9 mph W	-	0.939 g	0.416 g	39.0 mi.	76,224.7	13.65v	9,905 min	30.48200	-89.44919	Crazy Horse Dr, Kiln, MS
8:53:13 PM	On	13 mph	6 mph	12 mph E	-	2.208 g	0.531 g	39.2 mi.	76,224.9	13.59v	9,907 min	30.48197	-89.45193	Crazy Horse Dr, Kiln, MS
8:55:13 PM	On	35 mph	31 mph	33 mph E	-	0.102 g	0.102 g	40.3 mi.	76,226.0	13.62v	9,909 min	30.48203	-89.43458	Crazy Horse Dr, Kiln, MS
8:57:13 PM	On	52 mph	38 mph	52 mph SW	55 mph	0.204 g	0.261 g	41.5 mi.	76,227.2	13.62v	9,911 min	30.46959	-89.43096	MS-603, Kiln, MS
8:59:13 PM	On	55 mph	52 mph	51 mph S	55 mph	0.147 g	0.114 g	43.2 mi.	76,228.9	13.59v	9,913 min	30.44652	-89.43169	19147 MS-603, Kiln, MS
9:01:13 PM	On	53 mph	49 mph	47 mph S	55 mph	0.114 g	0.078 g	44.9 mi.	76,230.6	13.59v	9,915 min	30.42301	-89.43395	MS-43, Kiln, MS
9:03:13 PM	On	51 mph	38 mph	36 mph SE	35 mph	0.237 g	0.282 g	46.2 mi.	76,231.9	13.65v	9,917 min	30.40729	-89.43092	6181 Kiln-Delisle Rd, Kiln, MS
9:05:13 PM	On	48 mph	42 mph	48 mph E	35 mph	0.094 g	0.102 g	47.6 mi.	76,233.3	13.65v	9,919 min	30.40572	-89.40791	5009 Kiln-Delisle Rd, Kiln, MS
9:07:13 PM	On	48 mph	46 mph	41 mph E	45 mph	0.082 g	0.127 g	49.1 mi.	76,234.8	13.62v	9,921 min	30.41351	-89.38372	3283 Kiln-Delisle Rd, Kiln, MS
9:09:13 PM	On	48 mph	46 mph	46 mph E	45 mph	0.167 g	0.306 g	50.6 mi.	76,236.3	13.59v	9,923 min	30.42457	-89.36228	1853 Kiln-Delisle Rd, Kiln, MS
9:11:13 PM	On	47 mph	26 mph	19 mph N	-	0.102 g	0.224 g	51.5 mi.	76,237.2	13.59v	9,925 min	30.42943	-89.35187	17628 Runnymede Rd, Pass Christian, MS
9:13:13 PM	On	26 mph	17 mph	10 mph N	-	0.918 g	0.453 g	52.1 mi.	76,237.8	13.65v	9,927 min	30.43739	-89.34933	Runnymede Rd, Pass Christian, MS

9:15:13 PM	On	12 mph	5 mph	4 mph SW	-	1.800 g	0.473 g	52.2 mi.	76,237.9	13.65v	9,929 min	30.43918	-89.34899	Runnymede Rd, Pass Christian, MS
9:17:13 PM	On	4 mph	1 mph	1 mph SW	-	0.576 g	0.498 g	52.2 mi.	76,237.9	13.53v	9,931 min	30.43894	-89.34918	Runnymede Rd, Pass Christian, MS
9:19:13 PM	On	1 mph	0 mph	1 mph SW	-	0.000 g	0.000 g	52.2 mi.	76,237.9	13.50v	9,933 min	30.43894	-89.34918	Runnymede Rd, Pass Christian, MS
9:21:13 PM	On	21 mph	8 mph	18 mph S	-	0.702 g	0.384 g	52.5 mi.	76,238.2	13.65v	9,935 min	30.43484	-89.35001	Runnymede Rd, Pass Christian, MS
9:23:13 PM	On	27 mph	22 mph	25 mph SW	-	0.192 g	0.212 g	53.2 mi.	76,238.9	13.62v	9,937 min	30.42491	-89.35449	Runnymede Rd, Pass Christian, MS
9:25:13 PM	On	42 mph	31 mph	19 mph E	35 mph	0.861 g	0.339 g	54.3 mi.	76,240.0	13.59v	9,939 min	30.41862	-89.34036	9235 Kiln Delisle Rd, Pass Christian, MS
9:27:13 PM	On	40 mph	35 mph	40 mph N	-	0.159 g	0.216 g	55.4 mi.	76,241.1	13.62v	9,941 min	30.43340	-89.33257	Edwin Ladner Rd, Pass Christian, MS
9:29:13 PM	On	43 mph	40 mph	35 mph N	-	0.192 g	0.261 g	56.8 mi.	76,242.5	13.62v	9,943 min	30.45092	-89.34076	Edwin Ladner Rd, Pass Christian, MS
9:31:13 PM	On	35 mph	18 mph	11 mph N	-	0.216 g	0.400 g	57.4 mi.	76,243.1	13.53v	9,945 min	30.45852	-89.34191	20204 Road 392, Pass Christian, MS
9:33:13 PM	On	12 mph	2 mph	0 mph N	-	0.722 g	0.518 g	57.5 mi.	76,243.2	13.62v	9,947 min	30.45931	-89.34145	20201 Road 392, Pass Christian, MS
9:35:13 PM	On	7 mph	4 mph	1 mph SW	-	0.702 g	0.306 g	57.6 mi.	76,243.3	13.50v	9,949 min	30.45753	-89.34292	Road 392, Pass Christian, MS
9:37:13 PM	On	37 mph	10 mph	32 mph NW	-	0.849 g	0.094 g	57.9 mi.	76,243.6	13.65v	9,951 min	30.46050	-89.34703	1256 Firetower Rd, Kiln, MS
9:39:13 PM	On	44 mph	37 mph	41 mph W	-	0.159 g	0.204 g	59.1 mi.	76,244.8	13.62v	9,953 min	30.46643	-89.36323	Firetower Rd, Kiln, MS
9:41:13 PM	On	47 mph	35 mph	40 mph SW	-	0.747 g	0.429 g	60.3 mi.	76,246.0	13.65v	9,955 min	30.45913	-89.38009	3110 Firetower Rd, Kiln, MS
9:43:13 PM	On	45 mph	42 mph	38 mph W	-	0.090 g	0.082 g	61.7 mi.	76,247.4	13.59v	9,957 min	30.44729	-89.39705	Firetower Rd, Kiln, MS
9:45:13 PM	On	42 mph	37 mph	42 mph W	-	0.212 g	0.196 g	63.0 mi.	76,248.7	13.65v	9,959 min	30.45183	-89.41621	Firetower Rd, Kiln, MS
9:47:13 PM	On	44 mph	35 mph	35 mph SE	55 mph	0.273 g	0.229 g	64.1 mi.	76,249.8	13.68v	9,961 min	30.45014	-89.43291	MS-603, Kiln, MS
9:49:13 PM	On	52 mph	44 mph	21 mph S	55 mph	0.261 g	0.273 g	65.6 mi.	76,251.3	13.47v	9,963 min	30.42934	-89.43390	17601 MS-603, Kiln, MS
9:51:13 PM	On	35 mph	28 mph	25 mph SE	-	0.147 g	0.180 g	66.5 mi.	76,252.2	13.50v	9,965 min	30.42404	-89.42185	17014 Cuevas Rd, Kiln, MS
9:53:13 PM	On	34 mph	27 mph	34 mph N	-	0.224 g	0.204 g	67.4 mi.	76,253.1	13.65v	9,967 min	30.43542	-89.41703	Joe Moran Rd, Kiln, MS
9:55:13 PM	On	33 mph	11 mph	0 mph E	-	0.114 g	0.543 g	67.8 mi.	76,253.5	12.37v	9,969 min	30.43902	-89.41451	18403 Joe Moran Rd, Kiln, MS
9:55:23 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	67.8 mi.	76,253.5	12.55v	9,969 min	30.43902	-89.41451	18403 Joe Moran Rd, Kiln, MS

Thu Mar 11, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:59:52 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,253.5	12.65v	9,969 min	30.43902	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:21:28 PM	On		3 mph	0 mph	3 mph E	-	0.000 g	0.000 g	0.0 mi.	76,253.5	14.74v	9,969 min	30.43902	-89.41451	Joe Moran Rd, Kiln, MS
5:23:27 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,253.5	12.01v	9,971 min	30.43902	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:23:37 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,253.5	12.19v	9,971 min	30.43902	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:33:50 PM	On		5 mph	0 mph	5 mph S	-	0.000 g	0.000 g	0.0 mi.	76,253.5	14.87v	9,971 min	30.43917	-89.41441	Joe Moran Rd, Kiln, MS
5:35:49 PM	On		6 mph	0 mph	0 mph S	-	0.000 g	0.314 g	0.0 mi.	76,253.5	12.80v	9,973 min	30.43904	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:35:59 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,253.5	12.74v	9,973 min	30.43904	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:46:52 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,253.5	14.65v	9,973 min	30.43909	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:48:52 PM	On		24 mph	5 mph	24 mph W	-	0.882 g	0.445 g	0.2 mi.	76,253.7	14.23v	9,975 min	30.43768	-89.41649	Joe Moran Rd, Kiln, MS
5:50:52 PM	On		30 mph	27 mph	29 mph SW	-	0.445 g	0.429 g	1.1 mi.	76,254.6	14.17v	9,977 min	30.42569	-89.41994	Joe Moran Rd, Kiln, MS
5:52:52 PM	On		36 mph	31 mph	31 mph SW	-	0.216 g	0.237 g	2.1 mi.	76,255.6	14.20v	9,979 min	30.41148	-89.42387	16255 Old Joe Moran St, Kiln, MS
5:54:52 PM	On		39 mph	19 mph	39 mph W	35 mph	0.767 g	0.339 g	2.7 mi.	76,256.2	14.23v	9,981 min	30.40697	-89.42993	Kiln-Delisle Rd, Kiln, MS
5:56:52 PM	On		50 mph	31 mph	42 mph SW	45 mph	0.996 g	0.441 g	3.8 mi.	76,257.3	13.62v	9,983 min	30.40516	-89.44492	16255 MS-43, Kiln, MS

3/16/2021

Activity Detail Report - WEX

5:58:52 PM	On	59 mph	52 mph	47 mph S	55 mph	0.090 g	0.078 g	5.5 mi.	76,259.0	13.62v	9,985 min	30.38298	-89.43913	MS-43, Kiln, MS
6:00:52 PM	On	59 mph	54 mph	50 mph S	55 mph	0.102 g	0.114 g	7.3 mi.	76,260.8	13.47v	9,987 min	30.36036	-89.42421	MS-43, Kiln, MS
6:02:52 PM	On	69 mph	55 mph	66 mph W	70 mph	0.996 g	0.624 g	9.1 mi.	76,262.6	13.59v	9,989 min	30.35004	-89.45089	I-10, Bay St Louis, MS
6:04:52 PM	On	66 mph	63 mph	64 mph W	70 mph	0.057 g	0.057 g	11.2 mi.	76,264.7	13.59v	9,991 min	30.34139	-89.48478	I-10, Bay St Louis, MS
6:06:52 PM	On	70 mph	66 mph	68 mph W	70 mph	0.065 g	0.045 g	13.4 mi.	76,266.9	14.29v	9,993 min	30.33250	-89.52029	I-10, Bay St Louis, MS
6:08:52 PM	On	69 mph	67 mph	68 mph W	70 mph	0.102 g	0.082 g	15.7 mi.	76,269.2	13.59v	9,995 min	30.32891	-89.55652	I-10, Bay St Louis, MS
6:10:52 PM	On	70 mph	67 mph	63 mph W	70 mph	0.057 g	0.078 g	17.9 mi.	76,271.4	13.59v	9,997 min	30.31809	-89.59188	I-10, Bay St Louis, MS
6:12:52 PM	On	63 mph	47 mph	55 mph SE	65 mph	0.192 g	0.306 g	19.5 mi.	76,273.0	13.62v	9,999 min	30.30577	-89.58670	MS-607, Bay St Louis, MS
6:14:52 PM	On	55 mph	46 mph	46 mph SW	-	0.204 g	0.261 g	21.0 mi.	76,274.5	13.65v	10,001 min	30.28692	-89.59175	Highway 604, Bay St Louis, MS
6:16:52 PM	On	52 mph	48 mph	41 mph SW	-	0.204 g	0.171 g	22.6 mi.	76,276.1	13.62v	10,003 min	30.26863	-89.60877	6399 MS-604, Pearlington, MS
6:18:52 PM	On	44 mph	14 mph	10 mph W	-	1.824 g	0.624 g	23.1 mi.	76,276.6	13.62v	10,005 min	30.26401	-89.61360	17024 Birch Dr, Pearlington, MS
6:20:52 PM	On	14 mph	10 mph	8 mph S	-	0.286 g	0.306 g	23.4 mi.	76,276.9	13.62v	10,007 min	30.26185	-89.61708	6187 Walnut Dr, Pearlington, MS
6:22:52 PM	On	10 mph	7 mph	10 mph E	-	0.147 g	0.216 g	23.7 mi.	76,277.2	13.62v	10,009 min	30.26066	-89.61425	Cherry Dr, Pearlington, MS
6:24:52 PM	On	16 mph	4 mph	8 mph W	-	0.849 g	0.486 g	23.8 mi.	76,277.3	13.59v	10,011 min	30.25964	-89.61383	Cedar St, Pearlington, MS
6:26:52 PM	On	16 mph	10 mph	4 mph W	-	0.824 g	0.359 g	24.1 mi.	76,277.6	13.62v	10,013 min	30.26157	-89.61721	17000 Tulip Dr, Pearlington, MS
6:28:52 PM	On	9 mph	6 mph	6 mph E	-	0.816 g	0.453 g	24.3 mi.	76,277.8	13.62v	10,015 min	30.25967	-89.61761	17123 Cedar St, Pearlington, MS
6:30:52 PM	On	7 mph	1 mph	6 mph S	-	0.804 g	0.486 g	24.4 mi.	76,277.9	13.62v	10,017 min	30.25929	-89.61717	6107 Walnut Dr, Pearlington, MS
6:32:52 PM	On	9 mph	9 mph	4 mph SW	-	1.461 g	0.102 g	24.7 mi.	76,278.2	13.50v	10,019 min	30.25546	-89.61880	17046 Pearlington Dr, Pearlington, MS
6:34:52 PM	On	8 mph	5 mph	6 mph N	-	0.816 g	0.453 g	24.9 mi.	76,278.4	13.65v	10,021 min	30.25735	-89.61964	6258 Giveans Bnd, Pearlington, MS
6:36:52 PM	On	8 mph	6 mph	8 mph N	-	0.241 g	0.531 g	25.1 mi.	76,278.6	13.56v	10,023 min	30.26017	-89.62050	6124 Giveans Bnd, Pearlington, MS
6:38:52 PM	On	9 mph	7 mph	7 mph N	-	0.837 g	0.461 g	25.3 mi.	76,278.8	13.62v	10,025 min	30.26234	-89.61880	6242 Maple Dr, Pearlington, MS
6:40:52 PM	On	11 mph	8 mph	7 mph W	-	0.882 g	0.543 g	25.5 mi.	76,279.0	13.50v	10,027 min	30.26173	-89.61871	17092 Tulip Dr, Pearlington, MS
6:42:52 PM	On	12 mph	7 mph	9 mph S	-	0.837 g	0.518 g	25.8 mi.	76,279.3	13.62v	10,029 min	30.25809	-89.61894	6093 Maple Dr, Pearlington, MS
6:44:52 PM	On	9 mph	7 mph	7 mph NE	-	0.735 g	0.408 g	26.0 mi.	76,279.5	13.59v	10,031 min	30.25604	-89.61746	17009 Pearlington Dr, Pearlington, MS
6:46:52 PM	On	11 mph	8 mph	9 mph N	-	0.690 g	0.453 g	26.3 mi.	76,279.8	13.62v	10,033 min	30.25894	-89.61799	6108 Dogwood Dr, Pearlington, MS
6:48:52 PM	On	9 mph	7 mph	8 mph W	-	0.351 g	0.216 g	26.5 mi.	76,280.0	13.59v	10,035 min	30.26070	-89.62001	Giveans Bnd, Pearlington, MS
6:50:52 PM	On	12 mph	9 mph	8 mph E	-	0.159 g	0.351 g	26.8 mi.	76,280.3	13.44v	10,037 min	30.25733	-89.61910	6297 Giveans Bnd, Pearlington, MS
6:52:52 PM	On	17 mph	10 mph	11 mph E	-	0.816 g	0.396 g	27.2 mi.	76,280.7	13.59v	10,039 min	30.25321	-89.61643	Gin Rd, Pearlington, MS
6:54:52 PM	On	11 mph	5 mph	7 mph SE	-	0.792 g	0.486 g	27.3 mi.	76,280.8	13.62v	10,041	30.25099	-89.61496	Pearl Ave, Pearlington, MS

6:56:52 PM	On	9 mph	7 mph	7 mph NE	-	1.098 g	0.518 g	27.6 mi.	76,281.1	13.62v	10,043 min	30.24922	-89.61270	16455 Monroe St, Pearlington, MS
6:58:52 PM	On	9 mph	6 mph	0 mph E	-	0.816 g	0.396 g	27.8 mi.	76,281.3	13.50v	10,045 min	30.25040	-89.60977	16000 Monroe St, Pearlington, MS
7:00:52 PM	On	8 mph	5 mph	7 mph W	-	1.122 g	0.518 g	27.9 mi.	76,281.4	13.62v	10,047 min	30.25060	-89.61209	16045 Franklin St, Pearlington, MS
7:02:52 PM	On	9 mph	6 mph	9 mph S	-	1.257 g	0.408 g	28.1 mi.	76,281.6	13.62v	10,049 min	30.24817	-89.61215	MS-604, Pearlington, MS
7:04:52 PM	On	19 mph	7 mph	0 mph NW	-	0.747 g	0.518 g	28.4 mi.	76,281.9	13.56v	10,051 min	30.24693	-89.61267	5025 Pearl Ave, Pearlington, MS
7:06:52 PM	On	9 mph	5 mph	8 mph NW	-	0.849 g	0.498 g	28.5 mi.	76,282.0	13.62v	10,053 min	30.24657	-89.61363	5056 Levee St, Pearlington, MS
7:08:52 PM	On	12 mph	8 mph	11 mph N	-	0.837 g	0.473 g	28.8 mi.	76,282.3	13.59v	10,055 min	30.25032	-89.61550	5220 Levee St, Pearlington, MS
7:10:52 PM	On	11 mph	5 mph	8 mph NE	-	0.780 g	0.473 g	29.0 mi.	76,282.5	13.59v	10,057 min	30.25179	-89.61527	6000 Levee St, Pearlington, MS
7:12:52 PM	On	10 mph	7 mph	5 mph S	-	0.714 g	0.531 g	29.2 mi.	76,282.7	13.50v	10,059 min	30.25231	-89.61563	5213 Pearl Ave, Pearlington, MS
7:14:52 PM	On	19 mph	9 mph	12 mph N	-	0.939 g	0.453 g	29.5 mi.	76,283.0	13.59v	10,061 min	30.25186	-89.61193	Whites Rd, Pearlington, MS
7:16:52 PM	On	17 mph	9 mph	4 mph SW	-	0.135 g	0.249 g	29.9 mi.	76,283.4	13.59v	10,063 min	30.25571	-89.61144	6073 Tatnall Ave, Pearlington, MS
7:18:52 PM	On	11 mph	8 mph	0 mph SE	-	0.837 g	0.461 g	30.1 mi.	76,283.6	13.50v	10,065 min	30.25310	-89.60942	6010 1st Ave, Pearlington, MS
7:20:52 PM	On	17 mph	6 mph	4 mph SE	-	0.996 g	0.473 g	30.3 mi.	76,283.8	13.68v	10,067 min	30.25555	-89.60922	6065 McArthur Ln, Pearlington, MS
7:22:52 PM	On	8 mph	5 mph	0 mph E	-	0.612 g	0.429 g	30.5 mi.	76,284.0	13.47v	10,069 min	30.25331	-89.60795	6034 McArthur Ln, Pearlington, MS
7:24:52 PM	On	12 mph	7 mph	12 mph NE	-	0.894 g	0.351 g	30.7 mi.	76,284.2	13.62v	10,071 min	30.25622	-89.60896	16507 Whites Rd, Pearlington, MS
7:26:52 PM	On	15 mph	5 mph	2 mph SE	-	0.759 g	0.384 g	30.9 mi.	76,284.4	13.62v	10,073 min	30.25821	-89.60979	6070 Melody Ln, Pearlington, MS
7:28:52 PM	On	11 mph	3 mph	4 mph SE	-	0.690 g	0.441 g	31.0 mi.	76,284.5	13.44v	10,075 min	30.25695	-89.60840	Melody Ln, Pearlington, MS
7:30:52 PM	On	19 mph	10 mph	12 mph NE	-	0.657 g	0.461 g	31.3 mi.	76,284.8	13.53v	10,077 min	30.26019	-89.60451	16363 Whites Rd, Pearlington, MS
7:32:52 PM	On	12 mph	6 mph	6 mph N	-	0.620 g	0.441 g	31.5 mi.	76,285.0	13.19v	10,079 min	30.26301	-89.60441	6094 Road 220, Pearlington, MS
7:34:52 PM	On	17 mph	8 mph	17 mph SW	-	1.347 g	0.453 g	31.8 mi.	76,285.3	13.59v	10,081 min	30.25924	-89.60535	16404 Whites Rd, Pearlington, MS
7:36:52 PM	On	17 mph	7 mph	9 mph S	-	0.657 g	0.429 g	32.0 mi.	76,285.5	13.62v	10,083 min	30.26034	-89.60588	6039 Kellar St, Pearlington, MS
7:38:52 PM	On	19 mph	10 mph	11 mph N	-	0.171 g	0.294 g	32.3 mi.	76,285.8	13.59v	10,085 min	30.25936	-89.60727	6068 Russ St, Pearlington, MS
7:40:52 PM	On	17 mph	8 mph	17 mph NE	-	0.927 g	0.498 g	32.6 mi.	76,286.1	13.59v	10,087 min	30.25845	-89.60617	16431 Whites Rd, Pearlington, MS
7:42:52 PM	On	20 mph	9 mph	6 mph S	-	0.722 g	0.351 g	32.9 mi.	76,286.4	13.62v	10,089 min	30.26068	-89.60303	6269 8th Ave, Pearlington, MS
7:44:52 PM	On	11 mph	7 mph	7 mph E	-	0.963 g	0.510 g	33.1 mi.	76,286.6	13.62v	10,091	30.26111	-89.60135	16133 2nd St, Pearlington, MS

3/16/2021

Activity Detail Report - WEX

											min			
7:46:52 PM	On	11 mph	8 mph	7 mph SE	-	0.747 g	0.461 g	33.4 mi.	76,286.9	13.62v	10,093 min	30.26373	-89.60000	6107 N 11th Ave, Pearlington, MS
7:48:52 PM	On	12 mph	8 mph	9 mph NW	-	0.204 g	0.273 g	33.7 mi.	76,287.2	13.59v	10,095 min	30.26142	-89.60163	6062 9th Ave, Pearlington, MS
7:50:52 PM	On	13 mph	9 mph	7 mph SW	-	0.135 g	0.147 g	34.0 mi.	76,287.5	13.59v	10,097 min	30.26311	-89.59994	1st St, Pearlington, MS
7:52:52 PM	On	13 mph	7 mph	13 mph SW	-	0.690 g	0.510 g	34.2 mi.	76,287.7	13.59v	10,099 min	30.26251	-89.60222	16266 Whites Rd, Pearlington, MS
7:54:52 PM	On	14 mph	7 mph	2 mph N	-	0.702 g	0.473 g	34.4 mi.	76,287.9	13.41v	10,101 min	30.26438	-89.60288	Shaw St, Pearlington, MS
7:56:52 PM	On	22 mph	13 mph	22 mph NE	-	0.816 g	0.486 g	34.9 mi.	76,288.4	13.59v	10,103 min	30.26431	-89.59942	Whites Rd, Pearlington, MS
7:58:52 PM	On	24 mph	12 mph	10 mph SE	-	0.135 g	0.237 g	35.3 mi.	76,288.8	13.62v	10,105 min	30.26363	-89.59514	Jenness Rd, Pearlington, MS
8:00:52 PM	On	12 mph	7 mph	6 mph SW	-	0.927 g	0.408 g	35.5 mi.	76,289.0	13.44v	10,107 min	30.26343	-89.59478	6400 Dawsey Ln, Pearlington, MS
8:02:52 PM	On	22 mph	16 mph	7 mph E	-	0.824 g	0.465 g	36.0 mi.	76,289.5	13.50v	10,109 min	30.25693	-89.58980	Bayou Ave, Pearlington, MS
8:04:52 PM	On	13 mph	9 mph	12 mph S	-	1.971 g	0.473 g	36.3 mi.	76,289.8	13.62v	10,111 min	30.25549	-89.58706	Bayouwood Dr, Pearlington, MS
8:06:52 PM	On	35 mph	13 mph	3 mph SE	55 mph	0.837 g	0.498 g	36.8 mi.	76,290.3	13.41v	10,113 min	30.25497	-89.58251	Sasha Rd, Pearlington, MS
8:08:52 PM	On	43 mph	24 mph	9 mph N	-	0.918 g	0.518 g	37.6 mi.	76,291.1	13.62v	10,115 min	30.25011	-89.59313	11th Ave, Pearlington, MS
8:10:52 PM	On	12 mph	7 mph	4 mph SW	-	2.131 g	0.510 g	37.8 mi.	76,291.3	13.59v	10,117 min	30.25254	-89.59282	15080 11th St, Pearlington, MS
8:12:52 PM	On	12 mph	8 mph	10 mph NW	-	0.294 g	0.343 g	38.1 mi.	76,291.6	13.56v	10,119 min	30.25495	-89.59525	6076 11th Ave, Pearlington, MS
8:14:52 PM	On	10 mph	7 mph	7 mph NW	-	0.110 g	0.184 g	38.3 mi.	76,291.8	13.62v	10,121 min	30.25859	-89.59717	6198 11th Ave, Pearlington, MS
8:16:52 PM	On	9 mph	7 mph	7 mph SW	-	0.069 g	0.102 g	38.5 mi.	76,292.0	13.62v	10,123 min	30.25864	-89.60060	16160 4th St, Pearlington, MS
8:18:52 PM	On	11 mph	6 mph	11 mph E	-	0.747 g	0.441 g	38.7 mi.	76,292.2	13.50v	10,125 min	30.25773	-89.60323	16253 4th St, Pearlington, MS
8:20:52 PM	On	11 mph	6 mph	9 mph SE	-	0.690 g	0.498 g	39.0 mi.	76,292.5	13.62v	10,127 min	30.25508	-89.60160	5173 7th Ave, Pearlington, MS
8:22:52 PM	On	12 mph	8 mph	9 mph NE	-	0.204 g	0.261 g	39.2 mi.	76,292.7	13.59v	10,129 min	30.25315	-89.59832	16051 9th St, Pearlington, MS
8:24:52 PM	On	9 mph	6 mph	7 mph NW	-	0.339 g	0.237 g	39.4 mi.	76,292.9	13.62v	10,131 min	30.25591	-89.59895	6086 9th Ave, Pearlington, MS
8:26:52 PM	On	10 mph	8 mph	10 mph SE	-	0.633 g	0.498 g	39.7 mi.	76,293.2	13.62v	10,133 min	30.25484	-89.60138	5155 7th Ave, Pearlington, MS
8:28:52 PM	On	11 mph	7 mph	6 mph NW	-	0.082 g	0.090 g	39.9 mi.	76,293.4	13.62v	10,135 min	30.25318	-89.60497	16396 7th St, Pearlington, MS
8:30:52 PM	On	9 mph	7 mph	9 mph NE	-	0.114 g	0.102 g	40.2 mi.	76,293.7	13.59v	10,137 min	30.25584	-89.60477	5th St, Pearlington, MS
8:32:52 PM	On	11 mph	9 mph	7 mph NE	-	0.069 g	0.102 g	40.5 mi.	76,294.0	13.62v	10,139 min	30.25771	-89.60011	5th St, Pearlington, MS
8:34:52 PM	On	9 mph	7 mph	8 mph SE	-	0.645 g	0.518 g	40.7 mi.	76,294.2	13.47v	10,141	30.25787	-89.59693	6173 11th Ave, Pearlington, MS

8:36:52 PM	On	16 mph	10 mph	6 mph S	-	2.457 g	0.359 g	41.1 mi.	76,294.6	13.62v	10,143 min	30.25560	-89.60179	5199 7th Ave, Pearlington, MS
8:38:52 PM	On	17 mph	8 mph	0 mph NE	-	0.690 g	0.531 g	41.3 mi.	76,294.8	13.62v	10,145 min	30.25572	-89.59858	16098 7th St, Pearlington, MS
8:40:52 PM	On	17 mph	9 mph	3 mph SE	-	0.735 g	0.184 g	41.6 mi.	76,295.1	13.62v	10,147 min	30.25457	-89.59527	6053 11th Ave, Pearlington, MS
8:42:52 PM	On	33 mph	17 mph	29 mph SW	55 mph	0.204 g	0.216 g	42.2 mi.	76,295.7	13.41v	10,149 min	30.24800	-89.59541	US-90, Pearlington, MS
8:44:52 PM	On	28 mph	9 mph	11 mph NW	-	0.127 g	0.184 g	42.5 mi.	76,296.0	13.59v	10,151 min	30.25030	-89.59901	5026 7th Ave, Pearlington, MS
8:46:52 PM	On	12 mph	9 mph	0 mph SE	-	0.151 g	0.461 g	42.8 mi.	76,296.3	13.59v	10,153 min	30.24972	-89.60316	5098 4th Ave, Pearlington, MS
8:48:52 PM	On	14 mph	8 mph	14 mph NW	-	0.939 g	0.371 g	43.1 mi.	76,296.6	13.59v	10,155 min	30.25184	-89.59989	5088 7th Ave, Pearlington, MS
8:50:52 PM	On	16 mph	7 mph	9 mph NE	-	0.804 g	0.510 g	43.3 mi.	76,296.8	13.59v	10,157 min	30.25135	-89.60257	16213 9th St, Pearlington, MS
8:52:52 PM	On	24 mph	17 mph	0 mph SE	-	0.171 g	0.429 g	43.9 mi.	76,297.4	13.65v	10,159 min	30.24773	-89.59636	5407 7th Ave, Pearlington, MS
8:54:52 PM	On	13 mph	5 mph	12 mph S	-	1.869 g	0.473 g	44.0 mi.	76,297.5	13.62v	10,161 min	30.24536	-89.59545	5575 Kelly Rd, Pearlington, MS
8:56:52 PM	On	13 mph	12 mph	12 mph SE	-	1.837 g	0.127 g	44.4 mi.	76,297.9	13.65v	10,163 min	30.24230	-89.58940	Road 201, Pearlington, MS
8:58:52 PM	On	14 mph	9 mph	11 mph S	-	1.200 g	0.473 g	44.7 mi.	76,298.2	13.53v	10,165 min	30.24042	-89.58469	Eiler St, Pearlington, MS
9:00:52 PM	On	14 mph	11 mph	12 mph S	-	0.645 g	0.486 g	45.1 mi.	76,298.6	13.59v	10,167 min	30.23733	-89.58935	5269 Kelly Rd, Pearlington, MS
9:02:52 PM	On	12 mph	9 mph	9 mph S	-	0.110 g	0.057 g	45.4 mi.	76,298.9	13.65v	10,169 min	30.23330	-89.58791	5137 Kelly Rd, Pearlington, MS
9:04:52 PM	On	9 mph	6 mph	6 mph NE	-	0.102 g	0.139 g	45.6 mi.	76,299.1	13.59v	10,171 min	30.23324	-89.58690	4051 Mulatto Dr, Pearlington, MS
9:06:52 PM	On	9 mph	6 mph	4 mph SW	-	0.690 g	0.351 g	45.8 mi.	76,299.3	13.16v	10,173 min	30.23192	-89.58837	Kelly Rd, Pearlington, MS
9:08:52 PM	On	15 mph	5 mph	15 mph N	-	1.122 g	0.510 g	45.9 mi.	76,299.4	13.56v	10,175 min	30.23360	-89.58795	Kelly Rd, Pearlington, MS
9:10:52 PM	On	20 mph	15 mph	13 mph N	-	0.094 g	0.135 g	46.4 mi.	76,299.9	13.59v	10,177 min	30.24094	-89.59069	Kelly Rd, Pearlington, MS
9:12:52 PM	On	19 mph	17 mph	14 mph NW	-	0.114 g	0.102 g	47.0 mi.	76,300.5	13.47v	10,179 min	30.24726	-89.59589	5672 Kelly Rd, Pearlington, MS
9:14:52 PM	On	35 mph	16 mph	6 mph SW	-	1.176 g	0.282 g	47.5 mi.	76,301.0	13.65v	10,181 min	30.24308	-89.60099	5199 Daytona Dr N, Pearlington, MS
9:16:52 PM	On	12 mph	9 mph	9 mph S	-	0.127 g	0.114 g	47.8 mi.	76,301.3	13.59v	10,183 min	30.24011	-89.60206	Tampa Dr N, Pearlington, MS
9:18:52 PM	On	12 mph	9 mph	12 mph W	-	0.216 g	0.127 g	48.2 mi.	76,301.7	13.59v	10,185 min	30.23740	-89.60134	16046 W Miami Dr, Pearlington, MS
9:20:52 PM	On	17 mph	9 mph	9 mph S	-	1.086 g	0.371 g	48.4 mi.	76,301.9	13.59v	10,187 min	30.23747	-89.60015	Florida Blvd, Pearlington, MS
9:22:52 PM	On	14 mph	8 mph	7 mph E	-	0.645 g	0.396 g	48.7 mi.	76,302.2	13.62v	10,189 min	30.23659	-89.60026	Pensacola Dr, Pearlington, MS
9:24:52 PM	On	12 mph	6 mph	9 mph W	-	0.837 g	0.314 g	48.9 mi.	76,302.4	13.59v	10,191	30.23788	-89.59801	16022 Miami Cir, Pearlington, MS

											min			
9:26:52 PM	On	10 mph	8 mph	7 mph E	-	0.082 g	0.139 g	49.2 mi.	76,302.7	13.62v	10,193 min	30.23930	-89.59933	5039 Jacksonville Dr, Pearlington, MS
9:28:52 PM	On	14 mph	8 mph	11 mph N	-	0.620 g	0.359 g	49.5 mi.	76,303.0	13.59v	10,195 min	30.24163	-89.59999	5102 Florida Blvd, Pearlington, MS
9:30:52 PM	On	12 mph	9 mph	9 mph E	-	0.069 g	0.147 g	49.8 mi.	76,303.3	13.62v	10,197 min	30.23932	-89.60083	5093 Jacksonville Dr, Pearlington, MS
9:32:52 PM	On	15 mph	11 mph	7 mph NW	-	0.114 g	0.139 g	50.1 mi.	76,303.6	13.59v	10,199 min	30.24391	-89.60132	5176 Florida Blvd, Pearlington, MS
9:34:52 PM	On	43 mph	26 mph	34 mph N	-	0.216 g	0.306 g	51.0 mi.	76,304.5	13.59v	10,201 min	30.24306	-89.60951	5098 MS-604, Pearlington, MS
9:36:52 PM	On	45 mph	42 mph	44 mph NE	-	0.159 g	0.192 g	52.4 mi.	76,305.9	13.59v	10,203 min	30.26190	-89.61264	6294 MS-604, Pearlington, MS
9:38:52 PM	On	47 mph	44 mph	44 mph NE	-	0.090 g	0.127 g	53.9 mi.	76,307.4	13.56v	10,205 min	30.27921	-89.59901	Highway 604, Bay St Louis, MS
9:40:52 PM	On	58 mph	49 mph	47 mph N	-	0.212 g	0.171 g	55.5 mi.	76,309.0	13.53v	10,207 min	30.29831	-89.58365	Highway 604, Bay St Louis, MS
9:42:52 PM	On	58 mph	37 mph	57 mph NW	65 mph	0.939 g	0.416 g	56.7 mi.	76,310.2	13.59v	10,209 min	30.31216	-89.59360	MS-607, Bay St Louis, MS
9:44:52 PM	On	73 mph	60 mph	73 mph E	70 mph	0.147 g	0.249 g	58.7 mi.	76,312.2	13.62v	10,211 min	30.32442	-89.56874	I-10, Bay St Louis, MS
9:46:52 PM	On	73 mph	68 mph	63 mph E	70 mph	0.069 g	0.127 g	61.0 mi.	76,314.5	13.56v	10,213 min	30.33167	-89.53240	I-10, Bay St Louis, MS
9:48:52 PM	On	68 mph	64 mph	66 mph E	70 mph	0.159 g	0.216 g	63.1 mi.	76,316.6	13.59v	10,215 min	30.33741	-89.49766	I-10, Bay St Louis, MS
9:50:52 PM	On	70 mph	68 mph	70 mph E	70 mph	0.069 g	0.045 g	65.4 mi.	76,318.9	13.59v	10,217 min	30.34655	-89.46118	I-10, Bay St Louis, MS
9:52:52 PM	On	70 mph	64 mph	49 mph E	70 mph	0.159 g	0.171 g	67.5 mi.	76,321.0	13.56v	10,219 min	30.35689	-89.42733	I-10, Bay St Louis, MS
9:54:52 PM	On	53 mph	35 mph	53 mph N	55 mph	0.229 g	0.216 g	68.7 mi.	76,322.2	13.59v	10,221 min	30.36155	-89.42450	13112 MS-43, Kiln, MS
9:56:52 PM	On	60 mph	57 mph	54 mph NW	55 mph	0.057 g	0.065 g	70.6 mi.	76,324.1	13.59v	10,223 min	30.38507	-89.44012	14700 MS-43, Kiln, MS
9:58:52 PM	On	56 mph	51 mph	45 mph E	45 mph	0.102 g	0.069 g	72.3 mi.	76,325.8	13.62v	10,225 min	30.40626	-89.44288	16320 MS-43, Kiln, MS
10:00:52 PM	On	55 mph	49 mph	51 mph N	55 mph	0.082 g	0.110 g	74.0 mi.	76,327.5	13.56v	10,227 min	30.42460	-89.43421	MS-43, Kiln, MS
10:02:52 PM	On	51 mph	32 mph	36 mph SE	-	0.139 g	0.192 g	75.0 mi.	76,328.5	13.56v	10,229 min	30.42576	-89.42338	Cuevas Rd, Kiln, MS
10:04:52 PM	On	35 mph	28 mph	30 mph N	-	0.298 g	0.237 g	76.0 mi.	76,329.5	13.59v	10,231 min	30.43368	-89.41710	Joe Moran Rd, Kiln, MS
10:06:52 PM	On	33 mph	14 mph	5 mph N	-	2.424 g	0.384 g	76.4 mi.	76,329.9	13.50v	10,233 min	30.43895	-89.41460	Joe Moran Rd, Kiln, MS
10:08:52 PM	On	6 mph	0 mph	0 mph SE	-	0.620 g	0.416 g	76.4 mi.	76,329.9	12.28v	10,235 min	30.43903	-89.41445	18403 Joe Moran Rd, Kiln, MS
10:09:02 PM	Off	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	76.4 mi.	76,329.9	12.28v	10,235 min	30.43903	-89.41445	18403 Joe Moran Rd, Kiln, MS

Fri Mar 12, 2021

Time	Ignition	In-Cab Alert	Max	Avg	Inst Speed	Speed	Max	Max	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location

		Speed	Speed		Limit	Accel	Decel							
10:13:31 AM		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.65v	10,235 min	30.43848	-89.41310	18403 Joe Moran Rd, Kiln, MS
10:13:31 PM		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.62v	10,235 min	30.43904	-89.41417	18403 Joe Moran Rd, Kiln, MS

Sat Mar 13, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:13:30 AM			0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.59v	10,235 min	30.43904	-89.41417	18403 Joe Moran Rd, Kiln, MS
10:13:30 PM			0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.55v	10,235 min	30.43904	-89.41417	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 2.3741 seconds.

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 14-20 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 14-20, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions. Trapping was performed but was unable to collect accurate number of mosquitos needed for Jackson.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 14, 2021 TO MARCH 20, 2021

PERFORMED MARCH 15, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 17, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 18, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 14-20 2021

ADULTICIDING REPORT

Miles Sprayed— 607.5

Acerage Treated— 21,870

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 2

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

MARCH 14-20, 2021 CALL LOG

DATE	NAME	ADDRESS	PHONE	SPRAYED
3/18/2021	CHRISTY LADNER	22421 RUE LA TERRE KILN		3/18/2021
3/18/2021	RONNIE	16006 1ST ST PEARLINGTON	363-8711	3/18/2021

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	567	**Sorted By**	Time
Total Distance Traveled	387.9 mi.	**Selected Vehicle**	10 (vin: 1GCHSDE33G1109077)
Average Speed	23 mph	**Report Time Period**	Mar 14 12:00 AM to Mar 20 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	April 1, 2021 3:14:34 PM
Max Speed	89 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.


wex TELEMATICS

Philips Pest Control LLC


Export Data | Email Report

Speed Graphs »

show/hide



Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 10

Sun Mar 14, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
12:47:42 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,336.1	12.43v	15,883 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:57:43 PM	On		4 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,336.1	14.68v	15,883 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS
6:59:39 PM	On		5 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,336.1	14.20v	15,885 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS
7:01:39 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,336.1	14.11v	15,887 min	30.43909	-89.41453	18403 Joe Moran Rd, Kiln, MS
7:03:39 PM	On		6 mph	0 mph	0 mph N	-	0.780 g	0.339 g	0.0 mi.	98,336.1	12.92v	15,889 min	30.43921	-89.41455	18403 Joe Moran Rd, Kiln, MS
7:03:49 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,336.1	12.40v	15,889 min	30.43921	-89.41455	18403 Joe Moran Rd, Kiln, MS
7:05:38 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,336.1	14.62v	15,889 min	30.43921	-89.41455	18403 Joe Moran Rd, Kiln, MS
7:07:38 PM	On		10 mph	1 mph	10 mph S	-	0.963 g	0.384 g	0.0 mi.	98,336.1	14.11v	15,891 min	30.43838	-89.41459	Joe Moran Rd, Kiln, MS
7:09:38 PM	On		22 mph	3 mph	22 mph E	-	0.620 g	0.384 g	0.1 mi.	98,336.2	14.17v	15,893 min	30.43819	-89.41301	Joe Moran Rd, Kiln, MS
7:11:38 PM	On		31 mph	26 mph	22 mph NE	-	0.343 g	0.363 g	1.0 mi.	98,337.1	14.20v	15,895 min	30.44699	-89.40598	Joe Moran Rd, Kiln, MS

4/1/2021 Activity Detail Report - WEX

7:13:38 PM	On	41 mph	19 mph	39 mph E	-	0.665 g	0.359 g	1.7 mi.	98,337.8	14.20v	15,897 min	30.44766	-89.39567	Firetower Rd, Kiln, MS
7:15:38 PM	On	45 mph	41 mph	42 mph NE	-	0.094 g	0.082 g	3.0 mi.	98,339.1	14.17v	15,899 min	30.45997	-89.37949	Firetower Rd, Kiln, MS
7:17:38 PM	On	42 mph	30 mph	42 mph N	-	1.029 g	0.429 g	4.0 mi.	98,340.1	14.23v	15,901 min	30.47285	-89.37610	20562 Fenton-Dedeaux Rd, Kiln, MS
7:19:38 PM	On	41 mph	38 mph	39 mph NE	-	0.184 g	0.114 g	5.3 mi.	98,341.4	14.14v	15,903 min	30.48496	-89.36209	Fenton Dedeaux Rd, Kiln, MS
7:21:38 PM	On	41 mph	39 mph	35 mph NE	-	0.229 g	0.241 g	6.6 mi.	98,342.7	14.23v	15,905 min	30.49870	-89.34791	Fenton Dedeaux Rd, Kiln, MS
7:23:38 PM	On	38 mph	25 mph	34 mph W	-	0.861 g	0.441 g	7.4 mi.	98,343.5	14.23v	15,907 min	30.49983	-89.35829	Rocky Hill Dedeaux Rd, Kiln, MS
7:25:38 PM	On	33 mph	17 mph	6 mph S	-	0.869 g	0.518 g	8.0 mi.	98,344.1	14.11v	15,909 min	30.49757	-89.36683	22021 Rue la Terre, Kiln, MS
7:27:38 PM	On	8 mph	6 mph	8 mph S	-	0.065 g	0.082 g	8.2 mi.	98,344.3	14.11v	15,911 min	30.49471	-89.36682	Rue la Terre, Kiln, MS
7:29:38 PM	On	23 mph	10 mph	8 mph W	-	0.816 g	0.371 g	8.5 mi.	98,344.6	14.20v	15,913 min	30.49136	-89.36876	Rue la Terre, Kiln, MS
7:31:38 PM	On	10 mph	6 mph	4 mph N	-	0.824 g	0.453 g	8.7 mi.	98,344.8	14.17v	15,915 min	30.49183	-89.36783	Rue la Terre, Kiln, MS
7:33:38 PM	On	14 mph	7 mph	0 mph W	-	0.869 g	0.486 g	8.9 mi.	98,345.0	14.07v	15,917 min	30.49391	-89.36927	22151 Rue la Terre, Kiln, MS
7:35:38 PM	On	9 mph	3 mph	6 mph N	-	1.347 g	0.057 g	9.0 mi.	98,345.1	14.14v	15,919 min	30.49439	-89.36781	Rue la Terre, Kiln, MS
7:37:38 PM	On	9 mph	7 mph	7 mph N	-	0.135 g	0.224 g	9.3 mi.	98,345.4	14.29v	15,921 min	30.49723	-89.36684	Rue la Terre, Kiln, MS
7:39:38 PM	On	37 mph	21 mph	37 mph SW	-	0.816 g	0.461 g	10.0 mi.	98,346.1	14.23v	15,923 min	30.49589	-89.37656	3027 Rocky Hill Dedeaux Rd, Kiln, MS
7:41:38 PM	On	38 mph	32 mph	34 mph W	-	0.151 g	0.171 g	11.1 mi.	98,347.2	14.01v	15,925 min	30.49691	-89.39270	Rocky Hill Dedeaux Rd, Kiln, MS
7:43:38 PM	On	42 mph	39 mph	41 mph SW	-	0.102 g	0.094 g	12.4 mi.	98,348.5	14.14v	15,927 min	30.49077	-89.41071	4878 Rocky Hill Dedeaux Rd, Kiln, MS
7:45:38 PM	On	46 mph	42 mph	34 mph W	-	0.102 g	0.139 g	13.8 mi.	98,349.9	13.56v	15,929 min	30.47757	-89.42731	Rocky Hill Dedeaux Rd, Kiln, MS
7:47:38 PM	On	50 mph	39 mph	47 mph N	55 mph	0.824 g	0.384 g	15.1 mi.	98,351.2	13.80v	15,931 min	30.49355	-89.43405	MS-603, Kiln, MS
7:49:38 PM	On	55 mph	52 mph	53 mph N	55 mph	0.094 g	0.069 g	16.8 mi.	98,352.9	13.59v	15,933 min	30.51847	-89.43173	MS-603, Kiln, MS
7:51:38 PM	On	54 mph	45 mph	12 mph NE	55 mph	0.192 g	0.298 g	18.3 mi.	98,354.4	13.62v	15,935 min	30.53889	-89.42423	MS-603, Kiln, MS
7:53:38 PM	On	48 mph	42 mph	46 mph N	55 mph	0.224 g	0.090 g	19.7 mi.	98,355.8	13.59v	15,937 min	30.55483	-89.41036	26530 MS-603, Kiln, MS
7:55:38 PM	On	47 mph	34 mph	0 mph SW	55 mph	0.224 g	0.453 g	20.8 mi.	98,356.9	13.41v	15,939 min	30.57123	-89.41048	27395 MS-603, Perkinston, MS
7:57:38 PM	On	47 mph	35 mph	40 mph N	55 mph	0.951 g	0.376 g	22.0 mi.	98,358.1	13.59v	15,941 min	30.58685	-89.40874	MS-603, Perkinston, MS
7:59:38 PM	On	40 mph	24 mph	17 mph W	-	0.351 g	0.384 g	22.8 mi.	98,358.9	13.59v	15,943 min	30.58521	-89.41627	Shiloh Church Rd, Perkinston, MS
8:01:38 PM	On	20 mph	12 mph	9 mph NE	-	0.939 g	0.461 g	23.2 mi.	98,359.3	13.62v	15,945 min	30.58242	-89.42131	Shiloh Church Rd, Perkinston, MS

/1/2021

8:03:38 PM	On	16 mph	9 mph	11 mph SW	-	0.702 g	0.461 g	23.5 mi.	98,359.6	13.53v	15,947 min	30.58375	-89.42285	Shiloh Church Rd, Perkinston, MS
8:05:38 PM	On	11 mph	1 mph	2 mph NE	-	0.645 g	0.486 g	23.6 mi.	98,359.7	13.65v	15,949 min	30.58344	-89.42350	Shiloh Church Rd, Perkinston, MS
8:07:38 PM	On	7 mph	3 mph	7 mph SE	-	0.657 g	0.416 g	23.6 mi.	98,359.7	13.62v	15,951 min	30.58360	-89.42214	Shiloh Church Rd, Perkinston, MS
8:09:38 PM	On	25 mph	13 mph	22 mph E	-	0.600 g	0.543 g	24.1 mi.	98,360.2	13.56v	15,953 min	30.58508	-89.41533	Shiloh Church Rd, Perkinston, MS
8:11:38 PM	On	43 mph	23 mph	43 mph S	55 mph	1.029 g	0.371 g	24.8 mi.	98,360.9	13.56v	15,955 min	30.58667	-89.40871	MS-603, Perkinston, MS
8:13:38 PM	On	55 mph	50 mph	55 mph S	55 mph	0.078 g	0.057 g	26.5 mi.	98,362.6	13.62v	15,957 min	30.56341	-89.41168	27171 MS-603, Perkinston, MS
8:15:38 PM	On	60 mph	55 mph	55 mph SW	55 mph	0.237 g	0.216 g	28.3 mi.	98,364.4	13.59v	15,959 min	30.54101	-89.42279	25399 MS-603, Kiln, MS
8:17:38 PM	On	55 mph	52 mph	53 mph S	55 mph	0.135 g	0.082 g	30.1 mi.	98,366.2	13.53v	15,961 min	30.51747	-89.43189	MS-603, Kiln, MS
8:19:38 PM	On	61 mph	56 mph	61 mph SE	55 mph	0.094 g	0.024 g	31.9 mi.	98,368.0	13.56v	15,963 min	30.49073	-89.43265	MS-603, Kiln, MS
8:21:38 PM	On	63 mph	61 mph	55 mph SW	55 mph	0.090 g	0.192 g	34.0 mi.	98,370.1	13.59v	15,965 min	30.46429	-89.43571	MS-603, Kiln, MS
8:23:38 PM	On	54 mph	40 mph	17 mph N	-	0.204 g	0.229 g	35.3 mi.	98,371.4	13.19v	15,967 min	30.45309	-89.42780	Hunter Dr, Kiln, MS
8:25:38 PM	On	17 mph	12 mph	11 mph E	-	0.069 g	0.090 g	35.7 mi.	98,371.8	13.62v	15,969 min	30.45695	-89.42815	Hunter Dr, Kiln, MS
8:27:38 PM	On	18 mph	14 mph	17 mph S	-	0.171 g	0.180 g	36.1 mi.	98,372.2	13.62v	15,971 min	30.45414	-89.42785	Hunter Dr, Kiln, MS
8:29:38 PM	On	39 mph	26 mph	38 mph E	-	0.204 g	0.192 g	37.0 mi.	98,373.1	13.56v	15,973 min	30.45170	-89.41566	Firetower Rd, Kiln, MS
8:31:38 PM	On	39 mph	29 mph	24 mph S	-	0.237 g	0.400 g	38.0 mi.	98,374.1	13.56v	15,975 min	30.44340	-89.40783	Joe Moran Rd, Kiln, MS
8:33:38 PM	On	30 mph	22 mph	9 mph N	-	0.159 g	0.204 g	38.7 mi.	98,374.8	13.50v	15,977 min	30.43890	-89.41460	Joe Moran Rd, Kiln, MS
8:35:38 PM	On	9 mph	1 mph	0 mph NE	-	0.996 g	0.429 g	38.7 mi.	98,374.8	12.43v	15,979 min	30.43914	-89.41447	18403 Joe Moran Rd, Kiln, MS
8:35:48 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	38.7 mi.	98,374.8	12.43v	15,979 min	30.43914	-89.41447	18403 Joe Moran Rd, Kiln, MS

Mon Mar 15, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
8:40:17 AM			0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	12.62v	15,979 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:37:35 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	14.71v	15,979 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:39:34 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	14.14v	15,981 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:41:34 PM	On		4 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	14.07v	15,983 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:43:34 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	12.62v	15,985 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS

4/1/2021

Activity Detail Report - WEX

5:43:44 PM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	12.46v	15,985 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:50:19 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	12.74v	15,985 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:52:19 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	12.43v	15,987 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:52:29 PM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	12.40v	15,987 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:54:16 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,374.8	14.35v	15,987 min	30.43915	-89.41450	18403 Joe Moran Rd, Kiln, MS
5:56:16 PM	On		9 mph	1 mph	0 mph S	-	0.576 g	0.384 g	0.1 mi.	98,374.9	12.83v	15,989 min	30.43908	-89.41446	18403 Joe Moran Rd, Kiln, MS
5:56:26 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,374.9	12.80v	15,989 min	30.43908	-89.41446	18403 Joe Moran Rd, Kiln, MS
6:17:27 PM	On		2 mph	0 mph	1 mph W	-	0.000 g	0.000 g	0.1 mi.	98,374.9	13.04v	15,989 min	30.43918	-89.41475	18403 Joe Moran Rd, Kiln, MS
6:19:26 PM	On		7 mph	0 mph	0 mph SE	-	1.110 g	0.306 g	0.1 mi.	98,374.9	12.40v	15,991 min	30.43899	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:19:37 PM	Off		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.1 mi.	98,374.9	12.40v	15,992 min	30.43899	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:54:06 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.1 mi.	98,374.9	14.32v	15,992 min	30.43899	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:56:05 PM	On		39 mph	8 mph	39 mph S	-	1.404 g	0.416 g	0.4 mi.	98,375.2	14.11v	15,993 min	30.43608	-89.41710	Joe Moran Rd, Kiln, MS
6:58:05 PM	On		57 mph	48 mph	55 mph S	-	0.212 g	0.441 g	1.9 mi.	98,376.7	13.98v	15,995 min	30.41403	-89.42255	Old Joe Moran St, Kiln, MS
7:00:05 PM	On		62 mph	41 mph	60 mph E	65 mph	0.184 g	0.294 g	3.3 mi.	98,378.1	14.20v	15,997 min	30.40505	-89.41646	5301 Kiln-Delisle Rd, Kiln, MS
7:02:05 PM	On		63 mph	50 mph	57 mph E	45 mph	0.147 g	0.224 g	5.0 mi.	98,379.8	14.14v	15,999 min	30.41185	-89.39007	3605 Kiln-Delisle Rd, Kiln, MS
7:04:05 PM	On		66 mph	58 mph	66 mph E	45 mph	0.110 g	0.122 g	6.9 mi.	98,381.7	14.17v	16,001 min	30.42466	-89.36196	1847 Kiln-Delisle Rd, Kiln, MS
7:06:05 PM	On		67 mph	49 mph	46 mph S	30 mph	0.184 g	0.159 g	8.6 mi.	98,383.4	14.11v	16,003 min	30.41404	-89.34294	16836 Kapalama Dr, Pass Christian, MS
7:08:05 PM	On		48 mph	36 mph	6 mph SE	-	0.237 g	0.204 g	9.8 mi.	98,384.6	14.14v	16,005 min	30.40183	-89.35541	97168 Kapalama Dr, Diamondhead, MS
7:10:05 PM	On		5 mph	0 mph	0 mph S	-	0.057 g	0.416 g	9.8 mi.	98,384.6	12.71v	16,007 min	30.40176	-89.35538	97168 Kapalama Dr, Diamondhead, MS
7:10:16 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	9.8 mi.	98,384.6	12.71v	16,008 min	30.40176	-89.35538	97168 Kapalama Dr, Diamondhead, MS
7:25:17 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	9.8 mi.	98,384.6	14.47v	16,008 min	30.40176	-89.35538	97168 Kapalama Dr, Diamondhead, MS
7:27:16 PM	On		40 mph	23 mph	1 mph SE	-	0.882 g	0.518 g	10.6 mi.	98,385.4	14.17v	16,010 min	30.40864	-89.34491	1003 Road 383, Pass Christian, MS
7:29:16 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	10.6 mi.	98,385.4	14.20v	16,012 min	30.40864	-89.34491	1001 Road 383, Pass Christian, MS
7:31:16 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	10.6 mi.	98,385.4	14.23v	16,014 min	30.40864	-89.34491	1001 Road 383, Pass Christian, MS
7:32:23 PM		Idling - OBD	2 mph	0 mph	1 mph SE	-	0.000 g	0.000 g	10.6 mi.	98,385.4	13.28v	16,014 min	30.40864	-89.34491	Pass Christian, MS

7:33:16 PM	On	35 mph	5 mph	35 mph N	30 mph	0.918 g	0.486 g	10.8 mi.	98,385.6	13.59v	16,016 min	30.41065	-89.34404	16829 Kapalama Dr, Pass Christian, MS
7:35:16 PM	On	55 mph	35 mph	52 mph NW	45 mph	0.216 g	0.216 g	11.9 mi.	98,386.7	13.62v	16,018 min	30.42192	-89.35083	1114 Kiln-Delisle Rd, Kiln, MS
7:37:16 PM	On	52 mph	37 mph	47 mph W	45 mph	0.159 g	0.241 g	13.2 mi.	98,388.0	13.59v	16,020 min	30.42254	-89.37052	Kiln-Delisle Rd, Kiln, MS
7:39:16 PM	On	67 mph	61 mph	64 mph W	45 mph	0.114 g	0.078 g	15.2 mi.	98,390.0	13.59v	16,022 min	30.40841	-89.40003	Kiln-Delisle Rd, Kiln, MS
7:41:16 PM	On	68 mph	54 mph	36 mph N	-	0.339 g	0.306 g	17.0 mi.	98,391.8	13.56v	16,024 min	30.40836	-89.42730	16070 Old Joe Moran St, Kiln, MS
7:43:16 PM	On	45 mph	38 mph	34 mph N	-	0.184 g	0.180 g	18.3 mi.	98,393.1	13.62v	16,026 min	30.42371	-89.42128	17334 Joe Moran Rd, Kiln, MS
7:45:16 PM	On	53 mph	36 mph	9 mph N	-	0.363 g	0.237 g	19.5 mi.	98,394.3	13.68v	16,028 min	30.43875	-89.41453	Joe Moran Rd, Kiln, MS
7:47:16 PM	On	9 mph	1 mph	0 mph N	-	0.633 g	0.510 g	19.5 mi.	98,394.3	14.01v	16,030 min	30.43909	-89.41442	18403 Joe Moran Rd, Kiln, MS
7:49:16 PM	On	11 mph	1 mph	11 mph S	-	0.735 g	0.543 g	19.6 mi.	98,394.4	13.59v	16,032 min	30.43838	-89.41453	Joe Moran Rd, Kiln, MS
7:51:16 PM	On	47 mph	35 mph	40 mph SW	-	0.249 g	0.249 g	20.7 mi.	98,395.5	13.53v	16,034 min	30.42386	-89.42124	Joe Moran Rd, Kiln, MS
7:53:16 PM	On	47 mph	38 mph	41 mph S	-	0.229 g	0.229 g	22.0 mi.	98,396.8	13.62v	16,036 min	30.40855	-89.42735	16063 Old Joe Moran St, Kiln, MS
7:55:16 PM	On	58 mph	39 mph	55 mph SW	45 mph	0.261 g	0.318 g	23.3 mi.	98,398.1	13.53v	16,038 min	30.40515	-89.44495	16255 MS-43, Kiln, MS
7:57:16 PM	On	64 mph	59 mph	64 mph S	55 mph	0.102 g	0.114 g	25.3 mi.	98,400.1	13.62v	16,040 min	30.37955	-89.43763	MS-43, Kiln, MS
7:59:16 PM	On	65 mph	52 mph	35 mph S	55 mph	0.237 g	0.241 g	27.0 mi.	98,401.8	13.62v	16,042 min	30.35817	-89.42337	MS-43, Bay St Louis, MS
8:01:16 PM	On	70 mph	62 mph	62 mph SE	55 mph	0.127 g	0.102 g	29.1 mi.	98,403.9	13.50v	16,044 min	30.32972	-89.42481	MS-43, Bay St Louis, MS
8:03:16 PM	On	62 mph	36 mph	4 mph W	-	0.114 g	0.453 g	30.3 mi.	98,405.1	13.47v	16,046 min	30.31780	-89.41434	5022 Red St, Bay St Louis, MS
8:05:16 PM	On	20 mph	3 mph	6 mph S	-	1.506 g	0.306 g	30.4 mi.	98,405.2	13.44v	16,048 min	30.31859	-89.41564	10269 River Dr, Bay St Louis, MS
8:07:16 PM	On	30 mph	15 mph	18 mph SE	55 mph	0.927 g	0.429 g	30.9 mi.	98,405.7	13.65v	16,050 min	30.32018	-89.41278	MS-43, Bay St Louis, MS
8:09:16 PM	On	61 mph	42 mph	30 mph S	25 mph	0.159 g	0.237 g	32.3 mi.	98,407.1	13.59v	16,052 min	30.30932	-89.39702	9147 Ave B, Bay St Louis, MS
8:11:16 PM	On	32 mph	15 mph	0 mph W	-	0.282 g	0.441 g	32.8 mi.	98,407.6	13.50v	16,054 min	30.30797	-89.40242	4286 Lake St, Bay St Louis, MS
8:13:16 PM	On	30 mph	11 mph	14 mph S	25 mph	0.927 g	0.518 g	33.1 mi.	98,407.9	13.50v	16,056 min	30.30636	-89.39757	9055 Ave B, Bay St Louis, MS
8:15:16 PM	On	54 mph	26 mph	54 mph W	45 mph	1.110 g	0.453 g	34.0 mi.	98,408.8	13.59v	16,058 min	30.29889	-89.40390	US-90, Bay St Louis, MS
8:17:16 PM	On	69 mph	54 mph	33 mph S	-	0.159 g	0.237 g	35.8 mi.	98,410.6	13.59v	16,060 min	30.29795	-89.43244	8151 Hancock Dr, Bay St Louis, MS
8:19:16 PM	On	35 mph	21 mph	32 mph SW	-	0.792 g	0.396 g	36.5 mi.	98,411.3	13.59v	16,062 min	30.29095	-89.43482	7873 Hancock Dr, Bay St Louis, MS
8:21:16 PM	On	39 mph	21 mph	31 mph SW	-	5.531 g	0.473 g	37.2 mi.	98,412.0	13.56v	16,064 min	30.28190	-89.44028	7501 Hancock Dr, Bay St Louis, MS

Activity Detail Report - WEX

/2021

23:16 PM	On	35 mph	20 mph	19 mph E	-	0.184 g	0.184 g	37.9 mi.	98,412.7	13.53v	16,066 min	30.27686	-89.43638	6015 E Lafayette St, Bay St Louis, MS
8:25:16 PM	On	32 mph	21 mph	26 mph E	-	0.196 g	0.224 g	38.6 mi.	98,413.4	13.53v	16,068 min	30.28292	-89.43122	Tate St, Bay St Louis, MS
8:27:16 PM	On	27 mph	8 mph	27 mph N	-	0.939 g	0.359 g	38.8 mi.	98,413.6	13.56v	16,070 min	30.28395	-89.42765	8044 Jeff Davis Dr, Bay St Louis, MS
8:29:16 PM	On	35 mph	31 mph	34 mph W	-	0.241 g	0.216 g	39.9 mi.	98,414.7	13.44v	16,072 min	30.29660	-89.43071	6080 E Adams St, Bay St Louis, MS
8:31:16 PM	On	66 mph	34 mph	66 mph W	65 mph	0.951 g	0.294 g	41.0 mi.	98,415.8	13.56v	16,074 min	30.30000	-89.44607	7048 US-90, Bay St Louis, MS
8:33:16 PM	On	66 mph	44 mph	50 mph S	35 mph	0.171 g	0.261 g	42.5 mi.	98,417.3	13.65v	16,076 min	30.28773	-89.45648	8179 Lakeshore Rd, Bay St Louis, MS
8:35:16 PM	On	54 mph	46 mph	26 mph SE	35 mph	0.082 g	0.216 g	44.0 mi.	98,418.8	13.41v	16,078 min	30.26646	-89.44869	6603 Lakeshore Rd, Bay St Louis, MS
8:37:16 PM	On	55 mph	31 mph	17 mph NW	35 mph	1.029 g	0.371 g	45.0 mi.	98,419.8	13.59v	16,080 min	30.25485	-89.43919	6028 Lakeshore Rd, Bay St Louis, MS
8:39:16 PM	On	45 mph	15 mph	14 mph NW	35 mph	1.641 g	0.453 g	45.5 mi.	98,420.3	13.62v	16,082 min	30.25960	-89.44294	6236 Lakeshore Rd, Bay St Louis, MS
8:41:16 PM	On	45 mph	30 mph	23 mph SE	35 mph	0.951 g	0.498 g	46.5 mi.	98,421.3	13.59v	16,084 min	30.25282	-89.43760	5839 Lakeshore Rd, Bay St Louis, MS
8:43:16 PM	On	50 mph	37 mph	28 mph NE	25 mph	0.147 g	0.216 g	47.8 mi.	98,422.6	13.56v	16,086 min	30.24776	-89.42407	5286 S Beach Blvd, Bay St Louis, MS
8:45:16 PM	On	42 mph	31 mph	20 mph N	-	0.167 g	0.171 g	48.8 mi.	98,423.6	13.44v	16,088 min	30.25897	-89.41353	5036 Forrest Ave, Bay St Louis, MS
8:47:16 PM	On	21 mph	7 mph	8 mph N	-	2.673 g	0.543 g	49.0 mi.	98,423.8	13.59v	16,090 min	30.26172	-89.41353	5052 Oak St, Bay St Louis, MS
8:49:16 PM	On	29 mph	14 mph	19 mph S	35 mph	0.927 g	0.473 g	49.5 mi.	98,424.3	13.59v	16,092 min	30.26449	-89.41702	5243 Ioor Ave, Bay St Louis, MS
8:51:16 PM	On	45 mph	31 mph	42 mph E	25 mph	0.918 g	0.416 g	50.5 mi.	98,425.3	13.65v	16,094 min	30.26036	-89.40573	S Beach Blvd, Waveland, MS
8:53:16 PM	On	43 mph	35 mph	42 mph NE	25 mph	0.094 g	0.139 g	51.7 mi.	98,426.5	13.56v	16,096 min	30.26628	-89.38771	S Beach Blvd, Waveland, MS
8:55:16 PM	On	44 mph	27 mph	0 mph NW	25 mph	0.102 g	0.339 g	52.6 mi.	98,427.4	13.59v	16,098 min	30.27512	-89.38265	162 Waveland Ave, Waveland, MS
8:57:16 PM	On	42 mph	17 mph	42 mph NE	25 mph	0.918 g	0.453 g	53.2 mi.	98,428.0	13.59v	16,100 min	30.27271	-89.37762	S Beach Blvd, Waveland, MS
8:59:16 PM	On	51 mph	48 mph	45 mph NE	25 mph	0.069 g	0.045 g	54.8 mi.	98,429.6	13.62v	16,102 min	30.28911	-89.35932	N Beach Blvd, Waveland, MS
9:01:16 PM	On	52 mph	49 mph	50 mph NE	25 mph	0.045 g	0.078 g	56.4 mi.	98,431.2	13.62v	16,104 min	30.29957	-89.33520	903 S Beach Blvd, Bay St Louis, MS
9:03:16 PM	On	50 mph	30 mph	15 mph NE	25 mph	0.906 g	0.359 g	57.4 mi.	98,432.2	13.59v	16,106 min	30.31109	-89.32508	119 N Beach Blvd, Bay St Louis, MS
9:05:16 PM	On	20 mph	14 mph	20 mph N	-	0.702 g	0.351 g	57.9 mi.	98,432.7	13.59v	16,108 min	30.31564	-89.32710	507 N 2nd St, Bay St Louis, MS
9:07:16 PM	On	22 mph	7 mph	13 mph E	-	0.804 g	0.473 g	58.1 mi.	98,432.9	13.65v	16,110 min	30.31683	-89.32796	Ruella Ave, Bay St Louis, MS
9:09:16 PM	On	49 mph	28 mph	47 mph W	45 mph	0.204 g	0.171 g	59.1 mi.	98,433.9	13.56v	16,112 min	30.31979	-89.33760	US-90, Bay St Louis, MS
9:11:16 PM	On	53 mph	34 mph	0 mph W	45 mph	1.098 g	0.396 g	60.2 mi.	98,435.0	13.65v	16,114 min	30.31401	-89.35537	895 US-90, Bay St Louis, MS

9:13:16 PM	On	49 mph	39 mph	11 mph NW	-	0.241 g	0.229 g	61.5 mi.	98,436.3	13.56v	16,116 min	30.30725	-89.37541	2418 McLaurin Rd, Waveland, MS
9:15:16 PM	On	9 mph	2 mph	0 mph W	-	0.645 g	0.531 g	61.6 mi.	98,436.4	13.47v	16,118 min	30.30775	-89.37621	2400 McLaurin Rd, Waveland, MS
9:17:16 PM	On	2 mph	0 mph	0 mph W	-	0.000 g	0.000 g	61.6 mi.	98,436.4	13.44v	16,120 min	30.30775	-89.37621	2400 McLaurin Rd, Waveland, MS
9:19:16 PM	On	1 mph	0 mph	0 mph W	-	0.000 g	0.000 g	61.6 mi.	98,436.4	13.50v	16,122 min	30.30775	-89.37621	2400 McLaurin Rd, Waveland, MS
9:21:16 PM	On	3 mph	0 mph	0 mph W	-	0.000 g	0.000 g	61.6 mi.	98,436.4	13.47v	16,124 min	30.30775	-89.37621	2400 McLaurin Rd, Waveland, MS
9:23:16 PM	On	26 mph	4 mph	23 mph W	45 mph	0.906 g	0.408 g	61.7 mi.	98,436.5	13.44v	16,126 min	30.30637	-89.37772	392 US-90, Waveland, MS
9:25:16 PM	On	69 mph	57 mph	65 mph NW	55 mph	0.192 g	0.094 g	63.6 mi.	98,438.4	13.53v	16,128 min	30.31654	-89.40638	10492 MS-603, Bay St Louis, MS
9:27:16 PM	On	70 mph	65 mph	65 mph N	55 mph	0.069 g	0.114 g	65.7 mi.	98,440.5	13.56v	16,130 min	30.33940	-89.42809	11464 MS-43, Bay St Louis, MS
9:29:16 PM	On	70 mph	45 mph	26 mph N	55 mph	0.951 g	0.351 g	67.2 mi.	98,442.0	13.59v	16,132 min	30.35982	-89.42381	MS-43, Kiln, MS
9:31:16 PM	On	70 mph	60 mph	60 mph NW	55 mph	0.139 g	0.102 g	69.2 mi.	98,444.0	13.65v	16,134 min	30.38508	-89.44010	14700 MS-43, Kiln, MS
9:33:16 PM	On	62 mph	36 mph	0 mph E	-	0.249 g	0.371 g	70.4 mi.	98,445.2	13.47v	16,136 min	30.39642	-89.43958	6172 Comanche St, Kiln, MS
9:35:16 PM	On	34 mph	12 mph	29 mph W	-	1.506 g	0.429 g	70.8 mi.	98,445.6	13.50v	16,138 min	30.39542	-89.44571	7108 Comanche St, Kiln, MS
9:37:16 PM	On	61 mph	45 mph	18 mph E	35 mph	0.286 g	0.241 g	72.4 mi.	98,447.2	13.59v	16,140 min	30.40893	-89.43483	Kiln-Delisle Rd, Kiln, MS
9:39:16 PM	On	52 mph	35 mph	44 mph N	-	0.363 g	0.204 g	73.5 mi.	98,448.3	13.56v	16,142 min	30.41419	-89.42253	Old Joe Moran St, Kiln, MS
9:41:16 PM	On	54 mph	46 mph	49 mph N	-	0.180 g	0.184 g	75.1 mi.	98,449.9	13.65v	16,144 min	30.43523	-89.41702	Joe Moran Rd, Kiln, MS
9:43:16 PM	On	48 mph	12 mph	0 mph NE	-	0.657 g	0.429 g	75.4 mi.	98,450.2	13.47v	16,146 min	30.43906	-89.41440	18403 Joe Moran Rd, Kiln, MS
9:45:16 PM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	75.4 mi.	98,450.2	12.55v	16,148 min	30.43906	-89.41440	18403 Joe Moran Rd, Kiln, MS
9:45:27 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	75.4 mi.	98,450.2	12.52v	16,148 min	30.43906	-89.41440	18403 Joe Moran Rd, Kiln, MS

Tue Mar 16, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:49:56 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,450.2	12.55v	16,148 min	30.43925	-89.41442	18403 Joe Moran Rd, Kiln, MS
2:43:24 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,450.2	14.80v	16,148 min	30.43925	-89.41442	18403 Joe Moran Rd, Kiln, MS
2:45:22 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,450.2	14.23v	16,150 min	30.43925	-89.41442	18403 Joe Moran Rd, Kiln, MS
2:47:22 PM	On		8 mph	1 mph	0 mph N	-	1.392 g	0.486 g	0.1 mi.	98,450.3	14.32v	16,152 min	30.43925	-89.41460	18403 Joe Moran Rd, Kiln, MS
2:49:22 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.1 mi.	98,450.3	14.41v	16,154 min	30.43920	-89.41456	18403 Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

4/1/2021

2:51:22 PM	On	22 mph	4 mph	22 mph W	-	0.767 g	0.408 g	0.2 mi.	98,450.4	14.32v	16,156 min	30.43794	-89.41557	Joe Moran Rd, Kiln, MS
2:53:22 PM	On	42 mph	35 mph	35 mph S	-	0.257 g	0.249 g	1.4 mi.	98,451.6	14.29v	16,158 min	30.42272	-89.42128	17299 Old Joe Moran St, Kiln, MS
2:55:22 PM	On	46 mph	38 mph	34 mph S	-	0.180 g	0.204 g	2.6 mi.	98,452.8	14.17v	16,160 min	30.40748	-89.42729	16041 Old Joe Moran St, Kiln, MS
2:57:22 PM	On	50 mph	29 mph	50 mph W	45 mph	1.041 g	0.396 g	3.6 mi.	98,453.8	14.41v	16,162 min	30.40651	-89.44083	MS-43, Kiln, MS
2:59:22 PM	On	50 mph	5 mph	0 mph SE	-	0.045 g	0.453 g	3.7 mi.	98,453.9	12.77v	16,164 min	30.40594	-89.44292	Kiln, MS
2:59:33 PM	Off	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	3.7 mi.	98,453.9	12.74v	16,164 min	30.40594	-89.44292	Kiln, MS
3:02:17 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	3.7 mi.	98,453.9	14.96v	16,164 min	30.40594	-89.44292	Kiln, MS
3:04:16 PM	On	47 mph	8 mph	47 mph E	45 mph	1.327 g	0.510 g	4.0 mi.	98,454.2	14.35v	16,166 min	30.40657	-89.43831	16474 MS-43, Kiln, MS
3:06:16 PM	On	50 mph	39 mph	48 mph E	35 mph	0.159 g	0.351 g	5.3 mi.	98,455.5	14.14v	16,168 min	30.40528	-89.41858	Kiln-Delisle Rd, Kiln, MS
3:08:16 PM	On	53 mph	50 mph	49 mph E	35 mph	0.090 g	0.082 g	7.0 mi.	98,457.2	13.50v	16,170 min	30.41108	-89.39234	3813 Kiln-Delisle Rd, Kiln, MS
3:10:16 PM	On	55 mph	53 mph	52 mph E	45 mph	0.122 g	0.110 g	8.7 mi.	98,458.9	13.56v	16,172 min	30.42325	-89.36720	2291 Kiln-Delisle Rd, Kiln, MS
3:12:16 PM	On	57 mph	47 mph	41 mph E	45 mph	0.171 g	0.339 g	10.3 mi.	98,460.5	13.56v	16,174 min	30.41894	-89.34254	1015 Kiln-Delisle Rd, Pass Christian, MS
3:14:16 PM	On	41 mph	35 mph	37 mph SW	30 mph	0.159 g	0.224 g	11.5 mi.	98,461.7	13.59v	16,176 min	30.40475	-89.34962	Kapalama Dr, Diamondhead, MS
3:16:16 PM	On	40 mph	29 mph	28 mph W	30 mph	0.192 g	0.269 g	12.4 mi.	98,462.6	13.59v	16,178 min	30.40082	-89.36338	Diamondhead Dr W, Diamondhead, MS
3:18:16 PM	On	34 mph	26 mph	25 mph NW	-	0.269 g	0.286 g	13.3 mi.	98,463.5	13.50v	16,180 min	30.39626	-89.37368	84112 Bayou Dr, Diamondhead, MS
3:20:16 PM	On	31 mph	19 mph	9 mph N	-	0.331 g	0.314 g	13.9 mi.	98,464.1	13.68v	16,182 min	30.40374	-89.37173	958 Lae Ct, Diamondhead, MS
3:22:16 PM	On	8 mph	0 mph	0 mph S	-	0.216 g	0.384 g	13.9 mi.	98,464.1	12.62v	16,184 min	30.40373	-89.37182	9510 Lae Ct, Diamondhead, MS
3:22:27 PM	Off	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	13.9 mi.	98,464.1	12.62v	16,184 min	30.40373	-89.37182	9510 Lae Ct, Diamondhead, MS
4:24:34 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	13.9 mi.	98,464.1	14.93v	16,184 min	30.40373	-89.37182	9510 Lae Ct, Diamondhead, MS
4:26:33 PM	On	4 mph	0 mph	0 mph S	-	0.000 g	0.000 g	13.9 mi.	98,464.1	14.29v	16,186 min	30.40373	-89.37182	9510 Lae Ct, Diamondhead, MS
4:28:33 PM	On	25 mph	11 mph	23 mph S	-	1.380 g	0.408 g	14.3 mi.	98,464.5	14.04v	16,188 min	30.39932	-89.37389	94145 Bayou Dr, Diamondhead, MS
4:30:33 PM	On	30 mph	22 mph	30 mph NE	30 mph	0.804 g	0.486 g	15.0 mi.	98,465.2	14.07v	16,190 min	30.39847	-89.36843	Diamondhead Dr W, Diamondhead, MS
4:32:33 PM	On	35 mph	25 mph	30 mph E	-	0.963 g	0.408 g	15.9 mi.	98,466.1	13.50v	16,192 min	30.40184	-89.35627	97162 Kapalama Dr, Diamondhead, MS
4:34:33 PM	On	37 mph	30 mph	37 mph N	30 mph	0.114 g	0.229 g	16.9 mi.	98,467.1	13.41v	16,194 min	30.41077	-89.34402	16829 Kapalama Dr, Pass Christian, MS
4:36:33 PM	On	57 mph	34 mph	57 mph NW	65 mph	0.984 g	0.327 g	18.0 mi.	98,468.2	13.56v	16,196 min	30.42173	-89.35027	1108 Kiln-Delisle Rd, Kiln, MS

4:38:33 PM	On	57 mph	44 mph	37 mph N	-	0.294 g	0.400 g	19.5 mi.	98,469.7	13.53v	16,198 min	30.42853	-89.36882	17184 Fenton Dedeaux Rd, Kiln, MS
4:40:33 PM	On	50 mph	44 mph	50 mph N	-	0.416 g	0.261 g	20.9 mi.	98,471.1	13.47v	16,200 min	30.44943	-89.37143	Fenton Dedeaux Rd, Kiln, MS
4:42:33 PM	On	52 mph	43 mph	48 mph SW	-	0.237 g	0.286 g	22.4 mi.	98,472.6	13.47v	16,202 min	30.45925	-89.38001	3110 Firetower Rd, Kiln, MS
4:44:33 PM	On	58 mph	55 mph	49 mph W	-	0.090 g	0.094 g	24.2 mi.	98,474.4	13.35v	16,204 min	30.44701	-89.40397	4374 Firetower Rd, Kiln, MS
4:46:33 PM	On	48 mph	32 mph	31 mph W	-	0.261 g	0.286 g	25.3 mi.	98,475.5	13.38v	16,206 min	30.43813	-89.41402	Joe Moran Rd, Kiln, MS
4:48:33 PM	On	29 mph	3 mph	0 mph NE	-	0.127 g	0.408 g	25.4 mi.	98,475.6	12.59v	16,208 min	30.43908	-89.41447	18403 Joe Moran Rd, Kiln, MS
4:48:43 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	25.4 mi.	98,475.6	12.55v	16,208 min	30.43908	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:29:10 PM	On	2 mph	0 mph	2 mph NE	-	0.000 g	0.000 g	25.4 mi.	98,475.6	14.29v	16,208 min	30.43908	-89.41447	Joe Moran Rd, Kiln, MS
5:31:09 PM	On	6 mph	0 mph	0 mph S	-	0.759 g	0.543 g	25.4 mi.	98,475.6	12.83v	16,210 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:33:09 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	25.4 mi.	98,475.6	12.71v	16,212 min	30.43924	-89.41444	18403 Joe Moran Rd, Kiln, MS
5:33:19 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	25.4 mi.	98,475.6	12.68v	16,212 min	30.43924	-89.41444	18403 Joe Moran Rd, Kiln, MS
5:59:18 PM	On	4 mph	0 mph	4 mph S	-	0.000 g	0.000 g	25.4 mi.	98,475.6	14.80v	16,212 min	30.43911	-89.41449	18403 Joe Moran Rd, Kiln, MS
6:01:17 PM	On	4 mph	0 mph	0 mph S	-	0.012 g	0.282 g	25.4 mi.	98,475.6	12.71v	16,214 min	30.43898	-89.41445	18403 Joe Moran Rd, Kiln, MS
6:01:28 PM	Off	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	25.4 mi.	98,475.6	12.68v	16,215 min	30.43898	-89.41445	18403 Joe Moran Rd, Kiln, MS
6:37:01 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	25.4 mi.	98,475.6	14.65v	16,215 min	30.43898	-89.41445	18403 Joe Moran Rd, Kiln, MS
6:39:00 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	25.4 mi.	98,475.6	14.14v	16,217 min	30.43898	-89.41445	18403 Joe Moran Rd, Kiln, MS
6:41:00 PM	On	12 mph	1 mph	0 mph S	-	1.482 g	0.261 g	25.4 mi.	98,475.6	13.95v	16,219 min	30.43879	-89.41449	18403 Joe Moran Rd, Kiln, MS
6:43:00 PM	On	47 mph	21 mph	42 mph SW	-	0.918 g	0.486 g	26.1 mi.	98,476.3	13.98v	16,221 min	30.43007	-89.41740	Joe Moran Rd, Kiln, MS
6:45:00 PM	On	47 mph	42 mph	39 mph SW	-	0.216 g	0.249 g	27.5 mi.	98,477.7	13.62v	16,223 min	30.41147	-89.42386	16255 Old Joe Moran St, Kiln, MS
6:47:00 PM	On	49 mph	30 mph	18 mph S	45 mph	1.110 g	0.461 g	28.5 mi.	98,478.7	13.62v	16,225 min	30.40878	-89.43546	16595 MS-43, Kiln, MS
6:49:00 PM	On	58 mph	37 mph	6 mph N	-	0.273 g	0.376 g	29.7 mi.	98,479.9	13.53v	16,227 min	30.39974	-89.45053	Road 429, Kiln, MS
6:51:00 PM	On	9 mph	6 mph	0 mph N	-	0.339 g	0.518 g	29.9 mi.	98,480.1	13.50v	16,229 min	30.40262	-89.44999	16076 Road 429, Kiln, MS
6:53:00 PM	On	4 mph	1 mph	0 mph E	-	0.792 g	0.461 g	29.9 mi.	98,480.1	13.50v	16,231 min	30.40262	-89.45017	7190 Paradise Ln, Kiln, MS
6:55:00 PM	On	9 mph	5 mph	6 mph W	-	0.792 g	0.543 g	30.1 mi.	98,480.3	13.59v	16,233 min	30.40144	-89.45033	16095 Road 429, Kiln, MS
6:57:00 PM	On	54 mph	17 mph	54 mph SE	55 mph	0.620 g	0.518 g	30.7 mi.	98,480.9	13.62v	16,235 min	30.39514	-89.44626	15419 MS-43, Kiln, MS

4/1/2021 Activity Detail Report - WEX

6:59:00 PM	On		63 mph	49 mph	63 mph SE	55 mph	0.114 g	0.224 g	32.3 mi.	98,482.5	13.59v	16,237 min	30.37414	-89.43350	MS-43, Kiln, MS
7:01:00 PM	On		66 mph	58 mph	57 mph S	55 mph	0.147 g	0.114 g	34.2 mi.	98,484.4	13.56v	16,239 min	30.34882	-89.42425	MS-43, Bay St Louis, MS
7:03:00 PM	On		68 mph	65 mph	65 mph SE	65 mph	0.057 g	0.094 g	36.4 mi.	98,486.6	13.59v	16,241 min	30.32215	-89.41588	10843 MS-43, Bay St Louis, MS
7:05:00 PM	On		65 mph	57 mph	59 mph E	55 mph	0.135 g	0.171 g	38.3 mi.	98,488.5	13.62v	16,243 min	30.31211	-89.38726	9421 MS-43, Bay St Louis, MS
7:07:00 PM	On		57 mph	24 mph	0 mph SW	-	0.102 g	0.371 g	39.1 mi.	98,489.3	13.50v	16,245 min	30.30743	-89.37673	Waveland, MS
7:09:00 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	39.1 mi.	98,489.3	13.56v	16,247 min	30.30743	-89.37673	Waveland, MS
7:11:00 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	39.1 mi.	98,489.3	13.65v	16,249 min	30.30743	-89.37673	Waveland, MS
7:12:35 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	39.1 mi.	98,489.3	13.56v	16,249 min	30.30742	-89.37671	Waveland, MS
7:13:00 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	39.1 mi.	98,489.3	13.56v	16,251 min	30.30742	-89.37671	Waveland, MS
7:15:00 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	39.1 mi.	98,489.3	13.47v	16,253 min	30.30742	-89.37671	Waveland, MS
7:17:00 PM	On		11 mph	1 mph	0 mph NE	-	0.665 g	0.339 g	39.1 mi.	98,489.3	12.62v	16,255 min	30.30783	-89.37727	Waveland, MS
7:17:10 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	39.1 mi.	98,489.3	12.62v	16,255 min	30.30783	-89.37727	Waveland, MS
7:36:31 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	39.1 mi.	98,489.3	14.62v	16,255 min	30.30783	-89.37727	Waveland, MS
7:38:30 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	39.1 mi.	98,489.3	14.11v	16,257 min	30.30783	-89.37727	Waveland, MS
7:40:30 PM	On		11 mph	4 mph	9 mph S	-	0.939 g	0.429 g	39.3 mi.	98,489.5	13.53v	16,259 min	30.30840	-89.37533	9008 McLaurin Rd, Waveland, MS
7:42:30 PM	On		44 mph	26 mph	44 mph E	45 mph	1.143 g	0.416 g	40.2 mi.	98,490.4	13.62v	16,261 min	30.31110	-89.36338	1190 US-90, Bay St Louis, MS
7:44:30 PM	On		47 mph	32 mph	0 mph NE	45 mph	0.135 g	0.269 g	41.2 mi.	98,491.4	13.50v	16,263 min	30.31684	-89.34663	700 US-90, Bay St Louis, MS
7:46:30 PM	On		52 mph	40 mph	25 mph S	-	1.429 g	0.318 g	42.6 mi.	98,492.8	13.56v	16,265 min	30.31813	-89.32652	574 N 2nd St, Bay St Louis, MS
7:48:30 PM	On		25 mph	7 mph	1 mph E	-	0.678 g	0.408 g	42.8 mi.	98,493.0	13.68v	16,267 min	30.31704	-89.32864	Ruella Ave, Bay St Louis, MS
7:50:30 PM	On		8 mph	0 mph	0 mph E	-	1.302 g	0.306 g	42.8 mi.	98,493.0	13.59v	16,269 min	30.31699	-89.32862	518 N 2nd St, Bay St Louis, MS
7:52:30 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	42.8 mi.	98,493.0	13.56v	16,271 min	30.31699	-89.32862	518 N 2nd St, Bay St Louis, MS
7:53:44 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	42.8 mi.	98,493.0	13.53v	16,271 min	30.31699	-89.32862	518 N 2nd St, Bay St Louis, MS
7:54:30 PM	On		14 mph	1 mph	14 mph E	-	0.804 g	0.000 g	42.8 mi.	98,493.0	13.59v	16,273 min	30.31687	-89.32816	Ruella Ave, Bay St Louis, MS
7:56:30 PM	On		22 mph	15 mph	22 mph S	25 mph	1.073 g	0.486 g	43.3 mi.	98,493.5	13.47v	16,275 min	30.31256	-89.32421	224 N Beach Blvd, Bay St Louis, MS
7:58:30 PM	On		30 mph	20 mph	30 mph SW	25 mph	0.759 g	0.441 g	44.0 mi.	98,494.2	13.62v	16,277 min	30.30427	-89.32993	500 S Beach Blvd, Bay St Louis, MS

Activity Detail Report - WEX

4/1/2021														
8:00:30 PM	On		34 mph	31 mph	31 mph SW	25 mph	0.078 g	0.057 g	45.0 mi.	98,495.2	13.62v	16,279 min	30.29483	-89.34300	976 S Beach Blvd, Bay St Louis, MS
8:02:30 PM	On		36 mph	32 mph	31 mph SW	25 mph	0.057 g	0.078 g	46.1 mi.	98,496.3	13.56v	16,281 min	30.28907	-89.35957	515 N Beach Blvd, Waveland, MS
8:04:30 PM	On		37 mph	31 mph	37 mph SW	25 mph	0.082 g	0.049 g	47.1 mi.	98,497.3	13.53v	16,283 min	30.27876	-89.37228	220 S Beach Blvd, Waveland, MS
8:06:30 PM	On		41 mph	37 mph	39 mph SW	25 mph	0.057 g	0.069 g	48.3 mi.	98,498.5	13.53v	16,285 min	30.26672	-89.38702	900 S Beach Blvd, Waveland, MS
8:08:30 PM	On		39 mph	35 mph	35 mph W	25 mph	0.045 g	0.102 g	49.5 mi.	98,499.7	13.59v	16,287 min	30.26057	-89.40519	1086 S Beach Blvd, Waveland, MS
8:10:30 PM	On		37 mph	33 mph	33 mph SW	25 mph	0.078 g	0.090 g	50.6 mi.	98,500.8	13.65v	16,289 min	30.25286	-89.42063	S Beach Blvd, Bay St Louis, MS
8:12:30 PM	On		43 mph	35 mph	37 mph W	35 mph	0.139 g	0.180 g	51.8 mi.	98,502.0	13.59v	16,291 min	30.24667	-89.43606	Lakeshore Rd, Bay St Louis, MS
8:14:30 PM	On		39 mph	35 mph	37 mph NW	35 mph	0.082 g	0.090 g	53.0 mi.	98,503.2	13.59v	16,293 min	30.26147	-89.44445	Lakeshore Rd, Bay St Louis, MS
8:16:30 PM	On		37 mph	29 mph	27 mph E	-	0.282 g	0.257 g	53.9 mi.	98,504.1	13.62v	16,295 min	30.27320	-89.45048	7034 Hancock Dr, Bay St Louis, MS
8:18:30 PM	On		35 mph	31 mph	27 mph NE	-	0.314 g	0.135 g	55.0 mi.	98,505.2	13.44v	16,297 min	30.28309	-89.43952	7552 Hancock Dr, Bay St Louis, MS
8:20:30 PM	On		27 mph	22 mph	6 mph N	-	0.355 g	0.351 g	55.7 mi.	98,505.9	13.44v	16,299 min	30.28292	-89.42776	8028 Jeff Davis Dr, Bay St Louis, MS
8:22:30 PM	On		22 mph	8 mph	20 mph W	-	0.939 g	0.408 g	56.0 mi.	98,506.2	13.56v	16,301 min	30.28286	-89.43011	Tate St, Bay St Louis, MS
8:24:30 PM	On		39 mph	29 mph	37 mph NE	-	0.996 g	0.363 g	56.9 mi.	98,507.1	13.53v	16,303 min	30.28965	-89.43556	7838 Hancock Dr, Bay St Louis, MS
8:26:30 PM	On		38 mph	22 mph	35 mph N	-	1.065 g	0.453 g	57.7 mi.	98,507.9	13.53v	16,305 min	30.29708	-89.43249	8120 Hancock Dr, Bay St Louis, MS
8:28:30 PM	On		66 mph	46 mph	51 mph E	45 mph	0.792 g	0.351 g	59.2 mi.	98,509.4	13.56v	16,307 min	30.29866	-89.40888	US-90, Bay St Louis, MS
8:30:30 PM	On		52 mph	34 mph	14 mph N	-	0.224 g	0.465 g	60.4 mi.	98,510.6	13.50v	16,309 min	30.30388	-89.40262	106 Laurel St, Waveland, MS
8:32:30 PM	On		32 mph	9 mph	0 mph W	-	0.273 g	0.429 g	60.7 mi.	98,510.9	13.56v	16,311 min	30.30802	-89.40252	D Ave, Bay St Louis, MS
8:34:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	60.7 mi.	98,510.9	13.59v	16,313 min	30.30803	-89.40255	D Ave, Bay St Louis, MS
8:36:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	60.7 mi.	98,510.9	13.59v	16,315 min	30.30803	-89.40255	D Ave, Bay St Louis, MS
8:36:38 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	60.7 mi.	98,510.9	13.59v	16,315 min	30.30803	-89.40255	D Ave, Bay St Louis, MS
8:38:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	60.7 mi.	98,510.9	13.50v	16,317 min	30.30803	-89.40255	D Ave, Bay St Louis, MS
8:40:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	60.7 mi.	98,510.9	14.77v	16,319 min	30.30803	-89.40255	D Ave, Bay St Louis, MS
8:42:30 PM	On		22 mph	7 mph	20 mph S	-	0.792 g	0.510 g	60.9 mi.	98,511.1	13.80v	16,321 min	30.30471	-89.40313	9067 D Ave, Bay St Louis, MS
8:44:30 PM	On		39 mph	24 mph	35 mph N	35 mph	1.086 g	0.351 g	61.7 mi.	98,511.9	13.56v	16,323 min	30.31123	-89.40673	9242 Kiln Waveland Cutoff Rd, Bay St Louis, MS
8:46:30 PM	On		52 mph	30 mph	27 mph S	-	1.131 g	0.408 g	62.7 mi.	98,512.9	13.59v	16,325 min	30.31831	-89.41338	10099 Tigris St, Bay St Louis, MS

/1/2021															
8:48:30 PM	On		27 mph	3 mph	0 mph W	-	0.090 g	0.339 g	62.8 mi.	98,513.0	13.50v	16,327 min	30.31778	-89.41420	5022 Red St, Bay St Louis, MS
8:50:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	62.8 mi.	98,513.0	13.50v	16,329 min	30.31778	-89.41420	5022 Red St, Bay St Louis, MS
8:52:06 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	62.8 mi.	98,513.0	13.59v	16,329 min	30.31778	-89.41420	5022 Red St, Bay St Louis, MS
8:52:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	62.8 mi.	98,513.0	13.56v	16,331 min	30.31778	-89.41420	5022 Red St, Bay St Louis, MS
8:54:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	62.8 mi.	98,513.0	13.56v	16,333 min	30.31778	-89.41420	5022 Red St, Bay St Louis, MS
8:56:30 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	62.8 mi.	98,513.0	13.62v	16,335 min	30.31778	-89.41420	5022 Red St, Bay St Louis, MS
8:58:30 PM	On		63 mph	25 mph	62 mph NW	55 mph	1.041 g	0.339 g	63.6 mi.	98,513.8	13.53v	16,337 min	30.32421	-89.41895	10968 MS-43, Bay St Louis, MS
9:00:30 PM	On		63 mph	60 mph	55 mph N	55 mph	0.069 g	0.090 g	65.6 mi.	98,515.8	13.59v	16,339 min	30.34964	-89.42366	12196 MS-43, Bay St Louis, MS
9:02:30 PM	On		66 mph	55 mph	60 mph E	70 mph	0.192 g	0.294 g	67.4 mi.	98,517.6	13.53v	16,341 min	30.36445	-89.40315	I-10, Bay St Louis, MS
9:04:30 PM	On		70 mph	53 mph	33 mph N	35 mph	0.229 g	0.237 g	69.2 mi.	98,519.4	13.62v	16,343 min	30.37225	-89.37682	Diamondhead Dr N, Diamondhead, MS
9:06:30 PM	On		40 mph	7 mph	0 mph NE	35 mph	0.090 g	0.359 g	69.4 mi.	98,519.6	12.40v	16,345 min	30.37479	-89.37703	102 Diamondhead Dr N, Diamondhead, MS
9:06:40 PM	Off		0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	69.4 mi.	98,519.6	12.37v	16,345 min	30.37479	-89.37703	102 Diamondhead Dr N, Diamondhead, MS
10:03:39 PM	On		0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	69.4 mi.	98,519.6	14.71v	16,345 min	30.37481	-89.37704	102 Diamondhead Dr N, Diamondhead, MS
10:05:38 PM	On		22 mph	3 mph	22 mph E	25 mph	0.861 g	0.473 g	69.5 mi.	98,519.7	14.84v	16,347 min	30.37557	-89.37630	W Aloha Dr, Diamondhead, MS
10:07:38 PM	On		35 mph	27 mph	29 mph NE	30 mph	0.249 g	0.257 g	70.4 mi.	98,520.6	13.95v	16,349 min	30.38229	-89.36568	Golf Club Dr, Diamondhead, MS
10:09:38 PM	On		37 mph	19 mph	6 mph NE	30 mph	0.690 g	0.408 g	71.1 mi.	98,521.3	13.92v	16,351 min	30.38992	-89.36067	Golf Club Dr, Diamondhead, MS
10:11:38 PM	On		20 mph	9 mph	3 mph N	-	1.984 g	0.486 g	71.4 mi.	98,521.6	13.35v	16,353 min	30.39024	-89.36331	752 Oakmont Way, Diamondhead, MS
10:13:38 PM	On		29 mph	20 mph	28 mph NE	30 mph	1.041 g	0.339 g	72.0 mi.	98,522.2	13.56v	16,355 min	30.39488	-89.35486	87142 Golf Club Dr, Diamondhead, MS
10:15:38 PM	On		35 mph	25 mph	29 mph NE	30 mph	0.996 g	0.359 g	72.9 mi.	98,523.1	13.62v	16,357 min	30.40423	-89.35033	Kapalama Dr, Diamondhead, MS
10:17:38 PM	On		40 mph	34 mph	27 mph N	30 mph	0.122 g	0.122 g	74.0 mi.	98,524.2	13.47v	16,359 min	30.41823	-89.34176	17175 Kapalama Dr, Pass Christian, MS
10:19:38 PM	On		63 mph	49 mph	39 mph W	45 mph	1.086 g	0.396 g	75.7 mi.	98,525.9	13.47v	16,361 min	30.42343	-89.36681	2248 Kiln-Delisle Rd, Kiln, MS
10:21:38 PM	On		40 mph	34 mph	39 mph N	-	0.237 g	0.229 g	76.8 mi.	98,527.0	13.59v	16,363 min	30.43908	-89.37107	Fenton Dedeaux Rd, Kiln, MS
10:23:38 PM	On		40 mph	38 mph	37 mph N	-	0.135 g	0.135 g	78.1 mi.	98,528.3	13.59v	16,365 min	30.45748	-89.37293	Fenton Dedeaux Rd, Kiln, MS
10:25:38 PM	On		61 mph	39 mph	58 mph SW	-	0.192 g	0.192 g	79.4 mi.	98,529.6	13.59v	16,367 min	30.45373	-89.38228	Firetower Rd, Kiln, MS
10:27:38 PM	On		59 mph	49 mph	39 mph SW	-	0.224 g	0.339 g	81.0 mi.	98,531.2	13.53v	16,369 min	30.44612	-89.40688	Joe Moran Rd, Kiln, MS

10:29:38 PM	On		41 mph	28 mph	9 mph N	-	0.306 g	0.339 g	81.9 mi.	98,532.1	13.59v	16,371 min	30.43901	-89.41460	Joe Moran Rd, Kiln, MS
10:31:38 PM	On		9 mph	0 mph	0 mph E	-	0.000 g	0.384 g	82.0 mi.	98,532.2	12.43v	16,373 min	30.43909	-89.41441	18403 Joe Moran Rd, Kiln, MS
10:31:48 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	82.0 mi.	98,532.2	12.40v	16,373 min	30.43909	-89.41441	18403 Joe Moran Rd, Kiln, MS

Wed Mar 17, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:36:18 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,532.2	12.49v	16,373 min	30.43909	-89.41441	18403 Joe Moran Rd, Kiln, MS
1:49:17 PM	On		3 mph	0 mph	2 mph E	-	0.000 g	0.000 g	0.0 mi.	98,532.2	14.44v	16,373 min	30.43909	-89.41441	Joe Moran Rd, Kiln, MS
1:51:16 PM	On		32 mph	5 mph	32 mph W	-	0.996 g	0.429 g	0.1 mi.	98,532.3	14.35v	16,375 min	30.43778	-89.41628	Joe Moran Rd, Kiln, MS
1:53:16 PM	On		48 mph	40 mph	34 mph S	-	0.331 g	0.318 g	1.5 mi.	98,533.7	14.41v	16,377 min	30.41976	-89.42129	Old Joe Moran St, Kiln, MS
1:55:16 PM	On		35 mph	31 mph	26 mph S	-	0.171 g	0.306 g	2.5 mi.	98,534.7	14.35v	16,379 min	30.40791	-89.42729	16053 Old Joe Moran St, Kiln, MS
1:57:16 PM	On		58 mph	33 mph	12 mph S	-	1.224 g	0.306 g	3.6 mi.	98,535.8	14.07v	16,381 min	30.40618	-89.44255	Kiln, MS
1:59:16 PM	On		12 mph	1 mph	0 mph S	-	0.408 g	0.498 g	3.6 mi.	98,535.8	12.77v	16,383 min	30.40594	-89.44291	Kiln, MS
1:59:26 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	3.6 mi.	98,535.8	12.74v	16,383 min	30.40594	-89.44291	Kiln, MS
2:03:46 PM	On		2 mph	0 mph	1 mph S	-	0.000 g	0.000 g	3.6 mi.	98,535.8	14.71v	16,383 min	30.40589	-89.44291	Kiln, MS
2:05:45 PM	On		55 mph	31 mph	35 mph E	-	0.996 g	0.486 g	4.8 mi.	98,537.0	14.38v	16,385 min	30.39560	-89.44297	6291 Comanche St, Kiln, MS
2:07:45 PM	On		35 mph	6 mph	0 mph E	-	0.020 g	0.429 g	5.0 mi.	98,537.2	14.38v	16,387 min	30.39634	-89.43967	6172 Comanche St, Kiln, MS
2:09:45 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	5.0 mi.	98,537.2	14.44v	16,389 min	30.39634	-89.43967	6172 Comanche St, Kiln, MS
2:11:26 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	5.0 mi.	98,537.2	13.68v	16,389 min	30.39634	-89.43967	6172 Comanche St, Kiln, MS
2:11:45 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	5.0 mi.	98,537.2	13.65v	16,391 min	30.39634	-89.43967	6172 Comanche St, Kiln, MS
2:13:45 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	5.0 mi.	98,537.2	13.98v	16,393 min	30.39634	-89.43967	6172 Comanche St, Kiln, MS
2:15:45 PM	On		30 mph	13 mph	11 mph SW	-	0.927 g	0.416 g	5.4 mi.	98,537.6	13.47v	16,395 min	30.39529	-89.44612	Comanche St, Kiln, MS
2:17:45 PM	On		63 mph	37 mph	59 mph S	55 mph	0.971 g	0.359 g	6.6 mi.	98,538.8	13.59v	16,397 min	30.37896	-89.43738	MS-43, Kiln, MS
2:19:45 PM	On		65 mph	49 mph	26 mph S	55 mph	1.233 g	0.498 g	8.3 mi.	98,540.5	13.56v	16,399 min	30.35881	-89.42364	MS-43, Bay St Louis, MS
2:21:45 PM	On		67 mph	60 mph	67 mph SE	65 mph	0.171 g	0.057 g	10.3 mi.	98,542.5	13.56v	16,401 min	30.33136	-89.42589	MS-43, Bay St Louis, MS
2:23:45 PM	On		67 mph	40 mph	0 mph W	-	0.204 g	0.363 g	11.6 mi.	98,543.8	13.65v	16,403 min	30.31778	-89.41424	5022 Red St, Bay St Louis, MS

4/1/2021 Activity Detail Report - WEX

2:25:45 PM	On		34 mph	12 mph	18 mph SE	55 mph	1.155 g	0.420 g	12.0 mi.	98,544.2	13.65v	16,405 min	30.32022	-89.41286	MS-43, Bay St Louis, MS
2:27:45 PM	On		52 mph	34 mph	32 mph E	-	0.237 g	0.371 g	13.1 mi.	98,545.3	13.38v	16,407 min	30.30887	-89.40343	4335 Catalina St, Bay St Louis, MS
2:29:45 PM	On		31 mph	3 mph	0 mph N	-	0.351 g	0.384 g	13.2 mi.	98,545.4	13.65v	16,409 min	30.30808	-89.40253	D Ave, Bay St Louis, MS
2:31:45 PM	On		32 mph	6 mph	30 mph S	-	1.155 g	0.429 g	13.4 mi.	98,545.6	13.53v	16,411 min	30.30517	-89.40294	9336 D Ave, Bay St Louis, MS
2:33:45 PM	On		53 mph	26 mph	53 mph W	45 mph	1.008 g	0.531 g	14.3 mi.	98,546.5	13.59v	16,413 min	30.29897	-89.40328	942 US-90, Waveland, MS
2:35:45 PM	On		67 mph	56 mph	38 mph S	-	0.396 g	0.306 g	16.1 mi.	98,548.3	13.56v	16,415 min	30.29766	-89.43245	8139 Hancock Dr, Bay St Louis, MS
2:37:45 PM	On		36 mph	22 mph	17 mph E	-	1.065 g	0.416 g	16.9 mi.	98,549.1	13.53v	16,417 min	30.29180	-89.42779	6013 E Grenada St, Bay St Louis, MS
2:39:45 PM	On		36 mph	21 mph	0 mph W	-	0.286 g	0.408 g	17.6 mi.	98,549.8	13.65v	16,419 min	30.28285	-89.42931	6083 Tate St, Bay St Louis, MS
2:41:45 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	17.6 mi.	98,549.8	13.65v	16,421 min	30.28285	-89.42931	6083 Tate St, Bay St Louis, MS
2:43:45 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	17.6 mi.	98,549.8	13.65v	16,423 min	30.28283	-89.42930	6083 Tate St, Bay St Louis, MS
2:44:55 PM		Idling - OBD	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	17.6 mi.	98,549.8	13.62v	16,423 min	30.28283	-89.42930	6083 Tate St, Bay St Louis, MS
2:45:45 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	17.6 mi.	98,549.8	13.65v	16,425 min	30.28283	-89.42930	6083 Tate St, Bay St Louis, MS
2:47:45 PM	On		27 mph	7 mph	20 mph W	-	0.759 g	0.192 g	17.8 mi.	98,550.0	13.41v	16,427 min	30.28286	-89.43306	6214 Tate St, Bay St Louis, MS
2:49:45 PM	On		42 mph	28 mph	40 mph SW	-	0.951 g	0.441 g	18.7 mi.	98,550.9	13.71v	16,429 min	30.27641	-89.44359	7287 Hancock Dr, Bay St Louis, MS
2:51:45 PM	On		47 mph	33 mph	21 mph SE	35 mph	1.188 g	0.416 g	19.8 mi.	98,552.0	13.59v	16,431 min	30.26610	-89.44824	6565 Lakeshore Rd, Bay St Louis, MS
2:53:45 PM	On		51 mph	18 mph	0 mph NE	35 mph	0.147 g	0.314 g	20.4 mi.	98,552.6	13.62v	16,433 min	30.25963	-89.44231	6236 Lakeshore Rd, Bay St Louis, MS
2:55:45 PM	On		0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	20.4 mi.	98,552.6	13.62v	16,435 min	30.25963	-89.44231	6236 Lakeshore Rd, Bay St Louis, MS
2:57:45 PM	On		0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	20.4 mi.	98,552.6	13.62v	16,437 min	30.25963	-89.44231	6236 Lakeshore Rd, Bay St Louis, MS
2:57:53 PM		Idling - OBD	0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	20.4 mi.	98,552.6	13.56v	16,437 min	30.25963	-89.44231	6236 Lakeshore Rd, Bay St Louis, MS
2:59:45 PM	On		17 mph	2 mph	17 mph SW	35 mph	0.951 g	0.314 g	20.5 mi.	98,552.7	13.47v	16,439 min	30.25941	-89.44256	6245 Lakeshore Rd, Bay St Louis, MS
3:01:45 PM	On		56 mph	39 mph	53 mph E	55 mph	1.200 g	0.294 g	21.8 mi.	98,554.0	13.53v	16,441 min	30.24654	-89.43093	5159 Lakeshore Rd, Bay St Louis, MS
3:03:45 PM	On		52 mph	30 mph	30 mph NE	25 mph	1.008 g	0.314 g	22.8 mi.	98,555.0	13.50v	16,443 min	30.25437	-89.41944	5396 S Beach Blvd, Bay St Louis, MS
3:05:45 PM	On		32 mph	30 mph	30 mph NE	25 mph	0.069 g	0.090 g	23.8 mi.	98,556.0	13.50v	16,445 min	30.26077	-89.40464	995 S Beach Blvd, Waveland, MS
3:07:45 PM	On		35 mph	30 mph	35 mph NE	25 mph	0.082 g	0.082 g	24.8 mi.	98,557.0	13.50v	16,447 min	30.26551	-89.38908	S Beach Blvd, Waveland, MS
3:09:45 PM	On		40 mph	29 mph	26 mph NW	25 mph	0.249 g	0.261 g	25.8 mi.	98,558.0	13.56v	16,449 min	30.27477	-89.38240	152 Waveland Ave, Waveland, MS

3:11:45 PM	On		25 mph	1 mph	0 mph NE	25 mph	0.000 g	0.453 g	25.8 mi.	98,558.0	13.56v	16,451 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:13:45 PM	On		0 mph	0 mph	0 mph NE	25 mph	0.000 g	0.000 g	25.8 mi.	98,558.0	13.53v	16,453 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:15:31 PM		Idling - OBD	0 mph	0 mph	0 mph NE	25 mph	0.000 g	0.000 g	25.8 mi.	98,558.0	13.53v	16,453 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:15:45 PM	On		0 mph	0 mph	0 mph NE	25 mph	0.000 g	0.000 g	25.8 mi.	98,558.0	13.59v	16,455 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:17:45 PM	On		0 mph	0 mph	0 mph NE	25 mph	0.000 g	0.000 g	25.8 mi.	98,558.0	13.56v	16,457 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:19:45 PM	On		0 mph	0 mph	0 mph NE	25 mph	0.000 g	0.000 g	25.8 mi.	98,558.0	13.62v	16,459 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:20:31 PM		Idling - OBD	0 mph	0 mph	0 mph NE	25 mph	0.000 g	0.000 g	25.8 mi.	98,558.0	13.59v	16,459 min	30.27506	-89.38270	169 Waveland Ave, Waveland, MS
3:21:45 PM	On		29 mph	11 mph	22 mph SE	25 mph	1.167 g	0.327 g	26.2 mi.	98,558.4	13.28v	16,461 min	30.27142	-89.38001	Waveland Ave, Waveland, MS
3:23:45 PM	On		40 mph	29 mph	31 mph NE	25 mph	0.894 g	0.429 g	27.1 mi.	98,559.3	13.50v	16,463 min	30.28157	-89.36986	110 S Beach Blvd, Waveland, MS
3:25:45 PM	On		40 mph	36 mph	40 mph E	25 mph	0.078 g	0.045 g	28.3 mi.	98,560.5	13.47v	16,465 min	30.29074	-89.35348	665 N Beach Blvd, Waveland, MS
3:27:45 PM	On		45 mph	40 mph	44 mph NE	25 mph	0.057 g	0.045 g	29.6 mi.	98,561.8	13.53v	16,467 min	30.30023	-89.33446	901 S Beach Blvd, Bay St Louis, MS
3:29:45 PM	On		43 mph	26 mph	12 mph NE	25 mph	0.196 g	0.637 g	30.5 mi.	98,562.7	13.53v	16,469 min	30.30998	-89.32589	113 S Beach Blvd, Bay St Louis, MS
3:31:45 PM	On		25 mph	15 mph	6 mph N	-	0.971 g	0.461 g	31.0 mi.	98,563.2	13.53v	16,471 min	30.31478	-89.32742	N 2nd St, Bay St Louis, MS
3:33:45 PM	On		22 mph	8 mph	0 mph E	-	0.918 g	0.416 g	31.3 mi.	98,563.5	13.65v	16,473 min	30.31700	-89.32853	207 Ruella Ave, Bay St Louis, MS
3:35:45 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.3 mi.	98,563.5	13.62v	16,475 min	30.31702	-89.32851	207 Ruella Ave, Bay St Louis, MS
3:37:45 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.3 mi.	98,563.5	13.59v	16,477 min	30.31702	-89.32851	207 Ruella Ave, Bay St Louis, MS
3:38:08 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.3 mi.	98,563.5	13.62v	16,477 min	30.31702	-89.32851	207 Ruella Ave, Bay St Louis, MS
3:39:45 PM	On		32 mph	7 mph	29 mph N	-	1.098 g	0.371 g	31.5 mi.	98,563.7	13.28v	16,479 min	30.31847	-89.32652	599 N 2nd St, Bay St Louis, MS
3:41:45 PM	On		55 mph	21 mph	50 mph W	45 mph	1.110 g	0.498 g	32.2 mi.	98,564.4	13.56v	16,481 min	30.31985	-89.33718	US-90, Bay St Louis, MS
3:43:45 PM	On		51 mph	24 mph	42 mph W	45 mph	0.951 g	0.429 g	33.0 mi.	98,565.2	13.50v	16,483 min	30.31592	-89.34984	805 US-90, Bay St Louis, MS
3:45:45 PM	On		43 mph	28 mph	32 mph W	-	0.224 g	0.306 g	33.9 mi.	98,566.1	13.47v	16,485 min	30.31167	-89.36449	451 Longfellow Rd, Bay St Louis, MS
3:47:45 PM	On		42 mph	28 mph	39 mph W	-	1.155 g	0.453 g	34.9 mi.	98,567.1	13.56v	16,487 min	30.31171	-89.38003	3156 Longfellow Rd, Bay St Louis, MS
3:49:45 PM	On		60 mph	44 mph	52 mph NW	55 mph	0.314 g	0.261 g	36.3 mi.	98,568.5	13.65v	16,489 min	30.31514	-89.40393	10408 MS-603, Bay St Louis, MS
3:51:45 PM	On		50 mph	35 mph	43 mph NE	-	0.792 g	0.441 g	37.5 mi.	98,569.7	13.62v	16,491 min	30.32761	-89.40163	11068 Central Ave, Bay St Louis, MS
3:53:45 PM	On		43 mph	25 mph	19 mph SW	-	1.073 g	0.306 g	38.3 mi.	98,570.5	13.50v	16,493 min	30.33056	-89.39791	11219 Bayou View Dr E, Bay St Louis, MS

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Report - WEX

4/1/2021													
3:55:45 PM	On		41 mph	19 mph	40 mph SW	-	0.767 g	0.351 g	38.9 mi.	98,571.1	13.47v	16,495 min	30.32424 -89.40439	10193 Central Ave, Bay St Louis, MS
3:57:45 PM	On		60 mph	36 mph	60 mph NW	55 mph	0.971 g	0.282 g	40.1 mi.	98,572.3	13.50v	16,497 min	30.32430 -89.41901	10970 MS-43, Bay St Louis, MS
3:59:45 PM	On		60 mph	57 mph	58 mph NE	55 mph	0.082 g	0.127 g	42.0 mi.	98,574.2	13.53v	16,499 min	30.34857 -89.42415	12192 MS-43, Bay St Louis, MS
4:01:41 PM		Speeding - OBD	78 mph	54 mph	76 mph E	70 mph	0.180 g	0.192 g	43.8 mi.	98,576.0	13.53v	16,499 min	30.36371 -89.40555	I-10, Bay St Louis, MS
4:01:45 PM	On		78 mph	55 mph	76 mph E	70 mph	0.180 g	0.192 g	43.9 mi.	98,576.1	13.59v	16,501 min	30.36412 -89.40421	I-10, Bay St Louis, MS
4:03:45 PM	On		76 mph	55 mph	32 mph S	-	0.241 g	0.196 g	45.7 mi.	98,577.9	13.41v	16,503 min	30.36952 -89.37577	445 Yacht Club Rd, Diamondhead, MS
4:05:45 PM	On		39 mph	12 mph	0 mph NW	-	0.249 g	0.363 g	46.1 mi.	98,578.3	13.53v	16,505 min	30.36513 -89.37817	2430 Airport Dr, Diamondhead, MS
4:07:45 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	46.1 mi.	98,578.3	13.59v	16,507 min	30.36513 -89.37817	2430 Airport Dr, Diamondhead, MS
4:09:45 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	46.1 mi.	98,578.3	13.56v	16,509 min	30.36513 -89.37817	2430 Airport Dr, Diamondhead, MS
4:09:53 PM		Idling - OBD	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	46.1 mi.	98,578.3	13.59v	16,509 min	30.36513 -89.37817	2430 Airport Dr, Diamondhead, MS
4:11:45 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	46.1 mi.	98,578.3	13.59v	16,511 min	30.36513 -89.37817	2430 Airport Dr, Diamondhead, MS
4:13:45 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	46.1 mi.	98,578.3	13.62v	16,513 min	30.36513 -89.37817	2430 Airport Dr, Diamondhead, MS
4:15:45 PM	On		35 mph	8 mph	35 mph NE	-	0.918 g	0.396 g	46.4 mi.	98,578.6	13.47v	16,515 min	30.36666 -89.37587	2777 Airport Dr, Diamondhead, MS
4:17:45 PM	On		37 mph	27 mph	29 mph N	25 mph	1.347 g	0.314 g	47.3 mi.	98,579.5	13.44v	16,517 min	30.37657 -89.37532	4414 Kalani Dr, Diamondhead, MS
4:19:45 PM	On		40 mph	29 mph	14 mph N	30 mph	1.110 g	0.441 g	48.3 mi.	98,580.5	13.53v	16,519 min	30.38487 -89.36430	6642 Golf Club Dr, Diamondhead, MS
4:21:45 PM	On		40 mph	29 mph	16 mph E	30 mph	0.939 g	0.486 g	49.2 mi.	98,581.4	13.53v	16,521 min	30.39548 -89.35423	Diamondhead, MS
4:23:45 PM	On		43 mph	26 mph	43 mph W	-	0.971 g	0.359 g	50.1 mi.	98,582.3	13.44v	16,523 min	30.40186 -89.35785	Kapalama Dr, Diamondhead, MS
4:25:45 PM	On		48 mph	17 mph	0 mph SE	-	0.212 g	0.457 g	50.7 mi.	98,582.9	13.53v	16,525 min	30.40465 -89.36519	Kapalama Dr, Diamondhead, MS
4:27:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	50.7 mi.	98,582.9	13.56v	16,527 min	30.40465 -89.36519	Kapalama Dr, Diamondhead, MS
4:29:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	50.7 mi.	98,582.9	13.56v	16,529 min	30.40465 -89.36519	Kapalama Dr, Diamondhead, MS
4:29:59 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	50.7 mi.	98,582.9	13.56v	16,529 min	30.40465 -89.36519	Kapalama Dr, Diamondhead, MS
4:31:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	50.7 mi.	98,582.9	13.50v	16,531 min	30.40465 -89.36519	Kapalama Dr, Diamondhead, MS
4:33:45 PM	On		18 mph	1 mph	18 mph SE	-	0.759 g	0.000 g	50.7 mi.	98,582.9	13.38v	16,533 min	30.40428 -89.36443	Kapalama Dr, Diamondhead, MS
4:35:45 PM	On		40 mph	30 mph	39 mph NE	30 mph	0.237 g	0.306 g	51.7 mi.	98,583.9	13.47v	16,535 min	30.40502 -89.34933	108216 Kapalama Dr, Diamondhead, MS
4:37:45 PM	On		43 mph	33 mph	5 mph N	30 mph	0.906 g	0.327 g	52.8 mi.	98,585.0	13.28v	16,537 min	30.41865 -89.34158	17199 Kapalama Dr, Pass Christian, MS

Activity Detail Report - WEX

4/1/2021														
4:39:45 PM	On		61 mph	49 mph	34 mph W	45 mph	1.188 g	0.269 g	54.4 mi.	98,586.6	13.35v	16,539 min	30.42341	-89.36690	2256 Kiln-Delisle Rd, Kiln, MS
4:41:45 PM	On		56 mph	49 mph	55 mph N	-	0.376 g	0.286 g	56.1 mi.	98,588.3	13.47v	16,541 min	30.44614	-89.37113	Fenton Dedeaux Rd, Kiln, MS
4:43:45 PM	On		56 mph	37 mph	0 mph SE	-	0.780 g	0.453 g	57.3 mi.	98,589.5	13.31v	16,543 min	30.46313	-89.37470	20224 Fenton Dedeaux Rd, Kiln, MS
4:45:45 PM	On		53 mph	18 mph	53 mph S	-	0.747 g	0.147 g	57.9 mi.	98,590.1	13.59v	16,545 min	30.45748	-89.38076	Firetower Rd, Kiln, MS
4:47:45 PM	On		62 mph	53 mph	42 mph W	-	0.212 g	0.465 g	59.7 mi.	98,591.9	13.50v	16,547 min	30.44717	-89.40490	Firetower Rd, Kiln, MS
4:49:45 PM	On		40 mph	31 mph	22 mph W	-	0.184 g	0.339 g	60.7 mi.	98,592.9	13.41v	16,549 min	30.43812	-89.41437	Joe Moran Rd, Kiln, MS
4:51:45 PM	On		22 mph	2 mph	1 mph E	-	0.224 g	0.416 g	60.8 mi.	98,593.0	13.47v	16,551 min	30.43899	-89.41453	Joe Moran Rd, Kiln, MS
4:53:45 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	60.8 mi.	98,593.0	12.59v	16,553 min	30.43899	-89.41453	18403 Joe Moran Rd, Kiln, MS
4:53:55 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	60.8 mi.	98,593.0	12.55v	16,553 min	30.43899	-89.41453	18403 Joe Moran Rd, Kiln, MS
5:30:35 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	60.8 mi.	98,593.0	14.62v	16,553 min	30.43899	-89.41453	18403 Joe Moran Rd, Kiln, MS
5:32:34 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	60.8 mi.	98,593.0	13.95v	16,555 min	30.43899	-89.41453	18403 Joe Moran Rd, Kiln, MS
5:34:34 PM	On		45 mph	20 mph	42 mph S	-	0.927 g	0.408 g	61.4 mi.	98,593.6	14.07v	16,557 min	30.43055	-89.41712	Joe Moran Rd, Kiln, MS
5:36:34 PM	On		50 mph	44 mph	43 mph SW	-	0.147 g	0.249 g	62.9 mi.	98,595.1	14.01v	16,559 min	30.41106	-89.42439	Old Joe Moran St, Kiln, MS
5:38:34 PM	On		45 mph	28 mph	0 mph W	45 mph	0.294 g	0.453 g	63.8 mi.	98,596.0	13.53v	16,561 min	30.40903	-89.43502	16598 MS-43, Kiln, MS
5:40:34 PM	On		63 mph	46 mph	63 mph SE	55 mph	1.008 g	0.102 g	65.4 mi.	98,597.6	13.59v	16,563 min	30.39448	-89.44587	15405 MS-43, Kiln, MS
5:42:34 PM	On		66 mph	51 mph	65 mph SE	65 mph	1.110 g	0.294 g	67.1 mi.	98,599.3	13.56v	16,565 min	30.37288	-89.43225	MS-43, Kiln, MS
5:44:34 PM	On		66 mph	47 mph	57 mph S	55 mph	1.110 g	0.498 g	68.6 mi.	98,600.8	13.56v	16,567 min	30.35228	-89.42271	MS-43, Bay St Louis, MS
5:46:34 PM	On		68 mph	64 mph	66 mph SE	65 mph	0.069 g	0.069 g	70.8 mi.	98,603.0	13.56v	16,569 min	30.32471	-89.42016	MS-43, Bay St Louis, MS
5:48:34 PM	On		66 mph	45 mph	34 mph S	35 mph	0.127 g	0.216 g	72.3 mi.	98,604.5	13.56v	16,571 min	30.30881	-89.40649	Kiln Waveland Cutoff Rd, Bay St Louis, MS
5:50:34 PM	On		53 mph	37 mph	51 mph W	45 mph	1.212 g	0.396 g	73.5 mi.	98,605.7	13.53v	16,573 min	30.29891	-89.40335	942 US-90, Waveland, MS
5:52:34 PM	On		74 mph	65 mph	73 mph W	65 mph	0.069 g	0.065 g	75.6 mi.	98,607.8	13.59v	16,575 min	30.29978	-89.43934	US-90, Bay St Louis, MS
5:54:08 PM		Speeding - OBD	76 mph	73 mph	76 mph W	65 mph	0.057 g	0.078 g	77.5 mi.	98,609.7	13.59v	16,575 min	30.30081	-89.47127	US-90, Bay St Louis, MS
5:54:34 PM	On		77 mph	73 mph	69 mph W	65 mph	0.057 g	0.082 g	78.1 mi.	98,610.3	13.59v	16,577 min	30.30109	-89.48014	US-90, Bay St Louis, MS
5:56:34 PM	On		70 mph	33 mph	15 mph S	-	1.461 g	0.441 g	79.2 mi.	98,611.4	13.56v	16,579 min	30.29212	-89.48168	Oak St, Bay St Louis, MS
5:58:34 PM	On		14 mph	12 mph	9 mph S	-	0.192 g	0.273 g	79.6 mi.	98,611.8	13.62v	16,581 min	30.28625	-89.48167	9111 Oak St, Bay St Louis, MS

4/1/2021														
6:00:34 PM	On	12 mph	9 mph	11 mph W	-	0.816 g	0.429 g	79.8 mi.	98,612.0	13.59v	16,583 min	30.28486	-89.48195	Queensland St, Bay St Louis, MS
6:02:34 PM	On	15 mph	10 mph	10 mph E	-	0.257 g	0.273 g	80.2 mi.	98,612.4	13.53v	16,585 min	30.28553	-89.48613	9197 Persimmon St, Bay St Louis, MS
6:04:34 PM	On	12 mph	9 mph	12 mph E	-	0.869 g	0.351 g	80.5 mi.	98,612.7	13.59v	16,587 min	30.28556	-89.48054	Persimmon St, Bay St Louis, MS
6:06:34 PM	On	13 mph	8 mph	9 mph E	-	0.792 g	0.498 g	80.8 mi.	98,613.0	13.59v	16,589 min	30.28625	-89.48085	9107 Orange St, Bay St Louis, MS
6:08:34 PM	On	11 mph	4 mph	0 mph E	-	0.135 g	0.441 g	80.9 mi.	98,613.1	13.47v	16,591 min	30.28628	-89.47862	9017 Orange St, Bay St Louis, MS
6:10:34 PM	On	12 mph	7 mph	4 mph W	-	0.759 g	0.416 g	81.2 mi.	98,613.4	13.68v	16,593 min	30.28629	-89.48150	Orange St, Bay St Louis, MS
6:12:34 PM	On	25 mph	13 mph	12 mph E	-	1.245 g	0.416 g	81.6 mi.	98,613.8	13.53v	16,595 min	30.28693	-89.48436	Naseberry St, Bay St Louis, MS
6:14:34 PM	On	16 mph	12 mph	11 mph W	-	0.261 g	0.192 g	82.0 mi.	98,614.2	13.56v	16,597 min	30.28762	-89.48540	9278 Malabar St, Bay St Louis, MS
6:16:34 PM	On	32 mph	13 mph	12 mph N	-	1.245 g	0.486 g	82.4 mi.	98,614.6	13.59v	16,599 min	30.29012	-89.48173	Oak St, Bay St Louis, MS
6:18:34 PM	On	70 mph	44 mph	67 mph E	65 mph	1.155 g	0.339 g	83.9 mi.	98,616.1	13.56v	16,601 min	30.30044	-89.46959	US-90, Bay St Louis, MS
6:20:34 PM	On	73 mph	64 mph	68 mph E	65 mph	0.090 g	0.069 g	86.0 mi.	98,618.2	13.62v	16,603 min	30.29932	-89.43362	6175 US-90, Bay St Louis, MS
6:22:34 PM	On	71 mph	63 mph	45 mph E	45 mph	0.049 g	0.171 g	88.1 mi.	98,620.3	13.38v	16,605 min	30.29923	-89.39871	887 US-90, Waveland, MS
6:24:34 PM	On	51 mph	33 mph	50 mph N	35 mph	0.963 g	0.363 g	89.2 mi.	98,621.4	13.59v	16,607 min	30.31068	-89.40668	9234 Kiln Waveland Cutoff Rd, Bay St Louis, MS
6:26:34 PM	On	57 mph	36 mph	37 mph N	25 mph	1.143 g	0.384 g	90.4 mi.	98,622.6	13.59v	16,609 min	30.31540	-89.39612	10210 Ave B, Bay St Louis, MS
6:28:34 PM	On	40 mph	17 mph	0 mph W	-	0.090 g	0.518 g	91.0 mi.	98,623.2	13.44v	16,611 min	30.32345	-89.39626	3216 15th St, Bay St Louis, MS
6:30:34 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	91.0 mi.	98,623.2	13.62v	16,613 min	30.32345	-89.39626	3216 15th St, Bay St Louis, MS
6:32:34 PM	On	27 mph	10 mph	19 mph S	25 mph	1.359 g	0.327 g	91.3 mi.	98,623.5	13.59v	16,615 min	30.32237	-89.39608	10260 Ave B, Bay St Louis, MS
6:34:34 PM	On	63 mph	37 mph	35 mph NW	55 mph	1.392 g	0.351 g	92.5 mi.	98,624.7	13.56v	16,617 min	30.31645	-89.40627	10488 MS-603, Bay St Louis, MS
6:36:34 PM	On	72 mph	66 mph	70 mph N	55 mph	0.127 g	0.090 g	94.8 mi.	98,627.0	13.62v	16,619 min	30.34013	-89.42794	11490 MS-43, Bay St Louis, MS
6:38:34 PM	On	73 mph	62 mph	68 mph NW	65 mph	0.147 g	0.388 g	96.8 mi.	98,629.0	13.53v	16,621 min	30.36820	-89.42756	13376 MS-43, Kiln, MS
6:40:34 PM	On	68 mph	56 mph	51 mph NW	55 mph	0.082 g	0.114 g	98.7 mi.	98,630.9	13.56v	16,623 min	30.39125	-89.44386	15286 MS-43, Kiln, MS
6:42:34 PM	On	53 mph	50 mph	48 mph NE	45 mph	0.078 g	0.057 g	100.4 mi.	98,632.6	13.59v	16,625 min	30.40774	-89.43605	16554 MS-43, Kiln, MS
6:44:34 PM	On	52 mph	31 mph	41 mph NE	-	0.894 g	0.384 g	101.4 mi.	98,633.6	13.56v	16,627 min	30.41082	-89.42474	Old Joe Moran St, Kiln, MS
6:46:34 PM	On	60 mph	46 mph	43 mph N	-	0.261 g	0.282 g	102.9 mi.	98,635.1	13.56v	16,629 min	30.43108	-89.41709	Joe Moran Rd, Kiln, MS
6:48:34 PM	On	46 mph	20 mph	0 mph NE	-	0.155 g	0.371 g	103.6 mi.	98,635.8	12.07v	16,631 min	30.43901	-89.41444	18403 Joe Moran Rd, Kiln, MS

6:48:44 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	103.6 mi.	98,635.8	12.37v	16,632 min	30.43901	-89.41444	18403 Joe Moran Rd, Kiln, MS

Thu Mar 18, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
6:53:14 AM			0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,635.8	12.52v	16,632 min	30.43901	-89.41444	18403 Joe Moran Rd, Kiln, MS
6:05:21 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,635.8	14.74v	16,632 min	30.43901	-89.41444	18403 Joe Moran Rd, Kiln, MS
6:07:19 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	1.584 g	0.5 mi.	98,636.3	14.17v	16,633 min	30.43913	-89.41427	18403 Joe Moran Rd, Kiln, MS
6:09:19 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.5 mi.	98,636.3	14.14v	16,635 min	30.43911	-89.41446	18403 Joe Moran Rd, Kiln, MS
6:11:19 PM	On		8 mph	0 mph	0 mph N	-	0.645 g	0.498 g	0.5 mi.	98,636.3	12.62v	16,637 min	30.43922	-89.41463	18403 Joe Moran Rd, Kiln, MS
6:11:29 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.5 mi.	98,636.3	12.55v	16,638 min	30.43922	-89.41463	18403 Joe Moran Rd, Kiln, MS
6:17:35 PM	On		3 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.5 mi.	98,636.3	14.53v	16,638 min	30.43931	-89.41469	18403 Joe Moran Rd, Kiln, MS
6:19:35 PM	On		3 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.5 mi.	98,636.3	14.14v	16,640 min	30.43933	-89.41469	18403 Joe Moran Rd, Kiln, MS
6:21:35 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.5 mi.	98,636.3	14.11v	16,642 min	30.43933	-89.41469	18403 Joe Moran Rd, Kiln, MS
6:23:35 PM	On		40 mph	12 mph	38 mph S	-	1.029 g	0.359 g	0.9 mi.	98,636.7	14.17v	16,644 min	30.43507	-89.41708	Joe Moran Rd, Kiln, MS
6:25:35 PM	On		48 mph	41 mph	48 mph S	-	0.249 g	0.314 g	2.3 mi.	98,638.1	14.35v	16,646 min	30.41636	-89.42254	Old Joe Moran St, Kiln, MS
6:27:35 PM	On		48 mph	37 mph	48 mph NW	65 mph	0.306 g	0.351 g	3.5 mi.	98,639.3	14.32v	16,648 min	30.40838	-89.43332	Kiln-Delisle Rd, Kiln, MS
6:29:35 PM	On		62 mph	47 mph	62 mph SE	55 mph	1.008 g	0.429 g	5.1 mi.	98,640.9	14.35v	16,650 min	30.39539	-89.44642	15433 MS-43, Kiln, MS
6:31:35 PM	On		69 mph	58 mph	62 mph SE	55 mph	0.184 g	0.237 g	7.0 mi.	98,642.8	14.17v	16,652 min	30.37118	-89.43060	MS-43, Kiln, MS
6:33:35 PM	On		65 mph	59 mph	52 mph S	55 mph	0.069 g	0.261 g	8.9 mi.	98,644.7	14.17v	16,654 min	30.34499	-89.42609	MS-43, Bay St Louis, MS
6:35:35 PM	On		56 mph	48 mph	40 mph W	-	0.261 g	0.318 g	10.5 mi.	98,646.3	14.29v	16,656 min	30.34204	-89.44896	Bayou Lacroix Rd, Bay St Louis, MS
6:37:35 PM	On		60 mph	50 mph	39 mph W	-	0.420 g	0.408 g	12.2 mi.	98,648.0	14.29v	16,658 min	30.33979	-89.47616	7584 Bayou Lacroix Rd, Bay St Louis, MS
6:39:35 PM	On		57 mph	47 mph	46 mph SW	-	0.261 g	0.306 g	13.8 mi.	98,649.6	14.11v	16,660 min	30.32114	-89.48950	7838 Bayou Lacroix Rd, Bay St Louis, MS
6:41:35 PM	On		63 mph	41 mph	0 mph S	-	0.192 g	0.331 g	15.1 mi.	98,650.9	14.23v	16,662 min	30.30157	-89.49071	8599 Bayou Lacroix Rd, Bay St Louis, MS
6:42:19 PM		Speeding - OBD	79 mph	56 mph	79 mph W	65 mph	1.188 g	0.000 g	15.8 mi.	98,651.6	14.44v	16,662 min	30.30205	-89.50208	10058 US-90, Bay St Louis, MS
6:43:35 PM	On		79 mph	48 mph	74 mph SW	55 mph	1.371 g	0.371 g	16.8 mi.	98,652.6	14.35v	16,664 min	30.29556	-89.51333	US-90, Bay St Louis, MS
6:44:04 PM		Speeding - OBD	78 mph	75 mph	78 mph SW	55 mph	0.057 g	0.033 g	17.4 mi.	98,653.2	14.17v	16,664 min	30.29061	-89.52169	US-90, Bay St Louis, MS

/1/2021															
6:45:35 PM	On		81 mph	75 mph	70 mph SW	55 mph	0.090 g	0.090 g	19.3 mi.	98,655.1	14.23v	16,666 min	30.27494	-89.54805	US-90, Bay St Louis, MS
6:45:55 PM		Speeding - OBD	80 mph	75 mph	75 mph SW	55 mph	0.147 g	0.167 g	19.7 mi.	98,655.5	14.11v	16,666 min	30.27155	-89.55379	US-90, Bay St Louis, MS
6:47:35 PM	On		80 mph	70 mph	69 mph SW	55 mph	0.147 g	0.167 g	21.6 mi.	98,657.4	14.11v	16,668 min	30.25608	-89.58048	US-90, Pearlington, MS
6:49:35 PM	On		73 mph	63 mph	10 mph NE	-	0.135 g	0.331 g	23.7 mi.	98,659.5	13.62v	16,670 min	30.24006	-89.61025	MS-604, Pearlington, MS
6:51:35 PM	On		47 mph	18 mph	0 mph SW	-	1.053 g	0.376 g	24.3 mi.	98,660.1	14.35v	16,672 min	30.24790	-89.61237	5287 MS-604, Pearlington, MS
6:53:35 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	24.3 mi.	98,660.1	13.68v	16,674 min	30.24790	-89.61237	5287 MS-604, Pearlington, MS
6:55:35 PM	On		12 mph	3 mph	11 mph SE	-	0.971 g	0.396 g	24.4 mi.	98,660.2	13.62v	16,676 min	30.24663	-89.61134	5251 MS-604, Pearlington, MS
6:57:35 PM	On		14 mph	10 mph	9 mph SE	-	0.224 g	0.204 g	24.8 mi.	98,660.6	13.62v	16,678 min	30.24481	-89.60758	5075 Oak St, Pearlington, MS
6:59:35 PM	On		11 mph	8 mph	3 mph NW	-	0.824 g	0.486 g	25.0 mi.	98,660.8	13.53v	16,680 min	30.24422	-89.60813	5092 Pine St, Pearlington, MS
7:01:35 PM	On		12 mph	8 mph	11 mph SW	-	0.918 g	0.461 g	25.3 mi.	98,661.1	13.44v	16,682 min	30.24481	-89.61014	16006 1st St, Pearlington, MS
7:03:35 PM	On		64 mph	41 mph	58 mph NE	55 mph	0.939 g	0.351 g	26.7 mi.	98,662.5	13.59v	16,684 min	30.24767	-89.59584	15595 US-90, Pearlington, MS
7:04:49 PM		Speeding - OBD	80 mph	62 mph	80 mph NE	55 mph	0.167 g	0.065 g	27.9 mi.	98,663.7	13.53v	16,684 min	30.25758	-89.57776	15025 US-90, Pearlington, MS
7:05:35 PM	On		80 mph	67 mph	74 mph NE	55 mph	0.167 g	0.114 g	28.9 mi.	98,664.7	13.56v	16,686 min	30.26527	-89.56446	US-90, Bay St Louis, MS
7:07:35 PM	On		76 mph	73 mph	74 mph NE	55 mph	0.082 g	0.082 g	31.3 mi.	98,667.1	13.56v	16,688 min	30.28510	-89.53100	US-90, Bay St Louis, MS
7:08:04 PM		Speeding - OBD	78 mph	75 mph	78 mph NE	55 mph	0.090 g	0.065 g	31.9 mi.	98,667.7	13.65v	16,688 min	30.29008	-89.52262	US-90, Bay St Louis, MS
7:09:35 PM	On		81 mph	62 mph	55 mph W	65 mph	1.110 g	0.408 g	33.4 mi.	98,669.2	13.65v	16,690 min	30.30234	-89.50971	MS-607, Bay St Louis, MS
7:10:10 PM		Speeding - OBD	78 mph	72 mph	78 mph W	65 mph	0.122 g	0.000 g	34.1 mi.	98,669.9	13.59v	16,690 min	30.30277	-89.52145	MS-607, Bay St Louis, MS
7:11:35 PM	On		84 mph	78 mph	81 mph W	65 mph	0.122 g	0.069 g	36.0 mi.	98,671.8	13.62v	16,692 min	30.30374	-89.55308	MS-607, Bay St Louis, MS
7:11:42 PM		Speeding - OBD	81 mph	81 mph	80 mph W	65 mph	0.000 g	0.020 g	36.1 mi.	98,671.9	13.59v	16,692 min	30.30357	-89.55570	MS-607, Bay St Louis, MS
7:13:35 PM	On		83 mph	77 mph	60 mph NW	65 mph	0.082 g	0.167 g	38.6 mi.	98,674.4	13.56v	16,694 min	30.31129	-89.59255	MS-607, Bay St Louis, MS
7:15:01 PM		Speeding - OBD	82 mph	59 mph	82 mph E	70 mph	0.159 g	0.180 g	40.0 mi.	98,675.8	13.50v	16,694 min	30.32107	-89.57972	I-10, Bay St Louis, MS
7:15:35 PM	On		82 mph	65 mph	82 mph E	70 mph	0.159 g	0.180 g	40.7 mi.	98,676.5	13.59v	16,696 min	30.32481	-89.56756	I-10, Bay St Louis, MS
7:15:42 PM		Speeding - OBD	83 mph	83 mph	83 mph E	70 mph	0.045 g	0.000 g	40.9 mi.	98,676.7	13.50v	16,696 min	30.32561	-89.56502	I-10, Bay St Louis, MS
7:17:35 PM	On		86 mph	81 mph	81 mph E	70 mph	0.102 g	0.114 g	43.4 mi.	98,679.2	13.65v	16,698 min	30.33103	-89.52380	I-10, Bay St Louis, MS
7:17:42 PM		Speeding - OBD	82 mph	81 mph	81 mph E	70 mph	0.037 g	0.102 g	43.6 mi.	98,679.4	13.56v	16,698 min	30.33151	-89.52123	I-10, Bay St Louis, MS

4/1/2021

Activity Detail Report - WEX

7:19:35 PM	On		82 mph	80 mph	77 mph E	70 mph	0.102 g	0.102 g	46.1 mi.	98,681.9	13.62v	16,700 min	30.34165 -89.48091	I-10, Bay St Louis, MS
7:19:42 PM		Speeding - OBD	76 mph	76 mph	76 mph E	70 mph	0.033 g	0.045 g	46.3 mi.	98,682.1	13.62v	16,700 min	30.34224 -89.47850	I-10, Bay St Louis, MS
7:21:35 PM	On		87 mph	81 mph	81 mph E	70 mph	0.069 g	0.147 g	48.8 mi.	98,684.6	13.59v	16,702 min	30.35364 -89.43816	I-10, Bay St Louis, MS
7:21:42 PM		Speeding - OBD	80 mph	79 mph	80 mph E	70 mph	0.045 g	0.102 g	49.0 mi.	98,684.8	13.56v	16,702 min	30.35439 -89.43573	I-10, Bay St Louis, MS
7:22:37 PM		Speeding - OBD	80 mph	75 mph	77 mph E	70 mph	0.057 g	0.102 g	50.1 mi.	98,685.9	13.59v	16,702 min	30.35989 -89.41786	I-10, Bay St Louis, MS
7:23:35 PM	On		80 mph	73 mph	74 mph E	70 mph	0.114 g	0.159 g	51.2 mi.	98,687.0	13.65v	16,704 min	30.36565 -89.39949	I-10, Diamondhead, MS
7:23:42 PM		Speeding - OBD	81 mph	81 mph	81 mph E	70 mph	0.090 g	0.000 g	51.4 mi.	98,687.2	13.53v	16,704 min	30.36641 -89.39704	I-10, Diamondhead, MS
7:25:35 PM	On		89 mph	83 mph	86 mph E	70 mph	0.122 g	0.159 g	54.0 mi.	98,689.8	13.59v	16,706 min	30.37902 -89.35578	I-10, Diamondhead, MS
7:25:42 PM		Speeding - OBD	85 mph	82 mph	82 mph E	70 mph	0.000 g	0.102 g	54.2 mi.	98,690.0	13.59v	16,706 min	30.37979 -89.35324	I-10, Diamondhead, MS
7:27:35 PM	On		85 mph	79 mph	65 mph E	70 mph	0.159 g	0.196 g	56.7 mi.	98,692.5	13.50v	16,708 min	30.39348 -89.31485	I-10, Pass Christian, MS
7:29:35 PM	On		62 mph	50 mph	42 mph NW	35 mph	0.327 g	0.376 g	58.3 mi.	98,694.1	13.56v	16,710 min	30.40982 -89.32948	8664 Kiln Delisle Rd, Pass Christian, MS
7:31:35 PM	On		50 mph	27 mph	0 mph N	-	0.678 g	0.416 g	59.2 mi.	98,695.0	13.56v	16,712 min	30.41018 -89.34383	1156 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:33:35 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	59.2 mi.	98,695.0	12.62v	16,714 min	30.41015 -89.34386	1160 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:33:45 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	59.2 mi.	98,695.0	12.59v	16,714 min	30.41015 -89.34386	1160 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:36:55 PM	On		2 mph	0 mph	2 mph N	-	0.000 g	0.000 g	59.2 mi.	98,695.0	14.38v	16,714 min	30.41015 -89.34386	Pass Christian, MS
7:38:55 PM	On		35 mph	19 mph	32 mph SW	30 mph	1.065 g	0.498 g	59.9 mi.	98,695.7	14.14v	16,716 min	30.40350 -89.35122	108177 Kapalama Dr, Diamondhead, MS
7:40:55 PM	On		39 mph	25 mph	11 mph SE	30 mph	0.849 g	0.396 g	60.7 mi.	98,696.5	14.07v	16,718 min	30.40078 -89.36374	Diamondhead Dr W, Diamondhead, MS
7:42:55 PM	On		9 mph	1 mph	0 mph N	30 mph	0.837 g	0.408 g	60.8 mi.	98,696.6	12.71v	16,720 min	30.40061 -89.36368	96484 Diamondhead Dr W, Diamondhead, MS
7:43:05 PM	Off		0 mph	0 mph	0 mph N	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	12.68v	16,720 min	30.40061 -89.36368	96484 Diamondhead Dr W, Diamondhead, MS
8:10:46 PM	On		0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.62v	16,720 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:12:46 PM	On		0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.35v	16,722 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:14:46 PM	On		0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.44v	16,724 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:15:56 PM		Idling - OBD	0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.38v	16,724 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:16:46 PM	On		0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.35v	16,726 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:18:46 PM	On		0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.29v	16,728 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS

4/1/2021

Activity Detail Report - WEX

8:20:46 PM	On		0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.35v	16,730 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:20:56 PM		Idling - OBD	0 mph	0 mph	0 mph SE	30 mph	0.000 g	0.000 g	60.8 mi.	98,696.6	14.35v	16,730 min	30.40048 -89.36371	96484 Diamondhead Dr W, Diamondhead, MS
8:22:46 PM	On		3 mph	0 mph	3 mph N	30 mph	0.633 g	0.012 g	60.8 mi.	98,696.6	14.20v	16,732 min	30.40059 -89.36374	Diamondhead Dr W, Diamondhead, MS
8:24:46 PM	On		31 mph	20 mph	6 mph E	-	1.008 g	0.518 g	61.4 mi.	98,697.2	14.01v	16,734 min	30.39874 -89.35354	9740 Pokai St, Diamondhead, MS
8:26:46 PM	On		21 mph	9 mph	8 mph E	-	1.314 g	0.518 g	61.7 mi.	98,697.5	13.50v	16,736 min	30.39921 -89.35039	984 Ana Hulu St, Diamondhead, MS
8:28:46 PM	On		29 mph	13 mph	25 mph N	-	0.171 g	0.306 g	62.2 mi.	98,698.0	13.53v	16,738 min	30.40309 -89.34993	10840 Ala Moana St, Diamondhead, MS
8:30:46 PM	On		36 mph	17 mph	17 mph SW	30 mph	1.155 g	0.396 g	62.7 mi.	98,698.5	13.50v	16,740 min	30.40271 -89.35317	98187 Kapalama Dr, Diamondhead, MS
8:32:46 PM	On		35 mph	28 mph	31 mph SW	30 mph	0.269 g	0.192 g	63.6 mi.	98,699.4	13.62v	16,742 min	30.39213 -89.35832	77109 Golf Club Dr, Diamondhead, MS
8:34:46 PM	On		30 mph	14 mph	7 mph W	-	0.171 g	0.192 g	64.1 mi.	98,699.9	13.50v	16,744 min	30.38972 -89.36469	7516 Oakmont Way, Diamondhead, MS
8:36:46 PM	On		12 mph	10 mph	9 mph N	-	0.759 g	0.510 g	64.4 mi.	98,700.2	13.56v	16,746 min	30.39264 -89.36550	7526 Cherryhill Dr, Diamondhead, MS
8:38:46 PM	On		13 mph	9 mph	5 mph SW	-	0.735 g	0.498 g	64.7 mi.	98,700.5	13.59v	16,748 min	30.39143 -89.36707	752 St Andrews Ct, Diamondhead, MS
8:40:46 PM	On		11 mph	9 mph	10 mph N	-	0.282 g	0.171 g	65.1 mi.	98,700.9	13.56v	16,750 min	30.39274 -89.37027	7530 Crooked Stick Dr, Diamondhead, MS
8:42:46 PM	On		11 mph	9 mph	4 mph SE	-	0.127 g	0.159 g	65.4 mi.	98,701.2	13.59v	16,752 min	30.39225 -89.37142	756 Augusta Way, Diamondhead, MS
8:44:46 PM	On		11 mph	8 mph	9 mph E	-	0.204 g	0.094 g	65.6 mi.	98,701.4	13.56v	16,754 min	30.39165 -89.36888	7520 Crooked Stick Dr, Diamondhead, MS
8:46:46 PM	On		11 mph	10 mph	10 mph SE	-	0.180 g	0.094 g	66.0 mi.	98,701.8	13.28v	16,756 min	30.39085 -89.36478	7515 Cherryhill Dr, Diamondhead, MS
8:48:46 PM	On		15 mph	12 mph	14 mph W	-	0.114 g	0.082 g	66.4 mi.	98,702.2	13.53v	16,758 min	30.38960 -89.37070	Turnberry Dr, Diamondhead, MS
8:50:46 PM	On		14 mph	11 mph	8 mph N	-	0.110 g	0.114 g	66.7 mi.	98,702.5	13.56v	16,760 min	30.39148 -89.37432	7430 Turnberry Way, Diamondhead, MS
8:52:46 PM	On		13 mph	10 mph	11 mph W	-	0.171 g	0.212 g	67.1 mi.	98,702.9	13.53v	16,762 min	30.39025 -89.37755	Turnberry Dr, Diamondhead, MS
8:54:46 PM	On		13 mph	11 mph	11 mph W	-	0.229 g	0.294 g	67.4 mi.	98,703.2	13.59v	16,764 min	30.38698 -89.37536	644 Oliwa Pl, Diamondhead, MS
8:56:46 PM	On		12 mph	10 mph	11 mph NW	-	0.196 g	0.184 g	67.8 mi.	98,703.6	13.62v	16,766 min	30.38629 -89.37708	6421 Korne Dr, Diamondhead, MS
8:58:46 PM	On		12 mph	10 mph	9 mph NW	-	0.204 g	0.224 g	68.1 mi.	98,703.9	13.62v	16,768 min	30.38884 -89.37812	740 Leke Pl, Diamondhead, MS
9:00:46 PM	On		13 mph	10 mph	10 mph E	-	0.759 g	0.396 g	68.4 mi.	98,704.2	13.56v	16,770 min	30.38781 -89.37512	Mahalohui Dr, Diamondhead, MS
9:02:46 PM	On		13 mph	10 mph	8 mph W	-	0.906 g	0.294 g	68.7 mi.	98,704.5	13.59v	16,772 min	30.38433 -89.37389	6479 Kalipekona Way, Diamondhead, MS
9:04:46 PM	On		12 mph	9 mph	10 mph E	-	0.882 g	0.408 g	69.0 mi.	98,704.8	13.62v	16,774 min	30.38482 -89.37598	640 Apelehama Cir, Diamondhead, MS
9:06:46 PM	On		12 mph	10 mph	8 mph SW	-	0.216 g	0.249 g	69.4 mi.	98,705.2	13.68v	16,776 min	30.38549 -89.37872	6451 Apelehama Rd, Diamondhead, MS

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

1/2021

Activity Detail Report - WEX

9:08:46 PM	On		14 mph	10 mph	8 mph S	-	0.237 g	0.237 g	69.7 mi.	98,705.5	13.41v	16,778 min	30.38356 -89.37849	Apelehama Pl, Diamondhead, MS
9:10:46 PM	On		14 mph	10 mph	12 mph N	-	0.869 g	0.473 g	70.0 mi.	98,705.8	13.56v	16,780 min	30.38356 -89.37584	6474 Kalipekona Way, Diamondhead, MS
9:12:46 PM	On		13 mph	10 mph	12 mph N	-	0.159 g	0.090 g	70.4 mi.	98,706.2	13.62v	16,782 min	30.38329 -89.37186	6531 Koula Dr, Diamondhead, MS
9:14:46 PM	On		12 mph	10 mph	11 mph N	-	0.861 g	0.351 g	70.7 mi.	98,706.5	13.62v	16,784 min	30.38801 -89.37095	Alakoko Dr, Diamondhead, MS
9:16:46 PM	On		12 mph	9 mph	12 mph E	-	0.869 g	0.359 g	71.0 mi.	98,706.8	13.59v	16,786 min	30.38780 -89.37317	7446 Mahalohui Dr, Diamondhead, MS
9:18:46 PM	On		19 mph	13 mph	19 mph N	-	0.204 g	0.171 g	71.4 mi.	98,707.2	13.59v	16,788 min	30.38526 -89.37182	6511 Koula Dr, Diamondhead, MS
9:20:46 PM	On		24 mph	17 mph	9 mph NE	30 mph	1.041 g	0.461 g	72.0 mi.	98,707.8	13.65v	16,790 min	30.38484 -89.36435	6642 Golf Club Dr, Diamondhead, MS
9:22:46 PM	On		34 mph	27 mph	31 mph NE	30 mph	0.318 g	0.241 g	72.9 mi.	98,708.7	13.59v	16,792 min	30.39453 -89.35516	87138 Golf Club Dr, Diamondhead, MS
9:24:46 PM	On		41 mph	27 mph	40 mph NE	30 mph	0.216 g	0.294 g	73.8 mi.	98,709.6	13.59v	16,794 min	30.40471 -89.34957	108216 Kapalama Dr, Diamondhead, MS
9:26:46 PM	On		43 mph	34 mph	18 mph W	45 mph	0.861 g	0.510 g	75.0 mi.	98,710.8	13.62v	16,796 min	30.41879 -89.34197	Kiln-Delisle Rd, Pass Christian, MS
9:28:46 PM	On		57 mph	48 mph	29 mph W	45 mph	0.159 g	0.192 g	76.6 mi.	98,712.4	13.47v	16,798 min	30.42334 -89.36701	2266 Kiln-Delisle Rd, Kiln, MS
9:30:46 PM	On		48 mph	40 mph	47 mph N	-	0.212 g	0.241 g	77.9 mi.	98,713.7	13.62v	16,800 min	30.44189 -89.37137	Fenton Dedeaux Rd, Kiln, MS
9:32:45 PM	On		52 mph	46 mph	14 mph N	-	0.090 g	0.249 g	79.4 mi.	98,715.2	13.56v	16,802 min	30.46357 -89.37507	20224 Fenton Dedeaux Rd, Kiln, MS
9:34:46 PM	On		46 mph	38 mph	42 mph NE	-	0.327 g	0.204 g	80.7 mi.	98,716.5	13.56v	16,804 min	30.47901 -89.36925	21320 Fenton Dedeaux Rd, Kiln, MS
9:36:46 PM	On		52 mph	38 mph	26 mph W	-	0.159 g	0.453 g	81.9 mi.	98,717.7	13.56v	16,806 min	30.49079 -89.36039	Christine Ladner Rd, Kiln, MS
9:38:46 PM	On		27 mph	5 mph	0 mph SE	-	0.094 g	0.396 g	82.1 mi.	98,717.9	13.62v	16,808 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:40:46 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.56v	16,810 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:42:27 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.59v	16,810 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:42:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.59v	16,812 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:44:46 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.59v	16,814 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:46:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.50v	16,816 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:47:26 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.56v	16,816 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:48:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.56v	16,818 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:50:45 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.56v	16,820 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:52:26 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.56v	16,820 min	30.48954 -89.36146	22131 Fenton Dedeaux Rd, Kiln, MS

Activity Detail Report - WEX

4/1/2021

9:52:45 PM	On	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.62v	16,822 min	30.48954	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:54:45 PM	On	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.62v	16,824 min	30.48954	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:56:45 PM	On	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	82.1 mi.	98,717.9	13.59v	16,826 min	30.48954	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:58:45 PM	On	29 mph	13 mph	20 mph SW	-	0.645 g	0.473 g	82.5 mi.	98,718.3	13.56v	16,828 min	30.48874	-89.35793	22083 Fenton Dedeaux Rd, Kiln, MS
10:00:45 PM	On	43 mph	39 mph	40 mph SW	-	0.212 g	0.396 g	83.8 mi.	98,719.6	13.65v	16,830 min	30.47665	-89.37360	Fenton Dedeaux Rd, Kiln, MS
10:02:45 PM	On	46 mph	36 mph	46 mph SW	-	0.273 g	0.327 g	85.0 mi.	98,720.8	13.56v	16,832 min	30.46131	-89.37836	Firetower Rd, Kiln, MS
10:04:45 PM	On	55 mph	50 mph	49 mph W	-	0.090 g	0.053 g	86.7 mi.	98,722.5	13.59v	16,834 min	30.44699	-89.39838	Firetower Rd, Kiln, MS
10:06:45 PM	On	50 mph	31 mph	29 mph S	-	0.343 g	0.351 g	87.7 mi.	98,723.5	13.59v	16,836 min	30.44038	-89.40967	Joe Moran Rd, Kiln, MS
10:08:46 PM	On	30 mph	14 mph	2 mph N	-	1.008 g	0.637 g	88.2 mi.	98,724.0	13.53v	16,838 min	30.43896	-89.41456	Joe Moran Rd, Kiln, MS
10:10:45 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	88.2 mi.	98,724.0	12.40v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS
10:10:56 PM	Off	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	88.2 mi.	98,724.0	12.40v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS

Fri Mar 19, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:15:25 AM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.49v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS
10:15:24 PM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.43v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS

Sat Mar 20, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:15:23 AM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.40v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS
10:15:23 PM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.40v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 3.7328 seconds.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	349	**Sorted By**	Time
Total Distance Traveled	182.1 mi.	**Selected Vehicle**	12 (vin: 1GTH5AE9F1161333)
Average Speed	16 mph	**Report Time Period**	Mar 14 12:00 AM to Mar 20 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	April 1, 2021 3:16:00 PM
Max Speed	73 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.

WEX TELEMATICS

Philips Pest Control LLC

Export Data | Email Report

Speed Graphs »

show/hide



Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 12

Sun Mar 14, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
11:13:29 AM			0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.55v	10,235 min	30.43904	-89.41417	18403 Joe Moran Rd, Kiln, MS
11:13:29 PM			0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.55v	10,235 min	30.43904	-89.41417	18403 Joe Moran Rd, Kiln, MS

Mon Mar 15, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
11:13:29 AM			0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.52v	10,235 min	30.43904	-89.41417	18403 Joe Moran Rd, Kiln, MS
5:16:03 PM	On		2 mph	0 mph	2 mph W	-	0.000 g	0.000 g	0.0 mi.	76,329.9	14.44v	10,235 min	30.43904	-89.41417	Joe Moran Rd, Kiln, MS
5:18:01 PM	On		8 mph	0 mph	0 mph NW	-	1.584 g	0.408 g	0.0 mi.	76,329.9	12.77v	10,237 min	30.43917	-89.41457	18403 Joe Moran Rd, Kiln, MS
5:18:11 PM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	76,329.9	12.74v	10,237 min	30.43917	-89.41457	18403 Joe Moran Rd, Kiln, MS
5:37:19 PM	On		3 mph	0 mph	3 mph S	-	0.000 g	0.000 g	0.0 mi.	76,329.9	14.87v	10,237 min	30.43922	-89.41454	18403 Joe Moran Rd, Kiln, MS
5:39:18 PM	On		3 mph	0 mph	0 mph SE	-	0.000 g	0.473 g	0.1 mi.	76,330.0	12.71v	10,239 min	30.43918	-89.41459	18403 Joe Moran Rd, Kiln, MS

4/1/2021 Activity Detail Report - WEX

5:39:28 PM	Off		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.1 mi.	76,330.0	12.68v	10,240 min	30.43918	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:44:57 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.93v	10,240 min	30.43909	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:46:57 PM	On		3 mph	0 mph	0 mph N	-	0.722 g	0.294 g	0.1 mi.	76,330.0	14.32v	10,242 min	30.43911	-89.41449	18403 Joe Moran Rd, Kiln, MS
5:48:57 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.14v	10,244 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:50:13 PM		Idling - OBD	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.20v	10,244 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:50:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.23v	10,246 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:52:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.20v	10,248 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:54:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.20v	10,250 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:55:13 PM		Idling - OBD	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.20v	10,250 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:56:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.20v	10,252 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
5:58:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.23v	10,254 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:00:13 PM		Idling - OBD	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.17v	10,254 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:00:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.14v	10,256 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:02:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.17v	10,258 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:04:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	12.71v	10,260 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:06:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	76,330.0	14.14v	10,262 min	30.43922	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:08:57 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.3 mi.	76,330.2	14.17v	10,264 min	30.44106	-89.41104	18511 Joe Moran Rd, Kiln, MS
6:10:57 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.6 mi.	76,330.5	13.89v	10,266 min	30.43966	-89.41525	18403 Joe Moran Rd, Kiln, MS
6:12:57 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.7 mi.	76,330.6	14.14v	10,268 min	30.43897	-89.41431	18403 Joe Moran Rd, Kiln, MS
6:14:57 PM	On		4 mph	0 mph	2 mph NW	-	0.657 g	0.441 g	0.7 mi.	76,330.6	13.62v	10,270 min	30.43900	-89.41470	18403 Joe Moran Rd, Kiln, MS
6:16:57 PM	On		6 mph	0 mph	0 mph S	-	0.971 g	0.408 g	0.7 mi.	76,330.6	12.83v	10,272 min	30.43891	-89.41460	18403 Joe Moran Rd, Kiln, MS
6:17:07 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.7 mi.	76,330.6	12.83v	10,272 min	30.43891	-89.41460	18403 Joe Moran Rd, Kiln, MS
6:53:54 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.7 mi.	76,330.6	14.59v	10,272 min	30.43891	-89.41460	18403 Joe Moran Rd, Kiln, MS
6:55:54 PM	On		25 mph	9 mph	22 mph W	-	0.918 g	0.453 g	1.0 mi.	76,330.9	13.89v	10,274 min	30.43667	-89.41803	Road 524, Kiln, MS
6:57:54 PM	On		26 mph	14 mph	4 mph E	-	1.086 g	0.453 g	1.5 mi.	76,331.4	14.23v	10,276 min	30.43628	-89.42529	Road 524, Kiln, MS

Activity Detail Report - WEX

/1/2021													
6:59:54 PM	On	30 mph	19 mph	30 mph S	-	0.261 g	0.241 g	2.1 mi.	76,332.0	13.59v	10,278 min	30.43490	-89.41709	Joe Moran Rd, Kiln, MS
7:01:54 PM	On	33 mph	30 mph	31 mph S	-	0.122 g	0.273 g	3.1 mi.	76,333.0	13.62v	10,280 min	30.42126	-89.42121	Old Joe Moran St, Kiln, MS
7:03:54 PM	On	38 mph	33 mph	32 mph S	-	0.237 g	0.204 g	4.2 mi.	76,334.1	13.59v	10,282 min	30.40805	-89.42730	16053 Old Joe Moran St, Kiln, MS
7:05:54 PM	On	39 mph	19 mph	29 mph SW	45 mph	1.008 g	0.294 g	4.9 mi.	76,334.8	13.59v	10,284 min	30.40835	-89.43564	MS-43, Kiln, MS
7:07:54 PM	On	61 mph	52 mph	57 mph SE	55 mph	0.159 g	0.102 g	6.6 mi.	76,336.5	13.62v	10,286 min	30.39076	-89.44358	15267 MS-43, Kiln, MS
7:09:54 PM	On	61 mph	56 mph	61 mph SE	55 mph	0.078 g	0.069 g	8.5 mi.	76,338.4	13.59v	10,288 min	30.36794	-89.42762	MS-43, Kiln, MS
7:11:54 PM	On	72 mph	55 mph	71 mph W	70 mph	0.171 g	0.204 g	10.3 mi.	76,340.2	13.62v	10,290 min	30.35264	-89.44242	I-10, Bay St Louis, MS
7:13:54 PM	On	72 mph	66 mph	59 mph W	70 mph	0.057 g	0.069 g	12.5 mi.	76,342.4	13.56v	10,292 min	30.34322	-89.47754	I-10, Bay St Louis, MS
7:15:54 PM	On	72 mph	64 mph	70 mph W	70 mph	0.078 g	0.053 g	14.6 mi.	76,344.5	13.59v	10,294 min	30.33458	-89.51212	I-10, Bay St Louis, MS
7:17:54 PM	On	71 mph	68 mph	68 mph W	70 mph	0.090 g	0.065 g	16.9 mi.	76,346.8	13.65v	10,296 min	30.33125	-89.54885	I-10, Bay St Louis, MS
7:19:54 PM	On	71 mph	70 mph	70 mph W	70 mph	0.102 g	0.090 g	19.2 mi.	76,349.1	13.62v	10,298 min	30.31997	-89.58575	I-10, Bay St Louis, MS
7:21:54 PM	On	70 mph	41 mph	57 mph SE	65 mph	0.849 g	0.429 g	20.6 mi.	76,350.5	13.62v	10,300 min	30.31208	-89.59372	MS-607, Bay St Louis, MS
7:23:54 PM	On	58 mph	49 mph	50 mph SW	-	0.294 g	0.241 g	22.2 mi.	76,352.1	13.59v	10,302 min	30.29299	-89.58640	Highway 604, Bay St Louis, MS
7:25:54 PM	On	55 mph	50 mph	47 mph SW	-	0.139 g	0.261 g	23.9 mi.	76,353.8	13.62v	10,304 min	30.27392	-89.60404	Highway 604, Bay St Louis, MS
7:27:54 PM	On	47 mph	24 mph	27 mph N	-	0.951 g	0.420 g	24.7 mi.	76,354.6	13.65v	10,306 min	30.27406	-89.60826	Old Gainesville Pearlington Rd, Bay St Louis, MS
7:29:54 PM	On	38 mph	30 mph	34 mph E	-	0.282 g	0.420 g	25.7 mi.	76,355.6	13.53v	10,308 min	30.28287	-89.60020	Logtown Rd, Bay St Louis, MS
7:31:54 PM	On	43 mph	36 mph	42 mph SW	-	0.327 g	0.286 g	26.9 mi.	76,356.8	13.62v	10,310 min	30.27216	-89.60569	Highway 604, Bay St Louis, MS
7:33:54 PM	On	42 mph	20 mph	0 mph W	-	0.171 g	0.453 g	27.6 mi.	76,357.5	13.62v	10,312 min	30.26419	-89.61162	6347 MS-604, Pearlington, MS
7:35:54 PM	On	7 mph	0 mph	7 mph W	-	0.000 g	0.000 g	27.6 mi.	76,357.5	13.62v	10,314 min	30.26419	-89.61162	17004 Birch Dr, Pearlington, MS
7:37:54 PM	On	9 mph	9 mph	7 mph S	-	1.608 g	0.306 g	27.9 mi.	76,357.8	13.65v	10,316 min	30.26332	-89.61704	Walnut Dr, Pearlington, MS
7:39:54 PM	On	9 mph	7 mph	7 mph E	-	0.645 g	0.510 g	28.2 mi.	76,358.1	13.62v	10,318 min	30.26069	-89.61580	17075 Cherry Dr, Pearlington, MS
7:41:54 PM	On	12 mph	7 mph	8 mph W	-	0.147 g	0.135 g	28.4 mi.	76,358.3	13.62v	10,320 min	30.25964	-89.61422	17026 Cedar St, Pearlington, MS
7:43:54 PM	On	9 mph	7 mph	8 mph S	-	0.849 g	0.384 g	28.7 mi.	76,358.6	13.62v	10,322 min	30.25854	-89.61711	6077 Walnut Dr, Pearlington, MS
7:45:54 PM	On	9 mph	8 mph	8 mph W	-	0.082 g	0.082 g	28.9 mi.	76,358.8	13.50v	10,324 min	30.25557	-89.61878	17046 Pearlington Dr, Pearlington, MS
7:47:54 PM	On	9 mph	7 mph	7 mph W	-	0.167 g	0.167 g	29.2 mi.	76,359.1	13.62v	10,326 min	30.25793	-89.61992	6204 Giveans Bnd, Pearlington, MS

/2021 Activity Detail Report - WEX

49:54 PM	On	9 mph	8 mph	8 mph E	-	0.273 g	0.261 g	29.4 mi.	76,359.3	13.59v	10,328 min	30.26070	-89.61917	Giveans Bnd, Pearlington, MS
7:51:54 PM	On	9 mph	7 mph	9 mph E	-	0.767 g	0.473 g	29.7 mi.	76,359.6	13.62v	10,330 min	30.26355	-89.61774	17171 Birch Dr, Pearlington, MS
7:53:54 PM	On	9 mph	6 mph	5 mph W	-	0.918 g	0.339 g	29.9 mi.	76,359.8	13.65v	10,332 min	30.26183	-89.61805	17020 Tulip Dr, Pearlington, MS
7:55:54 PM	On	12 mph	7 mph	10 mph S	-	0.767 g	0.408 g	30.1 mi.	76,360.0	13.62v	10,334 min	30.26043	-89.61713	6137 Walnut Dr, Pearlington, MS
7:57:54 PM	On	11 mph	7 mph	9 mph E	-	0.894 g	0.498 g	30.3 mi.	76,360.2	13.62v	10,336 min	30.25763	-89.61773	17031 Elm St, Pearlington, MS
7:59:54 PM	On	10 mph	6 mph	7 mph SW	-	1.531 g	0.510 g	30.5 mi.	76,360.4	13.59v	10,338 min	30.25575	-89.61815	17042 Pearlington Dr, Pearlington, MS
8:01:54 PM	On	10 mph	8 mph	9 mph N	-	0.963 g	0.531 g	30.8 mi.	76,360.7	13.62v	10,340 min	30.25866	-89.61891	6110 Maple Dr, Pearlington, MS
8:03:54 PM	On	12 mph	9 mph	12 mph S	-	0.894 g	0.429 g	31.1 mi.	76,361.0	13.62v	10,342 min	30.26119	-89.61799	Dogwood Dr, Pearlington, MS
8:05:54 PM	On	14 mph	10 mph	2 mph SE	-	0.714 g	0.453 g	31.4 mi.	76,361.3	13.65v	10,344 min	30.25758	-89.61803	17043 Elm St, Pearlington, MS
8:07:54 PM	On	18 mph	13 mph	16 mph E	-	1.278 g	0.408 g	31.8 mi.	76,361.7	13.56v	10,346 min	30.25319	-89.61623	Gin Rd, Pearlington, MS
8:09:54 PM	On	16 mph	11 mph	4 mph SE	-	0.690 g	0.441 g	32.2 mi.	76,362.1	13.62v	10,348 min	30.24846	-89.61468	5161 Levee St, Pearlington, MS
8:11:54 PM	On	12 mph	10 mph	8 mph N	-	0.824 g	0.359 g	32.5 mi.	76,362.4	13.62v	10,350 min	30.24658	-89.61132	5250 MS-604, Pearlington, MS
8:13:54 PM	On	14 mph	7 mph	12 mph N	-	0.780 g	0.486 g	32.8 mi.	76,362.7	13.62v	10,352 min	30.24789	-89.61092	5104 Hancock Ave, Pearlington, MS
8:15:54 PM	On	16 mph	10 mph	11 mph SE	-	0.576 g	0.429 g	33.1 mi.	76,363.0	13.56v	10,354 min	30.25121	-89.61155	5169 Pine Ave, Pearlington, MS
8:17:54 PM	On	12 mph	8 mph	10 mph NW	-	1.302 g	0.453 g	33.4 mi.	76,363.3	13.35v	10,356 min	30.24992	-89.61311	5364 MS-604, Pearlington, MS
8:19:54 PM	On	20 mph	8 mph	20 mph NW	-	0.927 g	0.453 g	33.6 mi.	76,363.5	13.62v	10,358 min	30.25194	-89.61423	MS-604, Pearlington, MS
8:21:54 PM	On	20 mph	8 mph	7 mph S	-	0.633 g	0.441 g	33.9 mi.	76,363.8	13.62v	10,360 min	30.25279	-89.61512	Levee St, Pearlington, MS
8:23:54 PM	On	11 mph	8 mph	1 mph SE	-	0.159 g	0.408 g	34.2 mi.	76,364.1	13.53v	10,362 min	30.24887	-89.61379	5083 Pearl Ave, Pearlington, MS
8:25:54 PM	On	24 mph	12 mph	1 mph NE	-	0.906 g	0.498 g	34.6 mi.	76,364.5	13.56v	10,364 min	30.24483	-89.61022	16099 1st St, Pearlington, MS
8:27:54 PM	On	8 mph	6 mph	6 mph N	-	0.984 g	0.102 g	34.8 mi.	76,364.7	13.62v	10,366 min	30.24645	-89.60789	Road 234, Pearlington, MS
8:29:54 PM	On	9 mph	5 mph	8 mph SW	-	0.816 g	0.531 g	35.0 mi.	76,364.9	13.65v	10,368 min	30.24724	-89.60664	16090 Adams St, Pearlington, MS
8:31:54 PM	On	22 mph	10 mph	22 mph SE	-	0.620 g	0.359 g	35.3 mi.	76,365.2	13.59v	10,370 min	30.24447	-89.61008	MS-604, Pearlington, MS
8:33:54 PM	On	25 mph	12 mph	7 mph E	45 mph	0.882 g	0.416 g	35.7 mi.	76,365.6	13.62v	10,372 min	30.23967	-89.61107	16527 US-90, Pearlington, MS
8:35:54 PM	On	45 mph	34 mph	24 mph NW	-	0.147 g	0.269 g	36.9 mi.	76,366.8	13.65v	10,374 min	30.24856	-89.59695	5454 7th Ave, Pearlington, MS
8:37:54 PM	On	29 mph	25 mph	17 mph NW	-	0.102 g	0.298 g	37.7 mi.	76,367.6	13.47v	10,376 min	30.25888	-89.60345	6218 7th Ave, Pearlington, MS

8:39:54 PM	On		26 mph	19 mph	24 mph SW	-	0.804 g	0.408 g	38.3 mi.	76,368.2	13.62v	10,378 min	30.25455	-89.61034	16622 Whites Rd, Pearlington, MS
8:41:54 PM	On		26 mph	11 mph	0 mph W	-	0.657 g	0.543 g	38.7 mi.	76,368.6	13.68v	10,380 min	30.25362	-89.61101	16633 Whites Rd, Pearlington, MS
8:43:54 PM	On		15 mph	6 mph	6 mph W	-	0.747 g	0.461 g	38.9 mi.	76,368.8	13.59v	10,382 min	30.25459	-89.61028	6018 1st Ave, Pearlington, MS
8:45:54 PM	On		18 mph	2 mph	0 mph SE	-	0.204 g	0.486 g	39.0 mi.	76,368.9	13.65v	10,384 min	30.25388	-89.61074	16633 Whites Rd, Pearlington, MS
8:47:54 PM	On		15 mph	1 mph	15 mph NE	-	0.645 g	0.416 g	39.0 mi.	76,368.9	13.62v	10,386 min	30.25431	-89.61057	16627 Whites Rd, Pearlington, MS
8:49:54 PM	On		23 mph	17 mph	23 mph NE	-	0.171 g	0.102 g	39.6 mi.	76,369.5	13.59v	10,388 min	30.26055	-89.60414	Whites Rd, Pearlington, MS
8:51:54 PM	On		24 mph	18 mph	14 mph SE	-	0.273 g	0.282 g	40.2 mi.	76,370.1	13.62v	10,390 min	30.26579	-89.59681	6487 Jenness Rd, Pearlington, MS
8:53:54 PM	On		19 mph	15 mph	18 mph SE	-	0.257 g	0.286 g	40.7 mi.	76,370.6	13.62v	10,392 min	30.25931	-89.59169	Jenness Rd, Pearlington, MS
8:55:54 PM	On		20 mph	14 mph	18 mph S	-	2.527 g	0.510 g	41.2 mi.	76,371.1	13.62v	10,394 min	30.25287	-89.58868	Jenness Rd, Pearlington, MS
8:57:54 PM	On		42 mph	14 mph	0 mph N	55 mph	1.029 g	0.429 g	41.6 mi.	76,371.5	13.50v	10,396 min	30.25034	-89.59311	15530 US-90, Pearlington, MS
8:59:54 PM	On		17 mph	5 mph	17 mph NW	-	2.151 g	0.429 g	41.8 mi.	76,371.7	13.59v	10,398 min	30.25215	-89.59389	1132 11th Ave, Pearlington, MS
9:01:54 PM	On		24 mph	16 mph	24 mph NW	-	0.282 g	0.286 g	42.3 mi.	76,372.2	13.62v	10,400 min	30.25322	-89.60051	5714 7th Ave, Pearlington, MS
9:03:54 PM	On		28 mph	23 mph	28 mph SW	-	0.665 g	0.261 g	43.1 mi.	76,373.0	13.62v	10,402 min	30.25781	-89.60691	16462 Whites Rd, Pearlington, MS
9:05:54 PM	On		30 mph	21 mph	0 mph NW	-	1.073 g	0.388 g	43.8 mi.	76,373.7	13.59v	10,404 min	30.25016	-89.61324	5374 MS-604, Pearlington, MS
9:07:54 PM	On		32 mph	16 mph	30 mph SE	-	1.053 g	0.314 g	44.3 mi.	76,374.2	13.65v	10,406 min	30.25058	-89.61348	5383 MS-604, Pearlington, MS
9:09:54 PM	On		30 mph	11 mph	4 mph W	-	0.894 g	0.416 g	44.7 mi.	76,374.6	13.65v	10,408 min	30.24763	-89.61216	5280 MS-604, Pearlington, MS
9:11:54 PM	On		4 mph	0 mph	0 mph E	-	0.780 g	0.498 g	44.7 mi.	76,374.6	13.62v	10,410 min	30.24765	-89.61219	5287 MS-604, Pearlington, MS
9:13:54 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	44.7 mi.	76,374.6	13.62v	10,412 min	30.24765	-89.61219	5287 MS-604, Pearlington, MS
9:15:54 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	44.7 mi.	76,374.6	13.65v	10,414 min	30.24765	-89.61219	5287 MS-604, Pearlington, MS
9:15:56 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	44.7 mi.	76,374.6	13.59v	10,414 min	30.24765	-89.61219	5287 MS-604, Pearlington, MS
9:17:54 PM	On		30 mph	8 mph	30 mph NW	-	0.792 g	0.429 g	44.9 mi.	76,374.8	13.59v	10,416 min	30.25097	-89.61369	5416 MS-604, Pearlington, MS
9:19:54 PM	On		36 mph	29 mph	10 mph W	-	0.204 g	0.216 g	45.9 mi.	76,375.8	13.50v	10,418 min	30.26412	-89.61159	17004 Birch Dr, Pearlington, MS
9:21:54 PM	On		35 mph	11 mph	10 mph NW	-	0.837 g	0.359 g	46.3 mi.	76,376.2	13.59v	10,420 min	30.26879	-89.60892	Old Gainesville Pearlington Rd, Bay St Louis, MS
9:23:54 PM	On		36 mph	28 mph	35 mph S	-	0.767 g	0.518 g	47.2 mi.	76,377.1	13.65v	10,422 min	30.25626	-89.61462	6065 MS-604, Pearlington, MS
9:25:54 PM	On		38 mph	33 mph	29 mph S	-	0.216 g	0.363 g	48.3 mi.	76,378.2	13.59v	10,424 min	30.24145	-89.60978	MS-604, Pearlington, MS

9:27:54 PM	On	41 mph	14 mph	41 mph NE	45 mph	1.029 g	0.453 g	48.8 mi.	76,378.7	13.65v	10,426 min	30.24212	-89.60588	US-90, Pearlington, MS
9:29:54 PM	On	50 mph	45 mph	50 mph NE	55 mph	0.069 g	0.049 g	50.3 mi.	76,380.2	13.65v	10,428 min	30.25386	-89.58444	15281 US-90, Pearlington, MS
9:31:54 PM	On	55 mph	50 mph	51 mph NE	55 mph	0.078 g	0.045 g	52.0 mi.	76,381.9	13.59v	10,430 min	30.26732	-89.56101	US-90, Bay St Louis, MS
9:33:54 PM	On	58 mph	55 mph	56 mph NE	55 mph	0.069 g	0.082 g	53.8 mi.	76,383.7	13.62v	10,432 min	30.28228	-89.53575	US-90, Bay St Louis, MS
9:35:54 PM	On	60 mph	55 mph	47 mph NE	55 mph	0.057 g	0.192 g	55.6 mi.	76,385.5	13.62v	10,434 min	30.29736	-89.51032	US-90, Bay St Louis, MS
9:37:54 PM	On	62 mph	44 mph	57 mph E	65 mph	0.951 g	0.429 g	57.1 mi.	76,387.0	13.62v	10,436 min	30.30109	-89.48871	US-90, Bay St Louis, MS
9:39:54 PM	On	66 mph	61 mph	58 mph E	65 mph	0.069 g	0.057 g	59.1 mi.	76,389.0	13.59v	10,438 min	30.30002	-89.45494	US-90, Bay St Louis, MS
9:41:54 PM	On	62 mph	57 mph	58 mph E	65 mph	0.069 g	0.053 g	61.0 mi.	76,390.9	13.62v	10,440 min	30.29901	-89.42299	US-90, Bay St Louis, MS
9:43:54 PM	On	58 mph	50 mph	43 mph E	45 mph	0.049 g	0.090 g	62.7 mi.	76,392.6	13.62v	10,442 min	30.30023	-89.39530	US-90, Waveland, MS
9:45:54 PM	On	46 mph	32 mph	0 mph NE	45 mph	0.037 g	0.522 g	63.8 mi.	76,393.7	13.71v	10,444 min	30.30597	-89.37863	403 US-90, Waveland, MS
9:47:54 PM	On	55 mph	45 mph	55 mph W	55 mph	1.008 g	0.024 g	65.3 mi.	76,395.2	13.62v	10,446 min	30.31416	-89.40049	10266 MS-603, Bay St Louis, MS
9:49:54 PM	On	62 mph	58 mph	56 mph NW	55 mph	0.078 g	0.057 g	67.2 mi.	76,397.1	13.62v	10,448 min	30.33113	-89.42550	11286 MS-43, Bay St Louis, MS
9:51:54 PM	On	62 mph	60 mph	55 mph N	55 mph	0.069 g	0.078 g	69.2 mi.	76,399.1	13.62v	10,450 min	30.35848	-89.42323	MS-43, Bay St Louis, MS
9:53:54 PM	On	63 mph	57 mph	57 mph N	55 mph	0.090 g	0.171 g	71.1 mi.	76,401.0	13.62v	10,452 min	30.38215	-89.43870	14346 MS-43, Kiln, MS
9:55:54 PM	On	58 mph	53 mph	48 mph NE	45 mph	0.082 g	0.090 g	72.9 mi.	76,402.8	13.65v	10,454 min	30.40492	-89.44504	16230 MS-43, Kiln, MS
9:57:54 PM	On	51 mph	36 mph	15 mph N	-	0.155 g	0.269 g	74.1 mi.	76,404.0	13.65v	10,456 min	30.40688	-89.42732	Old Joe Moran St, Kiln, MS
9:59:54 PM	On	36 mph	30 mph	35 mph NE	-	0.261 g	0.159 g	75.1 mi.	76,405.0	13.62v	10,458 min	30.41833	-89.42183	Old Joe Moran St, Kiln, MS
10:01:54 PM	On	37 mph	34 mph	32 mph N	-	0.171 g	0.184 g	76.2 mi.	76,406.1	13.59v	10,460 min	30.43382	-89.41706	Joe Moran Rd, Kiln, MS
10:03:54 PM	On	37 mph	14 mph	6 mph N	-	2.776 g	0.498 g	76.7 mi.	76,406.6	13.47v	10,462 min	30.43905	-89.41460	Joe Moran Rd, Kiln, MS
10:05:54 PM	On	6 mph	0 mph	0 mph E	-	0.045 g	0.486 g	76.7 mi.	76,406.6	12.74v	10,464 min	30.43910	-89.41454	18403 Joe Moran Rd, Kiln, MS
10:06:04 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	76.7 mi.	76,406.6	12.71v	10,464 min	30.43910	-89.41454	18403 Joe Moran Rd, Kiln, MS

Tue Mar 16, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:10:33 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.68v	10,464 min	30.43910	-89.41454	18403 Joe Moran Rd, Kiln, MS
5:40:49 PM	On		4 mph	0 mph	4 mph E	-	0.000 g	0.000 g	0.0 mi.	76,406.6	14.59v	10,464 min	30.43910	-89.41454	Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

5:4 PM	On	5 mph	0 mph	0 mph W	-	1.008 g	0.429 g	0.0 mi.	76,406.6	12.68v	10,466 min	30.43922	-89.41457	18403 Joe Moran Rd, Kiln, MS
5:42:58 PM	Off	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.65v	10,466 min	30.43922	-89.41457	18403 Joe Moran Rd, Kiln, MS
5:52:30 PM	On	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.83v	10,466 min	30.43926	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:54:30 PM	On	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.65v	10,468 min	30.43926	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:54:40 PM	Off	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.65v	10,468 min	30.43926	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:59:45 PM	On	1 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	14.26v	10,468 min	30.43922	-89.41449	18403 Joe Moran Rd, Kiln, MS
6:01:44 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.52v	10,470 min	30.43922	-89.41449	18403 Joe Moran Rd, Kiln, MS
6:01:54 PM	Off	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.49v	10,470 min	30.43922	-89.41449	18403 Joe Moran Rd, Kiln, MS
6:27:51 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.77v	10,470 min	30.43913	-89.41444	18403 Joe Moran Rd, Kiln, MS
6:29:51 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.62v	10,472 min	30.43913	-89.41444	18403 Joe Moran Rd, Kiln, MS
6:30:01 PM	Off	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	12.62v	10,472 min	30.43913	-89.41444	18403 Joe Moran Rd, Kiln, MS
6:40:43 PM	On	6 mph	0 mph	3 mph S	-	0.000 g	0.000 g	0.0 mi.	76,406.6	14.41v	10,472 min	30.43882	-89.41449	Joe Moran Rd, Kiln, MS
6:42:42 PM	On	27 mph	3 mph	27 mph W	-	0.996 g	0.531 g	0.1 mi.	76,406.7	14.11v	10,474 min	30.43788	-89.41586	Joe Moran Rd, Kiln, MS
6:44:42 PM	On	44 mph	34 mph	9 mph S	-	0.294 g	0.473 g	1.2 mi.	76,407.8	13.95v	10,476 min	30.42311	-89.42134	Old Joe Moran St, Kiln, MS
6:46:42 PM	On	48 mph	36 mph	30 mph E	-	0.331 g	0.212 g	2.4 mi.	76,409.0	13.92v	10,478 min	30.43802	-89.41484	Joe Moran Rd, Kiln, MS
6:48:42 PM	On	33 mph	6 mph	33 mph W	-	0.792 g	0.396 g	2.6 mi.	76,409.2	14.11v	10,480 min	30.43773	-89.41627	Joe Moran Rd, Kiln, MS
6:50:42 PM	On	45 mph	40 mph	42 mph S	-	0.355 g	0.306 g	4.0 mi.	76,410.6	14.04v	10,482 min	30.41943	-89.42126	Old Joe Moran St, Kiln, MS
6:52:42 PM	On	46 mph	32 mph	0 mph SW	35 mph	0.363 g	0.318 g	5.0 mi.	76,411.6	13.53v	10,484 min	30.40681	-89.42730	6050 Kiln-Delisle Rd, Kiln, MS
6:54:42 PM	On	48 mph	29 mph	48 mph W	45 mph	1.563 g	0.261 g	6.0 mi.	76,412.6	13.65v	10,486 min	30.40647	-89.44158	MS-43, Kiln, MS
6:56:42 PM	On	58 mph	53 mph	51 mph SE	55 mph	0.057 g	0.171 g	7.7 mi.	76,414.3	13.59v	10,488 min	30.38554	-89.44041	14791 MS-43, Kiln, MS
6:58:42 PM	On	60 mph	46 mph	58 mph SE	55 mph	0.918 g	0.339 g	9.3 mi.	76,415.9	13.68v	10,490 min	30.36701	-89.42702	MS-43, Kiln, MS
7:00:42 PM	On	60 mph	50 mph	53 mph S	55 mph	0.229 g	0.400 g	10.9 mi.	76,417.5	13.62v	10,492 min	30.34402	-89.42655	MS-43, Bay St Louis, MS
7:02:42 PM	On	58 mph	54 mph	49 mph SE	55 mph	0.069 g	0.082 g	12.7 mi.	76,419.3	13.62v	10,494 min	30.32226	-89.41613	10855 MS-43, Bay St Louis, MS
7:04:42 PM	On	60 mph	46 mph	60 mph E	55 mph	1.020 g	0.306 g	14.3 mi.	76,420.9	13.62v	10,496 min	30.31300	-89.39322	10019 MS-43, Bay St Louis, MS
7:06:42 PM	On	61 mph	33 mph	10 mph E	-	1.743 g	0.429 g	15.4 mi.	76,422.0	13.62v	10,498 min	30.30804	-89.37714	Waveland, MS

4/1/2021

						Activity Detail Report - WEX						
7:08:42 PM	On		11 mph	2 mph	0 mph SW	-	0.102 g	0.306 g	15.4 mi.	76,422.0	13.65v	10,500 min	30.30748 -89.37677	Waveland, MS
7:10:42 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	15.4 mi.	76,422.0	13.62v	10,502 min	30.30748 -89.37677	Waveland, MS
7:12:18 PM		Idling - OBD	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	15.4 mi.	76,422.0	13.65v	10,502 min	30.30748 -89.37677	Waveland, MS
7:12:42 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	15.4 mi.	76,422.0	13.65v	10,504 min	30.30748 -89.37677	Waveland, MS
7:14:42 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	15.4 mi.	76,422.0	13.65v	10,506 min	30.30748 -89.37677	Waveland, MS
7:16:42 PM	On		9 mph	1 mph	0 mph NW	-	0.804 g	0.359 g	15.5 mi.	76,422.1	12.40v	10,508 min	30.30773 -89.37736	Waveland, MS
7:16:52 PM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	15.5 mi.	76,422.1	12.37v	10,509 min	30.30773 -89.37736	Waveland, MS
7:38:36 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	15.5 mi.	76,422.1	14.41v	10,509 min	30.30773 -89.37736	Waveland, MS
7:40:35 PM	On		13 mph	6 mph	11 mph S	-	1.176 g	0.159 g	15.7 mi.	76,422.3	14.01v	10,511 min	30.30846 -89.37533	9008 McLaurin Rd, Waveland, MS
7:42:35 PM	On		40 mph	26 mph	39 mph E	45 mph	0.939 g	0.441 g	16.5 mi.	76,423.1	14.04v	10,513 min	30.31105 -89.36356	1190 US-90, Bay St Louis, MS
7:44:35 PM	On		43 mph	32 mph	18 mph E	45 mph	1.122 g	0.339 g	17.6 mi.	76,424.2	13.89v	10,515 min	30.31672 -89.34694	700 US-90, Bay St Louis, MS
7:46:35 PM	On		52 mph	39 mph	21 mph S	-	0.167 g	0.261 g	18.9 mi.	76,425.5	14.01v	10,517 min	30.31906 -89.32662	640 N 2nd St, Bay St Louis, MS
7:48:35 PM	On		24 mph	9 mph	2 mph SE	-	0.824 g	0.473 g	19.2 mi.	76,425.8	13.47v	10,519 min	30.31706 -89.32868	Ruella Ave, Bay St Louis, MS
7:50:35 PM	On		6 mph	0 mph	0 mph E	-	1.065 g	0.351 g	19.2 mi.	76,425.8	13.65v	10,521 min	30.31707 -89.32867	207 Ruella Ave, Bay St Louis, MS
7:52:35 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	19.2 mi.	76,425.8	13.62v	10,523 min	30.31707 -89.32867	207 Ruella Ave, Bay St Louis, MS
7:53:59 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	19.2 mi.	76,425.8	13.65v	10,523 min	30.31707 -89.32867	207 Ruella Ave, Bay St Louis, MS
7:54:35 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	19.2 mi.	76,425.8	13.68v	10,525 min	30.31707 -89.32867	207 Ruella Ave, Bay St Louis, MS
7:56:35 PM	On		9 mph	3 mph	6 mph S	-	1.029 g	0.408 g	19.3 mi.	76,425.9	13.59v	10,527 min	30.31619 -89.32704	512 N 2nd St, Bay St Louis, MS
7:58:35 PM	On		7 mph	6 mph	5 mph SE	-	0.747 g	0.441 g	19.4 mi.	76,426.0	13.65v	10,529 min	30.31512 -89.32428	102 McDonald Ln, Bay St Louis, MS
8:00:35 PM	On		14 mph	4 mph	6 mph W	-	0.759 g	0.498 g	19.6 mi.	76,426.2	13.53v	10,531 min	30.31375 -89.32405	Ulman Ave, Bay St Louis, MS
8:02:35 PM	On		9 mph	9 mph	8 mph W	-	1.008 g	0.102 g	19.9 mi.	76,426.5	13.62v	10,533 min	30.31540 -89.32930	305 Ulman Ave, Bay St Louis, MS
8:04:35 PM	On		11 mph	9 mph	8 mph W	-	0.090 g	0.057 g	20.2 mi.	76,426.8	13.62v	10,535 min	30.31681 -89.33385	Ulman Ave, Bay St Louis, MS
8:06:35 PM	On		9 mph	7 mph	6 mph W	25 mph	1.143 g	0.339 g	20.4 mi.	76,427.0	13.62v	10,537 min	30.31800 -89.33769	Ulman Ave, Bay St Louis, MS
8:08:35 PM	On		9 mph	8 mph	9 mph E	-	0.102 g	0.090 g	20.7 mi.	76,427.3	13.62v	10,539 min	30.31797 -89.34010	568 Carroll Ave, Bay St Louis, MS
8:10:35 PM	On		9 mph	8 mph	7 mph E	-	0.849 g	0.416 g	21.0 mi.	76,427.6	13.47v	10,541 min	30.31668 -89.33600	420 Carroll Ave, Bay St Louis, MS

4/1/2021 Activity Detail Report - WEX

8:12:35 PM	On	8 mph	5 mph	7 mph E	-	0.759 g	0.429 g	21.1 mi.	76,427.7	13.62v	10,543 min	30.31576	-89.33308	342 Carroll Ave, Bay St Louis, MS
8:14:35 PM	On	7 mph	6 mph	6 mph E	-	0.057 g	0.057 g	21.4 mi.	76,428.0	13.62v	10,545 min	30.31470	-89.32965	308 Carroll Ave, Bay St Louis, MS
8:16:35 PM	On	9 mph	6 mph	6 mph E	-	0.824 g	0.441 g	21.6 mi.	76,428.2	13.65v	10,547 min	30.31365	-89.32623	120 Carroll Ave, Bay St Louis, MS
8:18:35 PM	On	16 mph	7 mph	7 mph W	-	0.633 g	0.473 g	21.8 mi.	76,428.4	13.65v	10,549 min	30.31159	-89.32500	105 Demontluzin St, Bay St Louis, MS
8:20:35 PM	On	7 mph	6 mph	6 mph W	-	1.167 g	0.473 g	22.0 mi.	76,428.6	13.62v	10,551 min	30.31257	-89.32813	139 Demontluzin St, Bay St Louis, MS
8:22:35 PM	On	7 mph	6 mph	5 mph W	-	0.869 g	0.461 g	22.2 mi.	76,428.8	13.68v	10,553 min	30.31352	-89.33122	315 Demontluzin St, Bay St Louis, MS
8:24:35 PM	On	7 mph	6 mph	7 mph W	-	1.041 g	0.371 g	22.4 mi.	76,429.0	13.65v	10,555 min	30.31456	-89.33457	403 Demontluzin St, Bay St Louis, MS
8:26:35 PM	On	7 mph	5 mph	6 mph W	-	0.045 g	0.045 g	22.6 mi.	76,429.2	13.62v	10,557 min	30.31549	-89.33747	429 Demontluzin St, Bay St Louis, MS
8:28:35 PM	On	11 mph	7 mph	8 mph NW	-	0.804 g	0.486 g	22.8 mi.	76,429.4	13.59v	10,559 min	30.31683	-89.34138	533 Demontluzin St, Bay St Louis, MS
8:30:35 PM	On	14 mph	8 mph	14 mph W	-	0.657 g	0.510 g	23.1 mi.	76,429.7	13.62v	10,561 min	30.31631	-89.34431	Main St, Bay St Louis, MS
8:32:35 PM	On	20 mph	9 mph	5 mph E	-	1.143 g	0.461 g	23.4 mi.	76,430.0	13.59v	10,563 min	30.31595	-89.34668	560 St John St, Bay St Louis, MS
8:34:35 PM	On	9 mph	4 mph	6 mph E	-	0.000 g	0.000 g	23.5 mi.	76,430.1	13.65v	10,565 min	30.31525	-89.34447	544 St John St, Bay St Louis, MS
8:36:35 PM	On	8 mph	8 mph	0 mph E	-	0.759 g	0.359 g	23.9 mi.	76,430.5	13.47v	10,567 min	30.31372	-89.33970	500 St John St, Bay St Louis, MS
8:38:35 PM	On	10 mph	6 mph	7 mph E	-	0.984 g	0.486 g	24.1 mi.	76,430.7	13.62v	10,569 min	30.31276	-89.33659	414 St John St, Bay St Louis, MS
8:40:35 PM	On	9 mph	8 mph	7 mph E	-	0.735 g	0.216 g	24.3 mi.	76,430.9	13.62v	10,571 min	30.31144	-89.33241	314 St John St, Bay St Louis, MS
8:42:35 PM	On	8 mph	6 mph	5 mph W	-	1.212 g	0.441 g	24.5 mi.	76,431.1	13.62v	10,573 min	30.31023	-89.33161	309 Easterbrook St, Bay St Louis, MS
8:44:35 PM	On	7 mph	5 mph	6 mph W	-	0.620 g	0.543 g	24.7 mi.	76,431.3	13.62v	10,575 min	30.31113	-89.33445	343 Easterbrook St, Bay St Louis, MS
8:46:35 PM	On	7 mph	5 mph	7 mph NW	-	0.963 g	0.461 g	24.9 mi.	76,431.5	13.62v	10,577 min	30.31200	-89.33715	425 Easterbrook St, Bay St Louis, MS
8:48:35 PM	On	7 mph	6 mph	4 mph NW	-	0.816 g	0.327 g	25.1 mi.	76,431.7	13.65v	10,579 min	30.31305	-89.34041	503 Easterbrook St, Bay St Louis, MS
8:50:35 PM	On	8 mph	7 mph	6 mph W	-	0.069 g	0.037 g	25.3 mi.	76,431.9	13.65v	10,581 min	30.31420	-89.34409	569 Easterbrook St, Bay St Louis, MS
8:52:35 PM	On	11 mph	5 mph	9 mph W	-	0.033 g	0.510 g	25.5 mi.	76,432.1	13.59v	10,583 min	30.31511	-89.34695	Easterbrook St, Bay St Louis, MS
8:54:35 PM	On	10 mph	5 mph	10 mph W	45 mph	1.371 g	0.396 g	25.6 mi.	76,432.2	13.62v	10,585 min	30.31607	-89.34915	801 US-90, Bay St Louis, MS
8:56:35 PM	On	40 mph	34 mph	40 mph W	45 mph	0.159 g	0.082 g	26.8 mi.	76,433.4	13.62v	10,587 min	30.31005	-89.36695	US-90, Bay St Louis, MS
8:58:35 PM	On	43 mph	26 mph	0 mph S	-	0.065 g	0.282 g	27.7 mi.	76,434.3	13.59v	10,589 min	30.30735	-89.37875	Waveland, MS
9:00:35 PM	On	52 mph	27 mph	50 mph W	55 mph	1.698 g	0.531 g	28.6 mi.	76,435.2	13.65v	10,591 min	30.31297	-89.39187	MS-43, Bay St Louis, MS

Activity Detail Report - WEX

4/1/2021													
9:02:35 PM	On	53 mph	51 mph	52 mph NW	55 mph	0.045 g	0.045 g	30.3 mi.	76,436.9	13.59v	10,593 min	30.32315	-89.41718	10914 MS-43, Bay St Louis, MS
9:04:35 PM	On	55 mph	53 mph	55 mph NE	55 mph	0.069 g	0.037 g	32.0 mi.	76,438.6	13.62v	10,595 min	30.34484	-89.42594	12130 MS-603, Bay St Louis, MS
9:06:35 PM	On	60 mph	50 mph	60 mph E	70 mph	0.147 g	0.224 g	33.7 mi.	76,440.3	13.65v	10,597 min	30.36194	-89.41130	I-10, Bay St Louis, MS
9:08:35 PM	On	73 mph	63 mph	36 mph E	40 mph	0.094 g	0.192 g	35.8 mi.	76,442.4	13.59v	10,599 min	30.37117	-89.37814	16, Diamondhead, MS
9:10:35 PM	On	36 mph	13 mph	1 mph NE	-	0.216 g	0.416 g	36.2 mi.	76,442.8	13.53v	10,601 min	30.37481	-89.37707	Diamondhead, MS
9:12:35 PM	On	1 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	36.2 mi.	76,442.8	13.62v	10,603 min	30.37481	-89.37707	102 Diamondhead Dr N, Diamondhead, MS
9:14:35 PM	On	0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	36.2 mi.	76,442.8	13.62v	10,605 min	30.37481	-89.37707	102 Diamondhead Dr N, Diamondhead, MS
9:15:41 PM	Off	0 mph	0 mph	0 mph NE	35 mph	0.000 g	0.000 g	36.2 mi.	76,442.8	12.62v	10,606 min	30.37481	-89.37707	102 Diamondhead Dr N, Diamondhead, MS
10:05:08 PM	On	2 mph	0 mph	2 mph E	-	0.000 g	0.000 g	36.2 mi.	76,442.8	14.23v	10,606 min	30.37483	-89.37706	Diamondhead, MS
10:07:08 PM	On	32 mph	13 mph	31 mph NE	30 mph	0.861 g	0.257 g	36.9 mi.	76,443.5	13.80v	10,608 min	30.37831	-89.36897	5578 Diamondhead Dr E, Diamondhead, MS
10:09:08 PM	On	35 mph	27 mph	2 mph NE	30 mph	0.951 g	0.408 g	37.8 mi.	76,444.4	13.89v	10,610 min	30.38949	-89.36149	7778 Golf Club Dr, Diamondhead, MS
10:11:08 PM	On	20 mph	8 mph	12 mph NW	-	3.535 g	0.441 g	38.0 mi.	76,444.6	13.59v	10,612 min	30.38993	-89.36179	Cherryhill Dr, Diamondhead, MS
10:13:08 PM	On	24 mph	9 mph	4 mph NE	30 mph	0.882 g	0.510 g	38.3 mi.	76,444.9	13.68v	10,614 min	30.39026	-89.35992	Golf Club Dr, Diamondhead, MS
10:15:08 PM	On	34 mph	26 mph	26 mph N	30 mph	0.212 g	0.261 g	39.2 mi.	76,445.8	13.62v	10,616 min	30.40018	-89.35144	98178 Golf Club Dr, Diamondhead, MS
10:17:08 PM	On	37 mph	28 mph	30 mph N	30 mph	0.171 g	0.204 g	40.1 mi.	76,446.7	13.62v	10,618 min	30.40930	-89.34442	Kapalama Dr, Pass Christian, MS
10:19:08 PM	On	52 mph	33 mph	52 mph NW	45 mph	0.918 g	0.351 g	41.2 mi.	76,447.8	13.65v	10,620 min	30.42088	-89.34825	1086 Kiln-Delisle Rd, Kiln, MS
10:21:08 PM	On	52 mph	38 mph	25 mph N	-	0.151 g	0.204 g	42.5 mi.	76,449.1	13.59v	10,622 min	30.42425	-89.36750	17040 Fenton Dedeaux Rd, Kiln, MS
10:23:08 PM	On	43 mph	37 mph	39 mph N	-	0.078 g	0.102 g	43.7 mi.	76,450.3	13.62v	10,624 min	30.44159	-89.37126	Fenton Dedeaux Rd, Kiln, MS
10:25:08 PM	On	50 mph	40 mph	38 mph NW	-	0.114 g	0.261 g	45.1 mi.	76,451.7	13.62v	10,626 min	30.46087	-89.37381	Fenton Dedeaux Rd, Kiln, MS
10:27:08 PM	On	52 mph	38 mph	42 mph W	-	0.257 g	0.229 g	46.3 mi.	76,452.9	13.62v	10,628 min	30.45198	-89.38527	3548 Firetower Rd, Kiln, MS
10:29:08 PM	On	47 mph	41 mph	20 mph SW	-	0.237 g	0.306 g	47.7 mi.	76,454.3	13.62v	10,630 min	30.44678	-89.40617	Joe Moran Rd, Kiln, MS
10:31:08 PM	On	34 mph	27 mph	0 mph W	-	0.547 g	0.478 g	48.6 mi.	76,455.2	13.53v	10,632 min	30.43812	-89.41416	18403 Joe Moran Rd, Kiln, MS
10:33:08 PM	On	8 mph	3 mph	0 mph E	-	1.371 g	0.429 g	48.7 mi.	76,455.3	12.55v	10,634 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS
10:33:18 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	48.7 mi.	76,455.3	12.59v	10,634 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS

Wed Mar 17, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:37:47 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	12.65v	10,634 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS
10:37:47 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	12.62v	10,634 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS

Thu Mar 18, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:37:46 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	12.59v	10,634 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:10:36 PM	On		2 mph	0 mph	2 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	14.41v	10,634 min	30.43911	-89.41451	Joe Moran Rd, Kiln, MS
6:12:35 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	12.95v	10,636 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:12:46 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	12.92v	10,636 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:17:45 PM	On		1 mph	0 mph	1 mph E	-	0.000 g	0.000 g	0.0 mi.	76,455.3	14.53v	10,636 min	30.43911	-89.41451	Joe Moran Rd, Kiln, MS
6:19:44 PM	On		3 mph	0 mph	0 mph NE	-	0.690 g	0.408 g	0.0 mi.	76,455.3	12.80v	10,638 min	30.43923	-89.41465	18403 Joe Moran Rd, Kiln, MS
6:21:44 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,455.3	12.74v	10,640 min	30.43922	-89.41467	18403 Joe Moran Rd, Kiln, MS
6:23:44 PM	On		7 mph	2 mph	0 mph S	-	0.600 g	0.339 g	0.1 mi.	76,455.4	14.53v	10,642 min	30.43826	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:25:44 PM	On		38 mph	26 mph	38 mph SW	-	0.722 g	0.486 g	0.9 mi.	76,456.2	14.47v	10,644 min	30.42761	-89.41895	Joe Moran Rd, Kiln, MS
6:27:44 PM	On		40 mph	33 mph	38 mph W	-	0.171 g	0.204 g	2.0 mi.	76,457.3	14.47v	10,646 min	30.42910	-89.43138	Cuevas Rd, Kiln, MS
6:29:44 PM	On		62 mph	50 mph	60 mph NW	55 mph	0.229 g	0.457 g	3.7 mi.	76,459.0	14.20v	10,648 min	30.45053	-89.43312	19280 MS-603, Kiln, MS
6:31:44 PM	On		61 mph	54 mph	48 mph N	55 mph	0.159 g	0.249 g	5.5 mi.	76,460.8	14.23v	10,650 min	30.47446	-89.42979	MS-603, Kiln, MS
6:33:44 PM	On		54 mph	47 mph	50 mph NE	-	0.171 g	0.249 g	7.1 mi.	76,462.4	13.62v	10,652 min	30.48891	-89.41220	Rocky Hill Dedeaux Rd, Kiln, MS
6:35:44 PM	On		60 mph	56 mph	53 mph SE	-	0.069 g	0.069 g	8.9 mi.	76,464.2	13.56v	10,654 min	30.49526	-89.38613	Rocky Hill Dedeaux Rd, Kiln, MS
6:37:44 PM	On		54 mph	41 mph	17 mph S	-	0.090 g	0.269 g	10.3 mi.	76,465.6	13.95v	10,656 min	30.49707	-89.36681	22021 Rue la Terre, Kiln, MS
6:39:44 PM	On		17 mph	8 mph	10 mph S	-	1.743 g	0.510 g	10.6 mi.	76,465.9	13.68v	10,658 min	30.49395	-89.36775	Rue la Terre, Kiln, MS
6:41:44 PM	On		10 mph	4 mph	0 mph SE	-	1.020 g	0.518 g	10.7 mi.	76,466.0	13.68v	10,660 min	30.49398	-89.36984	22421 Rue la Terre, Kiln, MS
6:43:44 PM	On		4 mph	2 mph	2 mph S	-	0.612 g	0.531 g	10.8 mi.	76,466.1	13.83v	10,662 min	30.49423	-89.36973	Amy Lee Rd, Kiln, MS
6:45:44 PM	On		5 mph	1 mph	4 mph E	-	0.645 g	0.531 g	10.8 mi.	76,466.1	13.62v	10,664 min	30.49392	-89.36929	Rue la Terre, Kiln, MS
6:47:44 PM	On		12 mph	9 mph	12 mph N	-	0.212 g	0.269 g	11.1 mi.	76,466.4	13.65v	10,666 min	30.49642	-89.36682	Rue la Terre, Kiln, MS

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

4/1/2021

					Activity Detail Report - WEX							
6:49:44 PM	On	42 mph	14 mph	42 mph E	-	0.747 g	0.461 g	11.6 mi.	76,466.9	13.62v	10,668 min	30.49880 -89.36122	Rocky Hill Dedeaux Rd, Kiln, MS
6:51:44 PM	On	45 mph	36 mph	19 mph SE	35 mph	0.657 g	0.416 g	12.8 mi.	76,468.1	14.32v	10,670 min	30.50131 -89.34167	15009 Vidalia Rd, Pass Christian, MS
6:53:44 PM	On	53 mph	44 mph	18 mph SW	-	0.147 g	0.331 g	14.3 mi.	76,469.6	13.62v	10,672 min	30.48578 -89.32617	Edwin Ladner Rd, Pass Christian, MS
6:55:44 PM	On	57 mph	48 mph	52 mph SW	-	0.135 g	0.102 g	15.9 mi.	76,471.2	13.62v	10,674 min	30.46538 -89.33628	Edwin Ladner Rd, Pass Christian, MS
6:57:44 PM	On	57 mph	50 mph	45 mph SE	-	0.416 g	0.192 g	17.5 mi.	76,472.8	13.62v	10,676 min	30.44381 -89.33536	Edwin Ladner Rd, Pass Christian, MS
6:59:44 PM	On	56 mph	49 mph	39 mph S	-	0.102 g	0.171 g	19.2 mi.	76,474.5	13.62v	10,678 min	30.42209 -89.33976	Edwin Ladner Rd, Pass Christian, MS
7:01:44 PM	On	44 mph	31 mph	29 mph SW	30 mph	0.216 g	0.261 g	20.2 mi.	76,475.5	13.98v	10,680 min	30.40875 -89.34469	Kapalama Dr, Pass Christian, MS
7:03:44 PM	On	35 mph	29 mph	29 mph SW	30 mph	0.229 g	0.249 g	21.2 mi.	76,476.5	13.62v	10,682 min	30.39914 -89.35206	98167 Golf Club Dr, Diamondhead, MS
7:05:44 PM	On	35 mph	26 mph	26 mph SW	30 mph	0.759 g	0.531 g	22.1 mi.	76,477.4	13.68v	10,684 min	30.38978 -89.36101	Golf Club Dr, Diamondhead, MS
7:07:44 PM	On	34 mph	27 mph	30 mph SW	30 mph	0.849 g	0.396 g	22.9 mi.	76,478.2	13.47v	10,686 min	30.37869 -89.36841	5575 Diamondhead Dr E, Diamondhead, MS
7:09:44 PM	On	28 mph	8 mph	7 mph N	-	0.894 g	0.408 g	23.2 mi.	76,478.5	13.65v	10,688 min	30.37772 -89.36654	566 Akamu St, Diamondhead, MS
7:11:44 PM	On	10 mph	8 mph	7 mph NW	-	0.633 g	0.351 g	23.5 mi.	76,478.8	13.65v	10,690 min	30.37861 -89.36600	5623 Ahoni St, Diamondhead, MS
7:13:44 PM	On	15 mph	7 mph	0 mph N	-	1.020 g	0.441 g	23.7 mi.	76,479.0	13.53v	10,692 min	30.37822 -89.36889	501 Aila St, Diamondhead, MS
7:15:44 PM	On	25 mph	20 mph	22 mph NE	-	1.029 g	0.184 g	24.4 mi.	76,479.7	13.62v	10,694 min	30.38063 -89.35976	57138 Diamondhead Dr E, Diamondhead, MS
7:17:44 PM	On	24 mph	8 mph	3 mph SW	-	0.869 g	0.371 g	24.6 mi.	76,479.9	13.65v	10,696 min	30.38328 -89.36083	6612 Ahihi St, Diamondhead, MS
7:19:44 PM	On	11 mph	8 mph	7 mph NE	-	0.102 g	0.127 g	24.9 mi.	76,480.2	13.65v	10,698 min	30.38106 -89.36197	5618 Ahuli Pl, Diamondhead, MS
7:21:44 PM	On	9 mph	6 mph	7 mph NW	-	1.302 g	0.441 g	25.1 mi.	76,480.4	13.62v	10,700 min	30.38193 -89.36173	561 Ahuli Pl, Diamondhead, MS
7:23:44 PM	On	19 mph	9 mph	17 mph W	-	1.008 g	0.486 g	25.4 mi.	76,480.7	13.65v	10,702 min	30.38537 -89.36161	6654 Ahekolo Cir, Diamondhead, MS
7:25:44 PM	On	30 mph	18 mph	30 mph N	30 mph	0.894 g	0.384 g	26.0 mi.	76,481.3	13.50v	10,704 min	30.38620 -89.36385	Golf Club Dr, Diamondhead, MS
7:27:44 PM	On	30 mph	26 mph	25 mph NE	30 mph	0.918 g	0.351 g	26.9 mi.	76,482.2	13.50v	10,706 min	30.39529 -89.35449	87144 Golf Club Dr, Diamondhead, MS
7:29:44 PM	On	34 mph	27 mph	31 mph NE	30 mph	0.196 g	0.327 g	27.8 mi.	76,483.1	13.62v	10,708 min	30.40506 -89.34914	108230 Kapalama Dr, Diamondhead, MS
7:31:44 PM	On	37 mph	16 mph	0 mph N	-	0.714 g	0.518 g	28.3 mi.	76,483.6	12.80v	10,710 min	30.41018 -89.34382	1154 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:31:55 PM	Off	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	28.3 mi.	76,483.6	12.77v	10,710 min	30.41018 -89.34382	1154 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:37:06 PM	On	1 mph	0 mph	1 mph N	-	0.000 g	0.000 g	28.3 mi.	76,483.6	14.56v	10,710 min	30.41018 -89.34381	Pass Christian, MS
7:39:05 PM	On	35 mph	19 mph	34 mph SW	30 mph	0.882 g	0.486 g	29.0 mi.	76,484.3	13.98v	10,712 min	30.40336 -89.35144	108159 Kapalama Dr, Diamondhead, MS

7:41:05 PM	On	36 mph	25 mph	14 mph W	30 mph	0.861 g	0.441 g	29.8 mi.	76,485.1	13.56v	10,714 min	30.40088	-89.36367	96484 Diamondhead Dr W, Diamondhead, MS
7:43:05 PM	On	10 mph	1 mph	0 mph S	30 mph	0.657 g	0.408 g	29.8 mi.	76,485.1	12.65v	10,716 min	30.40058	-89.36374	96484 Diamondhead Dr W, Diamondhead, MS
7:43:15 PM	Off	0 mph	0 mph	0 mph S	30 mph	0.000 g	0.000 g	29.8 mi.	76,485.1	12.62v	10,716 min	30.40058	-89.36374	96484 Diamondhead Dr W, Diamondhead, MS
8:22:01 PM	On	0 mph	0 mph	0 mph SW	30 mph	0.000 g	0.000 g	29.8 mi.	76,485.1	14.68v	10,716 min	30.40060	-89.36379	96484 Diamondhead Dr W, Diamondhead, MS
8:24:00 PM	On	19 mph	2 mph	19 mph E	30 mph	0.645 g	0.461 g	29.9 mi.	76,485.2	14.26v	10,718 min	30.40070	-89.36257	Diamondhead Dr W, Diamondhead, MS
8:26:00 PM	On	25 mph	17 mph	17 mph SE	30 mph	0.588 g	0.376 g	30.5 mi.	76,485.8	14.11v	10,720 min	30.39602	-89.35483	Diamondhead Dr W, Diamondhead, MS
8:28:00 PM	On	27 mph	22 mph	27 mph SW	30 mph	0.159 g	0.294 g	31.2 mi.	76,486.5	13.62v	10,722 min	30.38858	-89.36230	6669 Golf Club Dr, Diamondhead, MS
8:30:00 PM	On	29 mph	18 mph	0 mph SE	-	0.192 g	0.473 g	31.8 mi.	76,487.1	13.53v	10,724 min	30.38144	-89.36360	5612 Ahui St, Diamondhead, MS
8:32:00 PM	On	14 mph	8 mph	9 mph SW	-	0.996 g	0.461 g	32.0 mi.	76,487.3	13.65v	10,726 min	30.38014	-89.36358	5636 Ahuawa Pl, Diamondhead, MS
8:34:00 PM	On	15 mph	11 mph	7 mph NE	-	0.102 g	0.159 g	32.4 mi.	76,487.7	13.62v	10,728 min	30.38315	-89.36096	6634 Ahekolo Cir, Diamondhead, MS
8:36:00 PM	On	11 mph	7 mph	6 mph S	-	0.082 g	0.147 g	32.6 mi.	76,487.9	13.65v	10,730 min	30.38432	-89.36167	6614 Ahiahi Pl, Diamondhead, MS
8:38:00 PM	On	11 mph	8 mph	7 mph SW	-	1.278 g	0.510 g	32.9 mi.	76,488.2	13.53v	10,732 min	30.38400	-89.35980	674 Alewa Pl, Diamondhead, MS
8:40:00 PM	On	8 mph	6 mph	4 mph NW	-	0.894 g	0.416 g	33.1 mi.	76,488.4	13.59v	10,734 min	30.38463	-89.36050	6644 Ahekolo Cir, Diamondhead, MS
8:42:00 PM	On	16 mph	9 mph	7 mph N	-	1.053 g	0.543 g	33.4 mi.	76,488.7	13.65v	10,736 min	30.38446	-89.36349	664 Alii Pl, Diamondhead, MS
8:44:00 PM	On	10 mph	7 mph	7 mph NE	-	0.159 g	0.114 g	33.7 mi.	76,489.0	13.62v	10,738 min	30.38383	-89.36385	6646 Alii Pl, Diamondhead, MS
8:46:00 PM	On	22 mph	13 mph	10 mph N	30 mph	0.282 g	0.184 g	34.1 mi.	76,489.4	13.65v	10,740 min	30.38480	-89.36431	6642 Golf Club Dr, Diamondhead, MS
8:48:00 PM	On	17 mph	6 mph	4 mph E	-	1.269 g	0.531 g	34.3 mi.	76,489.6	13.50v	10,742 min	30.38596	-89.36187	Lanai Vlg, Diamondhead, MS
8:50:00 PM	On	7 mph	6 mph	4 mph W	-	0.094 g	0.090 g	34.5 mi.	76,489.8	13.65v	10,744 min	30.38659	-89.36014	249 Lanai Vlg, Diamondhead, MS
8:52:00 PM	On	9 mph	6 mph	9 mph W	-	0.102 g	0.057 g	34.7 mi.	76,490.0	13.62v	10,746 min	30.38558	-89.36289	211 Lanai Vlg, Diamondhead, MS
8:54:00 PM	On	20 mph	10 mph	7 mph NE	-	0.918 g	0.473 g	35.0 mi.	76,490.3	13.65v	10,748 min	30.38855	-89.36154	7610 Country Club Cir, Diamondhead, MS
8:56:00 PM	On	11 mph	6 mph	3 mph SE	-	1.371 g	0.531 g	35.2 mi.	76,490.5	13.50v	10,750 min	30.38928	-89.35998	7672 Country Club Cir, Diamondhead, MS
8:58:00 PM	On	24 mph	14 mph	15 mph NE	30 mph	0.918 g	0.298 g	35.6 mi.	76,490.9	13.62v	10,752 min	30.39148	-89.35901	77104 Golf Club Dr, Diamondhead, MS
9:00:00 PM	On	15 mph	6 mph	6 mph E	-	0.849 g	0.510 g	35.9 mi.	76,491.2	13.65v	10,754 min	30.39041	-89.35706	144 Lakeside Villa, Diamondhead, MS
9:02:00 PM	On	11 mph	7 mph	9 mph NE	-	0.984 g	0.510 g	36.1 mi.	76,491.4	13.50v	10,756 min	30.39110	-89.35583	7724 Moanalua Way, Diamondhead, MS
9:04:00 PM	On	12 mph	8 mph	5 mph SE	-	0.229 g	0.216 g	36.3 mi.	76,491.6	13.50v	10,758 min	30.39216	-89.35532	7722 Mamalu Pl, Diamondhead, MS

4/1/2021

Activity Detail Report - WEX

9:06:00 PM	On		11 mph	8 mph	5 mph NE	-	0.869 g	0.408 g	36.6 mi.	76,491.9	13.65v	10,760 min	30.39398	-89.35305	8826 Malino Pl, Diamondhead, MS
9:08:00 PM	On		11 mph	7 mph	11 mph E	-	0.735 g	0.384 g	36.8 mi.	76,492.1	13.62v	10,762 min	30.39350	-89.35245	8856 Moanalua Way, Diamondhead, MS
9:10:00 PM	On		21 mph	9 mph	5 mph W	-	1.233 g	0.518 g	37.1 mi.	76,492.4	13.65v	10,764 min	30.39463	-89.35372	874 Manini Way, Diamondhead, MS
9:12:00 PM	On		9 mph	4 mph	5 mph SW	-	0.057 g	0.498 g	37.3 mi.	76,492.6	13.62v	10,766 min	30.39342	-89.35521	8718 Manini Way, Diamondhead, MS
9:14:00 PM	On		12 mph	10 mph	12 mph NE	-	0.804 g	0.510 g	37.6 mi.	76,492.9	13.65v	10,768 min	30.39241	-89.35362	7844 Moanalua Way, Diamondhead, MS
9:16:00 PM	On		12 mph	10 mph	6 mph SW	-	0.090 g	0.180 g	37.9 mi.	76,493.2	13.65v	10,770 min	30.39168	-89.35174	784 Loa Pl, Diamondhead, MS
9:18:00 PM	On		12 mph	8 mph	9 mph S	-	0.135 g	0.180 g	38.2 mi.	76,493.5	13.65v	10,772 min	30.39094	-89.35086	Alawai Ave, Diamondhead, MS
9:20:00 PM	On		11 mph	9 mph	6 mph NE	-	0.155 g	0.114 g	38.5 mi.	76,493.8	13.59v	10,774 min	30.39000	-89.35441	774 Puna Pl, Diamondhead, MS
9:22:00 PM	On		8 mph	7 mph	7 mph NE	-	0.114 g	0.171 g	38.7 mi.	76,494.0	13.65v	10,776 min	30.38979	-89.35504	7742 Puna Pl, Diamondhead, MS
9:24:00 PM	On		11 mph	8 mph	4 mph NW	-	0.110 g	0.135 g	38.9 mi.	76,494.2	13.62v	10,778 min	30.38923	-89.35403	Puna Ct, Diamondhead, MS
9:26:00 PM	On		11 mph	7 mph	7 mph SE	-	1.008 g	0.510 g	39.2 mi.	76,494.5	13.65v	10,780 min	30.38868	-89.35513	Laie Pl, Diamondhead, MS
9:28:00 PM	On		14 mph	8 mph	14 mph NE	-	0.837 g	0.518 g	39.4 mi.	76,494.7	13.62v	10,782 min	30.38964	-89.35354	7811 Laie St, Diamondhead, MS
9:30:00 PM	On		14 mph	10 mph	9 mph NE	-	0.159 g	0.196 g	39.8 mi.	76,495.1	13.62v	10,784 min	30.38954	-89.35096	7812 Hilo Pl, Diamondhead, MS
9:32:00 PM	On		12 mph	8 mph	11 mph SW	-	0.114 g	0.114 g	40.1 mi.	76,495.4	13.65v	10,786 min	30.38702	-89.35055	6841 Hilo St, Diamondhead, MS
9:34:00 PM	On		13 mph	10 mph	6 mph W	-	0.204 g	0.294 g	40.4 mi.	76,495.7	13.56v	10,788 min	30.38645	-89.35303	Diamondhead, MS
9:36:00 PM	On		19 mph	11 mph	19 mph E	-	0.714 g	0.396 g	40.8 mi.	76,496.1	13.65v	10,790 min	30.38214	-89.35299	67668 Diamondhead Dr E, Diamondhead, MS
9:38:00 PM	On		20 mph	17 mph	17 mph SE	-	0.159 g	0.306 g	41.3 mi.	76,496.6	13.65v	10,792 min	30.38491	-89.34503	69250 Diamondhead Dr E, Diamondhead, MS
9:40:00 PM	On		21 mph	17 mph	11 mph W	-	0.216 g	0.229 g	41.9 mi.	76,497.2	13.68v	10,794 min	30.38890	-89.34312	7941 Lanai St, Diamondhead, MS
9:42:00 PM	On		13 mph	9 mph	5 mph SE	-	0.151 g	0.184 g	42.2 mi.	76,497.5	13.65v	10,796 min	30.38959	-89.34724	7816 Laie Ct, Diamondhead, MS
9:44:00 PM	On		13 mph	9 mph	7 mph E	-	0.678 g	0.351 g	42.5 mi.	76,497.8	13.56v	10,798 min	30.39047	-89.34517	796 Ewa Pl, Diamondhead, MS
9:46:00 PM	On		12 mph	9 mph	12 mph W	-	0.204 g	0.216 g	42.8 mi.	76,498.1	13.65v	10,800 min	30.39043	-89.34783	7870 Hilo Way, Diamondhead, MS
9:48:00 PM	On		12 mph	9 mph	10 mph W	-	0.139 g	0.273 g	43.1 mi.	76,498.4	13.62v	10,802 min	30.39117	-89.34846	7830 Maui Pl, Diamondhead, MS
9:50:00 PM	On		13 mph	9 mph	13 mph NW	-	0.212 g	0.273 g	43.4 mi.	76,498.7	13.68v	10,804 min	30.39071	-89.34972	7880 Hilo Way, Diamondhead, MS
9:52:00 PM	On		13 mph	9 mph	10 mph W	-	0.127 g	0.192 g	43.7 mi.	76,499.0	13.62v	10,806 min	30.38925	-89.34905	7830 Maui Cir, Diamondhead, MS
9:54:00 PM	On		14 mph	10 mph	10 mph SW	-	0.147 g	0.151 g	44.1 mi.	76,499.4	13.68v	10,808 min	30.38834	-89.34966	Hilo St, Diamondhead, MS

9:56:00 PM	On	21 mph	15 mph	16 mph W	-	0.849 g	0.416 g	44.6 mi.	76,499.9	13.71v	10,810 min	30.38288	-89.35460	67179 Diamondhead Dr E, Diamondhead, MS
9:58:00 PM	On	22 mph	20 mph	22 mph W	-	0.147 g	0.135 g	45.3 mi.	76,500.6	13.65v	10,812 min	30.37827	-89.36369	Diamondhead Dr E, Diamondhead, MS
10:00:00 PM	On	28 mph	20 mph	25 mph N	30 mph	0.180 g	0.204 g	45.9 mi.	76,501.2	13.62v	10,814 min	30.38587	-89.36396	Golf Club Dr, Diamondhead, MS
10:02:00 PM	On	32 mph	26 mph	25 mph NE	30 mph	0.804 g	0.351 g	46.8 mi.	76,502.1	13.50v	10,816 min	30.39499	-89.35474	87144 Golf Club Dr, Diamondhead, MS
10:04:00 PM	On	32 mph	23 mph	32 mph NE	30 mph	0.249 g	0.294 g	47.6 mi.	76,502.9	13.65v	10,818 min	30.40369	-89.35081	Kapalama Dr, Diamondhead, MS
10:06:00 PM	On	32 mph	30 mph	30 mph N	30 mph	0.090 g	0.082 g	48.6 mi.	76,503.9	13.65v	10,820 min	30.41565	-89.34244	Kapalama Dr, Pass Christian, MS
10:08:00 PM	On	47 mph	36 mph	38 mph NW	45 mph	0.376 g	0.229 g	49.8 mi.	76,505.1	13.62v	10,822 min	30.42454	-89.35658	1392 Kiln-Delisle Rd, Kiln, MS
10:10:00 PM	On	47 mph	38 mph	42 mph N	-	0.273 g	0.249 g	51.0 mi.	76,506.3	14.17v	10,824 min	30.43196	-89.36925	18122 Fenton Dedeaux Rd, Kiln, MS
10:12:00 PM	On	47 mph	43 mph	45 mph N	-	0.167 g	0.102 g	52.5 mi.	76,507.8	13.59v	10,826 min	30.45273	-89.37203	Fenton Dedeaux Rd, Kiln, MS
10:14:00 PM	On	50 mph	39 mph	47 mph S	-	0.780 g	0.498 g	53.8 mi.	76,509.1	14.11v	10,828 min	30.45797	-89.38066	Firetower Rd, Kiln, MS
10:16:00 PM	On	55 mph	51 mph	44 mph W	-	0.139 g	0.204 g	55.5 mi.	76,510.8	13.62v	10,830 min	30.44688	-89.40350	4352 Firetower Rd, Kiln, MS
10:18:00 PM	On	45 mph	21 mph	24 mph S	-	0.339 g	0.396 g	56.2 mi.	76,511.5	13.74v	10,832 min	30.44035	-89.40971	Joe Moran Rd, Kiln, MS
10:20:00 PM	On	24 mph	15 mph	2 mph E	-	0.184 g	0.486 g	56.7 mi.	76,512.0	13.95v	10,834 min	30.43912	-89.41446	Joe Moran Rd, Kiln, MS
10:22:00 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	56.7 mi.	76,512.0	12.77v	10,836 min	30.43912	-89.41446	18403 Joe Moran Rd, Kiln, MS
10:22:10 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	56.7 mi.	76,512.0	12.74v	10,837 min	30.43912	-89.41446	18403 Joe Moran Rd, Kiln, MS

Fri Mar 19, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:26:39 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.65v	10,837 min	30.43912	-89.41446	18403 Joe Moran Rd, Kiln, MS
11:41:18 AM	On		7 mph	0 mph	7 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.56v	10,837 min	30.43903	-89.41453	18403 Joe Moran Rd, Kiln, MS
11:43:17 AM	On		4 mph	0 mph	0 mph SE	-	0.804 g	0.384 g	0.0 mi.	76,512.0	12.52v	10,839 min	30.43894	-89.41451	18403 Joe Moran Rd, Kiln, MS
11:43:28 AM	Off		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.49v	10,839 min	30.43894	-89.41451	18403 Joe Moran Rd, Kiln, MS
11:47:57 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.59v	10,839 min	30.43894	-89.41438	18403 Joe Moran Rd, Kiln, MS

Sat Mar 20, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
11:47:56 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.55v	10,839 min	30.43894	-89.41438	18403 Joe Moran Rd, Kiln, MS

/2021 11:47:55 PM										
	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.55v	10,839 min	30.43894	-89.41438	18403 Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 1.9649 seconds.

Activity Detail Overview »

Location Records	112	**Sorted By**	Time
Total Distance Traveled	37.5 mi.	**Selected Vehicle**	15 (vin: 1D7HE42K465713982)
Average Speed	10 mph	**Report Time Period**	Mar 14 12:00 AM to Mar 20 11:59 PM (CST)
Landmarked Stops	Show	**Report Created**	April 1, 2021 3:16:58 PM
Max Speed	62 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.


WEX TELEMATICS


Philips Pest Control LLC


Export Data | Email Report


Speed Graphs »

show/hide









Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10

mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 15

Mon Mar 15, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
5:47:54 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	157,786.5	13.44v	4,898 min	30.43935	-89.41468	18403 Joe Moran Rd, Kiln, MS
5:49:49 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	157,786.5	13.86v	4,900 min	30.43935	-89.41468	18403 Joe Moran Rd, Kiln, MS
5:51:49 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	157,786.5	13.74v	4,902 min	30.43935	-89.41468	18403 Joe Moran Rd, Kiln, MS
5:53:48 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	157,786.6	13.62v	4,904 min	30.43890	-89.41448	18403 Joe Moran Rd, Kiln, MS
5:55:48 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.1 mi.	157,786.6	13.53v	4,906 min	30.43912	-89.41448	18403 Joe Moran Rd, Kiln, MS
5:57:48 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.1 mi.	157,786.6	13.38v	4,908 min	30.43922	-89.41426	18403 Joe Moran Rd, Kiln, MS
5:59:48 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.1 mi.	157,786.5	13.35v	4,910 min	30.43920	-89.41412	18403 Joe Moran Rd, Kiln, MS
6:01:47 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.984 g	0.2 mi.	157,786.6	13.25v	4,912 min	30.43949	-89.41470	18403 Joe Moran Rd, Kiln, MS
6:03:47 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.98v	4,914 min	30.43949	-89.41470	18403 Joe Moran Rd, Kiln, MS
6:03:58 PM	Off		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	13.01v	4,914 min	30.43949	-89.41470	18403 Joe Moran Rd, Kiln, MS
6:12:19 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.35v	4,914 min	30.43920	-89.41448	18403 Joe Moran Rd, Kiln, MS
6:14:18 PM	On		7 mph	0 mph	0 mph S	-	0.780 g	0.408 g	0.2 mi.	157,786.6	14.17v	4,916 min	30.43895	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:16:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.23v	4,918 min	30.43892	-89.41460	18403 Joe Moran Rd, Kiln, MS
6:18:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.26v	4,920 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:19:05 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.23v	4,920 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:20:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.20v	4,922 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:22:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.35v	4,924 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:24:05 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.20v	4,924 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:24:18	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.20v	4,926	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS

PM												min			
6:26:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.23v	4,928 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:28:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.23v	4,930 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:29:05 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.11v	4,930 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:30:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.14v	4,932 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:32:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.14v	4,934 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:34:05 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.04v	4,934 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:34:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.17v	4,936 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:36:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.14v	4,938 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:38:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.11v	4,940 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:39:05 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.17v	4,940 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:40:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.20v	4,942 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:42:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.07v	4,944 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:44:05 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.10v	4,944 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:44:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.20v	4,946 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:46:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.07v	4,948 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:48:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.17v	4,950 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:50:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.20v	4,952 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:51:28 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.11v	4,952 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:52:18 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.14v	4,954 min	30.43890	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:54:18 PM	On		2 mph	0 mph	2 mph W	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.07v	4,956 min	30.43890	-89.41454	Joe Moran Rd, Kiln, MS
6:56:18 PM	On		7 mph	1 mph	0 mph N	-	1.131 g	0.408 g	0.2 mi.	157,786.6	14.14v	4,958 min	30.43920	-89.41466	18403 Joe Moran Rd, Kiln, MS
6:58:18 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.17v	4,960 min	30.43920	-89.41466	18403 Joe Moran Rd, Kiln, MS
7:00:05 PM		Idling - OBD	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.26v	4,960 min	30.43920	-89.41466	18403 Joe Moran Rd, Kiln, MS
7:00:18 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.14v	4,962 min	30.43920	-89.41466	18403 Joe Moran Rd, Kiln, MS
7:02:18	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.98v	4,964	30.43920	-89.41466	18403 Joe Moran Rd, Kiln, MS

PM												min			
7:02:29 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.80v	4,964 min	30.43920	-89.41466	18403 Joe Moran Rd, Kiln, MS
7:06:59 PM	On		1 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.71v	4,964 min	30.43928	-89.41465	18403 Joe Moran Rd, Kiln, MS
7:08:58 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.55v	4,966 min	30.43933	-89.41464	18403 Joe Moran Rd, Kiln, MS
7:09:09 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	12.55v	4,966 min	30.43933	-89.41464	18403 Joe Moran Rd, Kiln, MS
7:10:57 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.2 mi.	157,786.6	14.29v	4,966 min	30.43933	-89.41464	18403 Joe Moran Rd, Kiln, MS
7:12:56 PM	On		9 mph	1 mph	0 mph S	-	0.759 g	0.273 g	0.2 mi.	157,786.6	14.26v	4,968 min	30.43900	-89.41451	18403 Joe Moran Rd, Kiln, MS
7:14:56 PM	On		36 mph	16 mph	30 mph NE	-	1.008 g	0.384 g	0.8 mi.	157,787.2	14.32v	4,970 min	30.44142	-89.40948	Joe Moran Rd, Kiln, MS
7:16:56 PM	On		50 mph	34 mph	50 mph E	-	0.396 g	0.204 g	1.9 mi.	157,788.3	14.26v	4,972 min	30.44778	-89.39509	3895 Firetower Rd, Kiln, MS
7:18:56 PM	On		50 mph	44 mph	42 mph NE	-	0.122 g	0.114 g	3.4 mi.	157,789.8	14.32v	4,974 min	30.46136	-89.37836	Firetower Rd, Kiln, MS
7:20:56 PM	On		48 mph	31 mph	47 mph S	-	1.212 g	0.408 g	4.4 mi.	157,790.8	14.26v	4,976 min	30.45292	-89.37212	Fenton Dedeaux Rd, Kiln, MS
7:22:56 PM	On		52 mph	45 mph	43 mph S	-	0.184 g	0.114 g	5.9 mi.	157,792.3	14.20v	4,978 min	30.43167	-89.36927	17613 Fenton Dedeaux Rd, Kiln, MS
7:24:56 PM	On		59 mph	38 mph	58 mph SE	65 mph	1.098 g	0.408 g	7.1 mi.	157,793.5	14.29v	4,980 min	30.42448	-89.35645	1381 Kiln-Delisle Rd, Kiln, MS
7:26:56 PM	On		62 mph	47 mph	27 mph S	30 mph	0.273 g	0.261 g	8.7 mi.	157,795.1	14.26v	4,982 min	30.41024	-89.34415	Kapalama Dr, Pass Christian, MS
7:28:56 PM	On		24 mph	2 mph	0 mph N	-	0.127 g	0.327 g	8.8 mi.	157,795.2	14.26v	4,984 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:30:56 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	14.32v	4,986 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:32:56 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	14.35v	4,988 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:32:57 PM		Idling - OBD	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	14.26v	4,988 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:34:56 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	14.23v	4,990 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:36:56 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	14.38v	4,992 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:37:57 PM		Idling - GPS	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	13.07v	4,992 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
7:38:06 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	13.04v	4,993 min	30.41029	-89.34378	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
8:24:56 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	8.8 mi.	157,795.2	14.20v	4,993 min	30.41033	-89.34379	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
8:26:55 PM	On		40 mph	4 mph	40 mph SW	30 mph	1.302 g	0.461 g	9.0 mi.	157,795.4	14.41v	4,995 min	30.40813	-89.34498	Kapalama Dr, Pass Christian, MS
8:28:55 PM	On		43 mph	37 mph	43 mph NW	-	0.192 g	0.216 g	10.2 mi.	157,796.6	14.26v	4,997 min	30.40363	-89.36297	Kapalama Dr, Diamondhead, MS
8:30:55	On		43 mph	7 mph	0 mph SE	-	0.204 g	0.363 g	10.5 mi.	157,796.9	14.32v	4,999	30.40461	-89.36513	Kapalama Dr, Diamondhead, MS

PM											min			
8:32:55 PM	On	38 mph	27 mph	30 mph SW	30 mph	1.143 g	0.306 g	11.4 mi.	157,797.8	14.23v	5,001 min	30.39863	-89.36834	95520 Diamondhead Dr W, Diamondhead, MS
8:34:55 PM	On	40 mph	30 mph	32 mph SW	-	0.269 g	0.429 g	12.4 mi.	157,798.8	14.32v	5,003 min	30.38923	-89.37957	7354 Analii St, Diamondhead, MS
8:36:55 PM	On	32 mph	23 mph	29 mph S	30 mph	1.155 g	0.518 g	13.1 mi.	157,799.5	14.44v	5,005 min	30.37921	-89.37819	5429 Diamondhead Dr N, Diamondhead, MS
8:38:55 PM	On	45 mph	29 mph	20 mph SW	-	1.233 g	0.327 g	14.1 mi.	157,800.5	14.26v	5,007 min	30.36619	-89.37658	3488 Airport Dr, Diamondhead, MS
8:40:55 PM	On	21 mph	17 mph	17 mph W	-	1.278 g	0.327 g	14.7 mi.	157,801.1	14.11v	5,009 min	30.36069	-89.38346	1 Airport Cir, Diamondhead, MS
8:42:55 PM	On	18 mph	16 mph	16 mph NE	-	0.253 g	0.237 g	15.2 mi.	157,801.6	14.32v	5,011 min	30.36533	-89.37728	3499 Airport Dr, Diamondhead, MS
8:44:55 PM	On	21 mph	15 mph	17 mph W	-	0.963 g	0.453 g	15.7 mi.	157,802.1	14.29v	5,013 min	30.36783	-89.37334	378 Diamondhead Dr S, Diamondhead, MS
8:46:55 PM	On	31 mph	9 mph	31 mph N	-	0.927 g	0.429 g	16.0 mi.	157,802.4	14.23v	5,015 min	30.37079	-89.37618	402 Diamondhead Dr S, Diamondhead, MS
8:48:55 PM	On	37 mph	27 mph	31 mph E	30 mph	0.253 g	0.273 g	16.9 mi.	157,803.3	14.17v	5,017 min	30.37786	-89.37012	5568 Diamondhead Dr E, Diamondhead, MS
8:50:55 PM	On	32 mph	26 mph	25 mph NE	-	0.127 g	0.110 g	17.8 mi.	157,804.2	14.38v	5,019 min	30.38199	-89.35871	57152 Diamondhead Dr E, Diamondhead, MS
8:52:55 PM	On	32 mph	29 mph	26 mph E	-	0.147 g	0.127 g	18.7 mi.	157,805.1	14.26v	5,021 min	30.38478	-89.34452	69252 Diamondhead Dr E, Diamondhead, MS
8:54:55 PM	On	29 mph	21 mph	15 mph N	-	1.269 g	0.429 g	19.5 mi.	157,805.9	14.17v	5,023 min	30.38904	-89.34553	7946 Hilo Way, Diamondhead, MS
8:56:55 PM	On	32 mph	21 mph	29 mph NW	-	0.861 g	0.363 g	20.2 mi.	157,806.6	14.23v	5,025 min	30.39499	-89.35248	88398 Diamondhead Dr E, Diamondhead, MS
8:58:55 PM	On	40 mph	19 mph	0 mph N	30 mph	0.204 g	0.453 g	20.8 mi.	157,807.2	14.20v	5,027 min	30.40265	-89.35294	98198 Golf Club Dr, Diamondhead, MS
9:00:55 PM	On	0 mph	0 mph	0 mph N	30 mph	0.000 g	0.000 g	20.8 mi.	157,807.2	14.29v	5,029 min	30.40265	-89.35294	98198 Golf Club Dr, Diamondhead, MS
9:02:55 PM	On	34 mph	13 mph	31 mph NE	30 mph	0.780 g	0.069 g	21.2 mi.	157,807.6	14.20v	5,031 min	30.40631	-89.34703	Kapalama Dr, Diamondhead, MS
9:04:55 PM	On	43 mph	29 mph	29 mph W	45 mph	0.261 g	0.192 g	22.2 mi.	157,808.6	14.23v	5,033 min	30.41893	-89.34225	Kiln-Delisle Rd, Pass Christian, MS
9:06:55 PM	On	55 mph	30 mph	26 mph S	-	1.245 g	0.416 g	23.2 mi.	157,809.6	14.17v	5,035 min	30.41974	-89.35396	Rotten Bayou Rd, Pass Christian, MS
9:08:55 PM	On	25 mph	15 mph	14 mph W	-	0.171 g	0.184 g	23.7 mi.	157,810.1	14.17v	5,037 min	30.41441	-89.35599	Rotten Bayou Rd, Pass Christian, MS
9:10:55 PM	On	16 mph	11 mph	8 mph E	-	0.588 g	0.371 g	24.0 mi.	157,810.4	14.11v	5,039 min	30.41400	-89.36136	Rotten Bayou Rd, Pass Christian, MS
9:12:55 PM	On	17 mph	13 mph	14 mph N	-	0.204 g	0.147 g	24.5 mi.	157,810.9	14.26v	5,041 min	30.41452	-89.35408	17297 Rotten Bayou Rd, Pass Christian, MS
9:14:55 PM	On	27 mph	14 mph	25 mph N	-	0.645 g	0.441 g	25.0 mi.	157,811.4	14.20v	5,043 min	30.42165	-89.35397	17051 Rotten Bayou Rd, Pass Christian, MS
9:16:55 PM	On	54 mph	35 mph	37 mph N	-	1.020 g	0.441 g	26.1 mi.	157,812.5	14.23v	5,045 min	30.42640	-89.36801	17076 Fenton Dedeaux Rd, Kiln, MS
9:18:55 PM	On	46 mph	43 mph	46 mph N	-	0.135 g	0.159 g	27.6 mi.	157,814.0	14.23v	5,047 min	30.44677	-89.37111	Fenton Dedeaux Rd, Kiln, MS
9:20:55	On	50 mph	41 mph	43 mph N	-	1.233 g	0.351 g	28.9 mi.	157,815.3	14.35v	5,049	30.46622	-89.37542	Fenton Dedeaux Rd, Kiln, MS

PM												min			
9:22:55 PM	On		47 mph	42 mph	45 mph NE	-	0.184 g	0.171 g	30.3 mi.	157,816.7	14.23v	5,051 min	30.48196	-89.36577	Fenton Dedeaux Rd, Kiln, MS
9:24:55 PM	On		47 mph	33 mph	20 mph S	-	0.229 g	0.339 g	31.4 mi.	157,817.8	14.17v	5,053 min	30.48969	-89.36162	2168 Christine Ladner Rd, Kiln, MS
9:26:55 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.273 g	31.4 mi.	157,817.8	14.11v	5,055 min	30.48956	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:28:55 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.4 mi.	157,817.8	14.11v	5,057 min	30.48956	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:30:12 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.4 mi.	157,817.8	14.23v	5,057 min	30.48956	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:30:55 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.4 mi.	157,817.8	14.23v	5,059 min	30.48956	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:32:55 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	31.4 mi.	157,817.8	14.32v	5,061 min	30.48956	-89.36146	22131 Fenton Dedeaux Rd, Kiln, MS
9:34:55 PM	On		42 mph	16 mph	42 mph SW	-	0.849 g	0.498 g	32.0 mi.	157,818.4	14.17v	5,063 min	30.48805	-89.35915	22025 Fenton Dedeaux Rd, Kiln, MS
9:36:55 PM	On		47 mph	43 mph	45 mph S	-	0.114 g	0.159 g	33.4 mi.	157,819.8	14.20v	5,065 min	30.47414	-89.37618	20599 Fenton Dedeaux Rd, Kiln, MS
9:38:55 PM	On		51 mph	42 mph	50 mph S	-	0.216 g	0.331 g	34.8 mi.	157,821.2	14.23v	5,067 min	30.45566	-89.38120	Firetower Rd, Kiln, MS
9:40:55 PM	On		59 mph	50 mph	13 mph SW	-	0.094 g	0.363 g	36.5 mi.	157,822.9	14.17v	5,069 min	30.44724	-89.40580	Joe Moran Rd, Kiln, MS
9:42:55 PM	On		42 mph	30 mph	12 mph N	-	0.249 g	0.261 g	37.5 mi.	157,823.9	14.17v	5,071 min	30.43853	-89.41452	Joe Moran Rd, Kiln, MS
9:44:55 PM	On		13 mph	1 mph	0 mph SE	-	0.690 g	0.441 g	37.5 mi.	157,823.9	12.98v	5,073 min	30.43910	-89.41445	18403 Joe Moran Rd, Kiln, MS
9:45:05 PM	Off		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	37.5 mi.	157,823.9	12.95v	5,074 min	30.43910	-89.41445	18403 Joe Moran Rd, Kiln, MS

Tue Mar 16, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
7:30:10 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	157,823.9	11.79v	5,074 min	30.43910	-89.41445	18403 Joe Moran Rd, Kiln, MS
9:49:35 AM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	157,823.9	11.61v	5,074 min	30.43910	-89.41445	18403 Joe Moran Rd, Kiln, MS
3:12:33 PM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	157,823.9	4.71v	5,074 min	30.43910	-89.41445	18403 Joe Moran Rd, Kiln, MS
4:38:11 PM			0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	157,823.9	4.35v	5,074 min	30.43910	-89.41445	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 1.0309 seconds.

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 21-27 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 21-27, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions. Trapping was performed but was unable to collect accurate number of mosquitos needed for Jackson.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 21, 2021 TO MARCH 27, 2021

PERFORMED MARCH 22, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 24, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 21-27 2021

ADULTICIDING REPORT

Miles Sprayed— 239

Acerage Treated— 8604

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 0

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	229	**Sorted By**	Time
Total Distance Traveled	179.3 mi.	**Selected Vehicle**	10 (vin: 1GCHSDE33G1109077)
Average Speed	25 mph	**Report Time Period**	Mar 21 12:00 AM to Mar 27 11:59 PM (CDT)
Landmarked Stops	Show	**Report Created**	April 1, 2021 3:15:09 PM
Max Speed	80 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.

wex TELEMATICS

Philips Pest Control LLC


Export Data | Email Report

Speed Graphs »

show/hide



Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 10

Sun Mar 21, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:15:22 AM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.37v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS
10:15:22 PM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.40v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS

Mon Mar 22, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:15:22 AM			0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.37v	16,840 min	30.43896	-89.41456	18403 Joe Moran Rd, Kiln, MS
5:03:55 PM	On		1 mph	0 mph	1 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	14.47v	16,840 min	30.43896	-89.41456	Joe Moran Rd, Kiln, MS
5:05:52 PM	On		7 mph	1 mph	0 mph N	-	0.837 g	0.327 g	0.0 mi.	98,724.0	13.13v	16,842 min	30.43922	-89.41468	18403 Joe Moran Rd, Kiln, MS
5:07:52 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.37v	16,844 min	30.43925	-89.41466	18403 Joe Moran Rd, Kiln, MS
5:08:02 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.34v	16,844 min	30.43925	-89.41466	18403 Joe Moran Rd, Kiln, MS
5:14:02 PM	On		4 mph	0 mph	4 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,724.0	14.53v	16,844 min	30.43920	-89.41454	18403 Joe Moran Rd, Kiln, MS

4/1/2021 Activity Detail Report - WEX

5:16:02 PM	On		6 mph	0 mph	0 mph S	-	0.612 g	0.543 g	0.0 mi.	98,724.0	14.53v	16,846 min	30.43917	-89.41463	18403 Joe Moran Rd, Kiln, MS
5:18:02 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,724.0	14.53v	16,848 min	30.43917	-89.41463	18403 Joe Moran Rd, Kiln, MS
5:20:02 PM	On		6 mph	0 mph	0 mph E	-	0.894 g	0.510 g	0.0 mi.	98,724.0	12.77v	16,850 min	30.43918	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:20:12 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,724.0	12.71v	16,850 min	30.43918	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:24:55 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,724.0	14.96v	16,850 min	30.43915	-89.41458	18403 Joe Moran Rd, Kiln, MS
5:26:54 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,724.0	14.50v	16,852 min	30.43915	-89.41458	18403 Joe Moran Rd, Kiln, MS
5:28:54 PM	On		33 mph	12 mph	0 mph W	-	0.792 g	0.396 g	0.4 mi.	98,724.4	13.07v	16,854 min	30.43930	-89.41065	18511 Joe Moran Rd, Kiln, MS
5:29:04 PM	Off		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.4 mi.	98,724.4	12.89v	16,855 min	30.43930	-89.41065	18511 Joe Moran Rd, Kiln, MS
5:33:39 PM	On		6 mph	0 mph	6 mph E	-	0.000 g	0.000 g	0.4 mi.	98,724.4	14.77v	16,855 min	30.43928	-89.41046	Joe Moran Rd, Kiln, MS
5:35:39 PM	On		52 mph	11 mph	0 mph NE	-	0.600 g	0.408 g	0.8 mi.	98,724.8	12.59v	16,857 min	30.43909	-89.41441	18403 Joe Moran Rd, Kiln, MS
5:35:49 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.8 mi.	98,724.8	12.59v	16,857 min	30.43909	-89.41441	18403 Joe Moran Rd, Kiln, MS
6:04:19 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.8 mi.	98,724.8	14.71v	16,857 min	30.43902	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:06:18 PM	On		10 mph	0 mph	0 mph S	-	1.008 g	0.461 g	0.8 mi.	98,724.8	12.74v	16,859 min	30.43917	-89.41452	18403 Joe Moran Rd, Kiln, MS
6:06:28 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.8 mi.	98,724.8	12.71v	16,859 min	30.43917	-89.41452	18403 Joe Moran Rd, Kiln, MS
6:32:41 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.8 mi.	98,724.8	14.62v	16,859 min	30.43917	-89.41452	18403 Joe Moran Rd, Kiln, MS
6:34:40 PM	On		6 mph	0 mph	0 mph SE	-	0.780 g	0.257 g	0.8 mi.	98,724.8	14.41v	16,861 min	30.43902	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:36:40 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.8 mi.	98,724.8	14.44v	16,863 min	30.43902	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:38:40 PM	On		6 mph	1 mph	0 mph N	-	1.053 g	0.461 g	0.9 mi.	98,724.9	14.32v	16,865 min	30.43909	-89.41446	18403 Joe Moran Rd, Kiln, MS
6:40:40 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.9 mi.	98,724.9	14.23v	16,867 min	30.43908	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:42:40 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.9 mi.	98,724.9	14.14v	16,869 min	30.43908	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:43:50 PM		Idling - OBD	0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.9 mi.	98,724.9	14.23v	16,869 min	30.43908	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:44:40 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.9 mi.	98,724.9	14.14v	16,871 min	30.43908	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:46:40 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.9 mi.	98,724.9	14.17v	16,873 min	30.43908	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:48:40 PM	On		8 mph	1 mph	4 mph S	-	0.678 g	0.518 g	0.9 mi.	98,724.9	14.01v	16,875 min	30.43841	-89.41457	Joe Moran Rd, Kiln, MS
6:50:40 PM	On		47 mph	29 mph	43 mph SW	-	0.816 g	0.461 g	1.9 mi.	98,725.9	14.20v	16,877 min	30.42633	-89.41962	Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

40 PM	On	53 mph	42 mph	30 mph S	-	0.261 g	0.298 g	3.3 mi.	98,727.3	14.17v	16,879 min	30.40956	-89.42733	16105 Old Joe Moran St, Kiln, MS
6:54:40 PM	On	59 mph	30 mph	58 mph W	45 mph	1.257 g	0.453 g	4.3 mi.	98,728.3	14.29v	16,881 min	30.40657	-89.43893	MS-43, Kiln, MS
6:56:40 PM	On	58 mph	43 mph	41 mph E	-	1.110 g	0.433 g	5.7 mi.	98,729.7	14.23v	16,883 min	30.39591	-89.44166	6205 Comanche St, Kiln, MS
6:58:40 PM	On	41 mph	4 mph	7 mph NE	-	0.735 g	0.445 g	5.8 mi.	98,729.8	14.14v	16,885 min	30.39645	-89.43953	6163 Comanche St, Kiln, MS
7:00:40 PM	On	63 mph	31 mph	61 mph SE	55 mph	1.155 g	0.429 g	6.9 mi.	98,730.9	14.11v	16,887 min	30.38777	-89.44181	15017 MS-43, Kiln, MS
7:02:40 PM	On	63 mph	45 mph	63 mph SE	55 mph	0.869 g	0.441 g	8.4 mi.	98,732.4	14.17v	16,889 min	30.36943	-89.42895	MS-43, Kiln, MS
7:04:40 PM	On	66 mph	61 mph	62 mph S	55 mph	0.078 g	0.224 g	10.4 mi.	98,734.4	14.11v	16,891 min	30.34197	-89.42754	MS-43, Bay St Louis, MS
7:06:40 PM	On	66 mph	56 mph	18 mph S	-	0.147 g	0.327 g	12.3 mi.	98,736.3	14.23v	16,893 min	30.32014	-89.41337	10119 Tigris St, Bay St Louis, MS
7:08:40 PM	On	31 mph	6 mph	0 mph W	-	0.184 g	0.371 g	12.5 mi.	98,736.5	14.14v	16,895 min	30.31777	-89.41427	5025 Red St, Bay St Louis, MS
7:10:40 PM	On	27 mph	7 mph	11 mph N	-	0.951 g	0.531 g	12.7 mi.	98,736.7	14.17v	16,897 min	30.31863	-89.41341	10100 Tigris St, Bay St Louis, MS
7:12:40 PM	On	60 mph	33 mph	24 mph E	-	1.110 g	0.420 g	13.8 mi.	98,737.8	14.11v	16,899 min	30.30927	-89.40611	Catalina St, Bay St Louis, MS
7:14:40 PM	On	42 mph	8 mph	0 mph W	-	0.363 g	0.408 g	14.1 mi.	98,738.1	14.14v	16,901 min	30.30820	-89.40257	D Ave, Bay St Louis, MS
7:16:40 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	14.1 mi.	98,738.1	13.59v	16,903 min	30.30820	-89.40257	D Ave, Bay St Louis, MS
7:18:40 PM	On	11 mph	1 mph	11 mph S	-	0.780 g	0.384 g	14.1 mi.	98,738.1	14.41v	16,905 min	30.30770	-89.40251	D Ave, Bay St Louis, MS
7:20:40 PM	On	40 mph	21 mph	15 mph SE	30 mph	1.053 g	0.543 g	14.8 mi.	98,738.8	13.65v	16,907 min	30.29988	-89.39793	2107 Waveland Ave, Waveland, MS
7:22:40 PM	On	73 mph	47 mph	68 mph W	65 mph	1.155 g	0.396 g	16.4 mi.	98,740.4	14.01v	16,909 min	30.29930	-89.42378	5466 US-90, Bay St Louis, MS
7:24:40 PM	On	75 mph	72 mph	68 mph W	65 mph	0.069 g	0.090 g	18.8 mi.	98,742.8	13.68v	16,911 min	30.30061	-89.46407	US-90, Bay St Louis, MS
7:26:40 PM	On	73 mph	71 mph	64 mph W	65 mph	0.082 g	0.082 g	21.1 mi.	98,745.1	14.17v	16,913 min	30.30211	-89.50336	10070 US-90, Bay St Louis, MS
7:28:40 PM	On	76 mph	62 mph	73 mph SW	55 mph	0.253 g	0.306 g	23.2 mi.	98,747.2	13.59v	16,915 min	30.28577	-89.53002	US-90, Bay St Louis, MS
7:30:40 PM	On	73 mph	63 mph	39 mph SW	55 mph	0.159 g	0.241 g	25.3 mi.	98,749.3	13.59v	16,917 min	30.26844	-89.55925	US-90, Bay St Louis, MS
7:32:40 PM	On	74 mph	69 mph	69 mph SW	65 mph	0.167 g	0.114 g	27.6 mi.	98,751.6	13.50v	16,919 min	30.25010	-89.59134	15466 US-90, Pearlington, MS
7:34:40 PM	On	69 mph	54 mph	46 mph NW	-	0.294 g	0.306 g	29.4 mi.	98,753.4	13.59v	16,921 min	30.24627	-89.61114	5242 MS-604, Pearlington, MS
7:36:40 PM	On	45 mph	4 mph	0 mph SW	-	0.012 g	0.306 g	29.6 mi.	98,753.6	13.56v	16,923 min	30.24790	-89.61241	5287 MS-604, Pearlington, MS
7:38:40 PM	On	47 mph	18 mph	8 mph S	45 mph	0.804 g	0.453 g	30.2 mi.	98,754.2	13.41v	16,925 min	30.23991	-89.61030	5099 Tahiti Rd, Pearlington, MS
7:40:40 PM	On	65 mph	52 mph	52 mph NE	55 mph	0.306 g	0.151 g	31.9 mi.	98,755.9	13.59v	16,927 min	30.25303	-89.58599	15299 US-90, Pearlington, MS

2021														
2:40 PM	On		58 mph	54 mph	53 mph NE	55 mph	0.090 g	0.090 g	33.7 mi.	98,757.7	13.47v	16,929 min	30.26740	-89.56092	US-90, Bay St Louis, MS
7:44:40 PM	On		57 mph	48 mph	57 mph S	35 mph	0.216 g	0.241 g	35.3 mi.	98,759.3	13.62v	16,931 min	30.25879	-89.53781	Lower Bay Rd, Bay St Louis, MS
7:46:40 PM	On		59 mph	55 mph	53 mph SE	35 mph	0.090 g	0.249 g	37.1 mi.	98,761.1	13.59v	16,933 min	30.23595	-89.53672	11991 Lower Bay Rd, Bay St Louis, MS
7:48:40 PM	On		61 mph	56 mph	54 mph E	65 mph	0.171 g	0.229 g	39.0 mi.	98,763.0	13.56v	16,935 min	30.23826	-89.50604	10323 Lower Bay Rd, Bay St Louis, MS
7:50:40 PM	On		59 mph	54 mph	47 mph E	35 mph	0.294 g	0.127 g	40.8 mi.	98,764.8	13.59v	16,937 min	30.24881	-89.48408	Pearlington Rd, Bay St Louis, MS
7:52:40 PM	On		61 mph	56 mph	57 mph NE	35 mph	0.122 g	0.147 g	42.7 mi.	98,766.7	13.59v	16,939 min	30.25996	-89.45810	7573 Pearlington Rd, Bay St Louis, MS
7:54:40 PM	On		57 mph	40 mph	14 mph E	35 mph	1.131 g	0.547 g	44.0 mi.	98,768.0	13.53v	16,941 min	30.25942	-89.44273	6245 Lakeshore Rd, Bay St Louis, MS
7:56:40 PM	On		14 mph	1 mph	0 mph NW	35 mph	0.702 g	0.453 g	44.0 mi.	98,768.0	13.56v	16,943 min	30.25977	-89.44218	6236 Lakeshore Rd, Bay St Louis, MS
7:58:40 PM	On		48 mph	30 mph	43 mph N	35 mph	0.894 g	0.396 g	45.1 mi.	98,769.1	13.59v	16,945 min	30.27119	-89.45092	7134 Lakeshore Rd, Bay St Louis, MS
8:00:40 PM	On		42 mph	34 mph	35 mph NE	-	0.192 g	0.196 g	46.2 mi.	98,770.2	13.59v	16,947 min	30.28201	-89.44026	7520 Hancock Dr, Bay St Louis, MS
8:02:40 PM	On		34 mph	22 mph	24 mph E	-	0.918 g	0.486 g	46.9 mi.	98,770.9	13.62v	16,949 min	30.28290	-89.42875	6027 Tate St, Bay St Louis, MS
8:04:40 PM	On		27 mph	5 mph	0 mph W	-	1.086 g	0.339 g	47.1 mi.	98,771.1	13.59v	16,951 min	30.28288	-89.42939	6083 Tate St, Bay St Louis, MS
8:06:40 PM	On		43 mph	27 mph	43 mph NE	-	0.861 g	0.531 g	48.0 mi.	98,772.0	13.56v	16,953 min	30.28842	-89.43636	7804 Hancock Dr, Bay St Louis, MS
8:08:40 PM	On		43 mph	28 mph	42 mph N	-	0.861 g	0.416 g	49.0 mi.	98,773.0	13.41v	16,955 min	30.29852	-89.43242	Hancock Dr, Bay St Louis, MS
8:10:40 PM	On		63 mph	54 mph	57 mph E	65 mph	1.073 g	0.388 g	50.7 mi.	98,774.7	13.53v	16,957 min	30.29879	-89.40323	US-90, Waveland, MS
8:12:40 PM	On		56 mph	40 mph	42 mph E	45 mph	0.147 g	0.294 g	52.1 mi.	98,776.1	13.56v	16,959 min	30.30482	-89.38197	443 US-90, Waveland, MS
8:14:40 PM	On		53 mph	22 mph	53 mph E	45 mph	1.143 g	0.396 g	52.8 mi.	98,776.8	13.59v	16,961 min	30.30873	-89.37049	129 US-90, Waveland, MS
8:16:40 PM	On		54 mph	46 mph	0 mph NE	-	0.180 g	0.420 g	54.3 mi.	98,778.3	13.59v	16,963 min	30.31692	-89.34675	603 Blue Meadow Rd, Bay St Louis, MS
8:18:40 PM	On		22 mph	4 mph	0 mph E	-	0.971 g	0.327 g	54.5 mi.	98,778.5	12.49v	16,965 min	30.31763	-89.34656	Bay St Louis, MS
8:18:50 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	54.5 mi.	98,778.5	12.46v	16,965 min	30.31763	-89.34656	Bay St Louis, MS
9:08:11 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	54.5 mi.	98,778.5	14.56v	16,965 min	30.31765	-89.34651	Bay St Louis, MS
9:10:11 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	54.5 mi.	98,778.5	14.20v	16,967 min	30.31765	-89.34651	Bay St Louis, MS
9:12:11 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	54.5 mi.	98,778.5	14.11v	16,969 min	30.31765	-89.34651	Bay St Louis, MS
9:13:21 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	54.5 mi.	98,778.5	14.01v	16,969 min	30.31765	-89.34651	Bay St Louis, MS
9:14:11 PM	On		43 mph	5 mph	43 mph W	45 mph	1.029 g	0.184 g	54.6 mi.	98,778.6	14.20v	16,971 min	30.31659	-89.34771	701 US-90, Bay St Louis, MS

4/1/2021

Activity Detail Report - WEX

9:16:11 PM	On		53 mph	50 mph	37 mph W	45 mph	0.094 g	0.139 g	56.3 mi.	98,780.3	14.23v	16,973 min	30.30775 -89.37365	US-90, Waveland, MS
9:18:11 PM	On		48 mph	22 mph	48 mph SE	30 mph	1.122 g	0.543 g	57.0 mi.	98,781.0	13.80v	16,975 min	30.29916 -89.37034	1509 Nicholson Ave, Waveland, MS
9:20:11 PM	On		49 mph	34 mph	24 mph SW	25 mph	0.204 g	0.286 g	58.2 mi.	98,782.2	13.59v	16,977 min	30.28812 -89.36145	427 N Beach Blvd, Waveland, MS
9:22:11 PM	On		33 mph	26 mph	24 mph SW	25 mph	0.229 g	0.159 g	59.0 mi.	98,783.0	13.56v	16,979 min	30.27945 -89.37175	S Beach Blvd, Waveland, MS
9:24:11 PM	On		30 mph	24 mph	17 mph NW	25 mph	0.171 g	0.147 g	59.8 mi.	98,783.8	13.56v	16,981 min	30.27162 -89.38014	104 Waveland Ave, Waveland, MS
9:26:11 PM	On		25 mph	9 mph	0 mph SE	25 mph	0.563 g	0.384 g	60.1 mi.	98,784.1	13.62v	16,983 min	30.27504 -89.38268	169 Waveland Ave, Waveland, MS
9:28:11 PM	On		32 mph	11 mph	32 mph NW	25 mph	0.861 g	0.237 g	60.5 mi.	98,784.5	13.65v	16,985 min	30.27861 -89.38720	426 Waveland Ave, Waveland, MS
9:30:11 PM	On		44 mph	36 mph	43 mph N	30 mph	0.363 g	0.465 g	61.7 mi.	98,785.7	13.65v	16,987 min	30.29320 -89.39738	1702 Waveland Ave, Waveland, MS
9:32:11 PM	On		47 mph	37 mph	47 mph N	35 mph	0.216 g	0.204 g	62.9 mi.	98,786.9	13.56v	16,989 min	30.30761 -89.40634	9138 Kiln Waveland Cutoff Rd, Bay St Louis, MS
9:34:11 PM	On		70 mph	46 mph	70 mph NW	65 mph	1.176 g	0.351 g	64.5 mi.	98,788.5	13.59v	16,991 min	30.32438 -89.41922	10976 MS-43, Bay St Louis, MS
9:36:11 PM	On		70 mph	63 mph	63 mph N	55 mph	0.082 g	0.069 g	66.6 mi.	98,790.6	13.56v	16,993 min	30.35162 -89.42270	MS-43, Bay St Louis, MS
9:37:21 PM		Speeding - OBD	78 mph	57 mph	78 mph E	70 mph	0.192 g	0.286 g	67.7 mi.	98,791.7	13.59v	16,993 min	30.36168 -89.41206	I-10, Bay St Louis, MS
9:38:11 PM	On		78 mph	65 mph	74 mph E	70 mph	0.192 g	0.286 g	68.7 mi.	98,792.7	13.59v	16,995 min	30.36677 -89.39563	I-10, Diamondhead, MS
9:38:33 PM		Speeding - OBD	79 mph	75 mph	79 mph E	70 mph	0.069 g	0.045 g	69.2 mi.	98,793.2	13.62v	16,995 min	30.36890 -89.38834	I-10, Diamondhead, MS
9:40:11 PM	On		79 mph	50 mph	17 mph SW	-	0.216 g	0.327 g	70.4 mi.	98,794.4	13.68v	16,997 min	30.36499 -89.37775	2430 Airport Dr, Diamondhead, MS
9:42:11 PM	On		17 mph	3 mph	17 mph SE	-	1.073 g	0.396 g	70.5 mi.	98,794.5	13.65v	16,999 min	30.36521 -89.37825	233 Akoko St, Diamondhead, MS
9:44:11 PM	On		45 mph	30 mph	35 mph E	65 mph	1.155 g	0.408 g	71.5 mi.	98,795.5	13.35v	17,001 min	30.37554 -89.37627	W Aloha Dr, Diamondhead, MS
9:46:11 PM	On		43 mph	32 mph	19 mph NE	30 mph	0.327 g	0.339 g	72.6 mi.	98,796.6	13.47v	17,003 min	30.38440 -89.36448	6640 Golf Club Dr, Diamondhead, MS
9:48:11 PM	On		39 mph	25 mph	30 mph NE	30 mph	1.065 g	0.429 g	73.4 mi.	98,797.4	13.56v	17,005 min	30.39357 -89.35612	87128 Golf Club Dr, Diamondhead, MS
9:50:11 PM	On		40 mph	27 mph	40 mph W	-	0.882 g	0.269 g	74.3 mi.	98,798.3	13.62v	17,007 min	30.40190 -89.35541	97161 Kapalama Dr, Diamondhead, MS
9:52:11 PM	On		49 mph	22 mph	0 mph E	-	1.233 g	0.376 g	75.0 mi.	98,799.0	13.53v	17,009 min	30.40462 -89.36520	Kapalama Dr, Diamondhead, MS
9:54:11 PM	On		52 mph	26 mph	52 mph NE	30 mph	0.971 g	0.147 g	75.9 mi.	98,799.9	13.56v	17,011 min	30.40327 -89.35159	108120 Kapalama Dr, Diamondhead, MS
9:56:11 PM	On		62 mph	48 mph	59 mph NW	65 mph	0.420 g	0.327 g	77.5 mi.	98,801.5	13.68v	17,013 min	30.42017 -89.34648	1068 Kiln-Delisle Rd, Pass Christian, MS
9:58:11 PM	On		70 mph	56 mph	62 mph N	-	0.327 g	0.273 g	79.3 mi.	98,803.3	13.53v	17,015 min	30.43087 -89.36919	Fenton Dedeaux Rd, Kiln, MS
10:00:11 PM	On		66 mph	62 mph	55 mph NW	-	0.249 g	0.273 g	81.4 mi.	98,805.4	13.62v	17,017 min	30.46056 -89.37361	Fenton Dedeaux Rd, Kiln, MS

/2021															
0:02:11 PM	On		57 mph	15 mph	0 mph S	-	1.155 g	0.473 g	81.9 mi.	98,805.9	13.44v	17,019 min	30.46732	-89.37496	20370 Fenton Dedeaux Rd, Kiln, MS
10:04:11 PM	On		52 mph	15 mph	44 mph N	-	0.996 g	0.473 g	82.4 mi.	98,806.4	13.68v	17,021 min	30.47431	-89.37611	20599 Fenton Dedeaux Rd, Kiln, MS
10:06:11 PM	On		65 mph	49 mph	24 mph N	-	0.261 g	0.657 g	84.1 mi.	98,808.1	13.41v	17,023 min	30.49015	-89.35825	2128 Christine Ladner Rd, Kiln, MS
10:08:11 PM	On		40 mph	9 mph	0 mph E	-	0.216 g	0.384 g	84.4 mi.	98,808.4	13.59v	17,025 min	30.48955	-89.36147	22131 Fenton Dedeaux Rd, Kiln, MS
10:10:11 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	84.4 mi.	98,808.4	13.62v	17,027 min	30.48955	-89.36147	22131 Fenton Dedeaux Rd, Kiln, MS
10:12:11 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	84.4 mi.	98,808.4	13.62v	17,029 min	30.48955	-89.36147	22131 Fenton Dedeaux Rd, Kiln, MS
10:12:32 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	84.4 mi.	98,808.4	13.62v	17,029 min	30.48955	-89.36147	22131 Fenton Dedeaux Rd, Kiln, MS
10:14:11 PM	On		6 mph	0 mph	6 mph NW	-	0.792 g	0.408 g	84.4 mi.	98,808.4	13.56v	17,031 min	30.48966	-89.36154	Christine Ladner Rd, Kiln, MS
10:16:11 PM	On		62 mph	34 mph	56 mph SW	-	0.416 g	0.249 g	85.5 mi.	98,809.5	13.56v	17,033 min	30.48168	-89.36653	Fenton Dedeaux Rd, Kiln, MS
10:18:11 PM	On		60 mph	47 mph	25 mph SW	-	1.073 g	0.445 g	87.1 mi.	98,811.1	13.50v	17,035 min	30.46352	-89.37580	3036 Firetower Rd, Kiln, MS
10:20:11 PM	On		50 mph	45 mph	47 mph W	-	0.147 g	0.102 g	88.6 mi.	98,812.6	13.56v	17,037 min	30.44852	-89.39253	Firetower Rd, Kiln, MS
10:22:11 PM	On		49 mph	35 mph	23 mph SW	-	0.237 g	0.363 g	89.8 mi.	98,813.8	13.59v	17,039 min	30.44250	-89.40775	Joe Moran Rd, Kiln, MS
10:24:11 PM	On		34 mph	20 mph	0 mph N	-	0.180 g	0.453 g	90.4 mi.	98,814.4	13.44v	17,041 min	30.43895	-89.41455	18403 Joe Moran Rd, Kiln, MS
10:26:11 PM	On		5 mph	0 mph	0 mph E	-	0.759 g	0.453 g	90.4 mi.	98,814.4	12.59v	17,043 min	30.43906	-89.41443	18403 Joe Moran Rd, Kiln, MS
10:26:21 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	90.4 mi.	98,814.4	12.52v	17,043 min	30.43906	-89.41443	18403 Joe Moran Rd, Kiln, MS

Tue Mar 23, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:30:51 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,814.4	12.59v	17,043 min	30.43906	-89.41443	18403 Joe Moran Rd, Kiln, MS
10:30:51 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,814.4	12.52v	17,043 min	30.43906	-89.41443	18403 Joe Moran Rd, Kiln, MS

Wed Mar 24, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:30:51 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,814.4	12.49v	17,043 min	30.43906	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:14:40 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,814.4	14.80v	17,043 min	30.43906	-89.41443	18403 Joe Moran Rd, Kiln, MS
6:16:37 PM	On		4 mph	0 mph	0 mph E	-	0.780 g	0.486 g	0.1 mi.	98,814.5	13.13v	17,045 min	30.43905	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:18:37 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.84v	17,047 min	30.43906	-89.41456	18403 Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

6:20:37 PM	On		2 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.17v	17,049 min	30.43897	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:22:37 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.20v	17,051 min	30.43897	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:23:31 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.17v	17,051 min	30.43897	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:24:37 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.20v	17,053 min	30.43897	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:26:37 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.17v	17,055 min	30.43897	-89.41451	18403 Joe Moran Rd, Kiln, MS
6:28:31 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.17v	17,055 min	30.43894	-89.41450	18403 Joe Moran Rd, Kiln, MS
6:28:37 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,814.5	14.17v	17,057 min	30.43894	-89.41450	18403 Joe Moran Rd, Kiln, MS
6:30:37 PM	On		6 mph	0 mph	0 mph E	-	0.678 g	0.396 g	0.1 mi.	98,814.5	14.14v	17,059 min	30.43881	-89.41447	18403 Joe Moran Rd, Kiln, MS
6:32:37 PM	On		55 mph	33 mph	45 mph SW	-	0.939 g	0.371 g	1.2 mi.	98,815.6	14.17v	17,061 min	30.42481	-89.42050	17381 Old Joe Moran Rd, Kiln, MS
6:34:37 PM	On		52 mph	44 mph	24 mph S	-	0.196 g	0.318 g	2.6 mi.	98,817.0	14.01v	17,063 min	30.40691	-89.42728	16023 Old Joe Moran St, Kiln, MS
6:36:37 PM	On		60 mph	41 mph	55 mph SW	45 mph	0.837 g	0.453 g	4.0 mi.	98,818.4	14.23v	17,065 min	30.40279	-89.44669	16145 MS-43, Kiln, MS
6:38:37 PM	On		58 mph	30 mph	0 mph E	-	1.020 g	0.420 g	5.0 mi.	98,819.4	14.20v	17,067 min	30.39638	-89.43961	6172 Comanche St, Kiln, MS
6:40:37 PM	On		17 mph	2 mph	17 mph W	-	1.053 g	0.441 g	5.1 mi.	98,819.5	14.26v	17,069 min	30.39630	-89.43988	6190 Comanche St, Kiln, MS
6:42:37 PM	On		65 mph	39 mph	29 mph S	55 mph	0.261 g	0.273 g	6.4 mi.	98,820.8	14.35v	17,071 min	30.38336	-89.43932	14455 MS-43, Kiln, MS
6:44:37 PM	On		74 mph	57 mph	4 mph S	55 mph	0.159 g	0.331 g	8.3 mi.	98,822.7	14.04v	17,073 min	30.35945	-89.42383	13113 MS-43, Kiln, MS
6:46:37 PM	On		70 mph	58 mph	70 mph SE	65 mph	1.008 g	0.371 g	10.2 mi.	98,824.6	14.32v	17,075 min	30.33280	-89.42684	MS-43, Bay St Louis, MS
6:48:37 PM	On		71 mph	43 mph	0 mph W	-	0.237 g	0.355 g	11.6 mi.	98,826.0	14.26v	17,077 min	30.31775	-89.41424	5025 Red St, Bay St Louis, MS
6:50:37 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	11.6 mi.	98,826.0	13.59v	17,079 min	30.31773	-89.41423	5025 Red St, Bay St Louis, MS
6:52:37 PM	On		25 mph	5 mph	25 mph E	-	1.302 g	0.351 g	11.8 mi.	98,826.2	14.35v	17,081 min	30.31846	-89.41453	5053 Amu St, Bay St Louis, MS
6:54:37 PM	On		57 mph	30 mph	37 mph S	35 mph	1.290 g	0.318 g	12.8 mi.	98,827.2	13.50v	17,083 min	30.31135	-89.40677	9261 Kiln Waveland Cutoff Rd, Bay St Louis, MS
6:56:37 PM	On		40 mph	13 mph	0 mph W	-	0.473 g	0.396 g	13.3 mi.	98,827.7	13.56v	17,085 min	30.30815	-89.40250	D Ave, Bay St Louis, MS
6:58:37 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	13.3 mi.	98,827.7	13.50v	17,087 min	30.30799	-89.40239	4286 Lake St, Bay St Louis, MS
7:00:37 PM	On		32 mph	11 mph	7 mph S	-	1.086 g	0.486 g	13.6 mi.	98,828.0	13.89v	17,089 min	30.30293	-89.40267	199 Laurel St, Waveland, MS
7:02:37 PM	On		62 mph	37 mph	62 mph W	55 mph	0.963 g	0.376 g	14.8 mi.	98,829.2	13.62v	17,091 min	30.29895	-89.41199	4658 US-90, Bay St Louis, MS
7:04:37 PM	On		76 mph	68 mph	63 mph W	65 mph	0.094 g	0.273 g	17.1 mi.	98,831.5	13.62v	17,093 min	30.30012	-89.45010	US-90, Bay St Louis, MS

4/1/2021

Activity Detail Report - WEX

7:06:04 PM		Speeding - OBD	80 mph	72 mph	80 mph W	65 mph	0.184 g	0.114 g	18.9 mi.	98,833.3	13.59v	17,093 min	30.30107 -89.47920	US-90, Bay St Louis, MS
7:06:34 PM		Speeding - OBD	80 mph	73 mph	78 mph W	70 mph	0.184 g	0.114 g	19.5 mi.	98,833.9	13.62v	17,093 min	30.30140 -89.48989	US-90, Bay St Louis, MS
7:06:37 PM	On		80 mph	73 mph	77 mph W	65 mph	0.184 g	0.114 g	19.6 mi.	98,834.0	13.62v	17,095 min	30.30146 -89.49096	US-90, Bay St Louis, MS
7:08:37 PM	On		78 mph	65 mph	73 mph SW	55 mph	0.363 g	0.396 g	21.7 mi.	98,836.1	13.56v	17,097 min	30.29096 -89.52106	US-90, Bay St Louis, MS
7:08:55 PM		Speeding - OBD	78 mph	76 mph	78 mph SW	55 mph	0.053 g	0.000 g	22.1 mi.	98,836.5	13.68v	17,097 min	30.28787 -89.52631	US-90, Bay St Louis, MS
7:10:37 PM	On		78 mph	68 mph	61 mph SW	55 mph	0.184 g	0.216 g	24.0 mi.	98,838.4	13.50v	17,099 min	30.27254 -89.55219	US-90, Bay St Louis, MS
7:12:37 PM	On		61 mph	27 mph	24 mph SW	55 mph	1.327 g	0.429 g	24.9 mi.	98,839.3	13.62v	17,101 min	30.27423 -89.54934	US-90, Bay St Louis, MS
7:14:37 PM	On		53 mph	48 mph	52 mph SW	55 mph	0.127 g	0.057 g	26.5 mi.	98,840.9	13.56v	17,103 min	30.26121 -89.57129	US-90, Bay St Louis, MS
7:16:37 PM	On		60 mph	56 mph	59 mph SW	55 mph	0.114 g	0.057 g	28.3 mi.	98,842.7	13.62v	17,105 min	30.24668 -89.59772	US-90, Pearlington, MS
7:18:37 PM	On		63 mph	45 mph	11 mph SW	-	0.453 g	0.363 g	29.8 mi.	98,844.2	13.41v	17,107 min	30.24787 -89.61230	Madison St, Pearlington, MS
7:20:37 PM	On		47 mph	7 mph	47 mph SE	-	0.951 g	0.327 g	30.1 mi.	98,844.5	13.62v	17,109 min	30.24494 -89.61045	5189 MS-604, Pearlington, MS
7:22:37 PM	On		77 mph	55 mph	66 mph NE	65 mph	0.343 g	0.400 g	31.9 mi.	98,846.3	13.74v	17,111 min	30.25097 -89.58967	US-90, Pearlington, MS
7:24:37 PM	On		70 mph	66 mph	58 mph NE	55 mph	0.151 g	0.180 g	34.1 mi.	98,848.5	13.59v	17,113 min	30.26842 -89.55909	US-90, Bay St Louis, MS
7:26:37 PM	On		58 mph	32 mph	24 mph SW	55 mph	0.861 g	0.318 g	35.2 mi.	98,849.6	13.56v	17,115 min	30.27656 -89.54540	US-90, Bay St Louis, MS
7:28:37 PM	On		57 mph	39 mph	49 mph E	65 mph	1.041 g	0.498 g	36.5 mi.	98,850.9	13.59v	17,117 min	30.26686 -89.55363	16361 Lower Bay Rd, Bay St Louis, MS
7:30:37 PM	On		59 mph	53 mph	46 mph S	35 mph	0.192 g	0.229 g	38.2 mi.	98,852.6	13.62v	17,119 min	30.25035 -89.54133	Lower Bay Rd, Bay St Louis, MS
7:32:37 PM	On		60 mph	53 mph	60 mph E	35 mph	0.102 g	0.114 g	40.0 mi.	98,854.4	13.62v	17,121 min	30.23569 -89.52753	11649 Lower Bay Rd, Bay St Louis, MS
7:34:37 PM	On		63 mph	58 mph	60 mph E	35 mph	0.192 g	0.261 g	41.9 mi.	98,856.3	13.59v	17,123 min	30.23821 -89.49575	Lower Bay Rd, Bay St Louis, MS
7:36:37 PM	On		60 mph	54 mph	58 mph E	35 mph	0.114 g	0.159 g	43.7 mi.	98,858.1	13.53v	17,125 min	30.24868 -89.47395	8493 Pearlington Rd, Bay St Louis, MS
7:38:37 PM	On		63 mph	59 mph	34 mph E	35 mph	0.147 g	0.273 g	45.7 mi.	98,860.1	13.59v	17,127 min	30.26610 -89.44888	7161 Pearlington Rd, Bay St Louis, MS
7:40:37 PM	On		53 mph	36 mph	42 mph NE	-	0.939 g	0.408 g	46.9 mi.	98,861.3	13.62v	17,129 min	30.27772 -89.44277	7346 Hancock Dr, Bay St Louis, MS
7:42:37 PM	On		45 mph	32 mph	0 mph E	-	0.273 g	0.396 g	48.0 mi.	98,862.4	13.59v	17,131 min	30.28281 -89.42936	6083 Tate St, Bay St Louis, MS
7:44:37 PM	On		4 mph	0 mph	4 mph E	-	0.759 g	0.078 g	48.0 mi.	98,862.4	13.41v	17,133 min	30.28285 -89.42928	6083 Tate St, Bay St Louis, MS
7:46:37 PM	On		43 mph	30 mph	36 mph SW	-	1.008 g	0.453 g	49.0 mi.	98,863.4	13.53v	17,135 min	30.27825 -89.44245	7369 Hancock Dr, Bay St Louis, MS
7:48:37 PM	On		39 mph	25 mph	34 mph S	35 mph	1.086 g	0.371 g	49.8 mi.	98,864.2	13.53v	17,137 min	30.27124 -89.45091	7121 Lakeshore Rd, Bay St Louis, MS

7 PM	On	40 mph	28 mph	35 mph SE	35 mph	0.906 g	0.408 g	50.8 mi.	98,865.2	13.56v	17,139 min	30.25974	-89.44312	6265 Lakeshore Rd, Bay St Louis, MS
7:52:37 PM	On	44 mph	36 mph	40 mph E	35 mph	0.135 g	0.224 g	52.0 mi.	98,866.4	13.56v	17,141 min	30.24651	-89.43310	5235 Lakeshore Rd, Bay St Louis, MS
7:54:37 PM	On	53 mph	38 mph	48 mph NE	25 mph	0.253 g	0.294 g	53.2 mi.	98,867.6	13.65v	17,143 min	30.25570	-89.41744	S Beach Blvd, Bay St Louis, MS
7:56:37 PM	On	62 mph	52 mph	53 mph NE	25 mph	0.090 g	0.090 g	55.0 mi.	98,869.4	13.62v	17,145 min	30.26485	-89.39046	S Beach Blvd, Waveland, MS
7:58:37 PM	On	54 mph	33 mph	0 mph NW	25 mph	0.249 g	0.420 g	56.1 mi.	98,870.5	13.56v	17,147 min	30.27503	-89.38268	169 Waveland Ave, Waveland, MS
8:00:37 PM	On	58 mph	11 mph	32 mph SE	25 mph	0.747 g	0.249 g	56.4 mi.	98,870.8	13.47v	17,149 min	30.27149	-89.38007	Waveland Ave, Waveland, MS
8:02:37 PM	On	62 mph	41 mph	39 mph NE	25 mph	0.824 g	0.453 g	57.8 mi.	98,872.2	13.65v	17,151 min	30.28570	-89.36521	N Beach Blvd, Waveland, MS
8:04:37 PM	On	48 mph	45 mph	46 mph NE	25 mph	0.090 g	0.082 g	59.3 mi.	98,873.7	13.53v	17,153 min	30.29486	-89.34286	981 S Beach Blvd, Bay St Louis, MS
8:06:37 PM	On	48 mph	43 mph	27 mph NE	25 mph	0.159 g	0.159 g	60.7 mi.	98,875.1	13.68v	17,155 min	30.30939	-89.32630	206 S Beach Blvd, Bay St Louis, MS
8:08:37 PM	On	27 mph	19 mph	27 mph N	-	0.861 g	0.441 g	61.4 mi.	98,875.8	13.47v	17,157 min	30.31601	-89.32703	511 N 2nd St, Bay St Louis, MS
8:10:37 PM	On	29 mph	5 mph	0 mph SE	-	0.804 g	0.441 g	61.5 mi.	98,875.9	13.62v	17,159 min	30.31701	-89.32859	207 Ruella Ave, Bay St Louis, MS
8:12:37 PM	On	52 mph	16 mph	52 mph W	45 mph	1.176 g	0.388 g	62.1 mi.	98,876.5	13.59v	17,161 min	30.32009	-89.32980	US-90, Bay St Louis, MS
8:14:37 PM	On	52 mph	40 mph	41 mph W	45 mph	0.151 g	0.192 g	63.4 mi.	98,877.8	13.62v	17,163 min	30.31547	-89.35115	US-90, Bay St Louis, MS
8:16:37 PM	On	41 mph	28 mph	16 mph W	-	1.224 g	0.498 g	64.4 mi.	98,878.8	13.56v	17,165 min	30.31167	-89.36604	595 Longfellow Rd, Bay St Louis, MS
8:18:37 PM	On	42 mph	29 mph	17 mph W	-	0.229 g	0.204 g	65.3 mi.	98,879.7	13.62v	17,167 min	30.31174	-89.38236	Longfellow Rd, Bay St Louis, MS
8:20:37 PM	On	65 mph	48 mph	41 mph NW	55 mph	0.339 g	0.216 g	66.9 mi.	98,881.3	13.62v	17,169 min	30.31735	-89.40774	10552 MS-603, Bay St Louis, MS
8:22:37 PM	On	71 mph	65 mph	65 mph N	55 mph	0.114 g	0.114 g	69.1 mi.	98,883.5	13.56v	17,171 min	30.34101	-89.42773	MS-43, Bay St Louis, MS
8:24:37 PM	On	72 mph	62 mph	67 mph E	70 mph	0.253 g	0.478 g	71.2 mi.	98,885.6	13.59v	17,173 min	30.36252	-89.40938	I-10, Bay St Louis, MS
8:26:37 PM	On	70 mph	62 mph	6 mph NE	40 mph	0.082 g	0.294 g	73.3 mi.	98,887.7	13.44v	17,175 min	30.37090	-89.37643	Diamondhead, MS
8:28:37 PM	On	44 mph	16 mph	0 mph NW	-	1.122 g	0.359 g	73.8 mi.	98,888.2	13.59v	17,177 min	30.36513	-89.37816	2430 Airport Dr, Diamondhead, MS
8:30:37 PM	On	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	73.8 mi.	98,888.2	13.59v	17,179 min	30.36513	-89.37816	2430 Airport Dr, Diamondhead, MS
8:32:37 PM	On	36 mph	13 mph	20 mph E	-	1.131 g	0.327 g	74.2 mi.	98,888.6	13.44v	17,181 min	30.36715	-89.37499	3371 Yacht Club Cir, Diamondhead, MS
8:34:37 PM	On	39 mph	29 mph	24 mph SE	30 mph	0.371 g	0.363 g	75.2 mi.	98,889.6	13.53v	17,183 min	30.37771	-89.37417	5440 Diamondhead Dr E, Diamondhead, MS
8:36:37 PM	On	41 mph	28 mph	34 mph N	30 mph	1.167 g	0.384 g	76.1 mi.	98,890.5	13.56v	17,185 min	30.38597	-89.36396	Golf Club Dr, Diamondhead, MS
8:38:37 PM	On	42 mph	29 mph	29 mph NE	30 mph	0.339 g	0.331 g	77.1 mi.	98,891.5	13.59v	17,187 min	30.39648	-89.35371	88154 Golf Club Dr, Diamondhead, MS

8:40:37 PM	On	40 mph	29 mph	29 mph NW	-	0.861 g	0.339 g	78.1 mi.	98,892.5	13.59v	17,189 min	30.40265	-89.36090	96113 Kapalama Dr, Diamondhead, MS
8:42:37 PM	On	42 mph	14 mph	0 mph E	-	0.678 g	0.453 g	78.5 mi.	98,892.9	13.56v	17,191 min	30.40562	-89.36780	Kapalama Dr, Diamondhead, MS
8:44:37 PM	On	23 mph	5 mph	19 mph SE	-	0.678 g	0.416 g	78.7 mi.	98,893.1	13.59v	17,193 min	30.40477	-89.36552	Kapalama Dr, Diamondhead, MS
8:46:37 PM	On	40 mph	20 mph	33 mph E	-	1.110 g	0.351 g	79.4 mi.	98,893.8	13.56v	17,195 min	30.40197	-89.35527	97168 Kapalama Dr, Diamondhead, MS
8:48:37 PM	On	40 mph	28 mph	0 mph N	-	0.127 g	0.408 g	80.3 mi.	98,894.7	12.28v	17,197 min	30.41020	-89.34379	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
8:48:47 PM	Off	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	80.3 mi.	98,894.7	12.04v	17,197 min	30.41020	-89.34379	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
9:44:16 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	80.3 mi.	98,894.7	14.74v	17,197 min	30.41021	-89.34376	1148 Tina Ladner Vic Faye Rd, Pass Christian, MS
9:46:16 PM	On	44 mph	19 mph	6 mph N	30 mph	0.657 g	0.371 g	81.0 mi.	98,895.4	14.20v	17,199 min	30.41868	-89.34160	17199 Kapalama Dr, Pass Christian, MS
9:48:16 PM	On	66 mph	49 mph	20 mph W	45 mph	0.816 g	0.204 g	82.6 mi.	98,897.0	14.01v	17,201 min	30.42331	-89.36733	2288 Kiln-Delisle Rd, Kiln, MS
9:50:16 PM	On	56 mph	48 mph	55 mph N	-	0.216 g	0.339 g	84.2 mi.	98,898.6	13.80v	17,203 min	30.44626	-89.37119	Fenton Dedeaux Rd, Kiln, MS
9:52:16 PM	On	56 mph	45 mph	49 mph SW	-	0.192 g	0.339 g	85.7 mi.	98,900.1	13.59v	17,205 min	30.46137	-89.37843	Firetower Rd, Kiln, MS
9:54:16 PM	On	65 mph	59 mph	55 mph W	-	0.082 g	0.139 g	87.7 mi.	98,902.1	13.53v	17,207 min	30.44688	-89.40325	4342 Firetower Rd, Kiln, MS
9:56:16 PM	On	50 mph	20 mph	19 mph SW	-	0.906 g	0.408 g	88.3 mi.	98,902.7	13.62v	17,209 min	30.44147	-89.40949	Joe Moran Rd, Kiln, MS
9:58:16 PM	On	31 mph	17 mph	0 mph E	-	0.180 g	0.261 g	88.9 mi.	98,903.3	12.55v	17,211 min	30.43914	-89.41443	18403 Joe Moran Rd, Kiln, MS
9:58:26 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	88.9 mi.	98,903.3	12.49v	17,212 min	30.43914	-89.41443	18403 Joe Moran Rd, Kiln, MS

Thu Mar 25, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
8:46:19 AM	On		3 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.71v	17,212 min	30.43914	-89.41443	18403 Joe Moran Rd, Kiln, MS
8:48:18 AM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.62v	17,213 min	30.43925	-89.41456	18403 Joe Moran Rd, Kiln, MS
8:48:28 AM	Off		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.59v	17,214 min	30.43925	-89.41456	18403 Joe Moran Rd, Kiln, MS
2:07:13 PM	On		5 mph	0 mph	5 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.65v	17,214 min	30.43921	-89.41455	18403 Joe Moran Rd, Kiln, MS
2:09:12 PM	On		10 mph	0 mph	0 mph E	-	1.224 g	0.306 g	0.0 mi.	98,903.3	12.62v	17,216 min	30.43919	-89.41436	18403 Joe Moran Rd, Kiln, MS
2:09:23 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.59v	17,216 min	30.43919	-89.41436	18403 Joe Moran Rd, Kiln, MS

Fri Mar 26, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location

2:13:52 AM	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.49v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
2:13:51 PM	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.46v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS

Sat Mar 27, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
2:13:50 AM			0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.43v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
2:13:50 PM			0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.40v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 1.5641 seconds.

Activity Detail Overview »

Location Records	144	**Sorted By**	Time
Total Distance Traveled	59.7 mi.	**Selected Vehicle**	12 (vin: 1GTH5AE9F1161333)
Average Speed	12 mph	**Report Time Period**	Mar 21 12:00 AM to Mar 27 11:59 PM (CDT)
Landmarked Stops	Show	**Report Created**	April 1, 2021 3:16:18 PM
Max Speed	74 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.

WEX TELEMATICS

Philips Pest Control LLC

Export Data | Email Report

Speed Graphs »


show/hide







Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 12

Sun Mar 21, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
11:47:55 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.52v	10,839 min	30.43894	-89.41438	18403 Joe Moran Rd, Kiln, MS
11:47:54 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.52v	10,839 min	30.43894	-89.41438	18403 Joe Moran Rd, Kiln, MS

Mon Mar 22, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
11:47:53 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.49v	10,839 min	30.43894	-89.41438	18403 Joe Moran Rd, Kiln, MS
6:06:01 PM	On		1 mph	0 mph	1 mph E	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.53v	10,839 min	30.43894	-89.41438	Joe Moran Rd, Kiln, MS
6:08:00 PM	On		6 mph	1 mph	0 mph N	-	0.714 g	0.510 g	0.0 mi.	76,512.0	12.77v	10,841 min	30.43923	-89.41464	18403 Joe Moran Rd, Kiln, MS
6:08:10 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.65v	10,841 min	30.43923	-89.41464	18403 Joe Moran Rd, Kiln, MS
6:17:45 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.49v	10,841	30.43925	-89.41469	18403 Joe Moran Rd, Kiln, MS

6:19:45 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.40v	10,843 min	30.43925	-89.41469	18403 Joe Moran Rd, Kiln, MS
6:19:55 PM	Off		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.37v	10,843 min	30.43925	-89.41469	18403 Joe Moran Rd, Kiln, MS
6:24:12 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.80v	10,843 min	30.43928	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:26:12 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.49v	10,845 min	30.43927	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:26:22 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.46v	10,845 min	30.43927	-89.41454	18403 Joe Moran Rd, Kiln, MS
6:33:13 PM	On		4 mph	0 mph	3 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.68v	10,845 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:35:12 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.52v	10,847 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:35:22 PM	Off		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	12.49v	10,847 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:37:31 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	15.05v	10,847 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:39:30 PM	On		3 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.56v	10,849 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:41:30 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.53v	10,851 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:43:24 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.53v	10,851 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:43:30 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.53v	10,853 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:45:30 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.53v	10,855 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:47:30 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	76,512.0	14.56v	10,857 min	30.43922	-89.41456	18403 Joe Moran Rd, Kiln, MS
6:49:30 PM	On		33 mph	8 mph	31 mph E	-	0.971 g	0.429 g	0.3 mi.	76,512.3	14.41v	10,859 min	30.43817	-89.41088	Joe Moran Rd, Kiln, MS
6:51:30 PM	On		38 mph	23 mph	0 mph NE	-	0.996 g	0.408 g	1.1 mi.	76,513.1	14.01v	10,861 min	30.44717	-89.40584	4499 Firetower Rd, Kiln, MS
6:53:30 PM	On		53 mph	42 mph	45 mph NE	-	0.951 g	0.171 g	2.5 mi.	76,514.5	14.17v	10,863 min	30.45255	-89.38400	Firetower Rd, Kiln, MS
6:55:30 PM	On		50 mph	40 mph	42 mph S	-	0.180 g	0.294 g	3.8 mi.	76,515.8	14.17v	10,865 min	30.45895	-89.37322	20045 Fenton Dedeaux Rd, Kiln, MS
6:57:30 PM	On		54 mph	49 mph	43 mph S	-	0.102 g	0.159 g	5.4 mi.	76,517.4	14.11v	10,867 min	30.43523	-89.37025	Fenton Dedeaux Rd, Kiln, MS
6:59:30 PM	On		55 mph	43 mph	55 mph E	65 mph	0.882 g	0.429 g	6.9 mi.	76,518.9	14.23v	10,869 min	30.42474	-89.35755	1481 Kiln-Delisle Rd, Kiln, MS
7:01:30 PM	On		57 mph	44 mph	42 mph S	30 mph	0.229 g	0.237 g	8.3 mi.	76,520.3	13.62v	10,871 min	30.41248	-89.34340	16782 Kapalama Dr, Pass Christian, MS
7:03:30 PM	On		42 mph	32 mph	29 mph SE	30 mph	0.318 g	0.371 g	9.4 mi.	76,521.4	13.62v	10,873 min	30.40122	-89.35205	98181 Golf Club Dr, Diamondhead, MS
7:05:30 PM	On		37 mph	27 mph	1 mph S	30 mph	0.257 g	0.420 g	10.3 mi.	76,522.3	13.59v	10,875 min	30.39072	-89.35951	7797 Golf Club Dr, Diamondhead, MS
7:07:30 PM	On		34 mph	26 mph	31 mph	30 mph	0.861 g	0.331 g	11.2 mi.	76,523.2	13.89v	10,877	30.38023	-89.36705	553 Golf Club Dr, Diamondhead, MS

				SW							min			
7:09:30 PM	On	31 mph	17 mph	0 mph SE	-	0.894 g	0.384 g	11.8 mi.	76,523.8	13.56v	10,879 min	30.38013	-89.36001	512 Haina St E, Diamondhead, MS
7:11:30 PM	On	9 mph	4 mph	6 mph SE	-	1.257 g	0.049 g	11.9 mi.	76,523.9	14.14v	10,881 min	30.38094	-89.35817	570 Anoai Pl, Diamondhead, MS
7:13:30 PM	On	8 mph	6 mph	4 mph S	-	1.098 g	0.498 g	12.1 mi.	76,524.1	13.56v	10,883 min	30.38143	-89.35685	5749 Alkii Way, Diamondhead, MS
7:15:30 PM	On	7 mph	0 mph	6 mph S	-	0.000 g	0.486 g	12.1 mi.	76,524.1	14.38v	10,885 min	30.38141	-89.35685	5749 Alkii Way, Diamondhead, MS
7:17:30 PM	On	8 mph	5 mph	6 mph N	-	0.951 g	0.441 g	12.3 mi.	76,524.3	14.20v	10,887 min	30.38241	-89.35541	573 Alkii Way, Diamondhead, MS
7:19:30 PM	On	18 mph	12 mph	1 mph S	-	0.780 g	0.461 g	12.7 mi.	76,524.7	13.53v	10,889 min	30.38339	-89.34963	682 Aupuni Pl, Diamondhead, MS
7:21:30 PM	On	9 mph	6 mph	4 mph N	-	1.278 g	0.090 g	12.9 mi.	76,524.9	13.65v	10,891 min	30.38326	-89.34961	6832 Aupuni Pl, Diamondhead, MS
7:23:30 PM	On	18 mph	4 mph	7 mph SE	-	0.849 g	0.510 g	13.1 mi.	76,525.1	13.62v	10,893 min	30.38384	-89.34766	Apona St, Diamondhead, MS
7:25:30 PM	On	11 mph	6 mph	6 mph NE	-	1.608 g	0.518 g	13.3 mi.	76,525.3	13.65v	10,895 min	30.38240	-89.34885	6826 Apona St, Diamondhead, MS
7:27:30 PM	On	7 mph	7 mph	6 mph NW	-	1.155 g	0.229 g	13.5 mi.	76,525.5	13.65v	10,897 min	30.38356	-89.34725	699 Apona St, Diamondhead, MS
7:29:30 PM	On	17 mph	8 mph	6 mph NE	-	0.735 g	0.429 g	13.8 mi.	76,525.8	13.65v	10,899 min	30.38470	-89.34592	6914 Aulena Ct, Diamondhead, MS
7:31:30 PM	On	13 mph	6 mph	7 mph NE	-	1.029 g	0.510 g	14.0 mi.	76,526.0	13.62v	10,901 min	30.38420	-89.34512	6920 Auiki Pl, Diamondhead, MS
7:33:30 PM	On	19 mph	6 mph	6 mph W	-	1.065 g	0.518 g	14.2 mi.	76,526.2	13.65v	10,903 min	30.38399	-89.34367	694 Apuwai Pl, Diamondhead, MS
7:35:30 PM	On	7 mph	6 mph	7 mph E	-	0.122 g	0.057 g	14.4 mi.	76,526.4	13.65v	10,905 min	30.38439	-89.34219	6936 Apuwai Pl, Diamondhead, MS
7:37:30 PM	On	7 mph	4 mph	1 mph W	-	0.078 g	0.461 g	14.5 mi.	76,526.5	13.53v	10,907 min	30.38414	-89.34308	6956 Apuwai Pl, Diamondhead, MS
7:39:30 PM	On	19 mph	13 mph	11 mph NW	-	0.722 g	0.196 g	14.9 mi.	76,526.9	13.53v	10,909 min	30.38946	-89.34175	Diamondhead, MS
7:41:30 PM	On	18 mph	6 mph	6 mph NE	-	0.114 g	0.339 g	15.1 mi.	76,527.1	13.65v	10,911 min	30.39234	-89.34269	790 Hanalei Cir, Diamondhead, MS
7:43:30 PM	On	7 mph	7 mph	6 mph SW	-	0.000 g	0.000 g	15.4 mi.	76,527.4	13.59v	10,913 min	30.39499	-89.34382	8944 Hanalei Cir, Diamondhead, MS
7:45:30 PM	On	16 mph	7 mph	4 mph S	-	0.951 g	0.192 g	15.6 mi.	76,527.6	13.62v	10,915 min	30.39433	-89.34310	8916 Hanalei Pl, Diamondhead, MS
7:47:30 PM	On	27 mph	9 mph	0 mph N	-	0.804 g	0.486 g	15.9 mi.	76,527.9	13.68v	10,917 min	30.39592	-89.34561	89368 Diamondhead Dr E, Diamondhead, MS
7:49:30 PM	On	6 mph	4 mph	4 mph W	-	0.690 g	0.543 g	16.1 mi.	76,528.1	13.65v	10,919 min	30.39746	-89.34581	8912 Kipapa Way, Diamondhead, MS
7:51:30 PM	On	8 mph	7 mph	7 mph W	-	0.065 g	0.049 g	16.3 mi.	76,528.3	13.62v	10,921 min	30.39757	-89.34956	8836 Kipapa Way, Diamondhead, MS
7:53:30 PM	On	10 mph	7 mph	4 mph SE	-	0.927 g	0.461 g	16.5 mi.	76,528.5	13.62v	10,923 min	30.39650	-89.35170	Manoo St, Diamondhead, MS
7:55:30 PM	On	10 mph	7 mph	4 mph NE	-	0.971 g	0.518 g	16.7 mi.	76,528.7	13.65v	10,925 min	30.39661	-89.34998	886 Oio St, Diamondhead, MS
7:57:30 PM	On	8 mph	6 mph	2 mph NW	-	0.780 g	0.441 g	17.0 mi.	76,529.0	13.62v	10,927	30.39604	-89.34809	8822 Manoo Pl, Diamondhead, MS

7:59:30 PM	On		7 mph	5 mph	0 mph S	-	0.906 g	0.461 g	17.1 mi.	76,529.1	13.53v	10,929 min	30.39491	-89.35006	88386 Diamondhead Dr E, Diamondhead, MS
8:01:30 PM	On		26 mph	16 mph	23 mph SW	30 mph	1.110 g	0.229 g	17.7 mi.	76,529.7	13.65v	10,931 min	30.39327	-89.35653	87121 Golf Club Dr, Diamondhead, MS
8:03:30 PM	On		30 mph	23 mph	14 mph S	30 mph	0.816 g	0.396 g	18.4 mi.	76,530.4	13.50v	10,933 min	30.38503	-89.36427	6645 Golf Club Dr, Diamondhead, MS
8:05:30 PM	On		31 mph	25 mph	31 mph W	30 mph	1.065 g	0.318 g	19.2 mi.	76,531.2	13.62v	10,935 min	30.37773	-89.37353	5443 Diamondhead Dr E, Diamondhead, MS
8:07:30 PM	On		43 mph	22 mph	42 mph SW	70 mph	1.596 g	0.359 g	20.0 mi.	76,532.0	13.62v	10,937 min	30.37175	-89.38084	I-10, Diamondhead, MS
8:09:30 PM	On		71 mph	65 mph	71 mph W	70 mph	0.094 g	0.045 g	22.1 mi.	76,534.1	13.62v	10,939 min	30.36116	-89.41475	I-10, Kiln, MS
8:11:30 PM	On		72 mph	41 mph	65 mph E	70 mph	0.196 g	0.294 g	23.5 mi.	76,535.5	13.59v	10,941 min	30.36167	-89.41224	I-10, Bay St Louis, MS
8:13:30 PM	On		74 mph	66 mph	39 mph E	40 mph	0.057 g	0.212 g	25.7 mi.	76,537.7	13.68v	10,943 min	30.37098	-89.37718	16, Diamondhead, MS
8:15:30 PM	On		66 mph	43 mph	66 mph W	70 mph	0.286 g	0.486 g	27.1 mi.	76,539.1	13.56v	10,945 min	30.36712	-89.39529	I-10, Diamondhead, MS
8:17:30 PM	On		71 mph	53 mph	2 mph W	40 mph	1.008 g	0.306 g	28.9 mi.	76,540.9	13.53v	10,947 min	30.35936	-89.42353	Bay St Louis, MS
8:19:30 PM	On		61 mph	52 mph	60 mph S	55 mph	0.241 g	0.057 g	30.6 mi.	76,542.6	13.86v	10,949 min	30.33545	-89.42802	11331 MS-43, Bay St Louis, MS
8:21:30 PM	On		60 mph	52 mph	44 mph SE	55 mph	0.069 g	0.102 g	32.4 mi.	76,544.4	14.01v	10,951 min	30.31769	-89.40852	MS-43, Bay St Louis, MS
8:23:30 PM	On		52 mph	46 mph	50 mph SE	45 mph	0.094 g	0.229 g	33.9 mi.	76,545.9	13.74v	10,953 min	30.31108	-89.38460	MS-43, Bay St Louis, MS
8:25:30 PM	On		50 mph	20 mph	12 mph E	45 mph	1.053 g	0.441 g	34.6 mi.	76,546.6	13.59v	10,955 min	30.30700	-89.37560	US-90, Waveland, MS
8:27:30 PM	On		46 mph	41 mph	43 mph E	45 mph	0.204 g	0.082 g	36.0 mi.	76,548.0	13.92v	10,957 min	30.31431	-89.35411	856 US-90, Bay St Louis, MS
8:29:30 PM	On		44 mph	25 mph	7 mph E	-	0.984 g	0.339 g	36.8 mi.	76,548.8	13.68v	10,959 min	30.31749	-89.34735	Bay St Louis, MS
8:31:30 PM	On		10 mph	2 mph	0 mph E	-	0.151 g	0.384 g	36.8 mi.	76,548.8	12.49v	10,961 min	30.31766	-89.34653	Bay St Louis, MS
8:31:40 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.8 mi.	76,548.8	12.37v	10,961 min	30.31766	-89.34653	Bay St Louis, MS
9:08:28 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.8 mi.	76,548.8	14.77v	10,961 min	30.31766	-89.34653	Bay St Louis, MS
9:10:28 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.8 mi.	76,548.8	14.23v	10,963 min	30.31766	-89.34653	Bay St Louis, MS
9:12:28 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.8 mi.	76,548.8	13.59v	10,965 min	30.31766	-89.34653	Bay St Louis, MS
9:13:38 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	36.8 mi.	76,548.8	13.62v	10,965 min	30.31766	-89.34653	Bay St Louis, MS
9:14:28 PM	On		11 mph	1 mph	2 mph S	-	0.918 g	0.371 g	36.9 mi.	76,548.9	13.65v	10,967 min	30.31735	-89.34581	Bay St Louis, MS
9:16:28 PM	On		41 mph	27 mph	40 mph E	45 mph	0.849 g	0.351 g	37.8 mi.	76,549.8	13.83v	10,969 min	30.31854	-89.34183	384 US-90, Bay St Louis, MS
9:18:28 PM	On		48 mph	28 mph	10 mph W	45 mph	1.073 g	0.441 g	38.7 mi.	76,550.7	13.65v	10,971	30.31986	-89.32685	US-90, Bay St Louis, MS

Activity Detail Report - WEX

9:20:28 PM	On		40 mph	21 mph	11 mph N	25 mph	0.971 g	0.416 g	39.4 mi.	76,551.4	13.47v	10,973 min	30.31941	-89.33741	703 Dunbar Ave, Bay St Louis, MS
9:22:28 PM	On		20 mph	12 mph	15 mph N	-	0.996 g	0.396 g	39.8 mi.	76,551.8	13.92v	10,975 min	30.31890	-89.33150	347 Seminary Dr, Bay St Louis, MS
9:24:28 PM	On		18 mph	9 mph	16 mph E	-	2.355 g	0.339 g	40.1 mi.	76,552.1	13.80v	10,977 min	30.31598	-89.33100	326 Ulman Ave, Bay St Louis, MS
9:26:28 PM	On		20 mph	14 mph	0 mph SW	-	0.192 g	0.408 g	40.6 mi.	76,552.6	13.86v	10,979 min	30.31708	-89.32881	207 Ruella Ave, Bay St Louis, MS
9:28:28 PM	On		6 mph	0 mph	0 mph E	-	0.735 g	0.327 g	40.6 mi.	76,552.6	14.01v	10,981 min	30.31708	-89.32866	207 Ruella Ave, Bay St Louis, MS
9:30:28 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	40.6 mi.	76,552.6	13.59v	10,983 min	30.31708	-89.32866	207 Ruella Ave, Bay St Louis, MS
9:31:54 PM		Idling - OBD	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	40.6 mi.	76,552.6	13.56v	10,983 min	30.31708	-89.32866	207 Ruella Ave, Bay St Louis, MS
9:32:28 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	40.6 mi.	76,552.6	13.56v	10,985 min	30.31708	-89.32866	207 Ruella Ave, Bay St Louis, MS
9:34:28 PM	On		12 mph	3 mph	0 mph E	-	0.588 g	0.384 g	40.7 mi.	76,552.7	13.44v	10,987 min	30.31655	-89.32703	202 Ruella Ave, Bay St Louis, MS
9:36:28 PM	On		50 mph	27 mph	27 mph W	45 mph	0.963 g	0.339 g	41.6 mi.	76,553.6	13.62v	10,989 min	30.31973	-89.33795	US-90, Bay St Louis, MS
9:38:28 PM	On		41 mph	35 mph	40 mph W	45 mph	0.159 g	0.192 g	42.8 mi.	76,554.8	13.59v	10,991 min	30.31373	-89.35620	US-90, Bay St Louis, MS
9:40:28 PM	On		46 mph	42 mph	29 mph W	35 mph	0.069 g	0.192 g	44.2 mi.	76,556.2	13.83v	10,993 min	30.30633	-89.37805	Waveland, MS
9:42:28 PM	On		60 mph	52 mph	57 mph NW	55 mph	0.171 g	0.069 g	45.9 mi.	76,557.9	13.56v	10,995 min	30.31521	-89.40412	10410 MS-603, Bay St Louis, MS
9:44:28 PM	On		63 mph	59 mph	57 mph N	55 mph	0.094 g	0.090 g	47.8 mi.	76,559.8	13.65v	10,997 min	30.33427	-89.42737	MS-43, Bay St Louis, MS
9:46:28 PM	On		63 mph	58 mph	52 mph N	55 mph	0.069 g	0.065 g	49.8 mi.	76,561.8	13.71v	10,999 min	30.36078	-89.42416	MS-43, Kiln, MS
9:48:28 PM	On		61 mph	55 mph	53 mph N	55 mph	0.065 g	0.078 g	51.6 mi.	76,563.6	14.04v	11,001 min	30.38346	-89.43930	14456 MS-43, Kiln, MS
9:50:28 PM	On		53 mph	52 mph	48 mph NE	45 mph	0.078 g	0.069 g	53.3 mi.	76,565.3	13.92v	11,003 min	30.40560	-89.44430	MS-43, Kiln, MS
9:52:28 PM	On		50 mph	47 mph	46 mph N	55 mph	0.057 g	0.102 g	54.9 mi.	76,566.9	13.62v	11,005 min	30.42205	-89.43372	17286 MS-43, Kiln, MS
9:54:28 PM	On		45 mph	3 mph	0 mph N	55 mph	0.000 g	0.306 g	55.0 mi.	76,567.0	14.20v	11,007 min	30.42374	-89.43386	17330 MS-43, Kiln, MS
9:56:28 PM	On		0 mph	0 mph	0 mph N	55 mph	0.000 g	0.000 g	55.0 mi.	76,567.0	13.53v	11,009 min	30.42374	-89.43386	17330 MS-43, Kiln, MS
9:58:28 PM	On		34 mph	4 mph	34 mph N	55 mph	1.200 g	0.441 g	55.1 mi.	76,567.1	13.53v	11,011 min	30.42585	-89.43413	MS-43, Kiln, MS
10:00:28 PM	On		47 mph	43 mph	45 mph N	55 mph	0.069 g	0.045 g	56.6 mi.	76,568.6	13.65v	11,013 min	30.44621	-89.43159	19104 MS-603, Kiln, MS
10:02:28 PM	On		46 mph	11 mph	0 mph E	55 mph	0.037 g	0.486 g	56.9 mi.	76,568.9	14.17v	11,015 min	30.45128	-89.43334	19298 MS-603, Kiln, MS
10:04:28 PM	On		42 mph	17 mph	41 mph E	-	0.702 g	0.045 g	57.5 mi.	76,569.5	13.74v	11,017 min	30.45279	-89.42418	Firetower Rd, Kiln, MS
10:06:28	On		41 mph	36 mph	12 mph	-	0.102 g	0.286 g	58.7 mi.	76,570.7	13.74v	11,019	30.44716	-89.40592	Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

PM				SW							min			
10:08:28 PM	On	33 mph	27 mph	27 mph W	-	0.229 g	0.216 g	59.6 mi.	76,571.6	14.26v	11,021 min	30.43819	-89.41314	Joe Moran Rd, Kiln, MS
10:10:28 PM	On	27 mph	4 mph	0 mph NW	-	0.678 g	0.486 g	59.7 mi.	76,571.7	13.56v	11,023 min	30.43885	-89.41457	18403 Joe Moran Rd, Kiln, MS
10:12:28 PM	On	6 mph	0 mph	0 mph E	-	1.073 g	0.486 g	59.7 mi.	76,571.7	12.52v	11,025 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
10:12:38 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	59.7 mi.	76,571.7	12.59v	11,026 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS

Tue Mar 23, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:17:08 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.68v	11,026 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
10:17:07 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.65v	11,026 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS

Wed Mar 24, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:17:06 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.62v	11,026 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
10:17:05 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.59v	11,026 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS

Thu Mar 25, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
8:20:44 AM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.71v	11,026 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
8:22:43 AM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	13.35v	11,028 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
8:24:43 AM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.92v	11,030 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
8:24:53 AM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.89v	11,030 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
8:43:14 AM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.68v	11,030 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
8:45:14 AM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.74v	11,032 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
8:45:24 AM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.71v	11,032 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:01:28 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.84v	11,032 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:03:27 PM	On		1 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.50v	11,034 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:05:26 PM	On		6 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.50v	11,036 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS

Activity Detail Report - WEX

/1/2021															
2:07:26 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.50v	11,038 min	30.43903	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:09:26 PM	On		6 mph	0 mph	0 mph E	-	0.894 g	0.473 g	0.0 mi.	76,571.7	14.50v	11,040 min	30.43917	-89.41451	18403 Joe Moran Rd, Kiln, MS
2:11:26 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.47v	11,042 min	30.43917	-89.41451	18403 Joe Moran Rd, Kiln, MS
2:13:26 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.83v	11,044 min	30.43916	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:13:36 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.80v	11,044 min	30.43916	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:17:27 PM	On		2 mph	0 mph	2 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.59v	11,044 min	30.43916	-89.41452	Joe Moran Rd, Kiln, MS
2:19:26 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.83v	11,046 min	30.43916	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:19:37 PM	Off		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.80v	11,046 min	30.43916	-89.41452	18403 Joe Moran Rd, Kiln, MS
2:47:13 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.71v	11,046 min	30.43923	-89.41464	18403 Joe Moran Rd, Kiln, MS
2:49:12 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.80v	11,048 min	30.43921	-89.41463	18403 Joe Moran Rd, Kiln, MS
2:51:12 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.26v	11,050 min	30.43921	-89.41463	18403 Joe Moran Rd, Kiln, MS
2:52:22 PM		Idling - OBD	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	76,571.7	14.23v	11,050 min	30.43921	-89.41463	18403 Joe Moran Rd, Kiln, MS
2:53:12 PM	On		3 mph	0 mph	0 mph NW	-	0.714 g	0.371 g	0.0 mi.	76,571.7	14.01v	11,052 min	30.43921	-89.41465	18403 Joe Moran Rd, Kiln, MS
2:55:12 PM	On		7 mph	0 mph	0 mph E	-	1.290 g	0.486 g	0.0 mi.	76,571.7	12.98v	11,054 min	30.43914	-89.41448	18403 Joe Moran Rd, Kiln, MS
2:55:23 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.95v	11,054 min	30.43914	-89.41448	18403 Joe Moran Rd, Kiln, MS

Fri Mar 26, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
2:59:52 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.62v	11,054 min	30.43914	-89.41448	18403 Joe Moran Rd, Kiln, MS
2:59:51 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.55v	11,054 min	30.43914	-89.41448	18403 Joe Moran Rd, Kiln, MS

Sat Mar 27, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
2:59:50 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.52v	11,054 min	30.43914	-89.41448	18403 Joe Moran Rd, Kiln, MS
2:59:50 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	76,571.7	12.49v	11,054 min	30.43914	-89.41448	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 0.9791 seconds.

PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556
PHONE: 228-493-3700

Board of Supervisors
854 Hwy 90
Bay St Louis, MS 39520

RE: Weekly Report: March 28-31 2021

Philip's Pest Control Mosquito Division performed the services of mosquito control for the week of March 28-31, 2021 in Hancock County, MS. Please see attached document for a complete weekly report.

Trapping will not be included in this report due to insufficient weather conditions. Trapping was performed but was unable to collect accurate number of mosquitos needed for Jackson.

Sincerely,

Alan Moran
Manager

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

DROPLET TEST

WEEK OF MARCH 28, 2021 TO MARCH 31, 2021

PERFORMED MARCH 29, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

PERFORMED MARCH 31, 2021

RESULTS: less than a quart per min which is sufficient to correct amount to spray for mosquito control.

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)



PHILIP'S PEST CONTROL
MOSQUITO DIVISION
18516 OLD JOE MORAN ROAD
KILN, MS 39556

WEEKLY REPORT RECAP MARCH 28-31 2021

ADULTICIDING REPORT

Miles Sprayed— 250

Acerage Treated— 9000

LARVICIDING REPORT

Miles treated for standing water—0

SERVICE REQUEST RECEIVED

Adulticiding— 4

Larviciding _ 0

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

MARCH 28-31, 2021 CALL LOG

DATE	NAME	ADDRESS	PHONE	SPRAYED
3/28/2021	JOHN KELLY	891 WEBB ST BSL		3/31/2021
3/28/2021	MELANIE	300 BLOCK OF WAV AVE	254-0736	3/31/2021
3/29/2021	BRENDA DAUSSAUER	142 WAVELAND AVE WAV	504-606-1229	3/31/2021
3/29/2021	MARILYN	314 DEMONTLUZIN AVE BSL	326-9491	3/31/2021

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Activity Detail Overview »

Location Records	461	**Sorted By**	Time
Total Distance Traveled	249.8 mi.	**Selected Vehicle**	10 (vin: 1GCHSDE33G1109077)
Average Speed	17 mph	**Report Time Period**	Mar 28 12:00 AM to Mar 31 11:59 PM (CDT)
Landmarked Stops	Show	**Report Created**	April 1, 2021 3:15:33 PM
Max Speed	87 mph		

* Distance is accumulated daily
* Odometer values are on the spreadsheet export.
* Only the closest landmark is shown.
* Landmarks over 3.8 miles wide have been excluded.
* Run Time is based on Total GPS Device Hours.


WEX TELEMATICS

Philips Pest Control LLC

Export Data | Email Report

Speed Graphs »

show/hide





Packet Pg. 396
7.J.2.a
Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)





Low-Speed: inst-speed is under 15 mph | No Address: address or speed-limit unknown | Efficient: inst-speed within 10 mph of speed-limit | Stop-n-Go: zero inst-speed and nonzero max-speed | Speeding: inst-speed more than 10 mph over speed-limit | Slow-Poke: inst-speed between 15 mph and 10 mph under limit

Activity Detail Report »

Selected Vehicle: 10

Sun Mar 28, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
2:13:49 AM			0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.40v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
2:13:49 PM			0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.37v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:44:43 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.56v	17,216 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:46:42 PM	On		6 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.47v	17,218 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:48:42 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.56v	17,220 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:50:40 PM		Idling - OBD	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.56v	17,220 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:50:42 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.38v	17,222 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:52:42 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.80v	17,224 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:52:52 PM	Off		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.77v	17,224 min	30.43902	-89.41446	18403 Joe Moran Rd, Kiln, MS
4:57:42 PM	On		4 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.74v	17,224 min	30.43917	-89.41465	18403 Joe Moran Rd, Kiln, MS
4:59:41 PM	On		5 mph	0 mph	0 mph E	-	0.984 g	0.384 g	0.0 mi.	98,903.3	12.68v	17,226 min	30.43915	-89.41459	18403 Joe Moran Rd, Kiln, MS
4:59:51 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,903.3	12.65v	17,226 min	30.43915	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:04:56 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.90v	17,226 min	30.43915	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:06:55 PM	On		3 mph	0 mph	0 mph SW	-	0.780 g	0.498 g	0.0 mi.	98,903.3	14.53v	17,228 min	30.43903	-89.41463	18403 Joe Moran Rd, Kiln, MS

Packet Pg. 397
7.J.2.a
Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

5:08:55 PM	On	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.56v	17,230 min	30.43903	-89.41463	18403 Joe Moran Rd, Kiln, MS
5:10:55 PM	On	0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	0.0 mi.	98,903.3	14.50v	17,232 min	30.43905	-89.41459	18403 Joe Moran Rd, Kiln, MS
5:12:55 PM	On	24 mph	7 mph	22 mph S	-	0.963 g	0.518 g	0.3 mi.	98,903.6	14.38v	17,234 min	30.43693	-89.41723	Joe Moran Rd, Kiln, MS
5:14:55 PM	On	35 mph	31 mph	35 mph S	-	0.355 g	0.694 g	1.3 mi.	98,904.6	14.47v	17,236 min	30.42276	-89.42129	17299 Old Joe Moran St, Kiln, MS
5:16:55 PM	On	39 mph	27 mph	0 mph S	-	0.216 g	0.396 g	2.2 mi.	98,905.5	14.53v	17,238 min	30.41072	-89.42408	16280 Old Joe Moran St, Kiln, MS
5:18:55 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	2.2 mi.	98,905.5	14.56v	17,240 min	30.41071	-89.42411	16280 Old Joe Moran St, Kiln, MS
5:20:55 PM	On	4 mph	0 mph	0 mph E	-	0.678 g	0.327 g	2.2 mi.	98,905.5	14.53v	17,242 min	30.41070	-89.42399	16280 Old Joe Moran St, Kiln, MS
5:22:55 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	2.2 mi.	98,905.5	14.56v	17,244 min	30.41070	-89.42399	16280 Old Joe Moran St, Kiln, MS
5:24:55 PM	On	30 mph	6 mph	17 mph SW	-	0.722 g	0.159 g	2.4 mi.	98,905.7	14.53v	17,246 min	30.41049	-89.42725	Old Joe Moran St, Kiln, MS
5:26:55 PM	On	42 mph	23 mph	0 mph W	45 mph	0.849 g	0.396 g	3.1 mi.	98,906.4	14.20v	17,248 min	30.40909	-89.43514	16597 MS-43, Kiln, MS
5:28:55 PM	On	54 mph	46 mph	52 mph SE	55 mph	1.335 g	0.171 g	4.7 mi.	98,908.0	14.56v	17,250 min	30.39428	-89.44576	15399 MS-43, Kiln, MS
5:30:55 PM	On	60 mph	53 mph	60 mph SE	55 mph	0.090 g	0.110 g	6.4 mi.	98,909.7	14.41v	17,252 min	30.37202	-89.43149	MS-43, Kiln, MS
5:32:55 PM	On	68 mph	46 mph	59 mph S	55 mph	0.951 g	0.371 g	8.0 mi.	98,911.3	14.50v	17,254 min	30.35173	-89.42291	MS-43, Bay St Louis, MS
5:34:55 PM	On	66 mph	63 mph	61 mph SE	55 mph	0.069 g	0.082 g	10.1 mi.	98,913.4	14.44v	17,256 min	30.32456	-89.41992	MS-43, Bay St Louis, MS
5:36:55 PM	On	66 mph	44 mph	14 mph E	-	0.192 g	0.396 g	11.5 mi.	98,914.8	14.44v	17,258 min	30.30930	-89.40628	Catalina St, Bay St Louis, MS
5:38:55 PM	On	23 mph	13 mph	13 mph S	-	0.306 g	0.306 g	12.0 mi.	98,915.3	14.50v	17,260 min	30.30565	-89.40285	D Ave, Bay St Louis, MS
5:40:55 PM	On	13 mph	6 mph	0 mph E	-	0.747 g	0.461 g	12.2 mi.	98,915.5	14.29v	17,262 min	30.30655	-89.40148	4261 Gulf St, Bay St Louis, MS
5:42:55 PM	On	13 mph	7 mph	11 mph N	25 mph	1.269 g	0.282 g	12.4 mi.	98,915.7	14.41v	17,264 min	30.30615	-89.39763	9042 Ave B, Bay St Louis, MS
5:44:55 PM	On	48 mph	28 mph	48 mph E	55 mph	0.269 g	0.241 g	13.3 mi.	98,916.6	14.50v	17,266 min	30.31235	-89.38880	9919 MS-603, Bay St Louis, MS
5:46:55 PM	On	52 mph	30 mph	0 mph NE	-	1.020 g	0.453 g	14.3 mi.	98,917.6	14.50v	17,268 min	30.30750	-89.37519	2438 McLaurin Rd, Waveland, MS
5:48:55 PM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	14.3 mi.	98,917.6	12.59v	17,270 min	30.30750	-89.37519	2438 McLaurin Rd, Waveland, MS
5:49:05 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	14.3 mi.	98,917.6	14.74v	17,270 min	30.30750	-89.37519	2438 McLaurin Rd, Waveland, MS
5:49:16 PM	On	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	14.3 mi.	98,917.6	14.71v	17,270 min	30.30750	-89.37519	2438 McLaurin Rd, Waveland, MS
5:51:15 PM	On	35 mph	5 mph	35 mph E	45 mph	1.122 g	0.359 g	14.5 mi.	98,917.8	14.47v	17,272 min	30.30790	-89.37290	203 US-90, Waveland, MS
5:53:15 PM	On	47 mph	33 mph	0 mph NE	45 mph	1.224 g	0.408 g	15.6 mi.	98,918.9	14.47v	17,274 min	30.31381	-89.35571	1001 US-90, Bay St Louis, MS

Packet Pg. 398

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

5:55:15 PM	On	30 mph	15 mph	21 mph W	-	1.029 g	0.249 g	16.1 mi.	98,919.4	14.56v	17,276 min	30.31677	-89.35824	10066 Paradise Ln, Bay St Louis, MS
5:57:15 PM	On	42 mph	24 mph	0 mph SW	-	0.090 g	0.498 g	16.9 mi.	98,920.2	13.95v	17,278 min	30.32398	-89.36783	2000 Mole Dr, Bay St Louis, MS
5:59:15 PM	On	9 mph	1 mph	0 mph NW	-	1.482 g	0.416 g	16.9 mi.	98,920.2	14.01v	17,280 min	30.32400	-89.36827	2003 Mole Dr, Bay St Louis, MS
6:01:15 PM	On	19 mph	11 mph	13 mph NW	-	1.800 g	0.102 g	17.3 mi.	98,920.6	14.29v	17,282 min	30.32695	-89.37238	2200 Mole Dr, Bay St Louis, MS
6:03:15 PM	On	40 mph	19 mph	40 mph SE	-	0.363 g	0.294 g	17.9 mi.	98,921.2	14.47v	17,284 min	30.32214	-89.36517	Paradise Ln, Bay St Louis, MS
6:05:15 PM	On	41 mph	27 mph	9 mph S	-	0.837 g	0.408 g	18.8 mi.	98,922.1	13.71v	17,286 min	30.31405	-89.35559	Drinkwater Blvd, Bay St Louis, MS
6:07:15 PM	On	29 mph	16 mph	27 mph E	25 mph	1.008 g	0.441 g	19.4 mi.	98,922.7	14.47v	17,288 min	30.30986	-89.35017	752 Washington St, Bay St Louis, MS
6:09:15 PM	On	28 mph	16 mph	10 mph NW	-	0.224 g	0.498 g	19.9 mi.	98,923.2	13.68v	17,290 min	30.31014	-89.34424	603 Keller St, Bay St Louis, MS
6:11:15 PM	On	17 mph	9 mph	0 mph W	-	2.335 g	0.384 g	20.2 mi.	98,923.5	14.20v	17,292 min	30.31169	-89.34911	659 Keller St, Bay St Louis, MS
6:13:15 PM	On	16 mph	4 mph	12 mph E	-	0.869 g	0.327 g	20.3 mi.	98,923.6	13.71v	17,294 min	30.31191	-89.35000	670 Keller St, Bay St Louis, MS
6:15:15 PM	On	21 mph	3 mph	1 mph E	-	0.951 g	0.396 g	20.4 mi.	98,923.7	14.04v	17,296 min	30.31143	-89.34834	656 Keller St, Bay St Louis, MS
6:17:15 PM	On	2 mph	0 mph	0 mph NE	-	0.600 g	0.518 g	20.4 mi.	98,923.7	13.62v	17,298 min	30.31141	-89.34845	656 Keller St, Bay St Louis, MS
6:19:15 PM	On	18 mph	9 mph	17 mph E	-	2.629 g	0.045 g	20.7 mi.	98,924.0	13.77v	17,300 min	30.31005	-89.34390	Keller St, Bay St Louis, MS
6:21:15 PM	On	25 mph	14 mph	5 mph E	15 mph	0.804 g	0.441 g	21.2 mi.	98,924.5	13.53v	17,302 min	30.30646	-89.33934	398 Washington St, Bay St Louis, MS
6:23:15 PM	On	16 mph	9 mph	11 mph S	-	0.780 g	0.237 g	21.5 mi.	98,924.8	13.71v	17,304 min	30.30295	-89.33879	410 3rd St, Bay St Louis, MS
6:25:15 PM	On	30 mph	19 mph	29 mph SW	-	0.869 g	0.453 g	22.1 mi.	98,925.4	13.68v	17,306 min	30.30175	-89.34782	Central Ave, Bay St Louis, MS
6:27:15 PM	On	30 mph	11 mph	9 mph NW	-	1.608 g	0.441 g	22.5 mi.	98,925.8	13.71v	17,308 min	30.30060	-89.35296	733 Webb St, Bay St Louis, MS
6:29:15 PM	On	19 mph	13 mph	19 mph W	-	0.963 g	0.294 g	22.9 mi.	98,926.2	13.77v	17,310 min	30.30277	-89.35989	875 Webb St, Bay St Louis, MS
6:31:15 PM	On	30 mph	21 mph	15 mph S	-	0.767 g	0.498 g	23.6 mi.	98,926.9	13.62v	17,312 min	30.29996	-89.36888	Henderson St, Waveland, MS
6:33:15 PM	On	30 mph	17 mph	6 mph SE	30 mph	0.927 g	0.473 g	24.2 mi.	98,927.5	13.77v	17,314 min	30.29347	-89.36383	Nicholson Ave, Waveland, MS
6:35:15 PM	On	29 mph	24 mph	10 mph SW	-	0.192 g	0.318 g	24.9 mi.	98,928.2	13.68v	17,316 min	30.28744	-89.37491	N Central Ave, Waveland, MS
6:37:15 PM	On	33 mph	28 mph	23 mph SW	-	0.837 g	0.510 g	25.9 mi.	98,929.2	13.53v	17,318 min	30.28025	-89.38850	S Central Ave, Waveland, MS
6:39:15 PM	On	25 mph	13 mph	22 mph SW	-	1.041 g	0.473 g	26.3 mi.	98,929.6	13.68v	17,320 min	30.27963	-89.39053	Dubuc Ln, Waveland, MS
6:41:15 PM	On	20 mph	13 mph	6 mph W	-	1.098 g	0.396 g	26.8 mi.	98,930.1	13.68v	17,322 min	30.27840	-89.39726	Duverney Rd, Waveland, MS
6:43:15 PM	On	7 mph	0 mph	3 mph S	-	0.020 g	0.518 g	26.8 mi.	98,930.1	13.53v	17,324 min	30.27828	-89.39751	Fortier St, Waveland, MS

Packet Pg. 399
7.J.2.a
Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

6:45:15 PM	On	3 mph	0 mph	0 mph N	-	0.588 g	0.473 g	26.8 mi.	98,930.1	13.59v	17,326 min	30.27844	-89.39707	1327 Dubuc Ln, Waveland, MS
6:47:15 PM	On	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	26.8 mi.	98,930.1	13.50v	17,328 min	30.27844	-89.39707	1327 Dubuc Ln, Waveland, MS
6:49:15 PM	On	28 mph	16 mph	17 mph NW	25 mph	0.984 g	0.339 g	27.3 mi.	98,930.6	13.53v	17,330 min	30.28069	-89.38930	568 Waveland Ave, Waveland, MS
6:51:15 PM	On	34 mph	27 mph	29 mph N	30 mph	0.184 g	0.269 g	28.2 mi.	98,931.5	13.62v	17,332 min	30.29182	-89.39724	1552 Waveland Ave, Waveland, MS
6:53:15 PM	On	33 mph	20 mph	24 mph NW	35 mph	0.918 g	0.408 g	28.9 mi.	98,932.2	13.59v	17,334 min	30.30074	-89.39929	2210 Waveland Ave, Waveland, MS
6:55:15 PM	On	38 mph	30 mph	32 mph N	35 mph	0.339 g	0.184 g	29.9 mi.	98,933.2	13.59v	17,336 min	30.31240	-89.40684	10018 Kiln Waveland Cutoff Rd, Bay St Louis, MS
6:57:15 PM	On	63 mph	35 mph	63 mph NW	55 mph	0.963 g	0.429 g	31.1 mi.	98,934.4	13.68v	17,338 min	30.32398	-89.41860	10956 MS-43, Bay St Louis, MS
6:59:15 PM	On	65 mph	59 mph	60 mph N	55 mph	0.094 g	0.102 g	33.0 mi.	98,936.3	13.59v	17,340 min	30.34923	-89.42384	12196 MS-43, Bay St Louis, MS
7:01:15 PM	On	76 mph	59 mph	70 mph E	70 mph	0.159 g	0.400 g	35.0 mi.	98,938.3	13.62v	17,342 min	30.36498	-89.40149	I-10, Diamondhead, MS
7:03:15 PM	On	68 mph	47 mph	0 mph NE	-	0.294 g	0.314 g	36.6 mi.	98,939.9	13.47v	17,344 min	30.37087	-89.37649	441 Yacht Club Rd, Diamondhead, MS
7:05:15 PM	On	36 mph	9 mph	0 mph NW	35 mph	1.176 g	0.453 g	36.9 mi.	98,940.2	12.46v	17,346 min	30.37497	-89.37764	100 Diamondhead Dr N, Diamondhead, MS
7:05:25 PM	Off	0 mph	0 mph	0 mph NW	35 mph	0.000 g	0.000 g	36.9 mi.	98,940.2	12.49v	17,346 min	30.37497	-89.37764	100 Diamondhead Dr N, Diamondhead, MS
7:07:19 PM	On	0 mph	0 mph	0 mph SW	35 mph	0.000 g	0.000 g	36.9 mi.	98,940.2	14.71v	17,346 min	30.37498	-89.37766	100 Diamondhead Dr N, Diamondhead, MS
7:09:18 PM	On	27 mph	5 mph	26 mph N	30 mph	0.804 g	0.384 g	37.1 mi.	98,940.4	14.17v	17,348 min	30.37690	-89.37805	5402 Gex Dr, Diamondhead, MS
7:11:18 PM	On	30 mph	22 mph	16 mph SW	-	0.127 g	0.180 g	37.8 mi.	98,941.1	13.53v	17,350 min	30.38008	-89.38465	5306 Noma Dr, Diamondhead, MS
7:13:18 PM	On	17 mph	9 mph	7 mph SW	-	0.273 g	0.204 g	38.1 mi.	98,941.4	13.59v	17,352 min	30.37826	-89.38597	Timber Park, Diamondhead, MS
7:15:18 PM	On	13 mph	9 mph	9 mph N	-	0.273 g	0.249 g	38.4 mi.	98,941.7	13.59v	17,354 min	30.37690	-89.38407	9 Live Oak Ct, Diamondhead, MS
7:17:18 PM	On	17 mph	10 mph	12 mph N	-	0.363 g	0.339 g	38.7 mi.	98,942.0	13.47v	17,356 min	30.37909	-89.38316	Oaks Blvd, Diamondhead, MS
7:19:18 PM	On	19 mph	8 mph	11 mph SW	-	0.678 g	0.473 g	39.0 mi.	98,942.3	13.56v	17,358 min	30.38048	-89.38296	4 Whispering Branch Way, Diamondhead, MS
7:21:18 PM	On	16 mph	8 mph	11 mph NW	-	1.041 g	0.384 g	39.3 mi.	98,942.6	13.44v	17,360 min	30.37956	-89.38502	Oaks Blvd, Diamondhead, MS
7:23:18 PM	On	19 mph	12 mph	15 mph SW	-	0.747 g	0.453 g	39.6 mi.	98,942.9	13.59v	17,362 min	30.37464	-89.38678	42156 Noma Dr, Diamondhead, MS
7:25:18 PM	On	16 mph	5 mph	5 mph SW	-	0.804 g	0.804 g	39.8 mi.	98,943.1	13.47v	17,364 min	30.37546	-89.38737	4222 Noma Pl, Diamondhead, MS
7:27:18 PM	On	18 mph	13 mph	1 mph W	-	1.392 g	0.518 g	40.2 mi.	98,943.5	13.38v	17,366 min	30.37089	-89.39126	Palene Rd, Diamondhead, MS
7:29:18 PM	On	25 mph	17 mph	24 mph N	-	1.041 g	0.204 g	40.8 mi.	98,944.1	13.62v	17,368 min	30.37718	-89.38650	5217 Noma Dr, Diamondhead, MS
7:31:18 PM	On	27 mph	22 mph	19 mph W	30 mph	0.261 g	0.184 g	41.5 mi.	98,944.8	13.62v	17,370 min	30.38194	-89.37956	63781 Diamondhead Dr N, Diamondhead, MS

Packet Pg. 400

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7.J.2.a

7:33:18 PM	On	20 mph	11 mph	12 mph SE	-	1.278 g	0.510 g	41.9 mi.	98,945.2	13.59v	17,372 min	30.38177	-89.37638	5453 Kaiki Dr, Diamondhead, MS
7:35:18 PM	On	15 mph	8 mph	14 mph SE	-	0.906 g	0.543 g	42.2 mi.	98,945.5	13.62v	17,374 min	30.37998	-89.37458	5437 Kaiki Dr, Diamondhead, MS
7:37:18 PM	On	27 mph	8 mph	25 mph NW	30 mph	0.906 g	0.518 g	42.5 mi.	98,945.8	13.62v	17,376 min	30.38074	-89.37657	5417 Diamondhead Dr E, Diamondhead, MS
7:39:18 PM	On	29 mph	17 mph	12 mph NE	-	0.261 g	0.212 g	43.0 mi.	98,946.3	13.59v	17,378 min	30.38255	-89.37640	6466 Kalipekona Way, Diamondhead, MS
7:41:18 PM	On	19 mph	13 mph	10 mph N	-	0.261 g	0.204 g	43.5 mi.	98,946.8	13.38v	17,380 min	30.38471	-89.37804	6412 Apelehama Pl, Diamondhead, MS
7:43:18 PM	On	20 mph	13 mph	14 mph E	-	0.204 g	0.282 g	43.9 mi.	98,947.2	13.62v	17,382 min	30.38486	-89.37608	640 Apelehama Cir, Diamondhead, MS
7:45:18 PM	On	15 mph	10 mph	11 mph S	-	0.804 g	0.453 g	44.2 mi.	98,947.5	13.59v	17,384 min	30.38389	-89.37459	640 Huko Ct, Diamondhead, MS
7:47:18 PM	On	12 mph	8 mph	11 mph N	-	1.110 g	0.473 g	44.5 mi.	98,947.8	13.56v	17,386 min	30.38467	-89.37377	6425 Iona St, Diamondhead, MS
7:49:18 PM	On	16 mph	12 mph	12 mph W	-	0.237 g	0.216 g	44.9 mi.	98,948.2	13.59v	17,388 min	30.38701	-89.37584	648 Oliwa Pl, Diamondhead, MS
7:51:18 PM	On	17 mph	12 mph	12 mph NW	-	0.261 g	0.224 g	45.3 mi.	98,948.6	13.62v	17,390 min	30.38689	-89.37778	6415 Kome Dr, Diamondhead, MS
7:53:18 PM	On	13 mph	9 mph	6 mph N	-	0.939 g	0.294 g	45.6 mi.	98,948.9	13.59v	17,392 min	30.38922	-89.37835	740 Leke Pl, Diamondhead, MS
7:55:18 PM	On	16 mph	11 mph	14 mph E	-	0.678 g	0.498 g	45.9 mi.	98,949.2	13.62v	17,394 min	30.38781	-89.37398	7440 Mahalohui Dr, Diamondhead, MS
7:57:18 PM	On	17 mph	12 mph	16 mph S	-	0.759 g	0.510 g	46.3 mi.	98,949.6	13.59v	17,396 min	30.38376	-89.37261	6440 Kiko St, Diamondhead, MS
7:59:18 PM	On	16 mph	9 mph	14 mph N	-	1.065 g	0.429 g	46.6 mi.	98,949.9	13.65v	17,398 min	30.38547	-89.37181	6511 Koula Dr, Diamondhead, MS
8:01:18 PM	On	17 mph	12 mph	11 mph E	-	0.759 g	0.486 g	47.1 mi.	98,950.4	13.59v	17,400 min	30.38534	-89.36909	6547 Alakoko Dr, Diamondhead, MS
8:03:18 PM	On	15 mph	11 mph	12 mph S	-	0.229 g	0.363 g	47.4 mi.	98,950.7	13.59v	17,402 min	30.38348	-89.36698	6529 Alakoko Dr, Diamondhead, MS
8:05:18 PM	On	20 mph	13 mph	9 mph SW	-	0.261 g	0.331 g	47.8 mi.	98,951.1	13.47v	17,404 min	30.38040	-89.36936	552 Alakoko Pl, Diamondhead, MS
8:07:18 PM	On	18 mph	9 mph	1 mph NW	-	1.073 g	0.416 g	48.1 mi.	98,951.4	13.44v	17,406 min	30.37962	-89.37140	5500 Hanauma St, Diamondhead, MS
8:09:18 PM	On	16 mph	8 mph	9 mph NE	-	0.767 g	0.306 g	48.4 mi.	98,951.7	13.50v	17,408 min	30.38174	-89.36966	552 Hanauma Ct, Diamondhead, MS
8:11:18 PM	On	17 mph	12 mph	9 mph SE	-	0.282 g	0.306 g	48.8 mi.	98,952.1	13.56v	17,410 min	30.38249	-89.36898	6524 Mauna Loa Pl, Diamondhead, MS
8:13:18 PM	On	20 mph	11 mph	11 mph NW	-	0.714 g	0.486 g	49.2 mi.	98,952.5	13.62v	17,412 min	30.38340	-89.36821	6522 Mauna Loa Ct, Diamondhead, MS
8:15:18 PM	On	20 mph	14 mph	0 mph N	-	0.184 g	0.498 g	49.6 mi.	98,952.9	13.50v	17,414 min	30.38811	-89.37096	7559 Mahalohui Dr, Diamondhead, MS
8:17:18 PM	On	12 mph	3 mph	11 mph W	-	0.869 g	0.473 g	49.7 mi.	98,953.0	13.53v	17,416 min	30.38784	-89.37131	7557 Mahalohui Dr, Diamondhead, MS
8:19:18 PM	On	20 mph	14 mph	11 mph NE	-	2.673 g	0.408 g	50.2 mi.	98,953.5	13.50v	17,418 min	30.39018	-89.37750	Turnberry Dr, Diamondhead, MS
8:21:18 PM	On	15 mph	10 mph	10 mph S	-	1.494 g	0.453 g	50.5 mi.	98,953.8	13.59v	17,420 min	30.39136	-89.37451	7430 Turnberry Way, Diamondhead, MS

Packet Pg. 401

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7.J.2.a

8:23:18 PM	On		14 mph	11 mph	14 mph NE	-	0.204 g	0.306 g	50.9 mi.	98,954.2	13.59v	17,422 min	30.38968	-89.37163	7443 Turnberry Dr, Diamondhead, MS
8:25:18 PM	On		17 mph	13 mph	7 mph NE	-	0.216 g	0.306 g	51.3 mi.	98,954.6	13.38v	17,424 min	30.39064	-89.36471	753 Turnberry Dr, Diamondhead, MS
8:27:18 PM	On		15 mph	9 mph	5 mph S	-	0.963 g	0.486 g	51.6 mi.	98,954.9	13.56v	17,426 min	30.39160	-89.36593	750 Doral Ct, Diamondhead, MS
8:29:18 PM	On		18 mph	12 mph	14 mph N	-	0.286 g	0.237 g	52.0 mi.	98,955.3	13.50v	17,428 min	30.39229	-89.37001	7528 Crooked Stick Dr, Diamondhead, MS
8:31:18 PM	On		16 mph	12 mph	11 mph NE	-	0.192 g	0.196 g	52.4 mi.	98,955.7	13.53v	17,430 min	30.39263	-89.37055	750 Augusta Way, Diamondhead, MS
8:33:18 PM	On		18 mph	13 mph	17 mph NE	-	0.192 g	0.204 g	52.9 mi.	98,956.2	13.56v	17,432 min	30.39153	-89.36598	Crooked Stick Dr, Diamondhead, MS
8:35:18 PM	On		19 mph	13 mph	6 mph E	-	1.008 g	0.327 g	53.3 mi.	98,956.6	13.56v	17,434 min	30.39021	-89.36331	755 Cherryhill Dr, Diamondhead, MS
8:37:18 PM	On		23 mph	15 mph	14 mph SW	30 mph	0.927 g	0.486 g	53.8 mi.	98,957.1	13.59v	17,436 min	30.38475	-89.36444	6641 Golf Club Dr, Diamondhead, MS
8:39:18 PM	On		25 mph	13 mph	15 mph S	-	2.980 g	0.453 g	54.2 mi.	98,957.5	13.59v	17,438 min	30.38054	-89.36442	5614 Ahuawa Pl, Diamondhead, MS
8:41:18 PM	On		19 mph	12 mph	6 mph SW	-	1.131 g	0.461 g	54.6 mi.	98,957.9	13.56v	17,440 min	30.38143	-89.36150	564 Ahuli Pl, Diamondhead, MS
8:43:18 PM	On		12 mph	4 mph	0 mph NE	-	0.159 g	0.473 g	54.8 mi.	98,958.1	13.62v	17,442 min	30.38133	-89.36163	5622 Ahuli Pl, Diamondhead, MS
8:45:18 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	54.8 mi.	98,958.1	13.62v	17,444 min	30.38133	-89.36163	5622 Ahuli Pl, Diamondhead, MS
8:47:18 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	54.8 mi.	98,958.1	13.59v	17,446 min	30.38133	-89.36163	5622 Ahuli Pl, Diamondhead, MS
8:47:29 PM		Idling - OBD	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	54.8 mi.	98,958.1	13.56v	17,446 min	30.38133	-89.36163	5622 Ahuli Pl, Diamondhead, MS
8:49:18 PM	On		9 mph	0 mph	9 mph NE	-	1.212 g	0.000 g	54.8 mi.	98,958.1	13.50v	17,448 min	30.38159	-89.36130	5624 Ahuli Pl, Diamondhead, MS
8:51:18 PM	On		14 mph	10 mph	8 mph N	-	0.261 g	0.294 g	55.1 mi.	98,958.4	13.62v	17,450 min	30.38364	-89.36178	664 Ahiahi Pl, Diamondhead, MS
8:53:18 PM	On		18 mph	12 mph	4 mph SE	-	0.171 g	0.282 g	55.5 mi.	98,958.8	13.59v	17,452 min	30.38448	-89.35980	666 Alewa Pl, Diamondhead, MS
8:55:18 PM	On		16 mph	12 mph	11 mph SW	-	0.261 g	0.241 g	55.9 mi.	98,959.2	13.62v	17,454 min	30.38495	-89.36242	6664 Ahekolo Cir, Diamondhead, MS
8:57:18 PM	On		21 mph	14 mph	16 mph SE	-	0.229 g	0.237 g	56.3 mi.	98,959.6	13.59v	17,456 min	30.38391	-89.36329	662 Alii Pl, Diamondhead, MS
8:59:18 PM	On		30 mph	14 mph	16 mph SW	30 mph	1.008 g	0.441 g	56.8 mi.	98,960.1	13.53v	17,458 min	30.37964	-89.36746	551 Golf Club Dr, Diamondhead, MS
9:01:18 PM	On		30 mph	23 mph	11 mph NW	25 mph	0.171 g	0.237 g	57.6 mi.	98,960.9	13.65v	17,460 min	30.37555	-89.37766	5400 W Aloha Dr, Diamondhead, MS
9:03:18 PM	On		11 mph	1 mph	0 mph N	25 mph	0.114 g	0.441 g	57.6 mi.	98,960.9	13.50v	17,462 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:05:18 PM	On		2 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.47v	17,464 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:07:18 PM	On		0 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.44v	17,466 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:07:47 PM		Idling - OBD	0 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.41v	17,466 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS

Packet Pg. 402

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

9:09:18 PM	On		1 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.59v	17,468 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:11:18 PM	On		0 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.56v	17,470 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:12:47 PM		Idling - OBD	0 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.56v	17,470 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:13:18 PM	On		0 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.59v	17,472 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:15:18 PM	On		2 mph	0 mph	1 mph N	35 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.62v	17,474 min	30.37599	-89.37769	5454 Diamondhead Dr N, Diamondhead, MS
9:17:18 PM	On		3 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.47v	17,476 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:19:18 PM	On		2 mph	0 mph	0 mph N	25 mph	0.000 g	0.000 g	57.6 mi.	98,960.9	13.41v	17,478 min	30.37599	-89.37769	5400 W Aloha Dr, Diamondhead, MS
9:21:18 PM	On		30 mph	15 mph	29 mph E	30 mph	0.747 g	0.306 g	58.1 mi.	98,961.4	13.65v	17,480 min	30.37760	-89.37122	5560 Diamondhead Dr E, Diamondhead, MS
9:23:18 PM	On		30 mph	25 mph	29 mph NE	30 mph	0.702 g	0.543 g	59.0 mi.	98,962.3	13.65v	17,482 min	30.38710	-89.36329	Golf Club Dr, Diamondhead, MS
9:25:18 PM	On		30 mph	25 mph	18 mph NE	30 mph	0.376 g	0.294 g	59.8 mi.	98,963.1	13.59v	17,484 min	30.39570	-89.35391	Diamondhead, MS
9:27:18 PM	On		31 mph	24 mph	29 mph NE	30 mph	0.192 g	0.388 g	60.6 mi.	98,963.9	13.53v	17,486 min	30.40477	-89.34959	108216 Kapalama Dr, Diamondhead, MS
9:29:18 PM	On		27 mph	8 mph	7 mph NW	-	0.127 g	0.441 g	60.9 mi.	98,964.2	13.59v	17,488 min	30.40714	-89.34724	1050 Ed Faye Rd, Pass Christian, MS
9:31:18 PM	On		11 mph	2 mph	0 mph SE	-	1.755 g	0.441 g	60.9 mi.	98,964.2	13.44v	17,490 min	30.40781	-89.34809	1060 Ed Faye Rd, Pass Christian, MS
9:33:18 PM	On		3 mph	0 mph	3 mph SE	-	0.600 g	0.441 g	60.9 mi.	98,964.2	13.41v	17,492 min	30.40772	-89.34800	Ed Faye Rd, Pass Christian, MS
9:35:18 PM	On		14 mph	5 mph	9 mph S	-	0.927 g	0.498 g	61.1 mi.	98,964.4	13.56v	17,494 min	30.40835	-89.34710	1099 Road 381, Pass Christian, MS
9:37:18 PM	On		37 mph	22 mph	36 mph N	30 mph	0.665 g	0.441 g	61.8 mi.	98,965.1	13.50v	17,496 min	30.41443	-89.34281	Kapalama Dr, Pass Christian, MS
9:39:18 PM	On		50 mph	36 mph	48 mph NW	45 mph	0.306 g	0.306 g	63.0 mi.	98,966.3	13.65v	17,498 min	30.42406	-89.35552	1286 Kiln-Delisle Rd, Kiln, MS
9:41:18 PM	On		47 mph	36 mph	38 mph N	-	0.180 g	0.204 g	64.2 mi.	98,967.5	13.53v	17,500 min	30.43002	-89.36924	17222 Fenton Dedeaux Rd, Kiln, MS
9:43:18 PM	On		42 mph	39 mph	39 mph N	-	0.224 g	0.180 g	65.5 mi.	98,968.8	13.56v	17,502 min	30.44855	-89.37125	19144 Fenton Dedeaux Rd, Kiln, MS
9:45:18 PM	On		45 mph	35 mph	31 mph E	-	0.804 g	0.498 g	66.7 mi.	98,970.0	13.56v	17,504 min	30.46430	-89.37374	Firetower Rd, Kiln, MS
9:47:18 PM	On		45 mph	28 mph	42 mph SW	-	1.122 g	0.416 g	67.7 mi.	98,971.0	13.50v	17,506 min	30.45998	-89.37949	Firetower Rd, Kiln, MS
9:49:18 PM	On		48 mph	46 mph	48 mph W	-	0.114 g	0.122 g	69.2 mi.	98,972.5	13.59v	17,508 min	30.44712	-89.39815	Firetower Rd, Kiln, MS
9:51:18 PM	On		50 mph	35 mph	27 mph S	-	0.388 g	0.298 g	70.4 mi.	98,973.7	13.56v	17,510 min	30.43849	-89.40996	Joe Moran Rd, Kiln, MS
9:53:18 PM	On		30 mph	11 mph	0 mph E	-	0.147 g	0.473 g	70.7 mi.	98,974.0	12.04v	17,512 min	30.43912	-89.41451	18403 Joe Moran Rd, Kiln, MS
9:53:28 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	70.7 mi.	98,974.0	12.37v	17,513 min	30.43912	-89.41451	18403 Joe Moran Rd, Kiln, MS

Packet Pg. 403

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

Mon Mar 29, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
9:57:58 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,974.0	12.62v	17,513 min	30.43912	-89.41451	18403 Joe Moran Rd, Kiln, MS
4:58:08 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.80v	17,513 min	30.43912	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:00:08 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.20v	17,515 min	30.43912	-89.41451	18403 Joe Moran Rd, Kiln, MS
5:02:07 PM	On		6 mph	1 mph	0 mph N	-	0.804 g	0.486 g	0.0 mi.	98,974.0	13.01v	17,517 min	30.43933	-89.41445	18403 Joe Moran Rd, Kiln, MS
5:02:17 PM	Off		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	0.0 mi.	98,974.0	12.89v	17,517 min	30.43933	-89.41445	18403 Joe Moran Rd, Kiln, MS
5:04:51 PM	On		0 mph	0 mph	0 mph SE	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.68v	17,517 min	30.43904	-89.41465	18403 Joe Moran Rd, Kiln, MS
5:06:50 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.20v	17,519 min	30.43924	-89.41469	18403 Joe Moran Rd, Kiln, MS
5:08:50 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.23v	17,521 min	30.43924	-89.41469	18403 Joe Moran Rd, Kiln, MS
5:10:00 PM		Idling - OBD	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.23v	17,521 min	30.43924	-89.41469	18403 Joe Moran Rd, Kiln, MS
5:10:50 PM	On		5 mph	0 mph	0 mph S	-	0.767 g	0.486 g	0.0 mi.	98,974.0	14.14v	17,523 min	30.43920	-89.41456	18403 Joe Moran Rd, Kiln, MS
5:12:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.44v	17,525 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:14:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.44v	17,527 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:16:00 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.44v	17,527 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:16:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	14.41v	17,529 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:18:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	13.68v	17,531 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:20:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	13.77v	17,533 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:21:00 PM		Idling - OBD	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	13.65v	17,533 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:22:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.0 mi.	98,974.0	13.68v	17,535 min	30.43919	-89.41452	18403 Joe Moran Rd, Kiln, MS
5:24:50 PM	On		4 mph	0 mph	0 mph S	-	0.759 g	0.396 g	0.1 mi.	98,974.1	13.71v	17,537 min	30.43903	-89.41449	18403 Joe Moran Rd, Kiln, MS
5:26:50 PM	On		0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.65v	17,539 min	30.43903	-89.41449	18403 Joe Moran Rd, Kiln, MS
5:28:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.68v	17,541 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:29:22 PM		Idling - OBD	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.68v	17,541 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:30:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.71v	17,543 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS

Packet Pg. 404

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

5:32:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.68v	17,545 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:34:22 PM		Idling - OBD	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.65v	17,545 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:34:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.65v	17,547 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:36:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.65v	17,549 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:38:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.62v	17,551 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:39:22 PM		Idling - OBD	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.59v	17,551 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:40:50 PM	On		0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.1 mi.	98,974.1	13.41v	17,553 min	30.43902	-89.41447	18403 Joe Moran Rd, Kiln, MS
5:42:50 PM	On		52 mph	29 mph	48 mph SW	-	0.816 g	0.420 g	1.0 mi.	98,975.0	13.53v	17,555 min	30.42715	-89.41922	Joe Moran Rd, Kiln, MS
5:44:50 PM	On		56 mph	43 mph	33 mph S	-	0.237 g	0.453 g	2.4 mi.	98,976.4	13.59v	17,557 min	30.40956	-89.42733	16105 Old Joe Moran St, Kiln, MS
5:46:50 PM	On		47 mph	21 mph	0 mph W	45 mph	0.996 g	0.441 g	3.1 mi.	98,977.1	13.47v	17,559 min	30.40906	-89.43518	16597 MS-43, Kiln, MS
5:48:50 PM	On		62 mph	44 mph	0 mph SE	55 mph	0.882 g	0.371 g	4.6 mi.	98,978.6	13.35v	17,561 min	30.39526	-89.44635	15419 MS-43, Kiln, MS
5:50:50 PM	On		28 mph	17 mph	16 mph W	-	0.963 g	0.416 g	5.2 mi.	98,979.2	13.56v	17,563 min	30.39598	-89.44122	6198 Comanche St, Kiln, MS
5:52:50 PM	On		30 mph	8 mph	30 mph E	-	1.086 g	0.510 g	5.4 mi.	98,979.4	13.56v	17,565 min	30.39607	-89.44083	6212 Comanche St, Kiln, MS
5:54:50 PM	On		30 mph	7 mph	0 mph SW	-	0.927 g	0.441 g	5.7 mi.	98,979.7	13.41v	17,567 min	30.39633	-89.43982	6190 Comanche St, Kiln, MS
5:56:50 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	5.7 mi.	98,979.7	13.47v	17,569 min	30.39633	-89.43982	6190 Comanche St, Kiln, MS
5:58:50 PM	On		37 mph	7 mph	32 mph W	-	0.714 g	0.127 g	5.9 mi.	98,979.9	13.47v	17,571 min	30.39553	-89.44352	7066 Comanche St, Kiln, MS
6:00:50 PM	On		65 mph	46 mph	60 mph SE	55 mph	0.963 g	0.384 g	7.4 mi.	98,981.4	13.47v	17,573 min	30.37744	-89.43660	MS-43, Kiln, MS
6:02:50 PM	On		73 mph	47 mph	19 mph S	55 mph	0.849 g	0.371 g	9.0 mi.	98,983.0	13.62v	17,575 min	30.35816	-89.42335	MS-43, Bay St Louis, MS
6:04:50 PM	On		66 mph	56 mph	63 mph SE	55 mph	0.204 g	0.069 g	10.8 mi.	98,984.8	13.71v	17,577 min	30.33235	-89.42653	MS-43, Bay St Louis, MS
6:06:50 PM	On		65 mph	45 mph	22 mph S	-	0.371 g	0.371 g	12.3 mi.	98,986.3	13.41v	17,579 min	30.31629	-89.41257	11000 Jordan St, Bay St Louis, MS
6:08:50 PM	On		23 mph	8 mph	0 mph SW	-	0.780 g	0.461 g	12.6 mi.	98,986.6	13.59v	17,581 min	30.31770	-89.41430	5025 Red St, Bay St Louis, MS
6:10:50 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	12.6 mi.	98,986.6	13.56v	17,583 min	30.31770	-89.41426	5025 Red St, Bay St Louis, MS
6:12:50 PM	On		16 mph	2 mph	8 mph N	-	0.792 g	0.180 g	12.7 mi.	98,986.7	13.44v	17,585 min	30.31786	-89.41341	10088 Tigris St, Bay St Louis, MS
6:14:50 PM	On		62 mph	39 mph	24 mph E	55 mph	0.894 g	0.498 g	14.0 mi.	98,988.0	13.31v	17,587 min	30.31336	-89.39644	10139 MS-603, Bay St Louis, MS
6:16:50 PM	On		35 mph	21 mph	0 mph S	-	0.735 g	0.396 g	14.7 mi.	98,988.7	13.68v	17,589 min	30.30809	-89.40247	D Ave, Bay St Louis, MS

Packet Pg. 405

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

6:18:50 PM	On		4 mph	0 mph	0 mph W	-	0.759 g	0.498 g	14.7 mi.	98,988.7	13.62v	17,591 min	30.30814	-89.40251	D Ave, Bay St Louis, MS
6:20:50 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	14.7 mi.	98,988.7	13.59v	17,593 min	30.30814	-89.40251	D Ave, Bay St Louis, MS
6:22:07 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	14.7 mi.	98,988.7	13.56v	17,593 min	30.30814	-89.40251	D Ave, Bay St Louis, MS
6:22:50 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	14.7 mi.	98,988.7	13.56v	17,595 min	30.30814	-89.40251	D Ave, Bay St Louis, MS
6:24:50 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	14.7 mi.	98,988.7	13.59v	17,597 min	30.30814	-89.40253	D Ave, Bay St Louis, MS
6:26:50 PM	On		0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	14.7 mi.	98,988.7	13.47v	17,599 min	30.30814	-89.40253	D Ave, Bay St Louis, MS
6:27:07 PM		Idling - OBD	0 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	14.7 mi.	98,988.7	13.56v	17,599 min	30.30814	-89.40253	D Ave, Bay St Louis, MS
6:28:50 PM	On		29 mph	7 mph	29 mph E	-	0.927 g	0.331 g	14.9 mi.	98,988.9	13.62v	17,601 min	30.30813	-89.39915	4193 Catalina St, Bay St Louis, MS
6:30:50 PM	On		60 mph	39 mph	60 mph SE	45 mph	0.702 g	0.461 g	16.2 mi.	98,990.2	13.53v	17,603 min	30.31008	-89.38333	MS-43, Bay St Louis, MS
6:32:50 PM	On		59 mph	43 mph	47 mph W	45 mph	0.171 g	0.171 g	17.6 mi.	98,991.6	13.50v	17,605 min	30.30049	-89.39495	630 US-90, Waveland, MS
6:34:50 PM	On		61 mph	50 mph	61 mph W	65 mph	0.090 g	0.078 g	19.3 mi.	98,993.3	13.44v	17,607 min	30.29923	-89.42276	5410 US-90, Bay St Louis, MS
6:36:50 PM	On		68 mph	31 mph	8 mph S	-	0.249 g	0.294 g	20.3 mi.	98,994.3	13.65v	17,609 min	30.29318	-89.43160	E Park Dr, Bay St Louis, MS
6:38:50 PM	On		35 mph	27 mph	35 mph SW	-	0.237 g	0.351 g	21.2 mi.	98,995.2	13.53v	17,611 min	30.28336	-89.43948	7569 Hancock Dr, Bay St Louis, MS
6:40:50 PM	On		36 mph	27 mph	9 mph E	-	0.253 g	0.261 g	22.1 mi.	98,996.1	13.65v	17,613 min	30.27555	-89.43630	E Marion St, Bay St Louis, MS
6:42:50 PM	On		32 mph	22 mph	21 mph E	-	0.429 g	0.318 g	22.9 mi.	98,996.9	13.59v	17,615 min	30.28296	-89.43200	6183 Tate St, Bay St Louis, MS
6:44:50 PM	On		24 mph	5 mph	0 mph W	-	0.759 g	0.429 g	23.0 mi.	98,997.0	13.62v	17,617 min	30.28297	-89.42947	6035 Scott St, Bay St Louis, MS
6:46:50 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.62v	17,619 min	30.28297	-89.42947	6035 Scott St, Bay St Louis, MS
6:48:40 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.59v	17,619 min	30.28297	-89.42947	6035 Scott St, Bay St Louis, MS
6:48:50 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.59v	17,621 min	30.28295	-89.42940	6035 Scott St, Bay St Louis, MS
6:50:50 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.59v	17,623 min	30.28295	-89.42940	6035 Scott St, Bay St Louis, MS
6:52:50 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.59v	17,625 min	30.28295	-89.42940	6035 Scott St, Bay St Louis, MS
6:53:40 PM		Idling - OBD	0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.53v	17,625 min	30.28295	-89.42940	6035 Scott St, Bay St Louis, MS
6:54:50 PM	On		0 mph	0 mph	0 mph N	-	0.000 g	0.000 g	23.0 mi.	98,997.0	13.53v	17,627 min	30.28295	-89.42940	6035 Scott St, Bay St Louis, MS
6:56:50 PM	On		31 mph	11 mph	31 mph N	-	0.645 g	0.486 g	23.4 mi.	98,997.4	13.59v	17,629 min	30.28706	-89.42767	8180 Jeff Davis Dr, Bay St Louis, MS
6:58:50 PM	On		37 mph	28 mph	14 mph W	-	0.237 g	0.224 g	24.3 mi.	98,998.3	13.44v	17,631 min	30.29662	-89.43247	6124 E Adams St, Bay St Louis, MS

Packet Pg. 406

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7:00:50 PM	On		75 mph	47 mph	70 mph W	65 mph	0.861 g	0.396 g	25.9 mi.	98,999.9	13.56v	17,633 min	30.30026	-89.45506	US-90, Bay St Louis, MS
7:02:50 PM	On		71 mph	69 mph	67 mph W	65 mph	0.037 g	0.065 g	28.2 mi.	99,002.2	13.56v	17,635 min	30.30163	-89.49331	US-90, Bay St Louis, MS
7:04:50 PM	On		67 mph	49 mph	60 mph SW	55 mph	0.204 g	0.261 g	29.8 mi.	99,003.8	13.62v	17,637 min	30.29405	-89.51597	US-90, Bay St Louis, MS
7:06:50 PM	On		68 mph	64 mph	62 mph SW	55 mph	0.069 g	0.057 g	32.0 mi.	99,006.0	13.62v	17,639 min	30.27645	-89.54562	US-90, Bay St Louis, MS
7:08:50 PM	On		70 mph	58 mph	69 mph SW	55 mph	0.114 g	0.204 g	33.9 mi.	99,007.9	13.62v	17,641 min	30.26049	-89.57256	US-90, Bay St Louis, MS
7:10:50 PM	On		69 mph	59 mph	52 mph SW	55 mph	0.053 g	0.147 g	35.9 mi.	99,009.9	13.44v	17,643 min	30.24522	-89.60067	US-90, Pearlington, MS
7:12:50 PM	On		53 mph	30 mph	42 mph N	-	0.690 g	0.261 g	36.9 mi.	99,010.9	13.59v	17,645 min	30.24259	-89.60964	5072 MS-604, Pearlington, MS
7:14:50 PM	On		58 mph	46 mph	56 mph NE	-	0.261 g	0.273 g	38.4 mi.	99,012.4	13.62v	17,647 min	30.26340	-89.61180	6360 MS-604, Pearlington, MS
7:16:40 PM		Speeding - OBD	78 mph	68 mph	78 mph NE	-	0.257 g	0.273 g	40.5 mi.	99,014.5	13.53v	17,647 min	30.28749	-89.59130	Highway 604, Bay St Louis, MS
7:16:50 PM	On		78 mph	68 mph	58 mph NE	-	0.257 g	0.318 g	40.7 mi.	99,014.7	13.50v	17,649 min	30.28968	-89.58927	Highway 604, Bay St Louis, MS
7:18:28 PM		Speeding - OBD	78 mph	60 mph	78 mph E	65 mph	0.306 g	0.339 g	42.3 mi.	99,016.3	13.59v	17,649 min	30.30213	-89.57283	MS-607, Bay St Louis, MS
7:18:50 PM	On		81 mph	64 mph	81 mph E	65 mph	0.306 g	0.339 g	42.8 mi.	99,016.8	13.53v	17,651 min	30.30262	-89.56469	MS-607, Bay St Louis, MS
7:20:50 PM	On		87 mph	83 mph	80 mph E	65 mph	0.057 g	0.037 g	45.6 mi.	99,019.6	13.62v	17,653 min	30.30228	-89.51834	MS-607, Bay St Louis, MS
7:20:57 PM		Speeding - OBD	80 mph	80 mph	80 mph E	65 mph	0.045 g	0.000 g	45.7 mi.	99,019.7	13.53v	17,653 min	30.30219	-89.51573	MS-607, Bay St Louis, MS
7:22:50 PM	On		81 mph	78 mph	75 mph E	65 mph	0.045 g	0.045 g	48.2 mi.	99,022.2	13.62v	17,655 min	30.30066	-89.47470	US-90, Bay St Louis, MS
7:23:10 PM		Speeding - OBD	78 mph	76 mph	78 mph E	65 mph	0.049 g	0.000 g	48.6 mi.	99,022.6	13.59v	17,655 min	30.30042	-89.46761	US-90, Bay St Louis, MS
7:24:50 PM	On		80 mph	78 mph	72 mph E	65 mph	0.049 g	0.057 g	50.8 mi.	99,024.8	13.59v	17,657 min	30.29924	-89.43137	6085 US-90, Bay St Louis, MS
7:26:50 PM	On		75 mph	60 mph	0 mph E	45 mph	0.065 g	0.441 g	52.8 mi.	99,026.8	13.71v	17,659 min	30.29937	-89.39797	801 US-90, Waveland, MS
7:28:50 PM	On		43 mph	25 mph	40 mph E	45 mph	1.008 g	0.122 g	53.6 mi.	99,027.6	13.59v	17,661 min	30.30368	-89.38514	US-90, Waveland, MS
7:30:50 PM	On		60 mph	45 mph	50 mph E	45 mph	0.249 g	0.171 g	55.1 mi.	99,029.1	13.59v	17,663 min	30.31157	-89.36203	1188 US-90, Bay St Louis, MS
7:32:50 PM	On		58 mph	46 mph	53 mph E	45 mph	0.204 g	0.261 g	56.6 mi.	99,030.6	13.56v	17,665 min	30.31952	-89.33830	314 US-90, Bay St Louis, MS
7:34:50 PM	On		60 mph	31 mph	0 mph W	-	0.294 g	0.359 g	57.6 mi.	99,031.6	13.47v	17,667 min	30.31713	-89.32893	207 Ruella Ave, Bay St Louis, MS
7:36:50 PM	On		20 mph	3 mph	17 mph E	-	0.951 g	0.473 g	57.7 mi.	99,031.7	13.50v	17,669 min	30.31655	-89.32721	202 Ruella Ave, Bay St Louis, MS
7:38:50 PM	On		58 mph	26 mph	11 mph W	45 mph	1.041 g	0.416 g	58.6 mi.	99,032.6	13.56v	17,671 min	30.31987	-89.33719	US-90, Bay St Louis, MS
7:40:50 PM	On		57 mph	41 mph	35 mph W	45 mph	0.184 g	0.249 g	60.0 mi.	99,034.0	13.50v	17,673 min	30.31294	-89.35851	1075 US-90, Bay St Louis, MS

Packet Pg. 407

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7:42:50 PM	On		60 mph	34 mph	1 mph NW	-	0.273 g	0.429 g	61.1 mi.	99,035.1	13.47v	17,675 min	30.30743	-89.37601	Waveland, MS
7:44:50 PM	On		6 mph	0 mph	0 mph NW	-	0.849 g	0.416 g	61.1 mi.	99,035.1	13.44v	17,677 min	30.30769	-89.37612	2400 McLaurin Rd, Waveland, MS
7:46:50 PM	On		2 mph	0 mph	0 mph NW	-	0.000 g	0.000 g	61.1 mi.	99,035.1	13.50v	17,679 min	30.30774	-89.37616	2400 McLaurin Rd, Waveland, MS
7:48:50 PM	On		4 mph	0 mph	0 mph SW	-	0.735 g	0.510 g	61.1 mi.	99,035.1	13.50v	17,681 min	30.30778	-89.37627	Waveland, MS
7:50:50 PM	On		3 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	61.1 mi.	99,035.1	13.53v	17,683 min	30.30778	-89.37627	Waveland, MS
7:52:50 PM	On		2 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	61.1 mi.	99,035.1	13.53v	17,685 min	30.30778	-89.37627	Waveland, MS
7:54:25 PM		Idling - OBD	2 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	61.1 mi.	99,035.1	13.50v	17,685 min	30.30778	-89.37627	Waveland, MS
7:54:50 PM	On		3 mph	0 mph	0 mph SE	45 mph	0.555 g	0.371 g	61.1 mi.	99,035.1	13.50v	17,687 min	30.30743	-89.37631	302 US-90, Waveland, MS
7:56:50 PM	On		66 mph	34 mph	59 mph W	55 mph	0.939 g	0.094 g	62.3 mi.	99,036.3	13.53v	17,689 min	30.31301	-89.39229	MS-43, Bay St Louis, MS
7:58:50 PM	On		65 mph	59 mph	62 mph NW	55 mph	0.090 g	0.127 g	64.2 mi.	99,038.2	13.62v	17,691 min	30.32548	-89.42103	11026 MS-43, Bay St Louis, MS
8:00:50 PM	On		66 mph	60 mph	56 mph N	55 mph	0.065 g	0.090 g	66.2 mi.	99,040.2	13.56v	17,693 min	30.35172	-89.42271	MS-43, Bay St Louis, MS
8:02:07 PM		Speeding - OBD	80 mph	55 mph	80 mph E	70 mph	0.147 g	0.261 g	67.4 mi.	99,041.4	13.59v	17,693 min	30.36201	-89.41115	I-10, Bay St Louis, MS
8:02:50 PM	On		84 mph	65 mph	84 mph E	70 mph	0.147 g	0.261 g	68.4 mi.	99,042.4	13.59v	17,695 min	30.36686	-89.39544	I-10, Diamondhead, MS
8:02:57 PM		Speeding - OBD	83 mph	82 mph	82 mph E	70 mph	0.000 g	0.049 g	68.5 mi.	99,042.5	13.53v	17,695 min	30.36762	-89.39291	I-10, Diamondhead, MS
8:04:50 PM	On		83 mph	47 mph	33 mph SW	-	0.253 g	0.318 g	69.9 mi.	99,043.9	13.62v	17,697 min	30.36600	-89.37687	3490 Airport Dr, Diamondhead, MS
8:06:50 PM	On		33 mph	3 mph	0 mph SW	-	0.204 g	0.453 g	70.1 mi.	99,044.1	13.65v	17,699 min	30.36514	-89.37819	2430 Airport Dr, Diamondhead, MS
8:08:50 PM	On		0 mph	0 mph	0 mph SW	-	0.000 g	0.000 g	70.1 mi.	99,044.1	13.50v	17,701 min	30.36514	-89.37819	2430 Airport Dr, Diamondhead, MS
8:10:50 PM	On		30 mph	18 mph	30 mph N	35 mph	0.861 g	0.498 g	70.6 mi.	99,044.6	13.56v	17,703 min	30.37132	-89.37649	Diamondhead Dr N, Diamondhead, MS
8:12:50 PM	On		35 mph	17 mph	0 mph S	-	0.294 g	0.461 g	71.2 mi.	99,045.2	13.62v	17,705 min	30.37686	-89.37508	1922 Luana Dr, Diamondhead, MS
8:14:50 PM	On		41 mph	22 mph	32 mph NE	30 mph	0.996 g	0.339 g	71.9 mi.	99,045.9	13.62v	17,707 min	30.38090	-89.36660	5508 Golf Club Dr, Diamondhead, MS
8:16:50 PM	On		37 mph	24 mph	10 mph SE	-	0.184 g	0.167 g	72.7 mi.	99,046.7	13.16v	17,709 min	30.39022	-89.35967	7698 Country Club Cir, Diamondhead, MS
8:18:50 PM	On		37 mph	23 mph	37 mph SW	30 mph	0.735 g	0.339 g	73.5 mi.	99,047.5	13.59v	17,711 min	30.38129	-89.36640	5515 Golf Club Dr, Diamondhead, MS
8:20:50 PM	On		39 mph	27 mph	18 mph W	25 mph	0.261 g	0.269 g	74.4 mi.	99,048.4	13.53v	17,713 min	30.37552	-89.37772	5400 W Aloha Dr, Diamondhead, MS
8:22:50 PM	On		18 mph	3 mph	1 mph S	-	0.971 g	0.453 g	74.5 mi.	99,048.5	13.47v	17,715 min	30.37451	-89.37840	Live Oak Dr, Diamondhead, MS
8:24:50 PM	On		3 mph	0 mph	2 mph S	-	0.000 g	0.000 g	74.5 mi.	99,048.5	13.56v	17,717 min	30.37451	-89.37840	Live Oak Dr, Diamondhead, MS

Packet Pg. 408

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7.J.2.a

8:26:50 PM	On		3 mph	0 mph	0 mph E	35 mph	0.665 g	0.396 g	74.5 mi.	99,048.5	13.47v	17,719 min	30.37428	-89.37832	105 Diamondhead Dr N, Diamondhead, MS
8:28:50 PM	On		2 mph	0 mph	0 mph E	35 mph	0.000 g	0.000 g	74.5 mi.	99,048.5	13.50v	17,721 min	30.37428	-89.37832	105 Diamondhead Dr N, Diamondhead, MS
8:30:50 PM	On		2 mph	0 mph	0 mph E	35 mph	0.000 g	0.000 g	74.5 mi.	99,048.5	13.47v	17,723 min	30.37428	-89.37832	105 Diamondhead Dr N, Diamondhead, MS
8:30:52 PM		Idling - OBD	0 mph	0 mph	0 mph E	35 mph	0.000 g	0.000 g	74.5 mi.	99,048.5	13.47v	17,723 min	30.37428	-89.37832	105 Diamondhead Dr N, Diamondhead, MS
8:32:50 PM	On		0 mph	0 mph	0 mph E	35 mph	0.000 g	0.000 g	74.5 mi.	99,048.5	13.47v	17,725 min	30.37428	-89.37832	105 Diamondhead Dr N, Diamondhead, MS
8:34:50 PM	On		10 mph	1 mph	0 mph SW	35 mph	1.053 g	0.294 g	74.5 mi.	99,048.5	12.37v	17,727 min	30.37430	-89.37856	101 Diamondhead Dr N, Diamondhead, MS
8:35:00 PM	Off		0 mph	0 mph	0 mph SW	35 mph	0.000 g	0.000 g	74.5 mi.	99,048.5	12.37v	17,727 min	30.37430	-89.37856	101 Diamondhead Dr N, Diamondhead, MS
9:30:14 PM	On		1 mph	0 mph	1 mph NW	-	0.000 g	0.000 g	74.5 mi.	99,048.5	14.41v	17,727 min	30.37429	-89.37850	Live Oak Dr, Diamondhead, MS
9:32:13 PM	On		43 mph	19 mph	43 mph E	30 mph	1.722 g	0.273 g	75.2 mi.	99,049.2	14.17v	17,729 min	30.37807	-89.36963	5572 Diamondhead Dr E, Diamondhead, MS
9:34:13 PM	On		43 mph	30 mph	29 mph NE	30 mph	0.747 g	0.429 g	76.2 mi.	99,050.2	13.89v	17,731 min	30.38989	-89.36064	Golf Club Dr, Diamondhead, MS
9:36:13 PM	On		42 mph	27 mph	35 mph N	30 mph	0.396 g	0.294 g	77.1 mi.	99,051.1	13.95v	17,733 min	30.40007	-89.35149	98178 Golf Club Dr, Diamondhead, MS
9:38:13 PM	On		41 mph	30 mph	17 mph NW	-	0.939 g	0.441 g	78.1 mi.	99,052.1	13.62v	17,735 min	30.40471	-89.36556	Kapalama Dr, Diamondhead, MS
9:40:13 PM	On		35 mph	10 mph	0 mph E	-	0.327 g	0.453 g	78.5 mi.	99,052.5	13.56v	17,737 min	30.40474	-89.36538	Kapalama Dr, Diamondhead, MS
9:42:13 PM	On		33 mph	7 mph	30 mph SE	-	1.392 g	0.049 g	78.7 mi.	99,052.7	13.56v	17,739 min	30.40319	-89.36198	96106 Kapalama Dr, Diamondhead, MS
9:44:13 PM	On		43 mph	35 mph	40 mph NE	30 mph	0.241 g	0.159 g	79.9 mi.	99,053.9	13.71v	17,741 min	30.40822	-89.34500	Kapalama Dr, Pass Christian, MS
9:46:13 PM	On		49 mph	32 mph	49 mph NW	45 mph	0.963 g	0.359 g	80.9 mi.	99,054.9	13.62v	17,743 min	30.42029	-89.34690	1072 Kiln-Delisle Rd, Kiln, MS
9:48:13 PM	On		55 mph	45 mph	40 mph N	-	0.282 g	0.224 g	82.5 mi.	99,056.5	13.59v	17,745 min	30.42615	-89.36798	Fenton Dedeaux Rd, Kiln, MS
9:50:13 PM	On		50 mph	45 mph	48 mph N	-	0.159 g	0.135 g	84.0 mi.	99,058.0	13.62v	17,747 min	30.44777	-89.37119	Fenton Dedeaux Rd, Kiln, MS
9:52:13 PM	On		50 mph	39 mph	39 mph N	-	0.861 g	0.461 g	85.3 mi.	99,059.3	13.59v	17,749 min	30.46608	-89.37548	Fenton Dedeaux Rd, Kiln, MS
9:54:13 PM	On		45 mph	35 mph	4 mph E	-	0.678 g	0.498 g	86.4 mi.	99,060.4	13.41v	17,751 min	30.47977	-89.36871	Fenton Dedeaux Rd, Kiln, MS
9:56:13 PM	On		5 mph	0 mph	0 mph W	-	0.837 g	0.510 g	86.4 mi.	99,060.4	13.53v	17,753 min	30.47966	-89.36880	21430 Fenton Dedeaux Rd, Kiln, MS
9:58:13 PM	On		42 mph	30 mph	42 mph NE	-	0.837 g	0.212 g	87.5 mi.	99,061.5	13.50v	17,755 min	30.48972	-89.35666	22146 Fenton Dedeaux Rd, Kiln, MS
10:00:13 PM	On		47 mph	34 mph	47 mph W	-	0.971 g	0.486 g	88.6 mi.	99,062.6	13.56v	17,757 min	30.50148	-89.35011	Rocky Hill Dedeaux Rd, Kiln, MS
10:02:13 PM	On		51 mph	45 mph	24 mph N	-	0.196 g	0.261 g	90.1 mi.	99,064.1	13.53v	17,759 min	30.49855	-89.37371	Standard Cemetery Rd, Kiln, MS
10:04:13 PM	On		52 mph	31 mph	25 mph S	-	1.143 g	0.510 g	91.1 mi.	99,065.1	13.56v	17,761 min	30.50948	-89.37199	Standard Cemetery Rd, Kiln, MS

Packet Pg. 409

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7.J.2.a

10:06:13 PM	On	57 mph	43 mph	54 mph W	-	0.196 g	0.237 g	92.6 mi.	99,066.6	13.53v	17,763 min	30.49411	-89.38270	3300 Rocky Hill Dedeaux Rd, Kiln, MS
10:08:13 PM	On	56 mph	44 mph	48 mph N	-	0.237 g	0.204 g	94.1 mi.	99,068.1	13.53v	17,765 min	30.50579	-89.40087	Road 357, Kiln, MS
10:10:13 PM	On	47 mph	26 mph	1 mph NW	-	0.204 g	0.416 g	94.9 mi.	99,068.9	12.52v	17,767 min	30.51702	-89.40436	Road 357, Kiln, MS
10:12:13 PM	On	6 mph	2 mph	2 mph S	-	0.882 g	0.543 g	95.0 mi.	99,069.0	13.22v	17,769 min	30.51710	-89.40400	24071 Road 357, Kiln, MS
10:14:13 PM	On	53 mph	25 mph	50 mph S	-	0.722 g	0.384 g	95.8 mi.	99,069.8	13.56v	17,771 min	30.50549	-89.40076	Road 357, Kiln, MS
10:16:13 PM	On	68 mph	51 mph	58 mph NE	-	0.261 g	0.486 g	97.5 mi.	99,071.5	13.56v	17,773 min	30.49411	-89.37871	Rocky Hill Dedeaux Rd, Kiln, MS
10:18:13 PM	On	74 mph	60 mph	11 mph S	-	0.216 g	0.498 g	99.5 mi.	99,073.5	13.59v	17,775 min	30.50159	-89.34801	Fenton Dedeaux Rd, Kiln, MS
10:20:13 PM	On	60 mph	51 mph	55 mph SW	-	0.261 g	0.273 g	101.2 mi.	99,075.2	13.50v	17,777 min	30.48247	-89.36476	Fenton Dedeaux Rd, Kiln, MS
10:22:13 PM	On	55 mph	47 mph	47 mph S	-	0.269 g	0.286 g	102.8 mi.	99,076.8	13.47v	17,779 min	30.46464	-89.37552	20255 Fenton Dedeaux Rd, Kiln, MS
10:24:13 PM	On	62 mph	46 mph	61 mph SW	-	0.780 g	0.318 g	104.3 mi.	99,078.3	13.53v	17,781 min	30.44896	-89.39121	Firetower Rd, Kiln, MS
10:26:13 PM	On	73 mph	43 mph	36 mph S	-	0.478 g	0.498 g	105.7 mi.	99,079.7	13.56v	17,783 min	30.44079	-89.40966	Joe Moran Rd, Kiln, MS
10:28:13 PM	On	40 mph	16 mph	0 mph E	-	0.159 g	0.371 g	106.3 mi.	99,080.3	13.59v	17,785 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS
10:30:13 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	106.3 mi.	99,080.3	12.59v	17,787 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS
10:30:23 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	106.3 mi.	99,080.3	12.62v	17,787 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS

Tue Mar 30, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:34:52 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	99,080.3	12.59v	17,787 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS
10:34:52 PM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	99,080.3	12.52v	17,787 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS

Wed Mar 31, 2021

Time	Ignition	In-Cab Alert	Max Speed	Avg Speed	Inst Speed	Speed Limit	Max Accel	Max Decel	Distance	Odometer	Voltage	Run Time	Latitude	Longitude	Location
10:34:52 AM			0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	99,080.3	12.52v	17,787 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS
5:40:41 PM	On		2 mph	0 mph	2 mph E	-	0.000 g	0.000 g	0.0 mi.	99,080.3	14.59v	17,787 min	30.43911	-89.41445	Joe Moran Rd, Kiln, MS
5:42:38 PM	On		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	99,080.3	12.28v	17,789 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS
5:42:48 PM	Off		0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	0.0 mi.	99,080.3	11.92v	17,789 min	30.43911	-89.41445	18403 Joe Moran Rd, Kiln, MS
5:49:22 PM	On		4 mph	0 mph	2 mph S	-	0.000 g	0.000 g	0.0 mi.	99,080.3	14.84v	17,789 min	30.43914	-89.41455	18403 Joe Moran Rd, Kiln, MS

Packet Pg. 410
7.J.2.a
Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

5:51:22 PM	On	6 mph	0 mph	0 mph S	-	0.114 g	0.543 g	0.0 mi.	99,080.3	12.40v	17,791 min	30.43909	-89.41456	18403 Joe Moran Rd, Kiln, MS
5:51:32 PM	Off	0 mph	0 mph	0 mph NE	-	0.000 g	0.000 g	0.0 mi.	99,080.3	12.40v	17,791 min	30.43913	-89.41455	18403 Joe Moran Rd, Kiln, MS
6:08:16 PM	On	7 mph	0 mph	7 mph SE	-	0.000 g	0.000 g	0.0 mi.	99,080.3	14.80v	17,791 min	30.43878	-89.41446	Joe Moran Rd, Kiln, MS
6:10:16 PM	On	20 mph	3 mph	20 mph E	-	0.690 g	0.441 g	0.1 mi.	99,080.4	14.11v	17,793 min	30.43817	-89.41320	Joe Moran Rd, Kiln, MS
6:12:16 PM	On	21 mph	8 mph	0 mph S	-	0.906 g	0.498 g	0.4 mi.	99,080.7	14.04v	17,795 min	30.43935	-89.41040	18511 Joe Moran Rd, Kiln, MS
6:14:16 PM	On	21 mph	4 mph	21 mph N	-	1.359 g	0.306 g	0.5 mi.	99,080.8	14.23v	17,797 min	30.43878	-89.40988	Joe Moran Rd, Kiln, MS
6:16:16 PM	On	49 mph	28 mph	49 mph E	-	0.927 g	0.388 g	1.4 mi.	99,081.7	14.17v	17,799 min	30.44667	-89.40134	Firetower Rd, Kiln, MS
6:18:16 PM	On	52 mph	48 mph	50 mph N	-	0.147 g	0.114 g	3.0 mi.	99,083.3	14.20v	17,801 min	30.45850	-89.38046	Firetower Rd, Kiln, MS
6:20:16 PM	On	54 mph	43 mph	53 mph S	-	1.008 g	0.359 g	4.5 mi.	99,084.8	14.17v	17,803 min	30.45023	-89.37158	Fenton Dedeaux Rd, Kiln, MS
6:22:16 PM	On	55 mph	51 mph	48 mph S	-	0.122 g	0.114 g	6.2 mi.	99,086.5	14.11v	17,805 min	30.42601	-89.36791	17095 Fenton Dedeaux Rd, Kiln, MS
6:24:16 PM	On	60 mph	49 mph	55 mph E	65 mph	0.996 g	0.396 g	7.8 mi.	99,088.1	14.07v	17,807 min	30.41963	-89.34499	1049 Kiln-Delisle Rd, Pass Christian, MS
6:26:16 PM	On	54 mph	37 mph	15 mph SW	30 mph	0.192 g	0.273 g	9.0 mi.	99,089.3	14.11v	17,809 min	30.40572	-89.34838	Kapalama Dr, Diamondhead, MS
6:28:16 PM	On	39 mph	26 mph	19 mph NE	-	0.971 g	0.453 g	9.9 mi.	99,090.2	14.29v	17,811 min	30.40440	-89.35765	10718 Luawai Way, Diamondhead, MS
6:30:16 PM	On	27 mph	18 mph	9 mph S	-	1.020 g	0.441 g	10.5 mi.	99,090.8	13.65v	17,813 min	30.40194	-89.35871	901 Luawai Way, Diamondhead, MS
6:32:16 PM	On	35 mph	23 mph	7 mph SE	-	0.196 g	0.339 g	11.3 mi.	99,091.6	13.71v	17,815 min	30.40470	-89.36547	Kapalama Dr, Diamondhead, MS
6:34:16 PM	On	7 mph	0 mph	0 mph E	-	0.069 g	0.429 g	11.3 mi.	99,091.6	13.95v	17,817 min	30.40466	-89.36524	Kapalama Dr, Diamondhead, MS
6:36:16 PM	On	30 mph	5 mph	29 mph SE	-	0.657 g	0.053 g	11.5 mi.	99,091.8	13.77v	17,819 min	30.40340	-89.36253	Kapalama Dr, Diamondhead, MS
6:38:16 PM	On	34 mph	24 mph	29 mph SW	30 mph	0.339 g	0.318 g	12.3 mi.	99,092.6	13.68v	17,821 min	30.39792	-89.36933	85526 Diamondhead Dr W, Diamondhead, MS
6:40:16 PM	On	32 mph	24 mph	6 mph SW	30 mph	0.996 g	0.429 g	13.1 mi.	99,093.4	13.62v	17,823 min	30.39081	-89.37911	73626 Diamondhead Dr N, Diamondhead, MS
6:42:16 PM	On	31 mph	20 mph	19 mph SE	30 mph	0.869 g	0.408 g	13.8 mi.	99,094.1	13.50v	17,825 min	30.38194	-89.37972	63796 Diamondhead Dr N, Diamondhead, MS
6:44:16 PM	On	24 mph	14 mph	0 mph SW	30 mph	0.792 g	0.408 g	14.2 mi.	99,094.5	13.56v	17,827 min	30.37812	-89.37481	5436 Diamondhead Dr E, Diamondhead, MS
6:46:16 PM	On	0 mph	0 mph	0 mph SW	30 mph	0.000 g	0.000 g	14.2 mi.	99,094.5	13.47v	17,829 min	30.37812	-89.37481	5436 Diamondhead Dr E, Diamondhead, MS
6:48:16 PM	On	33 mph	20 mph	31 mph N	30 mph	0.918 g	0.429 g	14.9 mi.	99,095.2	13.56v	17,831 min	30.38466	-89.38097	Diamondhead Dr N, Diamondhead, MS
6:50:16 PM	On	32 mph	21 mph	30 mph NE	30 mph	0.951 g	0.306 g	15.6 mi.	99,095.9	13.65v	17,833 min	30.39288	-89.37584	74597 Diamondhead Dr N, Diamondhead, MS
6:52:16 PM	On	34 mph	25 mph	26 mph NE	30 mph	0.906 g	0.396 g	16.4 mi.	99,096.7	13.65v	17,835 min	30.40050	-89.36549	96493 Diamondhead Dr W, Diamondhead, MS

Packet Pg. 411

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

6:54:16 PM	On	34 mph	21 mph	1 mph S	-	0.963 g	0.498 g	17.1 mi.	99,097.4	13.53v	17,837 min	30.40181	-89.35543	97168 Kapalama Dr, Diamondhead, MS
6:56:16 PM	On	1 mph	0 mph	1 mph S	-	0.000 g	0.000 g	17.1 mi.	99,097.4	13.47v	17,839 min	30.40182	-89.35539	97161 Kapalama Dr, Diamondhead, MS
6:58:16 PM	On	31 mph	20 mph	26 mph W	30 mph	0.894 g	0.453 g	17.8 mi.	99,098.1	13.65v	17,841 min	30.40069	-89.36504	96488 Diamondhead Dr W, Diamondhead, MS
7:00:16 PM	On	32 mph	24 mph	20 mph NW	-	0.192 g	0.286 g	18.6 mi.	99,098.9	13.65v	17,843 min	30.39496	-89.37519	84108 Lola Dr, Diamondhead, MS
7:02:16 PM	On	23 mph	13 mph	9 mph W	-	0.094 g	0.261 g	19.0 mi.	99,099.3	13.74v	17,845 min	30.39195	-89.37870	Ieke Dr, Diamondhead, MS
7:04:16 PM	On	19 mph	13 mph	7 mph E	-	1.290 g	0.416 g	19.4 mi.	99,099.7	13.44v	17,847 min	30.39572	-89.37766	8450 Amoka Dr, Diamondhead, MS
7:06:16 PM	On	17 mph	8 mph	0 mph SW	-	0.780 g	0.498 g	19.7 mi.	99,100.0	13.53v	17,849 min	30.39249	-89.37919	736 Amoka Dr, Diamondhead, MS
7:08:16 PM	On	26 mph	13 mph	18 mph SW	-	0.984 g	0.498 g	20.1 mi.	99,100.4	13.62v	17,851 min	30.38700	-89.38067	637 Analii St, Diamondhead, MS
7:10:16 PM	On	33 mph	21 mph	33 mph S	30 mph	0.824 g	0.441 g	20.8 mi.	99,101.1	13.50v	17,853 min	30.37794	-89.37822	5453 Diamondhead Dr N, Diamondhead, MS
7:12:16 PM	On	37 mph	25 mph	24 mph SW	-	0.894 g	0.351 g	21.6 mi.	99,101.9	13.59v	17,855 min	30.36662	-89.37603	Airport Dr, Diamondhead, MS
7:14:16 PM	On	30 mph	11 mph	0 mph E	-	1.041 g	0.486 g	22.0 mi.	99,102.3	13.59v	17,857 min	30.36513	-89.37816	2430 Airport Dr, Diamondhead, MS
7:16:16 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	22.0 mi.	99,102.3	13.62v	17,859 min	30.36514	-89.37816	2430 Airport Dr, Diamondhead, MS
7:18:16 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	22.0 mi.	99,102.3	13.50v	17,861 min	30.36514	-89.37816	2430 Airport Dr, Diamondhead, MS
7:20:16 PM	On	34 mph	23 mph	22 mph N	35 mph	0.939 g	0.192 g	22.8 mi.	99,103.1	13.59v	17,863 min	30.37377	-89.37743	Diamondhead Dr N, Diamondhead, MS
7:22:16 PM	On	71 mph	57 mph	70 mph W	70 mph	0.184 g	0.159 g	24.7 mi.	99,105.0	13.53v	17,865 min	30.36356	-89.40675	I-10, Kiln, MS
7:24:16 PM	On	69 mph	51 mph	57 mph SW	55 mph	0.261 g	0.216 g	26.4 mi.	99,106.7	13.71v	17,867 min	30.35030	-89.42354	MS-43, Bay St Louis, MS
7:26:16 PM	On	62 mph	58 mph	57 mph SE	55 mph	0.090 g	0.114 g	28.3 mi.	99,108.6	13.59v	17,869 min	30.32495	-89.42053	MS-43, Bay St Louis, MS
7:28:16 PM	On	58 mph	23 mph	0 mph W	-	0.127 g	0.518 g	29.1 mi.	99,109.4	13.56v	17,871 min	30.31777	-89.41419	5022 Red St, Bay St Louis, MS
7:30:16 PM	On	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	29.1 mi.	99,109.4	13.62v	17,873 min	30.31773	-89.41419	5022 Red St, Bay St Louis, MS
7:32:16 PM	On	27 mph	8 mph	17 mph N	-	1.098 g	0.339 g	29.4 mi.	99,109.7	13.62v	17,875 min	30.31879	-89.41335	10104 Tigris St, Bay St Louis, MS
7:34:16 PM	On	52 mph	24 mph	50 mph SE	55 mph	1.143 g	0.384 g	30.1 mi.	99,110.4	13.59v	17,877 min	30.31483	-89.40373	10381 MS-603, Bay St Louis, MS
7:36:16 PM	On	56 mph	50 mph	20 mph SE	45 mph	0.057 g	0.204 g	31.8 mi.	99,112.1	13.53v	17,879 min	30.30630	-89.37865	MS-43, Waveland, MS
7:38:16 PM	On	47 mph	23 mph	40 mph E	45 mph	0.996 g	0.351 g	32.6 mi.	99,112.9	13.56v	17,881 min	30.30988	-89.36688	1890 US-90, Bay St Louis, MS
7:40:16 PM	On	49 mph	41 mph	27 mph E	45 mph	0.180 g	0.261 g	33.9 mi.	99,114.2	13.59v	17,883 min	30.31709	-89.34575	646 US-90, Bay St Louis, MS
7:42:16 PM	On	43 mph	25 mph	16 mph E	-	1.176 g	0.502 g	34.7 mi.	99,115.0	13.62v	17,885 min	30.31546	-89.33735	428 Demontluzin St, Bay St Louis, MS

Packet Pg. 412

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7:44:16 PM	On	20 mph	11 mph	0 mph E	-	0.171 g	0.518 g	35.1 mi.	99,115.4	13.56v	17,887 min	30.31355	-89.33140	314 Demontluzin St, Bay St Louis, MS
7:46:16 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	35.1 mi.	99,115.4	13.59v	17,889 min	30.31355	-89.33140	314 Demontluzin St, Bay St Louis, MS
7:48:16 PM	On	15 mph	6 mph	6 mph W	-	0.918 g	0.396 g	35.3 mi.	99,115.6	13.59v	17,891 min	30.31184	-89.33021	301 Main St, Bay St Louis, MS
7:50:16 PM	On	24 mph	18 mph	23 mph SW	25 mph	0.996 g	0.453 g	35.9 mi.	99,116.2	13.56v	17,893 min	30.31390	-89.33944	St Francis St, Bay St Louis, MS
7:52:16 PM	On	34 mph	23 mph	34 mph W	35 mph	1.073 g	0.396 g	36.7 mi.	99,117.0	13.65v	17,895 min	30.30671	-89.34828	Old Spanish Trl, Bay St Louis, MS
7:54:16 PM	On	34 mph	27 mph	9 mph E	-	0.139 g	0.269 g	37.6 mi.	99,117.9	13.56v	17,897 min	30.30313	-89.36114	884 Webb St, Bay St Louis, MS
7:56:16 PM	On	23 mph	15 mph	19 mph NW	-	0.702 g	0.384 g	38.1 mi.	99,118.4	13.59v	17,899 min	30.30269	-89.35965	875 Webb St, Bay St Louis, MS
7:58:16 PM	On	19 mph	3 mph	0 mph E	-	0.600 g	0.461 g	38.2 mi.	99,118.5	13.56v	17,901 min	30.30325	-89.36146	891 Webb St, Bay St Louis, MS
8:00:16 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	38.2 mi.	99,118.5	13.47v	17,903 min	30.30325	-89.36146	891 Webb St, Bay St Louis, MS
8:02:16 PM	On	35 mph	21 mph	26 mph NE	-	0.645 g	0.249 g	38.9 mi.	99,119.2	13.65v	17,905 min	30.30044	-89.35028	819 Central Ave, Bay St Louis, MS
8:04:16 PM	On	36 mph	24 mph	3 mph NW	-	0.984 g	0.433 g	39.7 mi.	99,120.0	13.38v	17,907 min	30.30630	-89.34313	417 Citizen St, Bay St Louis, MS
8:06:16 PM	On	26 mph	16 mph	25 mph NE	25 mph	0.963 g	0.408 g	40.3 mi.	99,120.6	13.53v	17,909 min	30.31354	-89.33960	211 St Francis St, Bay St Louis, MS
8:08:16 PM	On	25 mph	15 mph	7 mph E	-	0.229 g	0.229 g	40.8 mi.	99,121.1	13.62v	17,911 min	30.31622	-89.33453	412 Carroll Ave, Bay St Louis, MS
8:10:16 PM	On	16 mph	7 mph	0 mph S	-	0.780 g	0.498 g	41.0 mi.	99,121.3	13.56v	17,913 min	30.31655	-89.33582	418 Carroll Ave, Bay St Louis, MS
8:12:16 PM	On	0 mph	0 mph	0 mph S	-	0.000 g	0.000 g	41.0 mi.	99,121.3	13.59v	17,915 min	30.31657	-89.33583	420 Carroll Ave, Bay St Louis, MS
8:14:16 PM	On	17 mph	2 mph	17 mph E	-	0.702 g	0.000 g	41.1 mi.	99,121.4	13.62v	17,917 min	30.31632	-89.33490	414 Carroll Ave, Bay St Louis, MS
8:16:16 PM	On	23 mph	15 mph	9 mph N	-	1.020 g	0.473 g	41.6 mi.	99,121.9	13.62v	17,919 min	30.31485	-89.32744	503 N 2nd St, Bay St Louis, MS
8:18:16 PM	On	20 mph	8 mph	0 mph E	-	0.645 g	0.486 g	41.8 mi.	99,122.1	13.59v	17,921 min	30.31702	-89.32849	207 Ruella Ave, Bay St Louis, MS
8:20:16 PM	On	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	41.8 mi.	99,122.1	13.65v	17,923 min	30.31701	-89.32853	207 Ruella Ave, Bay St Louis, MS
8:22:16 PM	On	16 mph	3 mph	11 mph N	-	0.927 g	0.249 g	41.9 mi.	99,122.2	13.59v	17,925 min	30.31662	-89.32689	525 N 2nd St, Bay St Louis, MS
8:24:16 PM	On	50 mph	26 mph	44 mph W	45 mph	1.473 g	0.306 g	42.8 mi.	99,123.1	13.62v	17,927 min	30.31981	-89.33734	US-90, Bay St Louis, MS
8:26:16 PM	On	46 mph	39 mph	40 mph W	45 mph	0.192 g	0.204 g	44.1 mi.	99,124.4	13.62v	17,929 min	30.31331	-89.35747	1019 US-90, Bay St Louis, MS
8:28:16 PM	On	47 mph	41 mph	14 mph NW	35 mph	0.159 g	0.294 g	45.4 mi.	99,125.7	13.62v	17,931 min	30.30647	-89.37866	Waveland, MS
8:30:16 PM	On	54 mph	36 mph	11 mph SW	25 mph	0.971 g	0.318 g	46.6 mi.	99,126.9	13.62v	17,933 min	30.31338	-89.39619	9843 Ave B, Bay St Louis, MS
8:32:16 PM	On	30 mph	17 mph	7 mph W	-	0.249 g	0.229 g	47.2 mi.	99,127.5	13.62v	17,935 min	30.30764	-89.39997	Ocean St, Bay St Louis, MS

Packet Pg. 413

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7.J.2.a

8:34:16 PM	On		7 mph	1 mph	4 mph W	-	0.576 g	0.461 g	47.2 mi.	99,127.5	13.59v	17,937 min	30.30786	-89.40106	4252 Ocean St, Bay St Louis, MS
8:36:16 PM	On		16 mph	5 mph	15 mph E	-	2.253 g	0.498 g	47.4 mi.	99,127.7	13.41v	17,939 min	30.30862	-89.40143	Catalina St, Bay St Louis, MS
8:38:16 PM	On		32 mph	21 mph	24 mph W	-	0.657 g	0.314 g	48.1 mi.	99,128.4	13.62v	17,941 min	30.31293	-89.39839	4208 Pacific St, Bay St Louis, MS
8:40:16 PM	On		23 mph	8 mph	3 mph S	-	0.996 g	0.429 g	48.4 mi.	99,128.7	13.59v	17,943 min	30.31203	-89.40164	D Ave, Bay St Louis, MS
8:42:16 PM	On		19 mph	11 mph	0 mph SW	-	1.086 g	0.543 g	48.7 mi.	99,129.0	13.71v	17,945 min	30.30683	-89.40268	D Ave, Bay St Louis, MS
8:44:16 PM	On		1 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.56v	17,947 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:46:16 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.56v	17,949 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:47:24 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.59v	17,949 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:48:16 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.62v	17,951 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:50:16 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.50v	17,953 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:52:16 PM	On		0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.62v	17,955 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:52:24 PM		Idling - OBD	0 mph	0 mph	0 mph W	-	0.000 g	0.000 g	48.7 mi.	99,129.0	13.56v	17,955 min	30.30671	-89.40263	4285 Gulf St, Bay St Louis, MS
8:54:16 PM	On		16 mph	3 mph	0 mph E	-	0.804 g	0.453 g	48.8 mi.	99,129.1	13.50v	17,957 min	30.30592	-89.40179	4285 Gulf St, Bay St Louis, MS
8:56:16 PM	On		18 mph	6 mph	18 mph E	-	3.318 g	0.094 g	49.0 mi.	99,129.3	13.65v	17,959 min	30.30547	-89.39867	4185 Coral St, Bay St Louis, MS
8:58:16 PM	On		29 mph	17 mph	25 mph S	30 mph	1.065 g	0.498 g	49.6 mi.	99,129.9	13.59v	17,961 min	30.29822	-89.39755	1939 Waveland Ave, Waveland, MS
9:00:16 PM	On		32 mph	28 mph	32 mph SE	30 mph	0.090 g	0.065 g	50.5 mi.	99,130.8	13.59v	17,963 min	30.28538	-89.39372	1005 Waveland Ave, Waveland, MS
9:02:16 PM	On		33 mph	14 mph	4 mph SE	-	0.735 g	0.461 g	51.0 mi.	99,131.3	13.50v	17,965 min	30.28017	-89.38937	Dubuc Ln, Waveland, MS
9:04:16 PM	On		26 mph	14 mph	15 mph E	-	0.894 g	0.384 g	51.5 mi.	99,131.8	13.47v	17,967 min	30.28419	-89.39044	Villere St, Waveland, MS
9:06:16 PM	On		25 mph	10 mph	6 mph SW	30 mph	1.780 g	0.429 g	51.8 mi.	99,132.1	13.62v	17,969 min	30.28006	-89.38883	Waveland Ave, Waveland, MS
9:08:16 PM	On		26 mph	16 mph	0 mph SE	25 mph	0.824 g	0.461 g	52.3 mi.	99,132.6	13.59v	17,971 min	30.27503	-89.38266	169 Waveland Ave, Waveland, MS
9:10:16 PM	On		0 mph	0 mph	0 mph SE	25 mph	0.000 g	0.000 g	52.3 mi.	99,132.6	13.65v	17,973 min	30.27503	-89.38266	169 Waveland Ave, Waveland, MS
9:12:16 PM	On		16 mph	4 mph	7 mph SW	25 mph	0.927 g	0.453 g	52.5 mi.	99,132.8	13.53v	17,975 min	30.27344	-89.38159	138 Waveland Ave, Waveland, MS
9:14:16 PM	On		12 mph	7 mph	0 mph SW	25 mph	0.861 g	0.261 g	52.7 mi.	99,133.0	13.62v	17,977 min	30.27472	-89.38230	152 Waveland Ave, Waveland, MS
9:16:16 PM	On		0 mph	0 mph	0 mph SW	25 mph	0.000 g	0.000 g	52.7 mi.	99,133.0	13.59v	17,979 min	30.27472	-89.38230	152 Waveland Ave, Waveland, MS
9:18:16 PM	On		0 mph	0 mph	0 mph SW	25 mph	0.000 g	0.000 g	52.7 mi.	99,133.0	13.62v	17,981 min	30.27472	-89.38230	152 Waveland Ave, Waveland, MS

Packet Pg. 414

7.J.2.a

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

9:19:06 PM		Idling - OBD	0 mph	0 mph	0 mph SW	25 mph	0.000 g	0.000 g	52.7 mi.	99,133.0	13.59v	17,981 min	30.27472	-89.38230	152 Waveland Ave, Waveland, MS
9:20:16 PM	On		0 mph	0 mph	0 mph SW	25 mph	0.000 g	0.000 g	52.7 mi.	99,133.0	13.50v	17,983 min	30.27472	-89.38230	152 Waveland Ave, Waveland, MS
9:22:16 PM	On		0 mph	0 mph	0 mph SW	25 mph	0.000 g	0.000 g	52.7 mi.	99,133.0	13.59v	17,985 min	30.27472	-89.38230	152 Waveland Ave, Waveland, MS
9:24:16 PM	On		22 mph	5 mph	20 mph SE	25 mph	0.576 g	0.045 g	52.9 mi.	99,133.2	13.56v	17,987 min	30.27262	-89.38088	127 Waveland Ave, Waveland, MS
9:26:16 PM	On		27 mph	14 mph	16 mph NW	-	0.237 g	0.318 g	53.3 mi.	99,133.6	13.59v	17,989 min	30.27273	-89.38345	158 Market St, Waveland, MS
9:28:16 PM	On		21 mph	13 mph	17 mph SE	25 mph	1.914 g	0.518 g	53.8 mi.	99,134.1	13.56v	17,991 min	30.27713	-89.38521	305 Waveland Ave, Waveland, MS
9:30:16 PM	On		17 mph	7 mph	3 mph NW	-	1.845 g	0.441 g	54.0 mi.	99,134.3	13.50v	17,993 min	30.27570	-89.38486	300 Market St, Waveland, MS
9:32:16 PM	On		19 mph	8 mph	11 mph SE	-	1.065 g	0.531 g	54.3 mi.	99,134.6	13.62v	17,995 min	30.27849	-89.38422	321 Tide St, Waveland, MS
9:34:16 PM	On		26 mph	16 mph	22 mph NW	25 mph	0.906 g	0.351 g	54.8 mi.	99,135.1	13.62v	17,997 min	30.27625	-89.38397	212 Waveland Ave, Waveland, MS
9:36:16 PM	On		22 mph	3 mph	0 mph W	-	0.722 g	0.498 g	54.9 mi.	99,135.2	13.62v	17,999 min	30.27676	-89.38490	399 Market St, Waveland, MS
9:38:16 PM	On		26 mph	6 mph	20 mph E	-	0.984 g	0.396 g	55.1 mi.	99,135.4	13.62v	18,001 min	30.27556	-89.38209	169 Fell St, Waveland, MS
9:40:16 PM	On		25 mph	12 mph	24 mph NW	-	1.416 g	0.371 g	55.5 mi.	99,135.8	13.56v	18,003 min	30.27858	-89.37915	218 Farrar Ln, Waveland, MS
9:42:16 PM	On		34 mph	25 mph	27 mph NW	30 mph	0.722 g	0.371 g	56.3 mi.	99,136.6	13.53v	18,005 min	30.28113	-89.38968	Waveland Ave, Waveland, MS
9:44:16 PM	On		38 mph	33 mph	38 mph N	30 mph	0.114 g	0.078 g	57.4 mi.	99,137.7	13.56v	18,007 min	30.29501	-89.39758	1814 Waveland Ave, Waveland, MS
9:46:16 PM	On		42 mph	32 mph	40 mph N	35 mph	0.894 g	0.351 g	58.5 mi.	99,138.8	13.59v	18,009 min	30.30690	-89.40627	9088 Kiln Waveland Cutoff Rd, Bay St Louis, MS
9:48:16 PM	On		58 mph	37 mph	58 mph NW	55 mph	1.131 g	0.351 g	59.7 mi.	99,140.0	13.59v	18,011 min	30.32144	-89.41435	10796 MS-603, Bay St Louis, MS
9:50:16 PM	On		61 mph	56 mph	60 mph NE	55 mph	0.057 g	0.069 g	61.6 mi.	99,141.9	13.62v	18,013 min	30.34366	-89.42649	12064 MS-603, Bay St Louis, MS
9:52:16 PM	On		60 mph	57 mph	57 mph NW	55 mph	0.147 g	0.171 g	63.5 mi.	99,143.8	13.53v	18,015 min	30.36930	-89.42845	13428 MS-43, Kiln, MS
9:54:16 PM	On		58 mph	53 mph	51 mph NW	55 mph	0.069 g	0.082 g	65.3 mi.	99,145.6	13.65v	18,017 min	30.39102	-89.44372	15276 MS-43, Kiln, MS
9:56:16 PM	On		55 mph	49 mph	45 mph NE	45 mph	0.269 g	0.408 g	66.9 mi.	99,147.2	13.59v	18,019 min	30.40741	-89.43639	16542 MS-43, Kiln, MS
9:58:16 PM	On		54 mph	49 mph	51 mph N	55 mph	0.273 g	0.151 g	68.6 mi.	99,148.9	13.53v	18,021 min	30.43068	-89.43380	MS-603, Kiln, MS
10:00:16 PM	On		58 mph	47 mph	34 mph E	-	0.216 g	0.294 g	70.1 mi.	99,150.4	13.59v	18,023 min	30.45096	-89.43160	Firetower Rd, Kiln, MS
10:02:16 PM	On		45 mph	40 mph	39 mph SE	-	0.306 g	0.171 g	71.5 mi.	99,151.8	13.62v	18,025 min	30.45006	-89.41002	4819 Firetower Rd, Kiln, MS
10:04:16 PM	On		40 mph	20 mph	8 mph SW	-	0.339 g	0.363 g	72.2 mi.	99,152.5	13.53v	18,027 min	30.44250	-89.40786	Joe Moran Rd, Kiln, MS
10:06:16 PM	On		8 mph	0 mph	3 mph SW	-	0.000 g	0.359 g	72.2 mi.	99,152.5	13.56v	18,029 min	30.44208	-89.40851	Joe Moran Rd, Kiln, MS

Packet Pg. 415

Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)

7.J.2.a

10:08:16 PM	On	14 mph	7 mph	14 mph S	-	0.555 g	0.441 g	72.4 mi.	99,152.7	13.56v	18,031 min	30.43890	-89.40988	Joe Moran Rd, Kiln, MS
10:10:16 PM	On	22 mph	11 mph	0 mph E	-	3.400 g	0.396 g	72.8 mi.	99,153.1	12.04v	18,033 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS
10:10:26 PM	Off	0 mph	0 mph	0 mph E	-	0.000 g	0.000 g	72.8 mi.	99,153.1	11.95v	18,033 min	30.43911	-89.41451	18403 Joe Moran Rd, Kiln, MS

Copyright ©2021 WEX Telematics - gps.wextelematics.com. Generated in 3.7953 seconds.

Packet Pg. 416
Attachment: 20210419 - Philip's Pest Control March 2021 (8016 : Spread: Philip's Pest Control's Monthly and Weekly Reports for March 2021.)
7.J.2.a

Mayo Flynt III
President-Southern States

AT&T Services, Inc.
4266 I55 North
Suite 104
Jackson, MS 39211

T: 601-592-6500
M: 769-234-6562
Email : mayo.flynt@att.com

Via Certified, Postage Prepaid, and Return Receipt Requested

April 7, 2021

County Administrator
Mr. Eddie Farve
854 Highway 90
Bay St. Louis, MS 39520

Dear County Administrator Eddie Farve:

This letter is to inform you, in accordance with Section 15 of the Video Service Agreement between AT&T Mississippi and Hancock County, that AT&T Mississippi will be assigning its interest in the Video Service Agreement to its affiliate, DIRECTV, LLC. This assignment will occur in connection with a transaction whereby AT&T will transfer its multichannel video distribution businesses, including the U-verse IP-enabled video service, into a new affiliate in which AT&T will retain a majority economic interest, with TPG Capital holding a minority economic interest. The transaction is expected to close in the second half of 2021.

You do not need to take any action in response to this notice. When the assignment is complete, DIRECTV, LLC will continue to provide the U-verse IP-enabled video service in Hancock County pursuant to, and be bound by, the terms of the Video Service Agreement. The residents of Hancock County will continue to receive the same high quality service that they enjoy today without need for any additional action on their part.

I expect my team to remain your local U-verse representative. If you have any questions regarding this matter, please contact Michael L. Walker, mw1096@att.com, (601) 405-2451.

Sincerely,

Mayo Flynt III

Attachment: ATT Video Service Agreement Notice (8056 : Spread: AT&T Notice of Video Service Agreement assignment.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Bayside Park Fire District
Anna LaFontaine
6218 W. Hinds Street
Bay St. Louis, MS 39520

Dear Ms. Lafontaine:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4363_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

‹ Previous Next ›

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4363_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Bayside Park Fire District
Chief Tony Johnston
6218 W. Hinds Street
Bay St. Louis, MS 39520

Dear Chief Johnston:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4364_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4364_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Clermont Harbor Fire District
Chief Duane Wary
5272 Clermont harbor Drive
Clermont Harbor, MS 39558

Dear Chief Wary:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4365_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4365_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Diamondhead Fire District
Mr. Charles "Kip" Redding
4440 Kalani Drive
Diamondhead, MS 39525

Dear Mr. Redding:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4361_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

de Public Access More

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4361_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Diamondhead Fire District
Chief Mike Munger
4440 Kalani Drive
Diamondhead, MS 39525

Dear Chief Munger:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4362_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

de Public Access More

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4362_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Diamondhead Water and Sewer District
Mr. David Carden, General Manager
4325 Park Ten Drive
Diamondhead, MS 39525

Dear Mr. Carden:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4356_001 (8045 : Spread: letters to Utility and Fire Districts.)

7.J.4.f

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4356_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Fenton Fire District
Mr. Steven Hoda
20224 Fenton Dedeaux Road
Kiln, MS 39556

Dear Mr. Hoda:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4366_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

de Public Access More

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4366_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Fenton Fire District
Chief Wade Ladner
20224 Fenton Dedeaux Road
Kiln, MS 39556

Dear Chief Ladner:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4367_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4367_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Hancock County Water & Sewer District
Mr. Farron Hoda, Chairman
P.O. Box 2759
Bay St. Louis, MS 39520

Dear Mr. Hoda:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4355_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4355_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Kiln Fire District
Ms. Patricia Cuevas
16148 Fire Department Road
Kiln, MS 39556

Dear Ms. Cuevas:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4368_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4368_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Kiln Fire District
Chief Tim Cameron
16148 Fire Department Road
Kiln, MS 39556

Dear Chief Cameron:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4369_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4369_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Kiln Utility and Fire District of Hancock County
Mr. Timothy Cameron, Chairman
P.O. Box 508
Kiln, MS 39556

Dear Mr. Cameron:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4354_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4354_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Leetown Fire District
Chief Rayme Lee
24440 Rester Road
Picayune, MS 39466

Dear Chief Lee:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4370_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4370_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Leetown Fire District
Mr. Jerry Foxworth
24440 Rester Road
Picayune, MS 39466

Dear Mr. Foxworth:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4371_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4371_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Pearlington Water and Sewer District
Mr. James Lamy, President
P.O. Box 130
Pearlington, MS 39572

Dear Mr. Lamy:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4353_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4353_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

Post 58 Fire District
Chief Mark Manuel
25150 Highway 603
Kiln, MS 39556

Dear Chief Manuel:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4359_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4359_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1
Greg Shaw
District 2
Vice President
Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520
Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President
Darrin "Bo" Ladner
District 5
Gary Yarborough, Jr
Board Attorney

April 13, 2021

Post 58 Fire District
Ms. Bridget Manuel
25150 Highway 603
Kiln, MS 39556

Dear Ms. Manuel:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4360_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

de Public Access More

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4360_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

West Hancock Fire District
Chief Deedra Burton
16006 Washington Street
Pearlington, MS 39572

Dear Chief Burton:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4357_001 (8045 : Spread: letters to Utility and Fire Districts.)

LexisNexis
Custom Solution

Document: Miss. Code Ann. § 19-5-207

< Previous Next >

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4357_001 (8045 : Spread: letters to Utility and Fire Districts.)

Theresa Ryan
District 1

Greg Shaw
District 2
Vice President

Kodie Koenenn
District 3

BOARD OF SUPERVISORS

Hancock County
854 Highway 90, Suite A
Bay St. Louis, MS 39520

Telephone (228) 467-0172
Fax (228) 466-5994

Scotty Adam
District 4
President

Darrin "Bo" Ladner
District 5

Gary Yarborough, Jr
Board Attorney

April 13, 2021

West Hancock Fire District
Ms. Liz Vernaci
16006 Washington Street
Pearlington, MS 39572

Dear Ms. Vernaci:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: 4358_001 (8045 : Spread: letters to Utility and Fire Districts.)

7.J.4.s

LexisNexis
Custom Solution

de Public Access

More

Document: Miss. Code Ann. § 19-5-207

‹ Previous Next ›

Miss. Code Ann. § 19-5-207

Copy Citation

Current through 2021 Regular Session legislation signed by the Governor and effective upon passage through January 11, 2021, not including changes and corrections made by the Joint Legislative Committee on Compilation, Revision and Publication of Legislation. The final official version of the statutes affected by 2021 legislation will appear on Lexis Advance in the fall of 2021.

Mississippi Code 1972 Annotated Title 19. Counties and County Officers (Chs. 1 — 31) Chapter 5. Health, Safety and Public Welfare (§§ 19-5-1 — 19-5-371) Water, Sewer, Garbage Disposal, and Fire Protection Districts (§§ 19-5-151 — 19-5-207)

§ 19-5-207. Financial statements.

Within ninety (90) days after the close of each fiscal year, the board of commissioners shall publish in a newspaper of general circulation in the county a sworn statement showing the financial condition of the district, the earnings for the fiscal year just ended, a statement of the water and sewer rates being charged, and a brief statement of the method used in arriving at such rates. Such statement shall also be filed with the board of supervisors creating the district.

History

Codes, 1942, § 2998.7-40; Laws, 1972, ch. 536, § 20, eff from and after passage (approved May 23, 1972).

Mississippi Code 1972 Annotated
Copyright © 2021 The State of Mississippi All rights reserved.

Attachment: 4358_001 (8045 : Spread: letters to Utility and Fire Districts.)

April 13, 2021

Standard Dedeaux Water Association
Ms. Linda McKay
24084 Standard Dedeaux Road
Kiln, MS 39556

Dear Ms. McKay:

Please be advised that all Water, Sewer, Garbage Disposal and Fire Protection Districts created under Miss. Code Sections 19-5-151 through 19-5-207 have certain financial reporting requirements. Miss. Code Section 19-5-207 requires the Board of Commissioners of each such District to publish a sworn statement showing the financial condition of the District and the earnings of the Fiscal Year just ended. It also requires a statement of the water and sewer rates being charged and a brief statement of the method used in arriving at such rates for Utility Districts. This sworn statement shall be published within ninety (90) days after the close of each Fiscal Year and shall also be filed with the Board of Supervisors creating the District. Please see attached copy of Miss. Code Section 19-5-207 for reference.

On behalf of the Hancock County Board of Supervisors, I hereby request that your District submit the required financial information within thirty (30) days of receipt of this notice. Please note the requirement to provide the earnings for the Fiscal Year just ended as well as the FINANCIAL CONDITION of the District.

Upon receipt of this information for Fiscal Year 2020, and each and every year thereafter, we will spread this on the Board's minutes for future reference.

Should you have any questions or require any additional information, please don't hesitate to contact me at your convenience.

Thank you for your cooperation and understanding in our efforts to bring all Districts into compliance with State Law.

Eddie Favre, County Administrator
Email: eddie.favre@co.hancock.ms.us
Office: (228)466-4736
Fax: (228)467-8193
Cell: (228)493-1375

Attachment: Standard (8045 : Spread: letters to Utility and Fire Districts.)

Eddie Favre

From: n67gc@aol.com
Sent: Tuesday, April 06, 2021 9:03 PM
To: Eddie Favre
Cc: Vic Johnson; Valerie Fitts
Subject: Re: Fence

Mr. Favre,
Originally the board asked if I would contribute half the cost of the materials for the fence and I stated, yes, I would. Later I was told the cost would be less if an outside contractor did the work and I still accepted the responsibility for half of the total cost which included labor. Now I am asked that I prepay for work which I have no control.

I seriously doubt the county prepays for work and I am sure the minute amount for my portion of the fence is not a major financial obstacle so I am still willing to pay the agreed portion after the work is completed.
If this is not acceptable then I rescind my offer to pay for half of the fence.

Mario Feola

In a message dated 4/6/2021 6:51:40 PM Central Standard Time, Eddie.Favre@co.hancock.ms.us writes:

> Mr. Feola ... At its Monday meeting, the Board directed that payment would be in advance of the work commencing ... my apologies for any inconvenience this may cause and if this Is not acceptable, I would suggest you attend the next regular meeting on April 19 and ask for relief.
> Thanks again for your participation ... I await your response!
> Eddie Favre
>
> Sent from my iPhone
>
> > On Apr 6, 2021, at 4:18 PM, n67gc@aol.com wrote:
> >
> > **Mr. Farve,**
> > **Thank you for the information concerning payment for the fence. That amount will be submitted to you upon completion of the installation of the fence and a final inspection.**
> >
> > **Mario Feola**
> >
> > In a message dated 4/6/2021 3:13:16 PM Central Standard Time, Eddie.Favre@co.hancock.ms.us writes:
> >
> > > Mr. Feola ... Please accept the following as your invoice from Hancock County in the amount of $1,687.50 for half the cost of the fence by the Animal Shelter.
> > >
> > > Please submit your payment to:

Attachment: Animal Shelter Fence Discussion (8050 : Discussion: New fence at the Animal Shelter.)

Hancock County

854 Highway 90, Suite A

Bay St. Louis, MS 39520

Thank you for your participation in this project. As soon as we receive your payment, we will issue a notice for the Contractor to proceed.

Eddie Favre

County Administrator

From: Vic Johnson
Sent: Tuesday, April 06, 2021 1:07 PM
To: Eddie Favre <Eddie.Favre@co.hancock.ms.us>
Subject: FW: Fence

From: n67gc@aol.com [mailto:n67gc@aol.com]
Sent: Tuesday, March 30, 2021 4:34 PM
To: Vic Johnson <Vic.Johnson@co.hancock.ms.us>
Cc: Scotty Adam <Scotty.Adam@co.hancock.ms.us>; Eddie Favre <Eddie.Favre@co.hancock.ms.us>; n56027@aol.com
Subject: Re: Fence

Caution: External email.
Please do not click links or open attachments unless you recognize the sender and know the content is safe.

Mr. Johnson,

Attachment: Animal Shelter Fence Discussion (8050 : Discussion: New fence at the Animal Shelter.)

A pleasure meeting with you and Matt this morning. Yes, please proceed with the fence and locate per our discussion and property markings. Hopefully the fence will reduce the barking noise form the Animal Shelter.

My thanks to the Board of Supervisors for their understanding and support.

Let me know when the fence is installed and I will deliver a check for my half of the cost.

Thank you,

Mario Feola

In a message dated 3/30/2021 4:01:39 PM Central Standard Time, Vlc.Johnson@co.hancock.ms.us writes:

Good evening Mr. Mario

Thanks for meeting with me concerning the fence between your property and the animal shelter. As I stated the Board ask me to get with you and confirm that you are still willing to help with the cost of the installation of the fence. I know you originally said at the Board meeting that you would pay for half of the materials but since during our conversation you have agreed to half of the total estimate from Can't Be Beat Fence Company. which would be half of $3,375.00. If you would please respond to this email that you agree or disagree would be greatly appreciated so that I will have something in righting to take back to the Board Of Supervisors.

Thanks!

This e-mail and any files transmitted with it are Hancock County property, are confidential, and are intended solely for the use of the individual or entity to whom this email is addressed. If you are not one of the named recipient's or otherwise have reason to believe that you have received this message in error, please notify the sender and delete this message immediately from your computer. Any other use, retention, dissemination, forwarding, printing, or copying of this e-mail is strictly prohibited.

This e-mail and any files transmitted with it are Hancock County property, are

Attachment: Animal Shelter Fence Discussion (8050 : Discussion: New fence at the Animal Shelter.)

> confidential, and are intended solely for the use of the individual or entity to whom this email is addressed. If you are not one of the named recipient's or otherwise have reason to believe that you have received this message in error, please notify the sender and delete this message immediately from your computer. Any other use, retention, dissemination, forwarding, printing, or copying of this e-mail is strictly prohibited.

This e-mail and any files transmitted with it are Hancock County property, are confidential, and are intended solely for the use of the individual or entity to whom this email is addressed. If you are not one of the named recipient's or otherwise have reason to believe that you have received this message in error, please notify the sender and delete this message immediately from your computer. Any other use, retention, dissemination, forwarding, printing, or copying of this e-mail is strictly prohibited.

Attachment: Animal Shelter Fence Discussion (8050 : Discussion: New fence at the Animal Shelter.)

Eddie Favre

From: Maureen Anderson
Sent: Monday, April 12, 2021 8:12 AM
To: BOSALL; Eddie Favre; Gary Yarborough
Subject: FW: Critical Information on LA's Proposed Mid-Barataria River Diversion Project

Fyi...

MISSISSIPPI'S HANCOCK COUNTY
Maureen Anderson
Grant Administrator/Assistant Administrator
854 Highway 90, Ste A, Bay St. Louis, MS 39520
Office 228-467-0172 Cell 228-493-5846

From: Lolie Kull <lolie.kull@gmail.com>
Sent: Friday, April 9, 2021 7:22 PM
Subject: Fwd: Critical Information on LA's Proposed Mid-Barataria River Diversion Project

Caution: External email.
Please do not click links or open attachments unless you recognize the sender and know the content is safe.

Please review this email and **share** with everyone who will care if our coastal waters are completely destroyed. It will be 100 times worse than opening the Bonnet Carre. I listened to a meeting being broadcast by WWL regarding the **MID-BARATARIA RIVER DIVERSION PROJECT**. There was no one participating from MS.

Thanks,
Lolie Kull

---------- Forwarded message ---------
From: **GCRC** <gulfcoastresource@gmail.com>
Date: Fri, Apr 9, 2021 at 5:24 PM
Subject: Critical Information on LA's Proposed Mid-Barataria River Diversion Project
To:

Attachment: Mid-Barataria Diversion Notice (8055 : Discussion: Mid-Barataria Diversion Project Notice of Environmental Impact Statement

Gulf Coast
Resource Coalition

Our Coast. Our Cause.

DRAFT ENVIRONMENTAL IMPACT STATEMENT RELEASED FOR LOUISIANA'S PROPOSED MID-BARATARIA RIVER DIVERSION PROJECT

PUBLIC COMMENT DUE BY MAY 4TH

IT IS VITAL YOU MAKE YOUR VOICE HEARD!! THIS PROJECT WILL CAUSE IRREPARABLE ECONOMIC HARM TO MULTIPLE GULF COAST STATES!

The Draft Environmental Impact Statement has confirmed many of the objections to this project that Gulf Coast Resource Coalition and our partners have fought to make public for years.

This planned large scale Mississippi River diversion project, if approved for permitting, will operate nonstop and deliver massive amounts of polluted Mississippi River water directly into one of the most productive estuaries in the world, causing "major, adverse, permanent" impacts to dolphins, shrimp and oysters! This will not only impact our seafood resources, but tourism, restaurants, processing & distribution, and MANY other jobs and industries that rely on them!

In addition, under new Federal guidelines of environmental review efficiency, this project's environmental study information will more than likely be applied to the Environmental Impact Statement for Louisiana's other proposed large scale Mississippi River diversion project in Breton basin. This could potentially speed up the Mid-Breton Diversion project's permitting review process as well, so it is critical that stakeholders from Texas to Florida make their comments for the administrative record.

PUBLIC COMMENTS ON THE DRAFT EIS ARE DUE BY MAY 4TH. PLEASE VISIT OUR WEBSITE FOR MORE INFORMATION ON HOW TO COMMENT:

LEARN HOW TO COMMENT

Attachment: Mid-Barataria Diversion Notice (8055 : Discussion: Mid-Barataria Diversion Project Notice of Environmental Impact Statement

AIA® Document A101® – 2017

Standard Form of Agreement Between Owner and Contractor where the basis of payment is a Stipulated Sum

AGREEMENT made as of the 3rd day of March in the year Two Thousand Twenty One
(In words, indicate day, month and year.)

BETWEEN the Owner:
(Name, legal status, address and other information)

Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis, MS 39520

and the Contractor:
(Name, legal status, address and other information)

Hopkins Construction & Maintenance, LLC
273 Old Jackson Road
Madison, MS 39110

for the following Project:
(Name, location and detailed description)

Provide all material and labor as per Construction Documents for Hancock County Dedeaux Storm Shelter Repair located at 1095 Road 350 Kiln, MS 39556

The Architect:
(Name, legal status, address and other information)

LPK Architects – Gulf Coast, P.A.
2208 18th Street, Suite D
Gulfport, MS 39501

The Owner and Contractor agree as follows.

ADDITIONS AND DELETIONS:
The author of this document has added information needed for its completion. The author may also have revised the text of the original AIA standard form. An *Additions and Deletions Report* that notes added information as well as revisions to the standard form text is available from the author and should be reviewed. A vertical line in the left margin of this document indicates where the author has added necessary information and where the author has added to or deleted from the original AIA text.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

The parties should complete A101®–2017, Exhibit A, Insurance and Bonds, contemporaneously with this Agreement. AIA Document A201®–2017, General Conditions of the Contract for Construction, is adopted in this document by reference. Do not use with other general conditions unless this document is modified.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Init.
NH /

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1115056233)

TABLE OF ARTICLES

1 THE CONTRACT DOCUMENTS

2 THE WORK OF THIS CONTRACT

3 DATE OF COMMENCEMENT AND SUBSTANTIAL COMPLETION

4 CONTRACT SUM

5 PAYMENTS

6 DISPUTE RESOLUTION

7 TERMINATION OR SUSPENSION

8 MISCELLANEOUS PROVISIONS

9 ENUMERATION OF CONTRACT DOCUMENTS

EXHIBIT A INSURANCE AND BONDS

ARTICLE 1 THE CONTRACT DOCUMENTS

The Contract Documents consist of this Agreement, Conditions of the Contract (General, Supplementary, and other Conditions), Drawings, Specifications, Addenda issued prior to execution of this Agreement, other documents listed in this Agreement, and Modifications issued after execution of this Agreement, all of which form the Contract, and are as fully a part of the Contract as if attached to this Agreement or repeated herein. The Contract represents the entire and integrated agreement between the parties hereto and supersedes prior negotiations, representations, or agreements, either written or oral. An enumeration of the Contract Documents, other than a Modification, appears in Article 9.

ARTICLE 2 THE WORK OF THIS CONTRACT

The Contractor shall fully execute the Work described in the Contract Documents, except as specifically indicated in the Contract Documents to be the responsibility of others.

ARTICLE 3 DATE OF COMMENCEMENT AND SUBSTANTIAL COMPLETION

§ 3.1 The date of commencement of the Work shall be:
(Check one of the following boxes.)

[ ] The date of this Agreement.

[X] A date set forth in a notice to proceed issued by the Owner.

[ ] Established as follows:
(Insert a date or a means to determine the date of commencement of the Work.)

If a date of commencement of the Work is not selected, then the date of commencement shall be the date of this Agreement.

§ 3.2 The Contract Time shall be measured from the date of commencement of the Work.

§ 3.3 Substantial Completion

§ 3.3.1 Subject to adjustments of the Contract Time as provided in the Contract Documents, the Contractor shall achieve Substantial Completion of the entire Work:
(Check one of the following boxes and complete the necessary information.)

Init.
MH /

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1115056233)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

[X] Not later than Two Hundred Seventy (270) calendar days from the date of commencement of the Work.

[ ] By the following date:

§ 3.3.2 Subject to adjustments of the Contract Time as provided in the Contract Documents, if portions of the Work are to be completed prior to Substantial Completion of the entire Work, the Contractor shall achieve Substantial Completion of such portions by the following dates:

Portion of Work	Substantial Completion Date

§ 3.3.3 If the Contractor fails to achieve Substantial Completion as provided in this Section 3.3, liquidated damages, if any, shall be assessed as set forth in Section 4.5.

ARTICLE 4 CONTRACT SUM

§ 4.1 The Owner shall pay the Contractor the Contract Sum in current funds for the Contractor's performance of the Contract. The Contract Sum shall be Eight Hundred Thirteen Thousand ($ 813,000.00), subject to additions and deductions as provided in the Contract Documents.

§ 4.2 Alternates

§ 4.2.1 Alternates, if any, included in the Contract Sum:

Item	Price

§ 4.2.2 Subject to the conditions noted below, the following alternates may be accepted by the Owner following execution of this Agreement. Upon acceptance, the Owner shall issue a Modification to this Agreement.
(Insert below each alternate and the conditions that must be met for the Owner to accept the alternate.)

Item	Price	Conditions for Acceptance

§ 4.3 Allowances, if any, included in the Contract Sum:
(Identify each allowance.)

Item	Price
Unforeseen Conditions	$20,000.00

§ 4.4 Unit prices, if any:
(Identify the item and state the unit price and quantity limitations, if any, to which the unit price will be applicable.)

Item	Units and Limitations	Price per Unit ($0.00)

§ 4.5 Liquidated damages, if any:
(Insert terms and conditions for liquidated damages, if any.)

Five Hundred Dollars ($500.00) per calendar day.

§ 4.6 Other:
(Insert provisions for bonus or other incentives, if any, that might result in a change to the Contract Sum.)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1115056233)

ARTICLE 5 PAYMENTS

§ 5.1 Progress Payments

§ 5.1.1 Based upon Applications for Payment submitted to the Architect by the Contractor and Certificates for Payment issued by the Architect, the Owner shall make progress payments on account of the Contract Sum to the Contractor as provided below and elsewhere in the Contract Documents.

§ 5.1.2 The period covered by each Application for Payment shall be one calendar month ending on the last day of the month, or as follows:

§ 5.1.3 Provided that an Application for Payment is received by the Architect not later than the twenty-fifth (25th) day of a month, the Owner shall make payment of the amount certified to the Contractor not later than the fifteenth (15th) day of the following month. If an Application for Payment is received by the Architect after the application date fixed above, payment of the amount certified shall be made by the Owner not later than thirty (30) days after the Architect receives the Application for Payment.
(Federal, state or local laws may require payment within a certain period of time.)

§ 5.1.4 Each Application for Payment shall be based on the most recent schedule of values submitted by the Contractor in accordance with the Contract Documents. The schedule of values shall allocate the entire Contract Sum among the various portions of the Work. The schedule of values shall be prepared in such form, and supported by such data to substantiate its accuracy, as the Architect may require. This schedule of values shall be used as a basis for reviewing the Contractor's Applications for Payment.

§ 5.1.5 Applications for Payment shall show the percentage of completion of each portion of the Work as of the end of the period covered by the Application for Payment.

§ 5.1.6 In accordance with AIA Document A201™–2017, General Conditions of the Contract for Construction, and subject to other provisions of the Contract Documents, the amount of each progress payment shall be computed as follows:

§ 5.1.6.1 The amount of each progress payment shall first include:

.1 That portion of the Contract Sum properly allocable to completed Work;

.2 That portion of the Contract Sum properly allocable to materials and equipment delivered and suitably stored at the site for subsequent incorporation in the completed construction, or, if approved in advance by the Owner, suitably stored off the site at a location agreed upon in writing; and

.3 That portion of Construction Change Directives that the Architect determines, in the Architect's professional judgment, to be reasonably justified.

§ 5.1.6.2 The amount of each progress payment shall then be reduced by:

.1 The aggregate of any amounts previously paid by the Owner;

.2 The amount, if any, for Work that remains uncorrected and for which the Architect has previously withheld a Certificate for Payment as provided in Article 9 of AIA Document A201–2017;

.3 Any amount for which the Contractor does not intend to pay a Subcontractor or material supplier, unless the Work has been performed by others the Contractor intends to pay;

.4 For Work performed or defects discovered since the last payment application, any amount for which the Architect may withhold payment, or nullify a Certificate of Payment in whole or in part, as provided in Article 9 of AIA Document A201–2017; and

.5 Retainage withheld pursuant to Section 5.1.7.

§ 5.1.7 Retainage

§ 5.1.7.1 For each progress payment made prior to Substantial Completion of the Work, the Owner may withhold the following amount, as retainage, from the payment otherwise due:
(Insert a percentage or amount to be withheld as retainage from each Application for Payment. The amount of retainage may be limited by governing law.)

As per MS Law

Init.
MH /

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1115056233)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

§ 5.1.7.1.1 The following items are not subject to retainage:
(Insert any items not subject to the withholding of retainage, such as general conditions, insurance, etc.)

§ 5.1.7.2 Reduction or limitation of retainage, if any, shall be as follows:
(If the retainage established in Section 5.1.7.1 is to be modified prior to Substantial Completion of the entire Work, including modifications for Substantial Completion of portions of the Work as provided in Section 3.3.2, insert provisions for such modifications.)

As per MS Law

§ 5.1.7.3 Except as set forth in this Section 5.1.7.3, upon Substantial Completion of the Work, the Contractor may submit an Application for Payment that includes the retainage withheld from prior Applications for Payment pursuant to this Section 5.1.7. The Application for Payment submitted at Substantial Completion shall not include retainage as follows:
(Insert any other conditions for release of retainage upon Substantial Completion.)

§ 5.1.8 If final completion of the Work is materially delayed through no fault of the Contractor, the Owner shall pay the Contractor any additional amounts in accordance with Article 9 of AIA Document A201–2017.

§ 5.1.9 Except with the Owner's prior approval, the Contractor shall not make advance payments to suppliers for materials or equipment which have not been delivered and stored at the site.

§ 5.2 Final Payment

§ 5.2.1 Final payment, constituting the entire unpaid balance of the Contract Sum, shall be made by the Owner to the Contractor when

.1 the Contractor has fully performed the Contract except for the Contractor's responsibility to correct Work as provided in Article 12 of AIA Document A201–2017, and to satisfy other requirements, if any, which extend beyond final payment; and

.2 a final Certificate for Payment has been issued by the Architect.

§ 5.2.2 The Owner's final payment to the Contractor shall be made no later than 30 days after the issuance of the Architect's final Certificate for Payment, or as follows:

§ 5.3 Interest

Payments due and unpaid under the Contract shall bear interest from the date payment is due at the rate stated below, or in the absence thereof, at the legal rate prevailing from time to time at the place where the Project is located.
(Insert rate of interest agreed upon, if any.)

%

ARTICLE 6 DISPUTE RESOLUTION

§ 6.1 Initial Decision Maker

The Architect will serve as the Initial Decision Maker pursuant to Article 15 of AIA Document A201–2017, unless the parties appoint below another individual, not a party to this Agreement, to serve as the Initial Decision Maker.
(If the parties mutually agree, insert the name, address and other contact information of the Initial Decision Maker, if other than the Architect.)

Init.
/

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1115056233)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

§ 6.2 Binding Dispute Resolution
For any Claim subject to, but not resolved by, mediation pursuant to Article 15 of AIA Document A201–2017, the method of binding dispute resolution shall be as follows:
(Check the appropriate box.)

[ ] Arbitration pursuant to Section 15.4 of AIA Document A201–2017

[X] Litigation in a court of competent jurisdiction

[ ] Other *(Specify)*

If the Owner and Contractor do not select a method of binding dispute resolution, or do not subsequently agree in writing to a binding dispute resolution method other than litigation, Claims will be resolved by litigation in a court of competent jurisdiction.

ARTICLE 7 TERMINATION OR SUSPENSION
§ 7.1 The Contract may be terminated by the Owner or the Contractor as provided in Article 14 of AIA Document A201–2017.

§ 7.1.1 If the Contract is terminated for the Owner's convenience in accordance with Article 14 of AIA Document A201–2017, then the Owner shall pay the Contractor a termination fee as follows:
(Insert the amount of, or method for determining, the fee, if any, payable to the Contractor following a termination for the Owner's convenience.)

§ 7.2 The Work may be suspended by the Owner as provided in Article 14 of AIA Document A201–2017.

ARTICLE 8 MISCELLANEOUS PROVISIONS
§ 8.1 Where reference is made in this Agreement to a provision of AIA Document A201–2017 or another Contract Document, the reference refers to that provision as amended or supplemented by other provisions of the Contract Documents.

§ 8.2 The Owner's representative:
(Name, address, email address, and other information)

Eddie Favre, County Administrator
854 Highway 90
Bay St. Louis, MS 39520
P: 228.467.0172
E: Eddie.Favre@co.hancock.ms.us

§ 8.3 The Contractor's representative:
(Name, address, email address, and other information)

James Watson
273 Old Jackson Road
Madison, MS 39110
P:601.573.2772
E: jwatson@choosehopkins.com

§ 8.4 Neither the Owner's nor the Contractor's representative shall be changed without ten days' prior notice to the other party.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Init. MH /

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes:
(1115056233)

§ 8.5 Insurance and Bonds

§ 8.5.1 The Owner and the Contractor shall purchase and maintain insurance as set forth in AIA Document A101™–2017, Standard Form of Agreement Between Owner and Contractor where the basis of payment is a Stipulated Sum, Exhibit A, Insurance and Bonds, and elsewhere in the Contract Documents.

§ 8.5.2 The Contractor shall provide bonds as set forth in AIA Document A101™–2017 Exhibit A, and elsewhere in the Contract Documents.

(Paragraphs deleted)

ARTICLE 9 ENUMERATION OF CONTRACT DOCUMENTS

§ 9.1 This Agreement is comprised of the following documents:

.1 AIA Document A101™–2017, Standard Form of Agreement Between Owner and Contractor

.2 AIA Document A101™–2017, Exhibit A, Insurance and Bonds

.3 AIA Document A201™–2017, General Conditions of the Contract for Construction, by reference

~~.4 AIA Document E203™–2013, Building Information Modeling and Digital Data Exhibit, dated as indicated below:~~

.5 Drawings, Exhibit B.

.6 Specifications, Exhibit C

(Paragraph deleted)

.7 Addenda, if any:

Number	Date	Pages
1	January 12, 2021	1
2	January 29, 2021	11

(Paragraphs deleted)

Portions of Addenda relating to bidding or proposal requirements are not part of the Contract Documents unless the bidding or proposal requirements are also enumerated in this Article 9.

.8 Other Exhibits:
(Check all boxes that apply and include appropriate information identifying the exhibit where required.)

[ ] AIA Document E204™–2017, Sustainable Projects Exhibit, dated as indicated below:
(Insert the date of the E204-2017 incorporated into this Agreement.)

[ ] The Sustainability Plan:

Title	Date	Pages

[ ] Supplementary and other Conditions of the Contract:

Document	Title	Date	Pages

.9 Other documents, if any, listed below:
(List here any additional documents that are intended to form part of the Contract Documents. AIA Document A201™–2017 provides that the advertisement or invitation to bid, Instructions to Bidders, sample forms, the Contractor's bid or proposal, portions of Addenda relating to bidding or proposal requirements, and other information furnished by the Owner in anticipation of receiving bids or proposals, are not part of the Contract Documents unless enumerated in this Agreement. Any such documents should be listed here only if intended to be part of the Contract Documents.)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
(1115056233)
User Notes:

Init.

This Agreement entered into as of the day and year first written above.

OWNER *(Signature)*	**CONTRACTOR** *(Signature)*
Scotty Adam Board President	Marty Hopkins Owner
(Printed name and title)	*(Printed name and title)*

BOARD OF SUPERVISORS HANCOCK COUNTY, MS

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Init.

NH /

AIA Document A101® – 2017. Copyright © 1915, 1918, 1925, 1937, 1951, 1958, 1961, 1963, 1967, 1974, 1977, 1987, 1991, 1997, 2007 and 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:32:05 ET on 03/10/2021 under Order No.4609512593 which expires on 02/18/2022, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes:

(1115056233)

AIA® Document A101® – 2017 Exhibit A

Insurance and Bonds

This Insurance and Bonds Exhibit is part of the Agreement, between the Owner and the Contractor, dated the 3rd day of March in the year Two Thousand Twenty One
(In words, indicate day, month and year.)

for the following **PROJECT**:
(Name and location or address)

Hancock County Dedeaux Storm Shelter Repair

THE OWNER:
(Name, legal status and address)

Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis, MS 39520

THE CONTRACTOR:
(Name, legal status and address)

Hopkins Construction & Maintenance, LLC
730 Highway 90
Bay St. Louis, MS 39520

ADDITIONS AND DELETIONS:
The author of this document has added information needed for its completion. The author may also have revised the text of the original AIA standard form. An *Additions and Deletions Report* that notes added information as well as revisions to the standard form text is available from the author and should be reviewed. A vertical line in the left margin of this document indicates where the author has added necessary information and where the author has added to or deleted from the original AIA text.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

This document is intended to be used in conjunction with AIA Document A201®–2017, General Conditions of the Contract for Construction. Article 11 of A201®–2017 contains additional insurance provisions.

TABLE OF ARTICLES

A.1 GENERAL

A.2 OWNER'S INSURANCE

A.3 CONTRACTOR'S INSURANCE AND BONDS

A.4 SPECIAL TERMS AND CONDITIONS

ARTICLE A.1 GENERAL

The Owner and Contractor shall purchase and maintain insurance, and provide bonds, as set forth in this Exhibit. As used in this Exhibit, the term General Conditions refers to AIA Document A201™–2017, General Conditions of the Contract for Construction.

ARTICLE A.2 OWNER'S INSURANCE

§ A.2.1 General

Prior to commencement of the Work, the Owner shall secure the insurance, and provide evidence of the coverage, required under this Article A.2 and, upon the Contractor's request, provide a copy of the property insurance policy or policies required by Section A.2.3. The copy of the policy or policies provided shall contain all applicable conditions, definitions, exclusions, and endorsements.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

§ A.2.2 Liability Insurance
The Owner shall be responsible for purchasing and maintaining the Owner's usual general liability insurance.

§ A.2.3 Required Property Insurance
§ A.2.3.1 Unless this obligation is placed on the Contractor pursuant to Section A.3.3.2.1, the Owner shall purchase and maintain, from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located, property insurance written on a builder's risk "all-risks" completed value or equivalent policy form and sufficient to cover the total value of the entire Project on a replacement cost basis. The Owner's property insurance coverage shall be no less than the amount of the initial Contract Sum, plus the value of subsequent Modifications and labor performed and materials or equipment supplied by others. The property insurance shall be maintained until Substantial Completion and thereafter as provided in Section A.2.3.1.3, unless otherwise provided in the Contract Documents or otherwise agreed in writing by the parties to this Agreement. This insurance shall include the interests of the Owner, Contractor, Subcontractors, and Sub-subcontractors in the Project as insureds. This insurance shall include the interests of mortgagees as loss payees.

§ A.2.3.1.1 Causes of Loss. The insurance required by this Section A.2.3.1 shall provide coverage for direct physical loss or damage, and shall not exclude the risks of fire, explosion, theft, vandalism, malicious mischief, collapse, earthquake, flood, or windstorm. The insurance shall also provide coverage for ensuing loss or resulting damage from error, omission, or deficiency in construction methods, design, specifications, workmanship, or materials. Sub-limits, if any, are as follows:
(Indicate below the cause of loss and any applicable sub-limit.)

Causes of Loss	Sub-Limit

§ A.2.3.1.2 Specific Required Coverages. The insurance required by this Section A.2.3.1 shall provide coverage for loss or damage to falsework and other temporary structures, and to building systems from testing and startup. The insurance shall also cover debris removal, including demolition occasioned by enforcement of any applicable legal requirements, and reasonable compensation for the Architect's and Contractor's services and expenses required as a result of such insured loss, including claim preparation expenses. Sub-limits, if any, are as follows:
(Indicate below type of coverage and any applicable sub-limit for specific required coverages.)

Coverage	Sub-Limit

§ A.2.3.1.3 Unless the parties agree otherwise, upon Substantial Completion, the Owner shall continue the insurance required by Section A.2.3.1 or, if necessary, replace the insurance policy required under Section A.2.3.1 with property insurance written for the total value of the Project that shall remain in effect until expiration of the period for correction of the Work set forth in Section 12.2.2 of the General Conditions.

§ A.2.3.1.4 Deductibles and Self-Insured Retentions. If the insurance required by this Section A.2.3 is subject to deductibles or self-insured retentions, the Owner shall be responsible for all loss not covered because of such deductibles or retentions.

§ A.2.3.2 Occupancy or Use Prior to Substantial Completion. The Owner's occupancy or use of any completed or partially completed portion of the Work prior to Substantial Completion shall not commence until the insurance company or companies providing the insurance under Section A.2.3.1 have consented in writing to the continuance of coverage. The Owner and the Contractor shall take no action with respect to partial occupancy or use that would cause cancellation, lapse, or reduction of insurance, unless they agree otherwise in writing.

§ A.2.3.3 Insurance for Existing Structures
If the Work involves remodeling an existing structure or constructing an addition to an existing structure, the Owner shall purchase and maintain, until the expiration of the period for correction of Work as set forth in Section 12.2.2 of the General Conditions, "all-risks" property insurance, on a replacement cost basis, protecting the existing structure against direct physical loss or damage from the causes of loss identified in Section A.2.3.1, notwithstanding the undertaking of the Work. The Owner shall be responsible for all co-insurance penalties.

Init. MH /
AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

§ A.2.4 Optional Extended Property Insurance.
The Owner shall purchase and maintain the insurance selected and described below.
(Select the types of insurance the Owner is required to purchase and maintain by placing an X in the box(es) next to the description(s) of selected insurance. For each type of insurance selected, indicate applicable limits of coverage or other conditions in the fill point below the selected item.)

[ ] **§ A.2.4.1 Loss of Use, Business Interruption, and Delay in Completion Insurance,** to reimburse the Owner for loss of use of the Owner's property, or the inability to conduct normal operations due to a covered cause of loss.

[ ] **§ A.2.4.2 Ordinance or Law Insurance,** for the reasonable and necessary costs to satisfy the minimum requirements of the enforcement of any law or ordinance regulating the demolition, construction, repair, replacement or use of the Project.

[ ] **§ A.2.4.3 Expediting Cost Insurance,** for the reasonable and necessary costs for the temporary repair of damage to insured property, and to expedite the permanent repair or replacement of the damaged property.

[ ] **§ A.2.4.4 Extra Expense Insurance,** to provide reimbursement of the reasonable and necessary excess costs incurred during the period of restoration or repair of the damaged property that are over and above the total costs that would normally have been incurred during the same period of time had no loss or damage occurred.

[ ] **§ A.2.4.5 Civil Authority Insurance,** for losses or costs arising from an order of a civil authority prohibiting access to the Project, provided such order is the direct result of physical damage covered under the required property insurance.

[ ] **§ A.2.4.6 Ingress/Egress Insurance,** for loss due to the necessary interruption of the insured's business due to physical prevention of ingress to, or egress from, the Project as a direct result of physical damage.

[ ] **§ A.2.4.7 Soft Costs Insurance,** to reimburse the Owner for costs due to the delay of completion of the Work, arising out of physical loss or damage covered by the required property insurance: including construction loan fees; leasing and marketing expenses; additional fees, including those of architects, engineers, consultants, attorneys and accountants, needed for the completion of the construction, repairs, or reconstruction; and carrying costs such as property taxes, building permits, additional interest on loans, realty taxes, and insurance premiums over and above normal expenses.

§ A.2.5 Other Optional Insurance.
The Owner shall purchase and maintain the insurance selected below.

Init.
/
AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

(Select the types of insurance the Owner is required to purchase and maintain by placing an X in the box(es) next to the description(s) of selected insurance.)

[ ] **§ A.2.5.1 Cyber Security Insurance** for loss to the Owner due to data security and privacy breach, including costs of investigating a potential or actual breach of confidential or private information. *(Indicate applicable limits of coverage or other conditions in the fill point below.)*

[ ] **§ A.2.5.2 Other Insurance**
(List below any other insurance coverage to be provided by the Owner and any applicable limits.)

Coverage	Limits

ARTICLE A.3 CONTRACTOR'S INSURANCE AND BONDS

§ A.3.1 General

§ A.3.1.1 Certificates of Insurance. The Contractor shall provide certificates of insurance acceptable to the Owner evidencing compliance with the requirements in this Article A.3 at the following times: (1) prior to commencement of the Work; (2) upon renewal or replacement of each required policy of insurance; and (3) upon the Owner's written request. An additional certificate evidencing continuation of commercial liability coverage, including coverage for completed operations, shall be submitted with the final Application for Payment and thereafter upon renewal or replacement of such coverage until the expiration of the periods required by Section A.3.2.1 and Section A.3.3.1. The certificates will show the Owner as an additional insured on the Contractor's Commercial General Liability and excess or umbrella liability policy or policies.

§ A.3.1.2 Deductibles and Self-Insured Retentions. The Contractor shall disclose to the Owner any deductible or self-insured retentions applicable to any insurance required to be provided by the Contractor.

§ A.3.1.3 Additional Insured Obligations. To the fullest extent permitted by law, the Contractor shall cause the commercial general liability coverage to include (1) the Owner, the Architect, and the Architect's consultants as additional insureds for claims caused in whole or in part by the Contractor's negligent acts or omissions during the Contractor's operations; and (2) the Owner as an additional insured for claims caused in whole or in part by the Contractor's negligent acts or omissions for which loss occurs during completed operations. The additional insured coverage shall be primary and non-contributory to any of the Owner's general liability insurance policies and shall apply to both ongoing and completed operations. To the extent commercially available, the additional insured coverage shall be no less than that provided by Insurance Services Office, Inc. (ISO) forms CG 20 10 07 04, CG 20 37 07 04, and, with respect to the Architect and the Architect's consultants, CG 20 32 07 04.

§ A.3.2 Contractor's Required Insurance Coverage

§ A.3.2.1 The Contractor shall purchase and maintain the following types and limits of insurance from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located. The Contractor shall maintain the required insurance until the expiration of the period for correction of Work as set forth in Section 12.2.2 of the General Conditions, unless a different duration is stated below:
(If the Contractor is required to maintain insurance for a duration other than the expiration of the period for correction of Work, state the duration.)

§ A.3.2.2 Commercial General Liability

§ A.3.2.2.1 Commercial General Liability insurance for the Project written on an occurrence form with policy limits of not less than One Million Dollars ($ 1,000,000.00) each occurrence, Two Million Dollars ($ 2,000,000.00) general aggregate, and One Million Dollars ($ 1,000,000.00) aggregate for products-completed operations hazard, providing coverage for claims including

.1 damages because of bodily injury, sickness or disease, including occupational sickness or disease, and death of any person;

AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

.2 personal injury and advertising injury;
.3 damages because of physical damage to or destruction of tangible property, including the loss of use of such property;
.4 bodily injury or property damage arising out of completed operations; and
.5 the Contractor's indemnity obligations under Section 3.18 of the General Conditions.

§ A.3.2.2.2 The Contractor's Commercial General Liability policy under this Section A.3.2.2 shall not contain an exclusion or restriction of coverage for the following:

.1 Claims by one insured against another insured, if the exclusion or restriction is based solely on the fact that the claimant is an insured, and there would otherwise be coverage for the claim.
.2 Claims for property damage to the Contractor's Work arising out of the products-completed operations hazard where the damaged Work or the Work out of which the damage arises was performed by a Subcontractor.
.3 Claims for bodily injury other than to employees of the insured.
.4 Claims for indemnity under Section 3.18 of the General Conditions arising out of injury to employees of the insured.
.5 Claims or loss excluded under a prior work endorsement or other similar exclusionary language.
.6 Claims or loss due to physical damage under a prior injury endorsement or similar exclusionary language.
.7 Claims related to residential, multi-family, or other habitational projects, if the Work is to be performed on such a project.
.8 Claims related to roofing, if the Work involves roofing.
.9 Claims related to exterior insulation finish systems (EIFS), synthetic stucco or similar exterior coatings or surfaces, if the Work involves such coatings or surfaces.
.10 Claims related to earth subsidence or movement, where the Work involves such hazards.
.11 Claims related to explosion, collapse and underground hazards, where the Work involves such hazards.

§ A.3.2.3 Automobile Liability covering vehicles owned, and non-owned vehicles used, by the Contractor, with policy limits of not less than One Million Dollars ($ 1,000,000.00) per accident, for bodily injury, death of any person, and property damage arising out of the ownership, maintenance and use of those motor vehicles along with any other statutorily required automobile coverage.

§ A.3.2.4 The Contractor may achieve the required limits and coverage for Commercial General Liability and Automobile Liability through a combination of primary and excess or umbrella liability insurance, provided such primary and excess or umbrella insurance policies result in the same or greater coverage as the coverages required under Section A.3.2.2 and A.3.2.3, and in no event shall any excess or umbrella liability insurance provide narrower coverage than the primary policy. The excess policy shall not require the exhaustion of the underlying limits only through the actual payment by the underlying insurers.

§ A.3.2.5 Workers' Compensation at statutory limits.

§ A.3.2.6 Employers' Liability with policy limits not less than One Million Dollars ($ 1,000,000.00) each accident, One Million Dollars ($ 1,000,000.00) each employee, and One Million Dollars ($ 1,000,000.00) policy limit.

§ A.3.2.7 Jones Act, and the Longshore & Harbor Workers' Compensation Act, as required, if the Work involves hazards arising from work on or near navigable waterways, including vessels and docks

§ A.3.2.8 If the Contractor is required to furnish professional services as part of the Work, the Contractor shall procure Professional Liability insurance covering performance of the professional services, with policy limits of not less than ($) per claim and ($) in the aggregate.

§ A.3.2.9 If the Work involves the transport, dissemination, use, or release of pollutants, the Contractor shall procure Pollution Liability insurance, with policy limits of not less than ($) per claim and ($) in the aggregate.

AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

Init. / WH

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

§ A.3.2.10 Coverage under Sections A.3.2.8 and A.3.2.9 may be procured through a Combined Professional Liability and Pollution Liability insurance policy, with combined policy limits of not less than ($) per claim and ($) in the aggregate.

§ A.3.2.11 Insurance for maritime liability risks associated with the operation of a vessel, if the Work requires such activities, with policy limits of not less than ($) per claim and ($) in the aggregate.

§ A.3.2.12 Insurance for the use or operation of manned or unmanned aircraft, if the Work requires such activities, with policy limits of not less than ($) per claim and ($) in the aggregate.

§ A.3.3 Contractor's Other Insurance Coverage

§ A.3.3.1 Insurance selected and described in this Section A.3.3 shall be purchased from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located. The Contractor shall maintain the required insurance until the expiration of the period for correction of Work as set forth in Section 12.2.2 of the General Conditions, unless a different duration is stated below:
(If the Contractor is required to maintain any of the types of insurance selected below for a duration other than the expiration of the period for correction of Work, state the duration.)

§ A.3.3.2 The Contractor shall purchase and maintain the following types and limits of insurance in accordance with Section A.3.3.1.
(Select the types of insurance the Contractor is required to purchase and maintain by placing an X in the box(es) next to the description(s) of selected insurance. Where policy limits are provided, include the policy limit in the appropriate fill point.)

[ ] **§ A.3.3.2.1** Property insurance of the same type and scope satisfying the requirements identified in Section A.2.3, which, if selected in this section A.3.3.2.1, relieves the Owner of the responsibility to purchase and maintain such insurance except insurance required by Section A.2.3.1.3 and Section A.2.3.3. The Contractor shall comply with all obligations of the Owner under Section A.2.3 except to the extent provided below. The Contractor shall disclose to the Owner the amount of any deductible, and the Owner shall be responsible for losses within the deductible. Upon request, the Contractor shall provide the Owner with a copy of the property insurance policy or policies required. The Owner shall adjust and settle the loss with the insurer and be the trustee of the proceeds of the property insurance in accordance with Article 11 of the General Conditions unless otherwise set forth below:
(Where the Contractor's obligation to provide property insurance differs from the Owner's obligations as described under Section A.2.3, indicate such differences in the space below. Additionally, if a party other than the Owner will be responsible for adjusting and settling a loss with the insurer and acting as the trustee of the proceeds of property insurance in accordance with Article 11 of the General Conditions, indicate the responsible party below.)

[ ] **§ A.3.3.2.2 Railroad Protective Liability Insurance**, with policy limits of not less than ($) per claim and ($) in the aggregate, for Work within fifty (50) feet of railroad property.

[ ] **§ A.3.3.2.3 Asbestos Abatement Liability Insurance**, with policy limits of not less than ($) per claim and ($) in the aggregate, for liability arising from the encapsulation, removal, handling, storage, transportation, and disposal of asbestos-containing materials.

[ ] **§ A.3.3.2.4** Insurance for physical damage to property while it is in storage and in transit to the construction site on an "all-risks" completed value form.

[ ] **§ A.3.3.2.5** Property insurance on an "all-risks" completed value form, covering property owned by the Contractor and used on the Project, including scaffolding and other equipment.

AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

Init. MH /

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

[ ] **§ A.3.3.2.6 Other Insurance**
(List below any other insurance coverage to be provided by the Contractor and any applicable limits.)

Coverage	Limits

§ A.3.4 Performance Bond and Payment Bond
The Contractor shall provide surety bonds, from a company or companies lawfully authorized to issue surety bonds in the jurisdiction where the Project is located, as follows:
(Specify type and penal sum of bonds.)

Type	Penal Sum ($0.00)
Payment Bond	100% of Contract Sum
Performance Bond	100% of Contract Sum

Payment and Performance Bonds shall be AIA Document A312™, Payment Bond and Performance Bond, or contain provisions identical to AIA Document A312™, current as of the date of this Agreement.

ARTICLE A.4 SPECIAL TERMS AND CONDITIONS
Special terms and conditions that modify this Insurance and Bonds Exhibit, if any, are as follows:

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

AIA Document A101® – 2017 Exhibit A. Copyright © 2017 by The American Institute of Architects. All rights reserved. The "American Institute of Architects," "AIA," the AIA Logo, "A101," and "AIA Contract Documents" are registered trademarks and may not be used without permission. This document was produced by AIA software at 10:27:12 ET on 01/06/2021 under Order No.1985087152 which expires on 02/18/2021, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail copyright@aia.org.
User Notes: (1146042189)

ADDENDUM TO AIA Document A101 – 2017 Exhibit A
Insurance and Bonds

ARTICLE A.2 OWNER'S INSURANCE

A.2.2 **Liability Insurance**

Delete this provision entirely and replace with: "The Contractor will pay for and maintain such insurance as will protect the Owner and Architect from their contingent liability to others for damages because of bodily injury, including death, which may arise from operations under this Contract and other liability for damages which the Contractor is required to insure under any provision of this Contract. Certificate of this insurance shall be filed with the Owner and Architect and will be the same limits set forth in this Exhibit A, Article A.3.2.2."

A.2.3.1 Delete the phrase "Unless this obligation is placed on the Contractor pursuant to Section A.3.3.2.1, the Owner" from the first line and replace with "The Contractor". Delete the word "Owner's" from the end of the fourth line and replace with "Contractor's". Delete the phrase "Substantial Completion and thereafter as provided in Section A.2.3.1.3, unless otherwise provided in the Contract Documents or otherwise agreed in writing by the parties to this Agreement" from the seventh and eighth lines and replace with "final payment has been made as provided in Article 9.10 of the AIA A201-2017 or until no person or entity other than the Owner has an insurable interest in the property required by this Section A.2.3 to be covered, whichever is later."

A.2.3.1.3 Delete the phrase "Unless the parties agree otherwise, upon Substantial Completion, the Owner" from the first line and replace with "The Contractor".

A.2.3.1.4 **Deductibles and Self-Insured Retentions.**

Delete this provision entirely and replace with: "If the property insurance requires minimum deductibles, the Contractor shall pay the deductible and all other costs not covered because of such deductibles. If the Contractor or insurer increases the required minimum deductibles above the amounts so identified or if the Contractor elects to purchase this insurance with voluntary deductible amounts, the Contractor shall be responsible for payment of the additional costs not covered because of such increased or voluntary deductibles."

A.2.3.1.5 Add this new provision as follows: "The insurance required by this Section A.2.3.1 shall provide coverage for physical damage to property while it is in storage and in transit to the construction site on an 'all-risks' completed value form."

A.2.3.1.6 Add this new provision as follows: "The insurance required by this Section A.2.3.1 shall provide coverage for property owned by the Contractor and used on the Project, including scaffolding and other equipment."

~~A.2.3.3 **Insurance for Existing Structures**~~

MH ~~Delete the word "Owner" from the end of the first line and replace with "Contractor". Delete the word "Owner" from the last sentence and replace with "Contractor".~~

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

A.3.1.1 **Certificates of Insurance.**

Add the words "and Architect" in the seventh line between "Owner" and "as". Add the following to the end of the last sentence:

"and the Contractor's certificate of insurance must state that the Owner and Architect are additional insureds under the referenced CGL policy and that all of Contractor's contractual liabilities, including but not limited to its indemnity obligations, are covered by such CGL policy.

Any language contained on the certificate of insurance form or elsewhere to the contrary is deemed stricken.

The certificate of insurance must also state that all of Contractor's contractual liabilities, including but not limited to its indemnity obligations, are covered. Any terms and conditions contained in the certificate of insurance which are contrary to the Contractor's contractual obligations are hereby stricken from the certificate."

A.3.1.4 Add this new provision as follows: "Furnish one copy of the certificate herein required for each copy of the Agreement, specifically setting forth evidence of all coverage required. Furnish to the Owner and Architect, copies of any endorsements that are subsequently issued amending coverage or limits. If the coverages are provided on a claims-made basis, the policy date or retroactive date shall predate the Contract and the termination date of the policy, or the applicable extended reporting period shall be no earlier than the termination date of coverages required to be maintained after final payment."

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

HANCOCK COUNTY

DEDEAUX STORM SHELTER REPAIR
KILN, MISSISSIPPI


NOVEMBER 5, 2020

PROJECT DIRECTORY

CIVIL ENGINEER
SPENCER-ENGINEERS, INC.
2508 LAKELAND DR #200
FLOWOOD, MS 39232
P: 601-982-7766
CONTACT:
KENNY MCGRATH, PE
kmcgrath@spencerengineers.com

STRUCTURAL ENGINEER
SPENCER-ENGINEERS, INC.
2508 LAKELAND DR #200
FLOWOOD, MS 39232
P: 601-982-7766
CONTACT:
KENNY MCGRATH, PE
kmcgrath@spencerengineers.com

ARCHITECT
LPK ARCHITECTS, P.A.
2208 18th STREET, SUITE D
GULFPORT, MS 39501
P: 228-861-8561
F: 601-639-8640
CONTACT:
CAROLYN LADNER., AIA, NCARB
cladner@lpkarchitects.com



PROJECT DATA

SHEET NUMBER	SHEET NAME
G000	COVER SHEET
C100	EXISTING SITE AND DEMOLITION PLAN
C200	SITE, GRADING, AND DRAINAGE PLAN
C300	SITE DETAILS
A101	FLOOR PLAN
A102	HVAC MEZZANINE PLAN
A103	ROOF PLAN
A104	EXISTING CONDITION PHOTOGRAPHS - DEMOLITION & NEW WORK
A201	EXTERIOR ELEVATIONS
A301	WALL SECTIONS
A302	DETAILS
A501	OPENING DETAILS

ARCHITECTURAL NOTES

1. CONTRACTOR SHALL VISIT THE SITE AND THOROUGHLY FAMILIARIZE HIMSELF WITH ALL EXISTING CONDITIONS, INCLUDING EXISTING UTILITY LOCATIONS, TO DETERMINE THE SCOPE AND NATURE OF THE WORK NECESSARY FOR THE COMPLETION OF THE PROJECT.
2. THE CONTRACTOR SHALL CAREFULLY REVIEW ALL DRAWINGS, SPECIFICATIONS AND ANY ADDENDA FOR THE PROJECT TO DETERMINE THE COMPLETE SCOPE AND NATURE OF THE WORK TO BE PERFORMED. ANY QUESTIONS OR DISCREPANCIES AS TO THE NATURE OR INTENT OF THE WORK TO BE PERFORMED SHALL BE DIRECTED TO THE ARCHITECT PRIOR TO BIDDING FOR A DETERMINATION OF WORK REQUIRED. UNLESS STATED OTHERWISE BY THE ARCHITECT, WHERE A CONFLICT OR DISCREPANCY EXISTS, THE MOST COSTLY OR MOST STRINGENT CONDITION SHALL APPLY.
3. CONTRACTOR SHALL COORDINATE THE WORK SCHEDULE AND INTERRUPTION OF UTILITIES FOR THE PROJECT WITH THE OWNER TO MINIMIZE DISRUPTION OF ACTIVITIES AND FUNCTIONS.
4. THE CONTRACTOR SHALL EXERCISE CARE AND TAKE APPROPRIATE PRECAUTIONARY MEASURES TO PREVENT ANY DAMAGE TO THE EXISTING STRUCTURES, SIDEWALKS, UTILITIES, COMMUNICATIONS, ETC., DURING THE PROJECT. THE CONTRACTOR SHALL CORRECT ALL DAMAGE CAUSED BY OR DURING THE PROJECT. CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING ANY REQUIRED AGENCIES OR UTILITIES AND FOLLOWING APPLICABLE PROCEDURES PRIOR TO ANY EXCAVATION.
5. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS PRIOR TO ORDERING MATERIALS AND COMMENCING WORK.
6. THE CONTRACTOR SHALL ENSURE THAT HIS EQUIPMENT AND MATERIALS ARE STORED IN A SAFE AND SECURE MANNER IN AN AREAS DESIGNATED BY THE OWNER, AND SHALL ENSURE THAT ALL WORK BE PERFORMED IN ACCORDANCE WITH SAFETY REGULATIONS AND SAFE STANDARDS OF PRACTICE FOR THE SAFETY OF THE WORKERS AND USERS OF THE BUILDING DURING THE PROJECT.
7. NOT EVERY CONDITION HAS BEEN DETAILED. WHERE SPECIFIC DETAILING IS NOT SHOWN, CONTACT ARCHITECT FOR INSTRUCTIONS. THEN, EXECUTE THE CONSTRUCTION IN A SOUND, WORKMANLIKE MANNER CONSISTENT WITH ACCEPTED BUILDING PRACTICES AND OTHER DETAILING SHOWN.
8. WHERE STANDARD DETAILS ARE SHOWN TO BE TYPICAL, THEY SHALL BE CONSIDERED TO BE APPLICABLE IN ALL SIMILAR CONDITIONS UNLESS OTHERWISE NOTED.
9. ALL WORK SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT AND APPLICABLE BUILDING CODES, FIRE CODES AND REGULATIONS.
10. ALL WORK AREAS SHALL BE LEFT CLEAN & PRESENTABLE UPON COMPLETION OF THE WORK DAY. DAILY CLEANUP REQUIRED IN AREAS OF DAILY ACTIVITY. CONTRACTOR SHALL REMOVE ALL TRASH AND DEBRIS FROM THE PROJECT SITE AS NEEDED AND SHALL PERFORM FINAL CLEANUP UPON COMPLETION OF THE PROJECT.



LPK
ARCHITECTS, P.A.
ARCHITECTURE • INTERIOR DESIGN
PLANNING • CONSTRUCTION MANAGEMENT

CONCRETE BLOCK | CONCRETE IN SECTION | RIGID INSULATION, EIFS AS NOTED
BRICK | SOIL IN SECTION | PLYWOOD
METAL IN SECTION | CRUSHED STONE | FINISH WOOD
GYP. BOARD, PLASTER, OR CONCRETE IN PLAN AS NOTED | BATT INSULATION | WOOD FRAMING

ARCHITECTURAL ABBREVIATIONS

ACT	ACOUSTICAL CEILING TILE	LBS	POUNDS
ADD'M	ADDENDUM	LAM	LAMINATE OR LAMINATED
A.F.F.	ABOVE FINISHED FLOOR		
ALUM	ALUMINUM	MAX.	MAXIMUM
ANOD.	ANODIZED	MECH.	MECHANICAL
ARCH.	ARCHITECTURAL	MIN	MINIMUM
		M.O	MASONRY OPENING
BD	BOARD	MTD.	MOUNTED
BLKG	BLOCKING		
BLDG.	BUILDING	N.I.C.	NOT IN CONTRACT
		NO.	NUMBER
CER	CERAMIC	NOM	NOMINAL
CMU	CONCRETE MASONRY UNIT		
COL.	COLUMN	O.C.	ON CENTER
CONC.	CONCRETE	O.D.	OUTSIDE DIAMETER
C.J.	CONTROL JOINT		
CONST	CONSTRUCTION	P	PLASTIC
CONT	CONTINUOUS	PARA	PARAGRAPH
		PART	PARTITION
DET.	DETAIL	PL	PLATE OR PLATED
DWGS	DRAWINGS	PLY'D	PLYWOOD
		PSF	POUNDS PER SQUARE FOOT
EA.	EACH	PSI	POUNDS PER SQUARE INCH
E.J.	EXPANSION JOINT	PTD	PAINTED
ELEC	ELECTRICAL	PTDD	PAPER TOWEL DISPENSER
ELEV.	ELEVATION		AND/OR DISPOSAL
EQ	EQUAL	PVC	POLYCINYL CHLORIDE
E.W	EACH WAY		
E.W.C.	ELECTRIC WATER COOLER	R	RADIUS
EXIST.	EXISTING	R.A.G.	RETURN AIR GRILLE
EXP	EXPANSION	RB	RUBBER BASE
EXT	EXTERIOR	REF	REFRIGERATOR
		REINF	REINFORCING
FD	FLOOR DRAIN	REQ'D	REQUIRED
FE	FIRE EXTINGUISHER	RT	RUBBER THRESHOLD
FEC	FIRE EXTINGUISHER CABINET		
FIN	FINISHED	S	SILL
FL.	FLOOR	SCWD	SOLID CORE WOOD DOOR
		SHT	SHEET
GA.	GAUGE	SIM	SIMILAR
GALV.	GALVANIZED	SQFT	SQUARE FEET
GB	GRAB BAR	S.S.	STAINLESS STEEL
GYP	GYPSUM	STR	STRUCTURAL
		SUP	SUPPLEMENTAL
H	HEAD	SUSP	SUSPENDED
HCWD	HOLLOW CORE WOOD DOOR		
H.M.	HOLLOW METAL	THKNS	THICKNESS
HORIZ.	HORIZONTAL	TPH	TOILET PAPER HOLDER
HT	HEIGHT	TRTD	TREATED
HVAC	HEATING, VENTILATION, AND AIR CONDITIONING	TYP	TYPICAL
		VCT	VINYL COMPOSITION TILE
INSUL	INSULATION	VERT	VERTICAL
INT	INTERIOR	VWC	VINYL WALL COVERING
J	JAMB	W/	WITH
JT	JOINT	WD	WOOD
		WT.	WEIGHT

ARCHITECTURAL SYMBOLS

	CENTERLINE
0	COLUMN CENTER LINES
A101	INTERIOR ELEVATIONS
1 A101 SIM	SPOT DETAIL
1 A101 SIM	BUILDING SECTION OR WALL SECTION
1 VIEW NAME 1/8" = 1'-0"-0"	DRAWING TITLE DRAWING SCALE
A	WINDOW TAG
ROOM NAME 101	ROOM NAME # OOM NUMBER
101	DOOR NUMBER
NAME ELEVATION	VERTICAL ELEVATION LEVEL
1	ADDENDUM REVISION

LPK architects

LPK ARCHITECTS, P.A.
Robert E. Lee Architects

PROJECT INFORMATION
PROJECT:
HANCOCK COUNT
DEDEAUX STORM SHELTE
REPA

PROJECT ADDRESS:
1356 RD
KILN, MS 39

ACTIVE DRAWING PHASE

- ☐ FOR REVIEW
- ☐ ADDENDUM #1 AND DATE
- ☐ SCHEMATIC DESIGN
- ☐ DESIGN DEVELOPMENT
- ☐ CONSTRUCTION DOCUMENTS
- ☐ AS-BUILT RECORD
- ■ CONSTRUCTION DOCUMENTS

LPK

REGISTERED ARCHITECT ROBERT E. LEE LADNER NO. 13672 STATE OF MISSISSIPPI

REVISIONS/SUBMISSIONS

NO.	DATE	DESCRIPTION

DRAWING TITLE
COVER SHEET

LPK PROJECT NO.
SHEET ISSUED 11/5/2020
DRAWN BY CL
REVIEWED BY BLLD
SHEET NO. G000

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction &

INDEX

SECTION NUMBER	SECTION TITLE
DIVISION 00 – PROCUREMENT AND CONTRACTING REQUIREMENTS	
SECTION 001113	ADVERTISEMENT FOR BIDS
SECTION 002113	INSTRUCTIONS TO BIDDERS
SECTION 002213	SUPPLEMENTARY INSTRUCTIONS TO BIDDERS
SECTION 004113	PROPOSAL FORM
SECTION 007000	GENERAL CONDITIONS
SECTION 008000	SUPPLEMENTARY CONDITIONS AIA DOCUMENT A101-2017 EXHIBIT A-INSURANCE AND BONDS ADDENDUM TO AIA DOCUMENT A101-2017 EXHIBIT A-INSURANCE AND BONDS
DIVISION 1 - GENERAL	
SECTION 011000	SUMMARY
SECTION 012100	ALLOWANCES
SECTION 012300	ALTERNATES
SECTION 012500	SUBSTITUTION PROCEDURES
SECTION 012600	CONTRACT MODIFICATION PROCEDURES
SECTION 012900	PAYMENT PROCEDURES
SECTION 013100	PROJECT MANAGEMENT AND COORDINATION
SECTION 013200	CONSTRUCTION PROGRESS DOCUMENTATION
SECTION 013233	PHOTOGRAPHIC DOCUMENTATION
SECTION 013300	SUBMITTAL PROCEDURES
SECTION 014000	QUALITY REQUIREMENTS
SECTION 014200	REFERENCES
SECTION 015000	TEMPORARY FACILITIES AND CONTROLS
SECTION 016000	PRODUCT REQUIREMENTS
SECTION 017300	EXECUTION
SECTION 017419	CONSTRUCTION WASTE MANAGEMENT AND DISPOSAL
SECTION 017700	CLOSEOUT PROCEDURES
SECTION 017839	PROJECT RECORD DOCUMENTS
DIVISION 2 – EXISTING CONDITIONS	
SECTION 024119	SELECTIVE DEMOLITION
DIVISION 3 - CONCRETE	
SECTION 031000	CONCRETE FORMING AND ACCESSORIES
SECTION 032000	CONCRETE REINFORCING
SECTION 033000	CAST-IN-PLACE CONCRETE
DIVISION 4 - MASONRY	
NOT APPLICABLE	

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

DIVISION 5 - METALS

SECTION 055000 METAL FABRICATIONS

DIVISION 6 - WOOD AND PLASTICS

SECTION 061000 ROUGH CARPENTRY
SECTION 061600 SHEATHING

DIVISION 7 - THERMAL AND MOISTURE PROTECTION

SECTION 071113 BITUMINOUS DAMPROOFING
SECTION 072100 THERMAL INSULATION
SECTION 072500 WEATHER BARRIERS
SECTION 076200 SHEET METAL FLASHING AND TRIM
SECTION 079200 JOINT SEALANTS

DIVISION 8 - OPENINGS

SECTION 081113 HOLLOW METAL DOORS AND FRAMES
SECTION 085200 ALUMINUM WINDOWS

DIVISION 9 - FINISHES

SECTION 092216 NON-STRUCTURAL METAL FRAMING
SECTION 092900 GYPSUM BOARD
SECTION 096513 RESILIENT BASE AND ACCESSORIES
SECTION 099113 EXTERIOR PAINTING
SECTION 099123 INTERIOR PAINTING

DIVISION 10 - SPECIALTIES

NOT APPLICABLE

DIVISION 11 – EQUIPMENT

NOT APPLICABLE

DIVISION 12 - FURNISHINGS

NOT APPLICABLE

DIVISION 13 - SPECIAL CONSTRUCTION

NOT APPLICABLE

DIVISION 14 - CONVEYING SYSTEMS

NOT APPLICABLE

DIVISION 21 – FIRE SUPPRESSION

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

NOT APPLICABLE

DIVISION 22 – PLUMBING

NOT APPLICABLE

DIVISION 23 – HEATING, VENTILATING & AIR CONDITIONING

NOT APPLICABLE

DIVISION 26 – ELECTRICAL

SECTION 264113 LIGHTNING PROTECTION FOR STRUCTURES

DIVISION 28 – ELECTRICAL SAFETY AND SECURITY

NOT APPLICABLE

DIVISION 31 - EARTHWORK

SECTION 310513 SOILS FOR EARTHWORK
SECTION 311001 SITE DEMOLITION
SECTION 312000 EARTH MOVING
SECTION 312317 TRENCHING
SECTION 312500 EROSION AND SEDIMENTATTION CONTROLS

DIVISION 32 – EXTERIOR IMPROVEMENTS

SECTION 320001 SITEWORK CAST-IN-PLACE CONCRETE
SECTION 321314 SIDEWALK
SECTION 321723 PAVEMENT MARKINGS
SECTION 329219 SEEDING
SECTION 329223 SODDING

DIVISION 33 – UTILITIES

SECTION 334100 STORM UTILITY DRAINAGE PIPING
SECTION 334600 FOUNDATION SUBDRAINAGE

END OF INDEX

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

THE AMERICAN INSTITUTE OF ARCHITECTS

Bond No. 4441240

AIA Document A312

Performance Bond

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

CONTRACTOR (Name and Address):

Hopkins Construction & Maintenance, LLC
273 Old Jackson Rd
Madison, MS 39110

SURETY (Name and Principal Place of Business):

SureTec Insurance Company
2103 CityWest Boulevard, Suite 1300
Houston, TX 77042

OWNER (Name and Address):

Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis, MS 39520

CONSTRUCTION CONTRACT
Date: March 3, 2021
Amount: ($813,000.00) Eight Hundred Thirteen Thousand Dollars and No Cents
Description (Name and Location): Provide all material and labor as per Construction Documents for Hancock County Dedeaux Storm Shelter Repair located at 1095 Road 350 Kiln, MS 39556

BOND
Date (Not earlier than Construction Contract Date): March 11, 2021
Amount: ($813,000.00) Eight Hundred Thirteen Thousand Dollars and No Cents
Modifications to this Bond: ☒ None ☐ See Page 3

CONTRACTOR AS PRINCIPAL
Company: (Corporate Seal)
Hopkins Construction & Maintenance, LLC
Signature:
Name and Title:

SURETY
Company: (Corporate Seal)
SureTec Insurance Company
Signature:
Name and Title: Fielden Mitts Attorney-in-Fact

(Any additional signatures appear on page 3)

(FOR INFORMATION ONLY—Name, Address and Telephone)
AGENT or BROKER:

Ross and Yerger Insurance, Inc.
PO Box 1139
Jackson, MS 39215-1139
601-948-2900

OWNER'S REPRESENTATIVE (Architect, Engineer or other party):

SURETEC INSURANCE COMPANY

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

1 The Contractor and the Surety, jointly and severally, bind themselves, their heirs, executors, administrators, successors and assigns to the Owner for the performance of the Construction Contract, which is incorporated herein by reference.

2 If the Contractor performs the Construction Contract, the Surety and the Contractor shall have no obligation under this Bond, except to participate in conferences as provided in Subparagraph 3.1.

3 If there is no Owner Default, the Surety's obligation under this Bond shall arise after:

3.1 The Owner has notified the Contractor and the Surety at its address described in Paragraph 10 below that the Owner is considering declaring a Contractor Default and has requested and attempted to arrange a conference with the Contractor and the Surety to be held not later than fifteen days after receipt of such notice to discuss methods of performing the Construction Contract. If the Owner, the Contractor and the Surety agree, the Contractor shall be allowed a reasonable time to perform the Construction Contract, but such an agreement shall not waive the Owner's right, if any, subsequently to declare a Contractor Default; and

3.2 The Owner has declared a Contractor Default and formally terminated the Contractor's right to complete the contract. Such Contractor Default shall not be declared earlier than twenty days after the Contractor and the Surety have received notice as provided in Subparagraph 3.1; and

3.3 The Owner has agreed to pay the Balance of the Contract Price to the Surety in accordance with the terms of the Construction Contract or to a contractor selected to perform the Construction Contract in accordance with the terms of the contract with the Owner.

4 When the Owner has satisfied the conditions of Paragraph 3, the Surety shall promptly and at the Surety's expense take one of the following actions:

4.1 Arrange for the Contractor, with consent of the Owner, to perform and complete the Construction Contract; or

4.2 Undertake to perform and complete the Construction Contract itself, through its agents or through independent contractors; or

4.3 Obtain bids or negotiated proposals from qualified contractors acceptable to the Owner for a contract for performance and completion of the Construction Contract, arrange for a contract to be prepared for execution by the Owner and the contractor selected with the Owner's concurrence, to be secured with performance and payment bonds executed by a qualified surety equivalent to the bonds issued on the Construction Contract, and pay to the Owner the amount of damages as described in Paragraph 6 in excess of the Balance of the Contract Price incurred by the Owner resulting from the Contractor's default; or

4.4 Waive its right to perform and complete, arrange for completion, or obtain a new contractor and with reasonable promptness under the circumstances:

.1 After investigation, determine the amount for which it may be liable to the Owner and, as soon as practicable after the amount is determined, tender payment therefor to the Owner; or

.2 Deny liability in whole or in part and notify the Owner citing reasons therefor.

5 If the Surety does not proceed as provided in Paragraph 4 with reasonable promptness, the Surety shall be deemed to be in default on this Bond fifteen days after receipt of an additional written notice from the Owner to the Surety demanding that the Surety perform its obligations under this Bond, and the Owner shall be entitled to enforce any remedy available to the Owner. If the Surety proceeds as provided in Subparagraph 4.4, and the Owner refuses the payment tendered or the Surety has denied liability, in whole or in part, without further notice the Owner shall be entitled to enforce any remedy available to the Owner.

6 After the Owner has terminated the Contractor's right to complete the Construction Contract, and if the Surety elects to act under Subparagraph 4.1, 4.2, or 4.3 above, then the responsibilities of the Surety to the Owner shall not be greater than those of the Contractor under the Construction Contract, and the responsibilities of the Owner to the Surety shall not be greater than those of the Owner under the Construction Contract. To the limit of the amount of this Bond, but subject to commitment by the Owner of the Balance of the Contract Price to mitigation of costs and damages on the Construction Contract, the Surety is obligated without duplication for:

6.1 The responsibilities of the Contractor for correction of defective work and completion of the Construction Contract;

6.2 Additional legal, design professional and delay costs resulting from the Contractor's Default, and resulting from the actions or failure to act of the Surety under Paragraph 4; and

6.3 Liquidated damages, or if no liquidated damages are specified in the Construction Contract, actual damages caused by delayed performance or non-performance of the Contractor.

7 The Surety shall not be liable to the Owner or others for obligations of the Contractor that are unrelated to the Construction Contract, and the Balance of the Contract Price shall not be reduced or set off on account of any such unrelated obligations. No right of action shall accrue on this Bond to any person or entity other than the Owner or its heirs, executors, administrators or successors.

8 The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.

9 Any proceeding, legal or equitable, under this Bond may be instituted in any court of competent jurisdiction in the location in which the work or part of the work is located and shall be instituted within two years after Contractor Default or within two years after the Contractor ceased working or within two years after the Surety refuses or fails to perform its obligations under this Bond, whichever occurs first. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation avail-

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

able to sureties as a defense in the jurisdiction of the suit shall be applicable.

10 Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page.

11 When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

12 DEFINITIONS

12.1 Balance of the Contract Price: The total amount payable by the Owner to the Contractor under the Construction Contract after all proper adjustments have been made, including allowance to the Contractor of any amounts received or to be received by the Owner in settlement of insurance or other claims for damages to which the Contractor is entitled, reduced by all valid and proper payments made to or on behalf of the Contractor under the Construction Contract.

12.2 Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.

12.3 Contractor Default: Failure of the Contractor, which has neither been remedied nor waived, to perform or otherwise to comply with the terms of the Construction Contract.

12.4 Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

MODIFICATIONS TO THIS BOND ARE AS FOLLOWS:

This bond shall be written for 100% of the Contract Sum and requires the prompt and faithful performance of any and all guarantees and warranties required by the Contract for a period of One (1) Year after the date of Substantial Completion. Such limitation as to the surety's obligation shall not reduce the obligation of the Contractor under or through the Contract.

(Space is provided below for additional signatures of added parties, other than those appearing on the cover page.)

CONTRACTOR AS PRINCIPAL		SURETY	
Company:	(Corporate Seal)	Company:	(Corporate Seal)
Signature: _____		Signature: _____	
Name and Title:		Name and Title:	
Address:		Address:	

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

THE AMERICAN INSTITUTE OF ARCHITECTS

Bond No. 4441240

AIA Document A312

Payment Bond

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

CONTRACTOR (Name and Address):

Hopkins Construction & Maintenance, LLC
273 Old Jackson Rd
Madison, MS 39110

SURETY (Name and Principal Place of Business):

SureTec Insurance Company
2103 CityWest Boulevard, Suite 1300
Houston, TX 77042

OWNER (Name and Address):

Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis, MS 39520

CONSTRUCTION CONTRACT
Date: March 3, 2021
Amount: ($813,000.00)Eight Hundred Thirteen Thousand Dollars and No Cents
Description (Name and Location): Provide all material and labor as per Construction Documents for Hancock County Dedeaux Storm Shelter Repair located at 1095 Road 350 Kiln, MS 39556

BOND
Date (Not earlier than Construction Contract Date): March 11, 2021
Amount: ($813,000.00)Eight Hundred Thirteen Thousand Dollars and 00/100
Modifications to this Bond: ☒ None ☐ See Page 6

CONTRACTOR AS PRINCIPAL
Company: (Corporate Seal)
Hopkins Construction & Maintenance, LLC
Signature:
Name and Title:

SURETY
Company: (Corporate Seal)
SureTec Insurance Company
Signature:
Name and Title: Fielden Mitts Attorney-in-Fact

(Any additional signatures appear on page 6)

(FOR INFORMATION ONLY—Name, Address and Telephone)
AGENT or BROKER:

Ross and Yerger Insurance, Inc.
PO Box 1139
Jackson, MS 39215-1139
601-948-2900

OWNER'S REPRESENTATIVE (Architect, Engineer or other party):

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

1 The Contractor and the Surety, jointly and severally, bind themselves, their heirs, executors, administrators, successors and assigns to the Owner to pay for labor, materials and equipment furnished for use in the performance of the Construction Contract, which is incorporated herein by reference.

2 With respect to the Owner, this obligation shall be null and void if the Contractor:

2.1 Promptly makes payment, directly or indirectly, for all sums due Claimants, and

2.2 Defends, indemnifies and holds harmless the Owner from claims, demands, liens or suits by any person or entity whose claim, demand, lien or suit is for the payment for labor, materials or equipment furnished for use in the performance of the Construction Contract, provided the Owner has promptly notified the Contractor and the Surety (at the address described in Paragraph 12) of any claims, demands, liens or suits and tendered defense of such claims, demands, liens or suits to the Contractor and the Surety, and provided there is no Owner Default.

3 With respect to Claimants, this obligation shall be null and void if the Contractor promptly makes payment, directly or indirectly, for all sums due.

4 The Surety shall have no obligation to Claimants under this Bond until

4.1 Claimants who are employed by or have a direct contract with the Contractor have given notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof, to the Owner, stating that a claim is being made under this Bond and, with substantial accuracy, the amount of the claim.

4.2 Claimants who do not have a direct contract with the Contractor:

.1 Have furnished written notice to the Contractor and sent a copy, or notice thereof, to the Owner, within 90 days after having last performed labor or last furnished materials or equipment included in the claim stating, with substantial accuracy, the amount of the claim and the name of the party to whom the materials were furnished or supplied or for whom the labor was done or performed; and

.2 Have either received a rejection in whole or in part from the Contractor, or not received within 30 days of furnishing the above notice any communication from the Contractor by which the Contractor has indicated the claim will be paid directly or indirectly; and

.3 Not having been paid within the above 30 days, have sent a written notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof, to the Owner, stating that a claim is being made under this Bond and enclosing a copy of the previous written notice furnished to the Contractor.

5 If a notice required by Paragraph 4 is given by the Owner to the Contractor or to the Surety, that is sufficient compliance.

6 When the Claimant has satisfied the conditions of Paragraph 4, the Surety shall promptly and at the Surety's expense take the following actions:

6.1 Send an answer to the Claimant, with a copy to the Owner, within 45 days after receipt of the claim, stating the amounts that are undisputed and the basis for challenging any amounts that are disputed.

6.2 Pay or arrange for payment of any undisputed amounts.

7 The Surety's total obligation shall not exceed the amount of this Bond, and the amount of this Bond shall be credited for any payments made in good faith by the Surety.

8 Amounts owed by the Owner to the Contractor under the Construction Contract shall be used for the performance of the Construction Contract and to satisfy claims, if any, under any Construction Performance Bond. By the Contractor furnishing and the Owner accepting this Bond, they agree that all funds earned by the Contractor in the performance of the Construction Contract are dedicated to satisfy obligations of the Contractor and the Surety under this Bond, subject to the Owner's priority to use the funds for the completion of the work.

9 The Surety shall not be liable to the Owner, Claimants or others for obligations of the Contractor that are unrelated to the Construction Contract. The Owner shall not be liable for payment of any costs or expenses of any Claimant under this Bond, and shall have under this Bond no obligations to make payments to, give notices on behalf of, or otherwise have obligations to Claimants under this Bond.

10 The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.

11 No suit or action shall be commenced by a Claimant under this Bond other than in a court of competent jurisdiction in the location in which the work or part of the work is located or after the expiration of one year from the date (1) on which the Claimant gave the notice required by Subparagraph 4.1 or Clause 4.2.3, or (2) on which the last labor or service was performed by anyone or the last materials or equipment were furnished by anyone under the Construction Contract, whichever of (1) or (2) first occurs. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.

12 Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page. Actual receipt of notice by Surety, the Owner or the Contractor, however accomplished, shall be sufficient compliance as of the date received at the address shown on the signature page.

13 When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is that this

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Bond shall be construed as a statutory bond and not as a common law bond.

14 Upon request by any person or entity appearing to be a potential beneficiary of this Bond, the Contractor shall promptly furnish a copy of this Bond or shall permit a copy to be made.

15 DEFINITIONS

15.1 Claimant: An individual or entity having a direct contract with the Contractor or with a subcontractor of the Contractor to furnish labor, materials or equipment for use in the performance of the Contract. The intent of this Bond shall be to include without limitation in the terms "labor, materials or equipment" that part of water, gas, power, light, heat, oil, gasoline, telephone service or rental equipment used in the Construction Contract, architectural and engineering services required for performance of the work of the Contractor and the Contractor's subcontractors, and all other items for which a mechanic's lien may be asserted in the jurisdiction where the labor, materials or equipment were furnished.

15.2 Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.

15.3 Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

MODIFICATIONS TO THIS BOND ARE AS FOLLOWS:

This bond shall be written for 100% of the Contract Sum and shall require the prompt payment of all items required by RSMO Section 107.170 and RSMO Sections 290.210 through 290.340 including, but not limited to, all insurance premiums and all applicable prevailing wages.

(Space is provided below for additional signatures of added parties, other than those appearing on the cover page.)

CONTRACTOR AS PRINCIPAL		SURETY	
Company:	(Corporate Seal)	Company:	(Corporate Seal)
Signature: _____		Signature: _____	
Name and Title:		Name and Title:	
Address:		Address:	

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

SureTec Insurance Company
LIMITED POWER OF ATTORNEY

Know All Men by These Presents, That SURETEC INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Texas, and having its principal office in Houston, Harris County, Texas, does by these presents make, constitute and appoint Fielden Mitts Jackson, MS

its true and lawful Attorney-in-fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver any and all bonds, recognizances, undertakings or other instruments or contracts of suretyship to include waivers to the conditions of contracts and consents of surety for:

Principal: Hopkins Construction & Maintenance, LLC
Obligee: Hancock County Board of Supervisors
Amounts: See Bond Form

and to bind the Company thereby as fully and to the same extent as if such bond were signed by the President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolutions of the Board of Directors of the SureTec Insurance Company:

Be it Resolved, that the President, any Vice-President, any Assistant Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Attorney-in-Fact may be given full power and authority for and in the name of and of behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements or indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and effected by the Corporate Secretary.

Be it Resolved, that the signature of any authorized officer and seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signature or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached. *(Adopted at a meeting held on 20th of April, 1999.)*

In Witness Whereof, SURETEC INSURANCE COMPANY has caused these presents to be signed by its President, and its corporate seal to be hereto affixed this 27th day of October, A.D. 2020.

SURETEC INSURANCE COMPANY

By: _____
Michael C. Keimig, President

State of Texas ss:
County of Harris

On this 27th day of October, A.D. 2020 before me personally came Michael C. Keimig, to me known, who, being by me duly sworn, did depose and say, that he resides in Houston, Texas, that he is President of SURETEC INSURANCE COMPANY, the company described in and which executed the above instrument; that he knows the seal of said Company; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Company; and that he signed his name thereto by like order.

TANYA SNEED
Notary Public, State of Texas
Comm. Expires 03-30-2023
Notary ID 128571231

_____
Tanya Sneed, Notary Public
My commission expires March 30, 2023

I, M. Brent Beaty, Assistant Secretary of SURETEC INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Company, which is still in full force and effect; and furthermore, the resolutions of the Board of Directors, set out in the Power of Attorney are in full force and effect.

Given under my hand and the seal of said Company at Houston, Texas this 11th day of March, 2021, A.D.

_____
M. Brent Beaty, Assistant Secretary

Any instrument issued in excess of the penalty stated above is totally void and without any validity.
For verification of the authority of this power you may call (713) 812-0800 any business day between 8:30 am and 5:00 pm CST.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Form 72-16-02

MISSISSIPPI DEPARTMENT OF REVENUE

Sales Tax Account ID: ____ - ____

P.O. BOX 1033 JACKSON, MS 39215

RIDER SALES, USE, INCOME, FRANCHISE, WITHHOLDING, AND SPECIAL FUEL (DIESEL FUEL) TAX BOND

STATE OF MISSISSIPPI

BOND NUMBER 4441240

This Rider is attached to and becomes a part of a certain performance and/or payment bond executed by:

Hopkins Construction & Maintenance, LLC (Name) 273 Old Jackson Rd, Madison, MS 39110 (Address; City; State; Zip) as Principal,

in favor of Hancock County Board of Supervisors (Name) 854 Highway 90, Suite A, Bay St. Louis, MS 39520 (Address; City; State; Zip) as Obligee,

And covering a contract dated March 3, 2021, for the construction of

(Name Project and Describe)

Provide all material and labor as per Construction Documents for Hancock County Dedeaux Storm Shelter

Repair located at 1095 Road 350 Kiln, MS 39556

WHEREAS, under the provisions of Miss. Code Ann. § 27-65-21, as amended, the said Principal is required to and has furnished this bond guaranteeing payment of all taxes damages, interest and penalties which may accrue to the State of Mississippi under Miss. Code Ann. § 27-65-1 et seq., and § 27-67-1 et seq., and § 27-7-1 et seq., and § 27-13-1 et seq., and § 27-7-301 et seq., and § 27-55-313 et seq., and amendments thereto, on account of entering into said contract.

NOW, THEREFORE, in addition to the obligations set forth in the attached bond, there is hereby imposed the additional obligation by the Rider that the Contractor shall promptly make payment when due all taxes, damages, interest and penalties which may accrue during that time to the State of Mississippi under Miss. Code Ann. § 27-65-1 et seq., and § 27-67-1 et seq., and § 27-7-1 et seq., and § 27-13-1 et seq., and § 27-7-301 et seq., and § 27-55-313 et seq., and amendments thereto, on account of the execution of the aforesaid contract.

NOTWITHSTANDING the tax information and return confidentiality provisions contained within Miss Code Ann. § 27-65-1 et seq., § 27-67-1 et seq., 27-7-1 et seq., 27-13-1 et seq., 27-7-301 et seq., and 27-55-301 et seq., and amendments thereto, Principal hereby authorizes the Department of Revenue to release to Surety any information relating to any claim against said Surety made by the Department of Revenue which is covered by this bond.

SIGNED, SEALED AND DELIVERED, this 11th day of March, 2021.

Filed and Approved, this _____ day of _____, _____.

COMMISSIONER: _____

Countersigned by:

Fielden Mitts
Attorney In Fact

Licensed Mississippi Agent

Fielden Mitts 601-948-2900
Type or Print Name of Agent Telephone Number

PRINCIPAL: Hopkins Construction & Maintenance, LLC

By: Matt Hopkins

SURETY: SureTec Insurance Company

By: Fielden Mitts

Surety Phone No. 713-812-0800

SURETEC INSURANCE COMPANY

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

SureTec Insurance Company
LIMITED POWER OF ATTORNEY

Know All Men by These Presents, That SURETEC INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Texas, and having its principal office in Houston, Harris County, Texas, does by these presents make, constitute and appoint Fielden Mitts Jackson, MS

its true and lawful Attorney-in-fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver any and all bonds, recognizances, undertakings or other instruments or contracts of suretyship to include waivers to the conditions of contracts and consents of surety for:

Principal: Hopkins Construction & Maintenance, LLC
Obligee: Hancock County Board of Supervisors
Amounts: See Bond Form

and to bind the Company thereby as fully and to the same extent as if such bond were signed by the President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolutions of the Board of Directors of the SureTec Insurance Company:

Be it Resolved, that the President, any Vice-President, any Assistant Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Attorney-in-Fact may be given full power and authority for and in the name of and of behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements or indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and effected by the Corporate Secretary.

Be it Resolved, that the signature of any authorized officer and seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signature or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached. *(Adopted at a meeting held on 20th of April, 1999.)*

In Witness Whereof, SURETEC INSURANCE COMPANY has caused these presents to be signed by its President, and its corporate seal to be hereto affixed this 27th day of October, A.D. 2020.

SURETEC INSURANCE COMPANY

By: _____
Michael C. Keimig, President

State of Texas ss:
County of Harris

On this 27th day of October, A.D. 2020 before me personally came Michael C. Keimig, to me known, who, being by me duly sworn, did depose and say, that he resides in Houston, Texas, that he is President of SURETEC INSURANCE COMPANY, the company described in and which executed the above instrument; that he knows the seal of said Company; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Company; and that he signed his name thereto by like order.

TANYA SNEED
Notary Public, State of Texas
Comm. Expires 03-30-2023
Notary ID 128571231

_____
Tanya Sneed, Notary Public
My commission expires March 30, 2023

I, M. Brent Beaty, Assistant Secretary of SURETEC INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Company, which is still in full force and effect; and furthermore, the resolutions of the Board of Directors, set out in the Power of Attorney are in full force and effect.

Given under my hand and the seal of said Company at Houston, Texas this 11th day of March, 2021, A.D.

_____
M. Brent Beaty, Assistant Secretary

Any instrument issued in excess of the penalty stated above is totally void and without any validity.
For verification of the authority of this power you may call (713) 812-0800 any business day between 8:30 am and 5:00 pm CST.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Client#: 50202 HOPCO1

ACORD™ CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 03/29/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Ross & Yerger Insurance, Inc. P.O. Box 1139 Jackson, MS 39215 601 948-2900	CONTACT NAME: PHONE (A/C, No, Ext): 601 948-2900 FAX (A/C, No): 6013553227 E-MAIL ADDRESS: dgoins@rossandyerger.com
	INSURER(S) AFFORDING COVERAGE — NAIC #
	INSURER A : FCCI Insurance Company/FCCI — 10178
	INSURER B : Allied Eastern Ind. Co/Eastern Alliance — 11242
INSURED Hopkins Construction & Maintenance, LLC 273 Old Jackson Rd Madison, MS 39110	INSURER C : INSURER D : INSURER E : INSURER F :

COVERAGES CERTIFICATE NUMBER: REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE X OCCUR X PD Ded:500 GEN'L AGGREGATE LIMIT APPLIES PER: POLICY X PRO-JECT LOC OTHER:	X *	X *	CPP10003750103	01/12/2021	01/12/2022	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG	$1,000,000 $100,000 $5,000 $1,000,000 $2,000,000 $2,000,000
A	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY SCHEDULED AUTOS X HIRED AUTOS ONLY X NON-OWNED AUTOS ONLY	X *	X *	CA10000972804	01/12/2021	01/12/2022	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$1,000,000 $ $ $
A	X UMBRELLA LIAB X OCCUR EXCESS LIAB CLAIMS-MADE DED X RETENTION $10000	X *	X *	UMB10002171504	01/12/2021	01/12/2022	EACH OCCURRENCE AGGREGATE	$4,000,000 $4,000,000
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? Y / N (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N / A	X *	03000008740207 03000008315505	08/04/2020 08/04/2020	08/04/2021 08/04/2021	X PER STATUTE OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	$1,000,000 $1,000,000 $1,000,000
A	Leased/Rented Equipment			CPP10003750103	01/12/2021	01/12/2022	$100,000 / $1,000 Ded	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

*Blanket Additional Insured and Blanket Waiver of Subrogation applies to General Liability and Automobile Liability when required by written contract. General Liability includes Ongoing & Completed Operations and Primary Non-Contributory for Additional Insured when required by written contract. *General Liabiltiy includes Additional Insured for Hancock County Board of Supervisors per forms CG2010 04/13 and CG2037 04/13 and Additional Insured for LPK Architects - Gulf Coast, P.A., Spencer Engineers, Inc., Edmonds Engineering, (See Attached Descriptions)

CERTIFICATE HOLDER

Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay Saint Louis, MS 39520

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Dudley A. Wooley

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

WAM

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

DESCRIPTIONS (Continued from Page 1)

Inc., and Schultz & Wynne, P.A. per form CG2032 04/13. *Umbrella is Follow-Form underlying additional insured and waivers. ALL policies are subject to policy terms, conditions, and exclusions.
Project: Hancock County Dedeaux Storm Shelter Repair, 1095 Road 350, Kiln, MS 39556.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Client#: 50202 HOPCO1

ACORD™ CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 3/24/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
Ross & Yerger Insurance, Inc.
P.O. Box 1139
Jackson, MS 39215
601 948-2900

CONTACT NAME:
PHONE (A/C, No, Ext): 601 948-2900 FAX (A/C, No): 6013553227
E-MAIL ADDRESS: dgoins@rossandyerger.com

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A : FCCI Insurance Company/FCCI	10178
INSURER B :	
INSURER C :	
INSURER D :	
INSURER E :	
INSURER F :	

INSURED
Hancock County Board of Supervisors
854 Highway 90
Bay Saint Louis, MS 39520

COVERAGES **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	COMMERCIAL GENERAL LIABILITY			OCP10006803300	04/01/2021	04/01/2022	EACH OCCURRENCE	$1,000,000
	CLAIMS-MADE [ ] OCCUR [X]						DAMAGE TO RENTED PREMISES (Ea occurrence)	$
							MED EXP (Any one person)	$
	X OCP						PERSONAL & ADV INJURY	$
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	$2,000,000
	POLICY [ ] PRO-JECT [ ] LOC [ ]						PRODUCTS - COMP/OP AGG	$
	OTHER:							$
	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	$
	ANY AUTO						BODILY INJURY (Per person)	$
	OWNED AUTOS ONLY [ ] SCHEDULED AUTOS						BODILY INJURY (Per accident)	$
	HIRED AUTOS ONLY [ ] NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	$
								$
	UMBRELLA LIAB [ ] OCCUR						EACH OCCURRENCE	$
	EXCESS LIAB [ ] CLAIMS-MADE						AGGREGATE	$
	DED [ ] RETENTION $							$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y / N						PER STATUTE [ ] OTH-ER	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? [ ] N / A						E.L. EACH ACCIDENT	$
	(Mandatory in NH)						E.L. DISEASE - EA EMPLOYEE	$
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Project: Hancock County Dedeaux Storm Shelter Repair, 1095 Road 350, Kiln, MS 39556.

CERTIFICATE HOLDER

Hancock County Board of Supervisors
854 Highway 90
Bay Saint Louis, MS 39520

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE
Dudley D. Wooley

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

DBG2

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

HOPCO1

ACORD™ EVIDENCE OF PROPERTY INSURANCE

DATE (MM/DD/YYYY) 03/23/2021

THIS EVIDENCE OF PROPERTY INSURANCE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE ADDITIONAL INTEREST NAMED BELOW. THIS EVIDENCE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS EVIDENCE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE ADDITIONAL INTEREST.

AGENCY Ross & Yerger Insurance, Inc. P.O. Box 1139 Jackson, MS 39215	PHONE (A/C, No, Ext): 601 948-2900 FAX (A/C, No): 6013553227 E-MAIL ADDRESS: dgoins@rossandyerger.com CODE: SUB CODE: AGENCY CUSTOMER ID #: 50202
COMPANY American Zurich/US Assure, Inc. (ZU) 1400 American Lane Schaumburg, IL 60196	
INSURED Hopkins Construction & Maintenance, LLC 273 Old Jackson Rd Madison, MS 39110	LOAN NUMBER POLICY NUMBER: BR73841601 EFFECTIVE DATE: 04/01/21 EXPIRATION DATE: 01/01/22 ☐ CONTINUED UNTIL TERMINATED IF CHECKED THIS REPLACES PRIOR EVIDENCE DATED:

PROPERTY INFORMATION

LOCATION/DESCRIPTION
Location #1 1095 Road 350 Kiln, MS 39556

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS EVIDENCE OF PROPERTY INSURANCE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

COVERAGE INFORMATION PERILS INSURED ☐ BASIC ☐ BROAD ☐ SPECIAL ☐

COVERAGE/PERILS/FORMS	AMOUNT OF INSURANCE	DEDUCTIBLE
Builder's Risk	$813,000	$2,500
Special Causes of Loss		
Earthquake Deductible		$25,000
Flood Deductible		$25,000
Named Storm Deductible: 3% subject to $2,500 minimum		

REMARKS (Including Special Conditions)
Project: Hancock County Dedeaux Storm Shelter Repair.

CANCELLATION
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

ADDITIONAL INTEREST

NAME AND ADDRESS Hancock County Board of Supervisors 854 Highway 90 Bay Saint Louis, MS 39520	X ADDITIONAL INSURED ☐ LENDER'S LOSS PAYABLE ☐ LOSS PAYEE ☐ MORTGAGEE LOAN # AUTHORIZED REPRESENTATIVE Dudley D. Worley

© 1993-2015 ACORD CORPORATION. All rights reserved
DBG2
The ACORD name and logo are registered marks of ACORD

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Policy Number
CPP100037501-03

THIS ENDORSEMENT CHANGES THE POLICY.
PLEASE READ IT CAREFULLY.
COMMON POLICY CHANGE ENDORSEMENT

Endorsement No. 002

FCCI Insurance Company

Named Insured Hopkins Construction &

Effective Date: 03-24-21
12:01 A.M., Standard Time

Agent Name ROSS & YERGER INSURANCE INC

Agent No. 01516-304

This endorsement will not be used to decrease coverages, increase rates or deductibles or alter any terms or conditions of coverage unless at the sole request of the insured.

COVERAGE PART INFORMATION – Coverage parts affected by this change as indicated by [X] below.

[ ]	Commercial Property	
[X]	Commercial General Liability	NO CHARGE
[ ]	Commercial Crime	
[ ]	Commercial Inland Marine	
[ ]		
[ ]		

The following item(s):

[ ]	Insured's Name	[ ]	Insured's Mailing Address
[ ]	Policy Number	[ ]	Company
[ ]	Effective/Expiration Date	[ ]	Insured's Legal Status/Business of Insured
[ ]	Payment Plan	[ ]	Premium Determination
[X]	Additional Interested Parties	[ ]	Coverage Forms and Endorsements
[ ]	Limits/Exposures	[ ]	Deductibles
[ ]	Covered Property/Location Description	[ ]	Classification/Class Codes
[ ]	Rates	[ ]	Underlying Exposure/Insurance

is (are) changed to read **{See Additional Page(s)}**

SEE NEXT PAGE

The above amendments result in a change in the premium as follows:

This premium does not include taxes and surcharges.

[X] No Changes	[ ] To be Adjusted at Audit	Additional NO CHARGE	Return NO CHARGE

Tax and Surcharge Changes

Additional	Return

Countersigned By: _____
AUTHORIZED AGENT

CW-CHANGEDESC (10/13)

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Policy Number
CPP100037501-03

COMMON POLICY CHANGE ENDORSEMENT

Endorsement No. 002

FCCI Insurance Company

Named Insured Hopkins Construction &

Effective Date: 03-24-21
12:01 A.M., Standard Time

Agent Name ROSS & YERGER INSURANCE INC

Agent No. 01516-304

POLICY CHANGES ENDORSEMENT DESCRIPTION (CONT'D)

THE FOLLOWING ADDITIONAL INTEREST (ADDITIONAL INSURED) HAS BEEN ADDED
TO THE POLICY:
LPK ARCHITECTS - GULF COAST PA
2208 18TH ST STE D
GULFPORT MS 39501-2920

THE FOLLOWING ADDITIONAL INTEREST (ADDITIONAL INSURED) HAS BEEN ADDED
TO THE POLICY:
SPENCER ENGINEERS INC - CIVIL/STRUCTURAL
2675 RIVER RIDGE DR
JACKSON MS 39216-5012

THE FOLLOWING ADDITIONAL INTEREST (ADDITIONAL INSURED) HAS BEEN ADDED
TO THE POLICY:
EDMONDS ENGINEERING INC - MECHANICAL
1900 LAKELAND DR STE 1
JACKSON MS 39216-5026

THE FOLLOWING ADDITIONAL INTEREST (ADDITIONAL INSURED) HAS BEEN ADDED
TO THE POLICY:
SCHULTZ & WYNNE PA - ELECTRICAL
4523 OFFICE PARK DR
JACKSON MS 39206-6017

THE FOLLOWING FORM(S) HAS BEEN AMENDED:
CG 20 32 04-13 ADDL INSD-ENGRS ARCHTS OR SURVEYORS

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME

REMOVAL PERMIT

If this policy includes the Commercial Property Coverage Part, the Standard Property Policy, or the Capital Assets Program (Output Policy) Coverage Part with all property scheduled on the Scheduled Location Endorsement **OP 14 01**, the following applies with respect to that Coverage Part or Policy:

If Covered Property is removed to a new location that is described on this Policy Change, you may extend this insurance to include that Covered Property at each location during the removal. Coverage at each location will apply in the proportion that the value at each location bears to the value of all Covered Property being removed. This permit applies up to 10 days after the effective date of this Policy Change; after that, this insurance does not apply at the previous location.

CW-CHANGEDESC (10/13)

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

Policy Number
CPP100037501-03
Endorsement No. 002

SCHEDULE OF GENERAL LIABILITY CHANGES

FCCI Insurance Company

Named Insured Hopkins Construction &

Effective Date: 03-24-21
12:01 A.M., Standard Time

Agent Name ROSS & YERGER INSURANCE INC
Agent No. 01516-304

CLASS CODE INFORMATION AFFECTED BY THIS CHANGE IS ADDED, DELETED OR CHANGED AS INDICATED.

THE FOLLOWING CLASS CODE INFORMATION IS: ADDED

Code No.	Premium Basis	Premises/Operations	
49950	FLAT CHARGE	Rate	Premium
Location ALL	Exposure		INCL
Classification: ADDITIONAL INSURED - ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED		Products/Completed Operations	
		Rate	Premium

THE FOLLOWING CLASS CODE INFORMATION IS: ADDED

Code No.	Premium Basis	Premises/Operations	
49950	FLAT CHARGE	Rate	Premium
Location ALL	Exposure		INCL
Classification: ADDITIONAL INSURED - ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED		Products/Completed Operations	
		Rate	Premium

THE FOLLOWING CLASS CODE INFORMATION IS: ADDED

Code No.	Premium Basis	Premises/Operations	
49950	FLAT CHARGE	Rate	Premium
Location ALL	Exposure		INCL
Classification: ADDITIONAL INSURED - ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED		Products/Completed Operations	
		Rate	Premium

THE FOLLOWING CLASS CODE INFORMATION IS: ADDED

Code No.	Premium Basis	Premises/Operations	
49950	FLAT CHARGE	Rate	Premium
Location ALL	Exposure		INCL
Classification: ADDITIONAL INSURED - ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED		Products/Completed Operations	
		Rate	Premium

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

POLICY NUMBER: CPP100037501-03

COMMERCIAL GENERAL LIABILITY
CG 20 32 04 13

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED – ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

Name Of Additional Insured Engineers, Architects Or Surveyors Not Engaged By The Named Insured:
HANCOCK COUNTY BOARD OF SUPERVISORS
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

A. **Section II – Who Is An Insured** is amended to include as an additional insured the architects, engineers or surveyors shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by:

1. Your acts or omissions; or
2. The acts or omissions of those acting on your behalf;

in the performance of your ongoing operations performed by you or on your behalf.

Such architects, engineers or surveyors, while not engaged by you, are contractually required to be added as an additional insured to your policy.

However, the insurance afforded to such additional insured:

1. Only applies to the extent permitted by law; and
2. Will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of or the failure to render any professional services, including:

1. The preparing, approving, or failing to prepare or approve, maps, drawings, opinions, reports, surveys, change orders, designs or specifications; or
2. Supervisory, inspection or engineering services.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional services.

© ISO Properties, Inc., 2004

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

C. With respect to the insurance afforded to these additional insureds, the following is added to **Section III – Limits Of Insurance:**

The most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or

2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

© Insurance Services Office, Inc., 2012

Company Copy

POLICY NUMBER: CPP100037501-03

COMMERCIAL GENERAL LIABILITY
CG 20 32 04 13

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED – ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

Name Of Additional Insured Engineers, Architects Or Surveyors Not Engaged By The Named Insured:
LPK ARCHITECTS - GULF COAST PA
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

A. **Section II – Who Is An Insured** is amended to include as an additional insured the architects, engineers or surveyors shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by:

1. Your acts or omissions; or
2. The acts or omissions of those acting on your behalf;

in the performance of your ongoing operations performed by you or on your behalf.

Such architects, engineers or surveyors, while not engaged by you, are contractually required to be added as an additional insured to your policy.

However, the insurance afforded to such additional insured:

1. Only applies to the extent permitted by law; and
2. Will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of or the failure to render any professional services, including:

1. The preparing, approving, or failing to prepare or approve, maps, drawings, opinions, reports, surveys, change orders, designs or specifications; or
2. Supervisory, inspection or engineering services.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional services.

© ISO Properties, Inc., 2004

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

C. With respect to the insurance afforded to these additional insureds, the following is added to **Section III – Limits Of Insurance:**

The most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or

2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

© Insurance Services Office, Inc., 2012

Company Copy

POLICY NUMBER: CPP100037501-03

COMMERCIAL GENERAL LIABILITY
CG 20 32 04 13

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED – ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

Name Of Additional Insured Engineers, Architects Or Surveyors Not Engaged By The Named Insured:
SPENCER ENGINEERS INC - CIVIL/STRUCTURAL
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

A. **Section II – Who Is An Insured** is amended to include as an additional insured the architects, engineers or surveyors shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by:

1. Your acts or omissions; or
2. The acts or omissions of those acting on your behalf;

in the performance of your ongoing operations performed by you or on your behalf.

Such architects, engineers or surveyors, while not engaged by you, are contractually required to be added as an additional insured to your policy.

However, the insurance afforded to such additional insured:

1. Only applies to the extent permitted by law; and
2. Will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of or the failure to render any professional services, including:

1. The preparing, approving, or failing to prepare or approve, maps, drawings, opinions, reports, surveys, change orders, designs or specifications; or
2. Supervisory, inspection or engineering services.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional services.

© ISO Properties, Inc., 2004

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

C. With respect to the insurance afforded to these additional insureds, the following is added to **Section III – Limits Of Insurance:**

The most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or

2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

© Insurance Services Office, Inc., 2012

Company Copy

POLICY NUMBER: CPP100037501-03

COMMERCIAL GENERAL LIABILITY
CG 20 32 04 13

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED – ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

Name Of Additional Insured Engineers, Architects Or Surveyors Not Engaged By The Named Insured:
EDMONDS ENGINEERING INC - MECHANICAL
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

A. **Section II – Who Is An Insured** is amended to include as an additional insured the architects, engineers or surveyors shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by:

1. Your acts or omissions; or
2. The acts or omissions of those acting on your behalf;

in the performance of your ongoing operations performed by you or on your behalf.

Such architects, engineers or surveyors, while not engaged by you, are contractually required to be added as an additional insured to your policy.

However, the insurance afforded to such additional insured:

1. Only applies to the extent permitted by law; and
2. Will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of or the failure to render any professional services, including:

1. The preparing, approving, or failing to prepare or approve, maps, drawings, opinions, reports, surveys, change orders, designs or specifications; or
2. Supervisory, inspection or engineering services.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional services.

© ISO Properties, Inc., 2004

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

C. With respect to the insurance afforded to these additional insureds, the following is added to **Section III – Limits Of Insurance:**

The most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or

2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

© Insurance Services Office, Inc., 2012

Company Copy

POLICY NUMBER: CPP100037501-03

COMMERCIAL GENERAL LIABILITY
CG 20 32 04 13

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED – ENGINEERS, ARCHITECTS OR SURVEYORS NOT ENGAGED BY THE NAMED INSURED

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

Name Of Additional Insured Engineers, Architects Or Surveyors Not Engaged By The Named Insured:
SCHULTZ & WYNNE PA - ELECTRICAL
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

A. Section II – Who Is An Insured is amended to include as an additional insured the architects, engineers or surveyors shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by:

1. Your acts or omissions; or
2. The acts or omissions of those acting on your behalf;

in the performance of your ongoing operations performed by you or on your behalf.

Such architects, engineers or surveyors, while not engaged by you, are contractually required to be added as an additional insured to your policy.

However, the insurance afforded to such additional insured:

1. Only applies to the extent permitted by law; and
2. Will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of or the failure to render any professional services, including:

1. The preparing, approving, or failing to prepare or approve, maps, drawings, opinions, reports, surveys, change orders, designs or specifications; or
2. Supervisory, inspection or engineering services.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional services.

© ISO Properties, Inc., 2004

Company Copy

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

C. With respect to the insurance afforded to these additional insureds, the following is added to **Section III – Limits Of Insurance:**

The most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or

2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

Attachment: 20210301 - Dedeaux Storm Shelter Contract with LPK Architects and Hopkins Construction & Maintenance, LLC - March 2021

© Insurance Services Office, Inc., 2012

ROOFING SOLUTIONS

We build with passion and skill.

LETTER OF TRANSMITTAL

DATE: 04-12-2021	**JOB #:** N/A
JOB NAME: Hurricane Zeta Roof Repairs	
ATTENTION: Eddie Favre	

TO
854 Highway 90, Bay Saint Louis MS 39520

WE ARE SENDING _x_ Attached ____ Under separate cover via _____ the following items:

☐ Shop drawings ☐ Prints ☐ Plans ☐ Samples ☐ Specifications

☐ Copy of letter ☐ Change order ☒ Other Contract Documents

COPIES	DATE	NO.	DESCRIPTION
3	04-12-2021	1	Signed Notice of Award
3	04-12-2021	2	Signed Contract
3	04-12-2021	3	Certificate of Insurance
3	04-12-2021	4	Payment and Performance Bonds

THESE ARE TRANSMITTED as checked below:

☒ For Signature OTHER: Please return one signed copy

COPIES TO _____ **SIGNED BY** _____

37302 Commerce Lane,
Prairieville, LA 70769

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

NOTICE OF AWARD
Hurricane Zeta Roof Repairs

Dated: March 16, 2021

Project: Hurricane Zeta Roof Repairs
Owner: Hancock County Board of Supervisors

Contract for: (1) Youth Court Building in the amount of $17,890.00;
(2) Arlington Community Center in the amount of $8,980.00;
(3) Superintendent Office Building in the amount of $23,890.00; and
(4) DMV Building in the amount of $9,890.00.
Total Contract: $60,650.00

Bidder: Roofing Solutions, LLC, COR # 18309-SC
Bidder's Address: (send Certified Mail, Return Receipt Requested)
37302 Commerce Lane, Prairieville, LA 70769
E. estimating@roofingsolutionsla.com

You are notified that your Bid opened on March 1, 2021 for the Contract for the four listed buildings has been considered, and You were accepted as the successful bidder.

The Contract Price of your Contract is the amounts stated above.

You must comply with the following conditions within the timeframes stated in the bid solicitation, following the Contract being submitted to you.

1. Deliver to the Owner three (3) fully executed counterparts of the Contract Documents.

2. Deliver with the executed Contract Documents the Contract surety and payment bonds and certificates of insurance.

Failure to comply with these conditions within the time specified will entitle Owner to consider you in default, annul this Notice of Award and declare your Bid security forfeited.

Please execute a copy of this Notice of Award and return to Owner via U.S. Mail to 854 Highway 90, Bay Saint Louis, MS 39520 and scanned image via email to eddie.favre@co.hancock.ms.us.

Hancock County Board of Supervisors,
Owner

By: _____

Scotty Adam, Board President

BOARD OF SUPERVISORS
HANCOCK COUNTY, MS

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

ACCEPTANCE OF NOTICE

Receipt of the above Notice of Award is hereby acknowledged by Roofing Solutions, LLC. this the 16th day of March, 2021.

By: Lauren M Reynolds

Title: Lauren M Reynolds - Authorized Representative

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

CONTRACT

THIS AGREEMENT is by and between **HANCOCK COUNTY BOARD OF SUPERVISORS**

(Owner) and **Roofing Solutions, LLC**

(Contractor).

Owner and Contractor, in consideration of the mutual covenants set forth herein, agree as follows:

ARTICLE 1 - WORK

1.01 Contractor shall complete all Work as specified or indicated in the Contract Documents, which includes this document and the Bid Documents. The Work is generally described as follows:

«Provide all material and labor as per Bid Documents for Hancock County, Hurricane Zeta Roof Repairs for (1) Youth Court Building in the amount of $17,890.00; (2) Arlington Community Center in the amount of $8,980.00; (3) Superintendent Office Building in the amount of $23,890.00; and (4) DMV Building in the amount of $9,890.00.
Total Contract: $60,650.00

ARTICLE 2 - THE PROJECT

2.01 The Project for which the Work under the Contract Documents may be the whole or only a part is generally described as follows:

Hurricane Zeta roof repairs as described in the work.

ARTICLE 3 - CONTRACT TIMES

3.01 Time of the Essence

A. All time limits for Milestones, if any, Substantial Completion, and completion and readiness for final payment as stated in the Contract and Bid Documents are of the essence of the Contract.

3.02 Liquidated Damages-Per the Bid Documents.

ARTICLE 4 - CONTRACT PRICE

4.01 Owner shall pay Contractor for completion of the Work in accordance with the Contract Documents an amount in current funds equal to the sum of the amounts determined below:

Base Bid: Sixty Thousand, Six Hundred and Fifty Dollars ($60,650.00).

ARTICLE 5 - PAYMENT PROCEDURES

5.01 Submittal and Processing of Payments

A. Contractor shall submit Applications for Payment in accordance with the Bid Documents.

5.02 Progress Payments; Retainage

A. Owner shall make progress payments on account of the Contract Price on the basis of Contractor's Applications for Payment in accordance with the bid specifications, retainage by statute and final payment.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

ARTICLE 6 - INTEREST

6.01 All moneys not paid when due as provided shall bear interest at the rate specified by Mississippi State Law.

ARTICLE 7 – CONTRACTOR'S REPRESENTATIONS

7.01 In order to induce Owner to enter into this Agreement Contractor makes the following representations:

A. Contractor has examined and carefully studied the Contract Documents and the other related data identified in the Bidding Documents.

B. Contractor has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.

C. Contractor is familiar with and is satisfied as to all federal, state, and local Laws and Regulations that may affect cost, progress, and performance of the Work.

D. Contractor has carefully studied all: (1) reports of explorations and tests of subsurface conditions at or contiguous to the Site and all drawings of physical conditions relating to existing surface or subsurface structures at the Site (except Underground Facilities), if any, that have been identified and (2) reports and drawings of Hazardous Environmental Conditions, if any, at the Site that have been identified.

E. Contractor has considered the information known to Contractor; information commonly known to contractors doing business in the locality of the site; information and observations obtained from visits to the Site; the Contract Documents; and the Site-related reports and drawings identified in the Contract Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Contractor, including any specific means, methods, techniques, sequences, and procedures of construction expressly required by the Contract Documents; and (3) Contractor's safety precautions and programs.

F. Based on the information and observations referred to in Paragraph 7.01.E above, Contractor does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the performance of the Work at the Contract Price, within the Contract Times, and in accordance with the other terms and conditions of the Contract Documents.

G. Contractor is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Contract Documents.

H. Contractor has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Contractor has discovered in the Contract Documents, and the written resolution thereof by Owner is acceptable to Contractor.

I. The Contract Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.

ARTICLE 8 - CONTRACT DOCUMENTS

8.01 Contents

A. The Contract Documents consist of the following:

1. This Agreement.
2. Performance bond (pages 1 to 2, inclusive).
3. Payment bond (pages 1 to 2, inclusive).
4. Insurance
5. Bid Documents and Bid Submission of Contractor.
6. The federal requirements of 2 CFR 200.318-326.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

7. The following which may be delivered or issued on or after the Effective Date of the Agreement and are not attached hereto:

a. Notice to Proceed (pages X to X, inclusive).

b. Work Change Directives.

c. Change Order(s).

ARTICLE 9 - MISCELLANEOUS

9.01 Terms

A. Terms used in this Agreement will have the meanings stated in the General Conditions and the Supplementary Conditions.

9.02 Assignment of Contract

A. No assignment by a party hereto of any rights under or interests in the Contract will be binding on another party hereto without the written consent of the party sought to be bound; and, specifically but without limitation, moneys that may become due and moneys that are due may not be assigned without such consent (except to the extent that the effect of this restriction may be limited by law), and unless specifically stated to the contrary in any written consent to an assignment, no assignment will release or discharge the assignor from any duty or responsibility under the Contract Documents.

9.03 Successors and Assigns

A. Owner and Contractor each binds itself, its partners, successors, assigns, and legal representatives to the other party hereto, its partners, successors, assigns, and legal representatives in respect to all covenants, agreements, and obligations contained in the Contract Documents.

9.04 Severability

A. Any provision or part of the Contract Documents held to be void or unenforceable under any Law or Regulation shall be deemed stricken, and all remaining provisions shall continue to be valid and binding upon Owner and Contractor, who agree that the Contract Documents shall be reformed to replace such stricken provision or part thereof with a valid and enforceable provision that comes as close as possible to expressing the intention of the stricken provision.

9.05 Contractor's Certifications

A. Contractor certifies that it has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for or in executing the Contract. For the purposes of this Paragraph 9.05:

1. "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value likely to influence the action of a public official in the bidding process or in the Contract execution;

2. "fraudulent practice" means an intentional misrepresentation of facts made (a) to influence the bidding process or the execution of the Contract to the detriment of Owner, (b) to establish Bid or Contract prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition;

3. "collusive practice" means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish Bid prices at artificial, non-competitive levels; and

4. "coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

IN WITNESS WHEREOF, Owner and Contractor have signed this Agreement in duplicate. One counterpart each has been delivered to Owner and Contractor. All portions of the Contract Documents have been signed or identified by Owner and Contractor or on their behalf.

This Agreement will be effective on 26th day of March, 2021.

OWNER:	CONTRACTOR:
Hancock County Board of Supervisors	Roofing Solutions, LLC
By: Patty Adam	By: Lauren M Reynolds
Title: Board President	Title: Lauren M Reynolds - Authorized Representative
[CORPORATE SEAL]	[CORPORATE SEAL]
Attest: Valerie Fitts, P.C.	Attest:
Title: Deputy Clerk	Title: Stephanie Nevarez - Authorized Representative
Address for giving notices:	Address for giving notices: 37302 Commerce Lane, Praireiville, LA 70769
	License No.: MS 18309-SC (Where applicable)
(If Owner is a corporation, attach evidence of authority to sign. If Owner is a public body, attach evidence of authority to sign and resolution or other documents authorizing execution of Owner-Contractor Agreement.)	Agent for service or process:
	(If Contractor is a corporation or a partnership, attach evidence of authority to sign.)

BOARD OF SUPERVISORS HANCOCK COUNTY, MS

CHANCERY CLERK HANCOCK COUNTY, MS

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 4/5/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER BXS Insurance 4041 Essen Lane, Suite 400 Baton Rouge LA 70809	CONTACT NAME: Cheryl Boudreaux PHONE (A/C, No, Ext): 225-336-3200 FAX (A/C, No): 225-336-4536 E-MAIL ADDRESS: cheryl.boudreaux@bxsi.com
INSURED ROOFING SO Roofing Solutions, LLC Roofing Solutions of Louisiana, LLC 37302 Commerce Lane Prairieville LA 70769	INSURER(S) AFFORDING COVERAGE — NAIC # INSURER A : Gray Insurance Company — 36307 INSURER B : XL Specialty Insurance Company — 37885 INSURER C : INSURER D : INSURER E : INSURER F :

COVERAGES **CERTIFICATE NUMBER:** 329069304 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE X OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: POLICY X PRO-JECT X LOC OTHER:			XSGL100005	1/1/2021	1/1/2024	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG	$ 1,000,000 $ 100,000 $ 5,000 $ 1,000,000 $ 3,000,000 $ 3,000,000 $
A	AUTOMOBILE LIABILITY X ANY AUTO X OWNED AUTOS ONLY X HIRED AUTOS ONLY SCHEDULED AUTOS X NON-OWNED AUTOS ONLY			XSAL100005	1/1/2021	1/1/2024	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$ 1,000,000 $ $ $ $
A	UMBRELLA LIAB X OCCUR X EXCESS LIAB CLAIMS-MADE DED RETENTION $			GXS100007	1/1/2021	1/1/2022	EACH OCCURRENCE AGGREGATE	$ 4,000,000 $ 4,000,000 $
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) Y/N: N If yes, describe under DESCRIPTION OF OPERATIONS below	N / A		XSWC100004	1/1/2021	1/1/2024	X PER STATUTE OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	 $ 1,000,000 $ 1,000,000 $ 1,000,000
B	Rented Leased Equipment Scheduled Equipment			UM00062215MA21A	1/1/2021	1/1/2022	$100,000 per item $171,218	$100,000 per occ Deductible $1,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Subject to policy terms, conditions and exclusions; the certificate holder shall be considered an Additional Insured on a Primary and Non-Contributory basis on General Liability, Automobile Liability, Workers' Compensation and Excess policies with a Waiver of Subrogation granted in their favor on General Liability, Automobile Liability, Workers' Compensation and Excess policies when required by written contract, but only to the extent of the Named Insured's obligation to indemnify, defend and/or hold harmless the certificate holder as required by written contract.

Leased/Rented Equipment:
Certificate Holder shown is Additional Insured and Loss Payee with respect to leased/rented equipment when required by written contract.

See Attached...

CERTIFICATE HOLDER

Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis MS 39520

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

AGENCY CUSTOMER ID: ROOFING SO
LOC #:

ADDITIONAL REMARKS SCHEDULE

AGENCY BXS Insurance	NAMED INSURED Roofing Solutions, LLC Roofing Solutions of Louisiana, LLC 37302 Commerce Lane Prairieville LA 70769
POLICY NUMBER	
CARRIER / NAIC CODE	EFFECTIVE DATE:

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: 25 FORM TITLE: CERTIFICATE OF LIABILITY INSURANCE

Subject to policy terms and conditions. Loss Payee shall receive the amount the Insured is obligated to pay for direct physical loss or damage to Contractor's equipment by reason of their assumption of liability in a written contract or written agreement executed prior to the loss or damage for Contractor's equipment that you lease or rent, but no more than the replacement cost of the damaged item.

30 Day Notice of Cancellation is provided in respects to General Liability, Auto Liability, and Workers Compensation if required by written contract.

Excess policy is follow form in respects to General Liability, Auto Liability, and Workers Compensation; except exclusions for Sudden & Accidental Pollution, Punitive damages, Underground Resources and Equipment, and silica on the General Liability policy.

WORKERS COMPENSATION:
1/1/2021-22 NON-FL WORKERS COMPENSATION (INCLUDES AZ, CO, MS, AND TX)
POLICY# GWC100006
LIMITS: $1ML/$1ML/$1ML
LOUISIANA POLICY IS REFERENCED ABOVE

REFER TO ATTACHED 3RD PAGE FOR ADDITIONAL COVERAGES THAT ARE INCLUDED ON THESE POLICIES.

ACORD 101 (2008/01)
© 2008 ACORD CORPORATION. All rights reserved.
The ACORD name and logo are registered marks of ACORD

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

CERTIFICATE OF INSURANCE

THE GRAY INSURANCE COMPANY

The below coverages apply if the corresponding policy number is indicated on the previous page.

A. Commercial General Liability

General Liability Policy Includes:
Blanket Waiver of Subrogation when required by written contract.
Blanket Additional Insured when required by written contract.
Primary Insurance Wording Included when required by written contract.
Broad Form Property Damage Liability including Explosion, Collapse and Underground (XCU).
Premises/Operations
Products/Completed Operations
Contractual Liability
Sudden and Accidental Pollution Liability
Occurrence Form
Personal Injury
"In Rem" Endorsement
Cross Liability
Severability of Interests Provision
"Action Over" Claims
Independent Contractors coverage for work sublet
Vessel Liability - Watercraft exclusion has been modified by the vessels endorsement on scheduled equipment.
General Aggregate applies per project or equivalent.

B. Automobile Liability Policy Includes:

Blanket Waiver of Subrogation when required by written contract.
Blanket Additional Insured when required by written contract.

C. Workers Compensation Policy Includes:

Blanket Waiver of Subrogation when required by written contract.
U.S. Longshoremen's and Harbor Workers Compensation Act Coverage
Outer Continental Shelf Land Act
Jones Act (including Transportation, Wages, Maintenance, and Cure),
Death on the High Seas Act & General Maritime Law.
Maritime Employers Liability Limit: $1,000,000
Voluntary Compensation Endorsement
Other States Insurance
Alternate Employer/Borrowed Servant Endorsement
"In Rem" Endorsement
Gulf of Mexico Territorial Extension

D. Excess Liability Policy Includes:

Coverage is excess of the Auto Liability, General Liability, Employers Liability, & Maritime Employers Liability policies
Blanket Waiver of Subrogation when required by written contract.
Blanket Additional Insured when required by written contract.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

AIA® Document A312™ – 2010

Bond No. 4444241

Performance Bond

CONTRACTOR:
(Name, legal status and address)
Roofing Solutions, LLC
37302 Commerce Lane
Prairieville, LA 70769

SURETY:
(Name, legal status and principal place of business)
SureTec Insurance Company
2103 CityWest Boulevard, Suite 1300
Houston, TX 77042

OWNER:
(Name, legal status and address)
Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis, MS 39520

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

AIA Document A312–2010 combines two separate bonds, a Performance Bond and a Payment Bond, into one form. This is not a single combined Performance and Payment Bond.

CONSTRUCTION CONTRACT
Date: 26 March 2021

Amount: Sixty Thousand Six Hundred Fifty And No/100
$60,650.00

Description:
(Name and location)
Hancock County, Hurricane Zeta Roof Repairs for (1) Youth Court Building; (2) Arlington Community Center; (3) Superintendent Office Building; and (4) DMV Building

BOND
Date: 05 April 2021
(Not earlier than Construction Contract Date)

Amount: Sixty Thousand Six Hundred Fifty And No/100
$60,650.00

Modifications to this Bond: ☒ None ☐ See Section 16

CONTRACTOR AS PRINCIPAL
Company: *(Corporate Seal)*
Roofing Solutions, LLC

Signature: Lauren M Rey
Name and Title: Lauren M. Reynolds BO Mgr. Auth. Rep.

SURETY
Company: *(Corporate Seal)*
SureTec Insurance Company

Signature:
Name and Title: Mary Catherine Turner, Attorney-in-Fact

(Any additional signatures appear on the last page of this Performance Bond.)

(FOR INFORMATION ONLY — Name, address and telephone)
AGENT or BROKER:
Surety Bond Brokers, Inc.
6709 Perkins Road
Baton Rouge, LA 70808
225.757.9191

OWNER'S REPRESENTATIVE:
(Architect, Engineer or other party:)

Init.
/
AIA Document A312™ – 2010. The American Institute of Architects. This document was created on under the terms of AIA Documents-on-Demand™ order no. , and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion. 081010

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

§ 1 The Contractor and Surety, jointly and severally, bind themselves, their heirs, executors, administrators, successors and assigns to the Owner for the performance of the Construction Contract, which is incorporated herein by reference.

§ 2 If the Contractor performs the Construction Contract, the Surety and the Contractor shall have no obligation under this Bond, except when applicable to participate in a conference as provided in Section 3.

§ 3 If there is no Owner Default under the Construction Contract, the Surety's obligation under this Bond shall arise after

.1 the Owner first provides notice to the Contractor and the Surety that the Owner is considering declaring a Contractor Default. Such notice shall indicate whether the Owner is requesting a conference among the Owner, Contractor and Surety to discuss the Contractor's performance. If the Owner does not request a conference, the Surety may, within five (5) business days after receipt of the Owner's notice, request such a conference. If the Surety timely requests a conference, the Owner shall attend. Unless the Owner agrees otherwise, any conference requested under this Section 3.1 shall be held within ten (10) business days of the Surety's receipt of the Owner's notice. If the Owner, the Contractor and the Surety agree, the Contractor shall be allowed a reasonable time to perform the Construction Contract, but such an agreement shall not waive the Owner's right, if any, subsequently to declare a Contractor Default;

.2 the Owner declares a Contractor Default, terminates the Construction Contract and notifies the Surety; and

.3 the Owner has agreed to pay the Balance of the Contract Price in accordance with the terms of the Construction Contract to the Surety or to a contractor selected to perform the Construction Contract.

§ 4 Failure on the part of the Owner to comply with the notice requirement in Section 3.1 shall not constitute a failure to comply with a condition precedent to the Surety's obligations, or release the Surety from its obligations, except to the extent the Surety demonstrates actual prejudice.

§ 5 When the Owner has satisfied the conditions of Section 3, the Surety shall promptly and at the Surety's expense take one of the following actions:

§ 5.1 Arrange for the Contractor, with the consent of the Owner, to perform and complete the Construction Contract;

§ 5.2 Undertake to perform and complete the Construction Contract itself, through its agents or independent contractors;

§ 5.3 Obtain bids or negotiated proposals from qualified contractors acceptable to the Owner for a contract for performance and completion of the Construction Contract, arrange for a contract to be prepared for execution by the Owner and a contractor selected with the Owner's concurrence, to be secured with performance and payment bonds executed by a qualified surety equivalent to the bonds issued on the Construction Contract, and pay to the Owner the amount of damages as described in Section 7 in excess of the Balance of the Contract Price incurred by the Owner as a result of the Contractor Default; or

§ 5.4 Waive its right to perform and complete, arrange for completion, or obtain a new contractor and with reasonable promptness under the circumstances:

.1 After investigation, determine the amount for which it may be liable to the Owner and, as soon as practicable after the amount is determined, make payment to the Owner; or

.2 Deny liability in whole or in part and notify the Owner, citing the reasons for denial.

§ 6 If the Surety does not proceed as provided in Section 5 with reasonable promptness, the Surety shall be deemed to be in default on this Bond seven days after receipt of an additional written notice from the Owner to the Surety demanding that the Surety perform its obligations under this Bond, and the Owner shall be entitled to enforce any remedy available to the Owner. If the Surety proceeds as provided in Section 5.4, and the Owner refuses the payment or the Surety has denied liability, in whole or in part, without further notice the Owner shall be entitled to enforce any remedy available to the Owner.

Init.

AIA Document A312™ – 2010. The American Institute of Architects. This document was created on 09/20/2010 16:08:23 under the terms of AIA Documents-on-Demand™ order no. 2005199009, and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

§ 7 If the Surety elects to act under Section 5.1, 5.2 or 5.3, then the responsibilities of the Surety to the Owner shall not be greater than those of the Contractor under the Construction Contract, and the responsibilities of the Owner to the Surety shall not be greater than those of the Owner under the Construction Contract. Subject to the commitment by the Owner to pay the Balance of the Contract Price, the Surety is obligated, without duplication, for

.1 the responsibilities of the Contractor for correction of defective work and completion of the Construction Contract;

.2 additional legal, design professional and delay costs resulting from the Contractor's Default, and resulting from the actions or failure to act of the Surety under Section 5; and

.3 liquidated damages, or if no liquidated damages are specified in the Construction Contract, actual damages caused by delayed performance or non-performance of the Contractor.

§ 8 If the Surety elects to act under Section 5.1, 5.3 or 5.4, the Surety's liability is limited to the amount of this Bond.

§ 9 The Surety shall not be liable to the Owner or others for obligations of the Contractor that are unrelated to the Construction Contract, and the Balance of the Contract Price shall not be reduced or set off on account of any such unrelated obligations. No right of action shall accrue on this Bond to any person or entity other than the Owner or its heirs, executors, administrators, successors and assigns.

§ 10 The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.

§ 11 Any proceeding, legal or equitable, under this Bond may be instituted in any court of competent jurisdiction in the location in which the work or part of the work is located and shall be instituted within two years after a declaration of Contractor Default or within two years after the Contractor ceased working or within two years after the Surety refuses or fails to perform its obligations under this Bond, whichever occurs first. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.

§ 12 Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the page on which their signature appears.

§ 13 When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

§ 14 Definitions

§ 14.1 Balance of the Contract Price. The total amount payable by the Owner to the Contractor under the Construction Contract after all proper adjustments have been made, including allowance to the Contractor of any amounts received or to be received by the Owner in settlement of insurance or other claims for damages to which the Contractor is entitled, reduced by all valid and proper payments made to or on behalf of the Contractor under the Construction Contract.

§ 14.2 Construction Contract. The agreement between the Owner and Contractor identified on the cover page, including all Contract Documents and changes made to the agreement and the Contract Documents.

§ 14.3 Contractor Default. Failure of the Contractor, which has not been remedied or waived, to perform or otherwise to comply with a material term of the Construction Contract.

§ 14.4 Owner Default. Failure of the Owner, which has not been remedied or waived, to pay the Contractor as required under the Construction Contract or to perform and complete or comply with the other material terms of the Construction Contract.

§ 14.5 Contract Documents. All the documents that comprise the agreement between the Owner and Contractor.

§ 15 If this Bond is issued for an agreement between a Contractor and subcontractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.

Init.

AIA Document A312™ – 2010. The American Institute of Architects. This document was created on 09/20/2010 16:08:23 under the terms of AIA Documents-on-Demand™ order no. 20051999009, and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

§ 16 Modifications to this bond are as follows:

(Space is provided below for additional signatures of added parties, other than those appearing on the cover page.)

CONTRACTOR AS PRINCIPAL		SURETY	
Company:	*(Corporate Seal)*	Company:	*(Corporate Seal)*
Signature:		Signature:	
Name and Title:		Name and Title:	
Address:		Address:	

AIA Document A312™ – 2010. The American Institute of Architects. This document was created on 09/20/2010 16:08:23 under the terms of AIA Documents-on-Demand™ order no. 2005199009, and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion.

Init.

/

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

AIA® Document A312™ – 2010

Payment Bond

Bond No. 4444241

CONTRACTOR:
(Name, legal status and address)
Roofing Solutions, LLC
37302 Commerce Lane
Prairieville, LA 70769

SURETY:
(Name, legal status and principal place of business)
SureTec Insurance Company
2103 CityWest Boulevard, Suite 1300
Houston, TX 77042

OWNER:
(Name, legal status and address)
Hancock County Board of Supervisors
854 Highway 90, Suite A
Bay St. Louis, MS 39520

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

AIA Document A312–2010 combines two separate bonds, a Performance Bond and a Payment Bond, into one form. This is not a single combined Performance and Payment Bond.

CONSTRUCTION CONTRACT
Date: 26 March 2021

Amount: Sixty Thousand Six Hundred Fifty And No/100
$60,650.00

Description:
(Name and location)
Hancock County, Hurricane Zeta Roof Repairs for (1) Youth Court Building; (2) Arlington Community Center; (3) Superintendent Office Building; and (4) DMV Building

BOND
Date: 05 April 2021
(Not earlier than Construction Contract Date)

Amount: Sixty Thousand Six Hundred Fifty And No/100
$60,650.00

Modifications to this Bond: ☒ None ☐ See Section 18

CONTRACTOR AS PRINCIPAL
Company: *(Corporate Seal)*
Roofing Solutions, LLC

Signature:
Name and Title: Lauren M. Reynolds, BD Mgr. Auth. Rep

SURETY
Company: *(Corporate Seal)*
SureTec Insurance Company

Signature:
Name and Title: Mary Catherine Turner, Attorney-In-Fact

(Any additional signatures appear on the last page of this Payment Bond.)

(FOR INFORMATION ONLY — Name, address and telephone)

AGENT or BROKER:
Surety Bond Brokers, Inc.
6709 Perkins Road
Baton Rouge, LA 70808
225.757.9191

OWNER'S REPRESENTATIVE:
(Architect, Engineer or other party:)

Init.
/
AIA Document A312™ – 2010. The American Institute of Architects. This document was created on under the terms of AIA Documents-on-Demand™ order no. , and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion. 061010

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

§ 1 The Contractor and Surety, jointly and severally, bind themselves, their heirs, executors, administrators, successors and assigns to the Owner to pay for labor, materials and equipment furnished for use in the performance of the Construction Contract, which is incorporated herein by reference, subject to the following terms.

§ 2 If the Contractor promptly makes payment of all sums due to Claimants, and defends, indemnifies and holds harmless the Owner from claims, demands, liens or suits by any person or entity seeking payment for labor, materials or equipment furnished for use in the performance of the Construction Contract, then the Surety and the Contractor shall have no obligation under this Bond.

§ 3 If there is no Owner Default under the Construction Contract, the Surety's obligation to the Owner under this Bond shall arise after the Owner has promptly notified the Contractor and the Surety (at the address described in Section 13) of claims, demands, liens or suits against the Owner or the Owner's property by any person or entity seeking payment for labor, materials or equipment furnished for use in the performance of the Construction Contract and tendered defense of such claims, demands, liens or suits to the Contractor and the Surety.

§ 4 When the Owner has satisfied the conditions in Section 3, the Surety shall promptly and at the Surety's expense defend, indemnify and hold harmless the Owner against a duly tendered claim, demand, lien or suit.

§ 5 The Surety's obligations to a Claimant under this Bond shall arise after the following:

§ 5.1 Claimants, who do not have a direct contract with the Contractor,

.1 have furnished a written notice of non-payment to the Contractor, stating with substantial accuracy the amount claimed and the name of the party to whom the materials were, or equipment was, furnished or supplied or for whom the labor was done or performed, within ninety (90) days after having last performed labor or last furnished materials or equipment included in the Claim; and

.2 have sent a Claim to the Surety (at the address described in Section 13).

§ 5.2 Claimants, who are employed by or have a direct contract with the Contractor, have sent a Claim to the Surety (at the address described in Section 13).

§ 6 If a notice of non-payment required by Section 5.1.1 is given by the Owner to the Contractor, that is sufficient to satisfy a Claimant's obligation to furnish a written notice of non-payment under Section 5.1.1.

§ 7 When a Claimant has satisfied the conditions of Sections 5.1 or 5.2, whichever is applicable, the Surety shall promptly and at the Surety's expense take the following actions:

§ 7.1 Send an answer to the Claimant, with a copy to the Owner, within sixty (60) days after receipt of the Claim, stating the amounts that are undisputed and the basis for challenging any amounts that are disputed; and

§ 7.2 Pay or arrange for payment of any undisputed amounts.

§ 7.3 The Surety's failure to discharge its obligations under Section 7.1 or Section 7.2 shall not be deemed to constitute a waiver of defenses the Surety or Contractor may have or acquire as to a Claim, except as to undisputed amounts for which the Surety and Claimant have reached agreement. If, however, the Surety fails to discharge its obligations under Section 7.1 or Section 7.2, the Surety shall indemnify the Claimant for the reasonable attorney's fees the Claimant incurs thereafter to recover any sums found to be due and owing to the Claimant.

§ 8 The Surety's total obligation shall not exceed the amount of this Bond, plus the amount of reasonable attorney's fees provided under Section 7.3, and the amount of this Bond shall be credited for any payments made in good faith by the Surety.

§ 9 Amounts owed by the Owner to the Contractor under the Construction Contract shall be used for the performance of the Construction Contract and to satisfy claims, if any, under any construction performance bond. By the Contractor furnishing and the Owner accepting this Bond, they agree that all funds earned by the Contractor in the performance of the Construction Contract are dedicated to satisfy obligations of the Contractor and Surety under this Bond, subject to the Owner's priority to use the funds for the completion of the work.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

§ 10 The Surety shall not be liable to the Owner, Claimants or others for obligations of the Contractor that are unrelated to the Construction Contract. The Owner shall not be liable for the payment of any costs or expenses of any Claimant under this Bond, and shall have under this Bond no obligation to make payments to, or give notice on behalf of, Claimants or otherwise have any obligations to Claimants under this Bond.

§ 11 The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.

§ 12 No suit or action shall be commenced by a Claimant under this Bond other than in a court of competent jurisdiction in the state in which the project that is the subject of the Construction Contract is located or after the expiration of one year from the date (1) on which the Claimant sent a Claim to the Surety pursuant to Section 5.1.2 or 5.2, or (2) on which the last labor or service was performed by anyone or the last materials or equipment were furnished by anyone under the Construction Contract, whichever of (1) or (2) first occurs. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.

§ 13 Notice and Claims to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the page on which their signature appears. Actual receipt of notice or Claims, however accomplished, shall be sufficient compliance as of the date received.

§ 14 When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

§ 15 Upon request by any person or entity appearing to be a potential beneficiary of this Bond, the Contractor and Owner shall promptly furnish a copy of this Bond or shall permit a copy to be made.

§ 16 Definitions

§ 16.1 Claim. A written statement by the Claimant including at a minimum:

.1 the name of the Claimant;
.2 the name of the person for whom the labor was done, or materials or equipment furnished;
.3 a copy of the agreement or purchase order pursuant to which labor, materials or equipment was furnished for use in the performance of the Construction Contract;
.4 a brief description of the labor, materials or equipment furnished;
.5 the date on which the Claimant last performed labor or last furnished materials or equipment for use in the performance of the Construction Contract;
.6 the total amount earned by the Claimant for labor, materials or equipment furnished as of the date of the Claim;
.7 the total amount of previous payments received by the Claimant; and
.8 the total amount due and unpaid to the Claimant for labor, materials or equipment furnished as of the date of the Claim.

§ 16.2 Claimant. An individual or entity having a direct contract with the Contractor or with a subcontractor of the Contractor to furnish labor, materials or equipment for use in the performance of the Construction Contract. The term Claimant also includes any individual or entity that has rightfully asserted a claim under an applicable mechanic's lien or similar statute against the real property upon which the Project is located. The intent of this Bond shall be to include without limitation in the terms "labor, materials or equipment" that part of water, gas, power, light, heat, oil, gasoline, telephone service or rental equipment used in the Construction Contract, architectural and engineering services required for performance of the work of the Contractor and the Contractor's subcontractors, and all other items for which a mechanic's lien may be asserted in the jurisdiction where the labor, materials or equipment were furnished.

§ 16.3 Construction Contract. The agreement between the Owner and Contractor identified on the cover page, including all Contract Documents and all changes made to the agreement and the Contract Documents.

Init.
/
AIA Document A312™ – 2010. The American Institute of Architects. This document was created on 09/20/2010 16:08:23 under the terms of AIA Documents-on-Demand™ order no. 2005199009, and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

§ 16.4 Owner Default. Failure of the Owner, which has not been remedied or waived, to pay the Contractor as required under the Construction Contract or to perform and complete or comply with the other material terms of the Construction Contract.

§ 16.5 Contract Documents. All the documents that comprise the agreement between the Owner and Contractor.

§ 17 If this Bond is issued for an agreement between a Contractor and subcontractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.

§ 18 Modifications to this bond are as follows:

(Space is provided below for additional signatures of added parties, other than those appearing on the cover page.)

CONTRACTOR AS PRINCIPAL		SURETY	
Company:	*(Corporate Seal)*	Company:	*(Corporate Seal)*
Signature:		Signature:	
Name and Title:		Name and Title:	
Address:		Address:	

Init.

AIA Document A312™ – 2010. The American Institute of Architects. This document was created on 09/20/2010 16:08:23 under the terms of AIA Documents-on-Demand™ order no. 2005199009, and is not for resale. This document is licensed by The American Institute of Architects for one-time use only, and may not be reproduced prior to its completion.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

POA #: 1810034

SureTec Insurance Company
LIMITED POWER OF ATTORNEY

Know All Men by These Presents, That SURETEC INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Texas, and having its principal office in Houston, Harris County, Texas, does by these presents make, constitute and appoint

Mary Catherine Turner, Meghann Turner, Garrett Turner

its true and lawful Attorney-in-fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver any and all bonds, recognizances, undertakings or other instruments or contracts of suretyship to include waivers to the conditions of contracts and consents of surety for, providing the bond penalty does not exceed

Five Million and 00/100 Dollars ($5,000,000.00)

and to bind the Company thereby as fully and to the same extent as if such bond were signed by the President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolutions of the Board of Directors of the SureTec Insurance Company:

Be it Resolved, that the President, any Vice-President, any Assistant Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Attorney-in-Fact may be given full power and authority for and in the name of and of behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements or indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and effected by the Corporate Secretary.

Be it Resolved, that the signature of any authorized officer and seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signature or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached. *(Adopted at a meeting held on 20th of April, 1999.)*

In Witness Whereof, SURETEC INSURANCE COMPANY has caused these presents to be signed by its President, and its corporate seal to be hereto affixed this 13th day of January A.D. 2021.

SURETEC INSURANCE COMPANY

By: _____
Michael C. Keimig, President

State of Texas
County of Harris ss:

On this 13th day of January A.D. 2021 before me personally came Michael C. Keimig, to me known, who, being by me duly sworn, did depose and say, that he resides in Houston, Texas, that he is President of SURETEC INSURANCE COMPANY, the company described in and which executed the above instrument; that he knows the seal of said Company; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Company; and that he signed his name thereto by like order.

TANYA SNEED
Notary Public, State of Texas
Comm. Expires 03-30-2023
Notary ID 128571231

_____
Tanya Sneed, Notary Public
My commission expires March 30, 2023

I, M. Brent Beaty, Assistant Secretary of SURETEC INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Company, which is still in full force and effect; and furthermore, the resolutions of the Board of Directors, set out in the Power of Attorney are in full force and effect.

Given under my hand and the seal of said Company at Houston, Texas this 5th day of April 2021, A.D.

_____
M. Brent Beaty, Assistant Secretary

Any instrument issued in excess of the penalty stated above is totally void and without any validity.
For verification of the authority of this power you may call (713) 812-0800 any business day between 8:30 am and 5:00 pm CST.

Attachment: Signed Contract - Hurricane Zeta Roof Repairs 04.13.2021 - Roofing Solutions (8032 : Executed Contract with Roofing Solutions,

CONTRACT

THIS AGREEMENT is by and between **HANCOCK COUNTY BOARD OF SUPERVISORS**

(Owner) and **Mandal's, Inc.**

(Contractor).

Owner and Contractor, in consideration of the mutual covenants set forth herein, agree as follows:

ARTICLE 1 - WORK

1.01 Contractor shall complete all Work as specified or indicated in the Contract Documents, which includes this document and the Bid Documents. The Work is generally described as follows:

«Provide all material and labor as per Bid Documents for Hancock County, Hurricane Zeta Roof Repairs for Courthouse Roof, Children's Shelter, Lakeshore Community Center and Bayou Caddy.

ARTICLE 2 - THE PROJECT

2.01 The Project for which the Work under the Contract Documents may be the whole or only a part is generally described as follows:

Hurricane Zeta roof repairs as described in the work.

ARTICLE 3 - CONTRACT TIMES

3.01 Time of the Essence

A. All time limits for Milestones, if any, Substantial Completion, and completion and readiness for final payment as stated in the Contract and Bid Documents are of the essence of the Contract.

3.02 Liquidated Damages-Per the Bid Documents.

ARTICLE 4 - CONTRACT PRICE

4.01 Owner shall pay Contractor for completion of the Work in accordance with the Contract Documents an amount in current funds equal to the sum of the amounts determined below:

Base Bid:_____Thirty Six Thousand, Seven Hundred Sixty-Nine Dollars 00/ cents ($36,769.00)

ARTICLE 5 - PAYMENT PROCEDURES

5.01 Submittal and Processing of Payments

A. Contractor shall submit Applications for Payment in accordance with the Bid Documents and payment made by that

5.02 Progress Payments; Retainage

A. Owner shall make progress payments on account of the Contract Price on the basis of Contractor's Applications for Payment in accordance with the bid specifications, retainage by statute and final payment.

Attachment: Signed Contract - Mandal's Inc. (8053 : Executed Contract with Roofing Solutions, LLC for Hurricane Zeta Roof Repairs.)

ARTICLE 6 - INTEREST

6.01 All moneys not paid when due as provided in Article 14 of the General Conditions shall bear interest at the rate specified by Mississippi State Law.

ARTICLE 7 – CONTRACTOR'S REPRESENTATIONS

7.01 In order to induce Owner to enter into this Agreement Contractor makes the following representations:

A. Contractor has examined and carefully studied the Contract Documents and the other related data identified in the Bidding Documents.

B. Contractor has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.

C. Contractor is familiar with and is satisfied as to all federal, state, and local Laws and Regulations that may affect cost, progress, and performance of the Work.

D. Contractor has carefully studied all: (1) reports of explorations and tests of subsurface conditions at or contiguous to the Site and all drawings of physical conditions relating to existing surface or subsurface structures at the Site (except Underground Facilities), if any, that have been identified and (2) reports and drawings of Hazardous Environmental Conditions, if any, at the Site that have been identified.

E. Contractor has considered the information known to Contractor; information commonly known to contractors doing business in the locality of the site; information and observations obtained from visits to the Site; the Contract Documents; and the Site-related reports and drawings identified in the Contract Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Contractor, including any specific means, methods, techniques, sequences, and procedures of construction expressly required by the Contract Documents; and (3) Contractor's safety precautions and programs.

F. Based on the information and observations referred to in Paragraph 7.01.E above, Contractor does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the performance of the Work at the Contract Price, within the Contract Times, and in accordance with the other terms and conditions of the Contract Documents.

G. Contractor is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Contract Documents.

H. Contractor has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Contractor has discovered in the Contract Documents, and the written resolution thereof by Owner is acceptable to Contractor.

I. The Contract Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.

ARTICLE 8 - CONTRACT DOCUMENTS

8.01 Contents

A. The Contract Documents consist of the following:

1. This Agreement.

2. Performance bond (pages 1 to 2, inclusive).

3. Payment bond (pages 1 to 2, inclusive).

4. Insurance

5. Bid Documents and Bid Submission of Contractor.

6. The federal requirements of 2 CFR 200.318-326.

7. The following which may be delivered or issued on or after the Effective Date of the Agreement and are not attached hereto:

Attachment: Signed Contract - Mandal's Inc. (8053 : Executed Contract with Roofing Solutions, LLC for Hurricane Zeta Roof Repairs.)

a. Notice to Proceed (pages X to X, inclusive).

b. Work Change Directives.

c. Change Order(s).

ARTICLE 9 - MISCELLANEOUS

9.01 Terms

A. Terms used in this Agreement will have the meanings stated in the General Conditions and the Supplementary Conditions.

9.02 Assignment of Contract

A. No assignment by a party hereto of any rights under or interests in the Contract will be binding on another party hereto without the written consent of the party sought to be bound; and, specifically but without limitation, moneys that may become due and moneys that are due may not be assigned without such consent (except to the extent that the effect of this restriction may be limited by law), and unless specifically stated to the contrary in any written consent to an assignment, no assignment will release or discharge the assignor from any duty or responsibility under the Contract Documents.

9.03 Successors and Assigns

A. Owner and Contractor each binds itself, its partners, successors, assigns, and legal representatives to the other party hereto, its partners, successors, assigns, and legal representatives in respect to all covenants, agreements, and obligations contained in the Contract Documents.

9.04 Severability

A. Any provision or part of the Contract Documents held to be void or unenforceable under any Law or Regulation shall be deemed stricken, and all remaining provisions shall continue to be valid and binding upon Owner and Contractor, who agree that the Contract Documents shall be reformed to replace such stricken provision or part thereof with a valid and enforceable provision that comes as close as possible to expressing the intention of the stricken provision.

9.05 Contractor's Certifications

A. Contractor certifies that it has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for or in executing the Contract. For the purposes of this Paragraph 9.05:

1. "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value likely to influence the action of a public official in the bidding process or in the Contract execution;

2. "fraudulent practice" means an intentional misrepresentation of facts made (a) to influence the bidding process or the execution of the Contract to the detriment of Owner, (b) to establish Bid or Contract prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition;

3. "collusive practice" means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish Bid prices at artificial, non-competitive levels; and

4. "coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

Attachment: Signed Contract - Mandal's Inc. (8053 : Executed Contract with Roofing Solutions, LLC for Hurricane Zeta Roof Repairs.)

IN WITNESS WHEREOF, Owner and Contractor have signed this Agreement in duplicate. One counterpart each has been delivered to Owner and Contractor. All portions of the Contract Documents have been signed or identified by Owner and Contractor or on their behalf.

This Agreement will be effective on 26th day of March, 2021.

CONTRACTOR: ~~OWNER:~~ Mandal's Inc.	OWNER: ~~CONTRACTOR:~~
Christopher Leo Cooper	Hancock County Board of Supervisors
By: Chris L. Cooper	By: Scotty Adam
Title: President	Title: Board President
[CORPORATE SEAL]	[CORPORATE SEAL]
Attest: Brittney S. Morrison	Attest: Valerie Fitts
Title: Chief Administrative Officer	Title: Deputy Clerk
Address for giving notices:	Address for giving notices:
P.O. Box 1188	
Gulfport, MS. 39506	
	License No.: 01062-MC (Where applicable)
(If Owner is a corporation, attach evidence of authority to sign. If Owner is a public body, attach evidence of authority to sign and resolution or other documents authorizing execution of Owner-Contractor Agreement.)	Agent for service or process:
	(If Contractor is a corporation or a partnership, attach evidence of authority to sign.)

MANDAL'S INC. EST'D IN 1946 CORPORATE SEAL GULFPORT, MS.

BOARD OF SUPERVISORS HANCOCK COUNTY

CHANCERY CLERK HANCOCK COUNTY

Attachment: Signed Contract - Mandal's Inc. (8053 : Executed Contract with Roofing Solutions, LLC for Hurricane Zeta Roof Repairs.)

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 4/6/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER BXS Insurance 2909 13th Street, 4th Floor Gulfport MS 39501 License#: PC-1092395 MANDINC-01	CONTACT NAME: Cindy Teague PHONE (A/C, No, Ext): 228-863-5362 FAX (A/C, No): 228-863-1957 E-MAIL ADDRESS: cindy.teague@bxsi.com
INSURED Mandal's, Inc. P O Box 6188 Gulfport MS 39506	INSURER A : Valley Forge Insurance Company — NAIC # 20508 INSURER B : National Fire Insurance Co of Hartford — 20478 INSURER C : Continental Insurance Company — 35289 INSURER D : Columbia Casualty Company — 31127 INSURER E : Colony Specialty Insurance Co — 36927 INSURER F :

COVERAGES **CERTIFICATE NUMBER:** 1726695900 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE / X OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: POLICY X PRO-JECT LOC OTHER:	Y	Y	6076320087	5/1/2020	5/1/2021	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG	$ 1,000,000 $ 100,000 $ 15,000 $ 1,000,000 $ 2,000,000 $ 2,000,000
B	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY / SCHEDULED AUTOS X HIRED AUTOS ONLY / X NON-OWNED AUTOS ONLY	Y	Y	6076320090	5/1/2020	5/1/2021	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$ 1,000,000 $ $ $
C	X UMBRELLA LIAB / X OCCUR EXCESS LIAB / CLAIMS-MADE DED X RETENTION $ 25,000	Y		6076320123	5/1/2020	5/1/2021	EACH OCCURRENCE AGGREGATE	$ 5,000,000 $ 5,000,000
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) Y / N: N If yes, describe under DESCRIPTION OF OPERATIONS below	N / A	Y	WC6076320106	5/1/2020	5/1/2021	X PER STATUTE / OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	$ 1,000,000 $ 1,000,000 $ 1,000,000
D E	Pollution & Professional Installation			6076415815 IM2551170	5/1/2020 5/1/2020	5/1/2021 5/1/2021	$1,000,000 Limit $2,000,000 Limit	SIR Ded. $25,000 Ded. $5,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Re: Hancock County Hurricane Zeta Roof Repairs

CERTIFICATE HOLDER

Hancock County Board of Supervisors
854 Highway 90
Bay St. Louis MS 39520

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserve

The ACORD name and logo are registered marks of ACORD

Attachment: Signed Contract - Mandal's Inc. (8053 : Executed Contract with Roofing Solutions, LLC for Hurricane Zeta Roof Repairs.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: CRAZY HORSE DRIVE

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 19 20 20	99
COMPTON	20 20 20 20 20	100
HARGROVE	20 19 20 20 20	99
NEEL-SCHAFFER	20 20 19 20 20	99
OVERSTREET	20 20 20 20 19	99

Name of Scorer: THERESA RYAN

Signature of Scorer: Theresa Ryan

Attachment: 20210414 - Theresa Ryan (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: PONTIAC DRIVE

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 19 20 20	99
COMPTON	20 20 20 20 19	99
HARGROVE	20 20 19 20 20	99
NEEL-SCHAFFER	20 20 20 20 20	100
OVERSTREET	20 20 20 20 19	99

Name of Scorer: THERESA RYAN

Signature of Scorer: Theresa Ryan

Attachment: 20210414 - Theresa Ryan (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: LAWRENCE LADNER ROAD

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 19 20 20	99
COMPTON	20 20 19 20 20	99
HARGROVE	20 20 20 20 20	100
NEEL-SCHAFFER	20 20 20 20 19	99
OVERSTREET	20 20 18 20 20	98

Name of Scorer: THERESA RYAN

Signature of Scorer: Theresa Ryan

Attachment: 20210414 - Theresa Ryan (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: KAPALAMA DR @ VIC FAYE

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 20 20 19	99
COMPTON	20 20 20 20 20	100
HARGROVE	20 20 19 20 20	99
NEEL-SCHAFFER	20 20 20 20 19	99
OVERSTREET	20 20 19 20 19	98

Name of Scorer: THERESA RYAN

Signature of Scorer: T Theresa Ryan

Attachment: 20210414 - Theresa Ryan (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: TEXAS FLAT RD

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 20 20 20	100
COMPTON	20 20 20 20 19	99
HARGROVE	20 20 20 20 19	99
~~NEEL SCHAFFER~~ TR	[illegible] TR	[illegible] TR
OVERSTREET	19 20 20 20 20	99

Name of Scorer: THERESA RYAN

Signature of Scorer: Theresa Ryan

Attachment: 20210414 - Theresa Ryan (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: LEETOWN ROAD

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 19 20 20	99
COMPTON	20 20 20 20 19	99
HARGROVE	20 20 19 20 20	99
~~NEEL SCHAFFER~~ TR	[illegible] TR	[illegible] TR
OVERSTREET	20 20 20 20 20	100

Name of Scorer: THERESA RYAN

Signature of Scorer: Theresa Ryan

Attachment: 20210414 - Theresa Ryan (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Leetown Road

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
COMPTON	18 20 20 20 20	98
OVERSTREET	18 18 20 15 18	89
TSMA	20 20 20 20 18	98
HARGROVE	20 20 20 20 20	100

Name of Scorer: Greg Shaw

Signature of Scorer: Greg Shaw

Attachment: 20210414 - Greg Shaw (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Lawrence Ladner Road

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
COMPTON	18 20 20 20 20	98
NEEL SCHAFFER	18 20 20 18 18	94
BMA	20 20 20 20 18	98
HARGROVE	15 15 15 15 15	75
OVERSTREET	20 20 20 20 20	100

Name of Scorer: Greg Shaw

Signature of Scorer: Greg Shaw

Attachment: 20210414 - Greg Shaw (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Crazy Horse Drive

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
COMPTON	20 20 20 20 20	100
NEEL SCHAEFFER	18 20 20 18 18	94
BMA	18 20 20 20 20	98
HARGROVE	15 15 15 15 15	75
OVERSTREET	18 18 20 15 18	89

Name of Scorer: _____

Signature of Scorer: Greg Shaw

Attachment: 20210414 - Greg Shaw (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Pontiac Drive

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
COMPTON	19 20 20 20 20	98
NEEL SCHAEFFER	18 20 20 18 18	94
BMA 1	20 20 20 20 20	100
HARGROVE	15 15 15 15 15	75
OVERSTREET	18 18 20 15 18	89

Name of Scorer: Greg Shaw

Signature of Scorer: Greg Shaw

Attachment: 20210414 - Greg Shaw (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Kapalama Drive

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	20 20 20 18 17	95
Compton	18 20 20 20 18	96
HARGROVE	15 15 15 15 15	75
NEEL-SCHAFFER	18 20 20 20 20	98
OVERSTREET	18 18 20 15 18	89

Name of Scorer: Greg Shaw

Signature of Scorer: Greg Shaw

Attachment: 20210414 - Greg Shaw (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Texas Flat Road

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 20	98
Overstreet	18 18 20 15 20	91
BMA	20 20 20 20 20	100
Hargrove	15 15 15 15 15	75

Name of Scorer: Greg Shaw

Signature of Scorer: Greg Shaw

Attachment: 20210414 - Greg Shaw (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects
Location Scored: Pontiac Drive
Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 20	98
Neel Schaeffer	20 20 17 20 20	98
BMA	20 20 20 20 20	100
Hargrove	18 15 18 18 18	87
Overstreet	18 18 18 18 18	90

Name of Scorer: Kodie Koenenn
Signature of Scorer: Kodie

Attachment: 20210414 - Kodie Koenenn (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Texas Flat Rd.

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 18 18	94
Overstreet	18 15 18 20 18	89
BMA	18 20 20 20 20	98
Hargrove	18 18 18 18 18	90
_____	_ _ _ _ _	_____

Name of Scorer: Kodie Koenenn

Signature of Scorer: [signature]

Attachment: 20210414 - Kodie Koenenn (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects
Location Scored: Kapalama Drive
Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	18 20 20 20 18	96
Compton	18 20 20 18 18	94
Hargrove	18 18 18 18 18	90
Neel Schaefer	20 20 20 20 18	98
Overstreet	18 15 18 18 20	89

Name of Scorer: Kodie Koennan
Signature of Scorer:

Attachment: 20210414 - Kodie Koenenn (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Leetown Road

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 18	96
Overstreet	18 15 18 18 18	87
BMA	18 20 20 18 18	94
Hargrove	20 20 20 20 20	100

Name of Scorer: Kodie Koenenn

Signature of Scorer:

Attachment: 20210414 - Kodie Koenenn (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects
Location Scored: Lawrence Lackner Road
Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 18	96
Neel Schaeffer	20 20 20 20 18	98
BMA	18 20 20 18 18	94
Hargrove	18 18 18 18 18	90
Overstreet	20 20 20 20 20	100

Name of Scorer: Kodie Koenenn
Signature of Scorer:

Attachment: 20210414 - Kodie Koenenn (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Crazy Horse

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	20 20 20 20 20	100
Neel Schaffer	20 20 20 20 18	98
BMA	18 20 20 18 18	94
Hargrove	18 18 18 18 18	90
Overstreet	18 15 18 18 18	87

Name of Scorer: Karlie Koennen

Signature of Scorer: Karlie K

Attachment: 20210414 - Kodie Koenenn (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Pontiac Dr.

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	15 20 20 20 20	95
Hargrove	20 15 20 15 20	90
Brown & Mitchell	20 20 20 20 20	100
Neel Schaffer	15 15 20 20 20	90
Overstreet	15 20 15 15 20	85

Name of Scorer: Scotty Adam

Signature of Scorer: Scotty Adam

Attachment: 20210414 - Scotty Adam (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Crazy Horse

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	20 20 20 20 20	100
Hargrove	15 15 20 20 20	90
Brown ; Mitchell	20 15 20 20 20	95
Neel Schaffer	20 20 20 20 18	98
Overstreet	20 20 15 20 15	90

Name of Scorer: Scotty Adam

Signature of Scorer: Scotty Adam

Attachment: 20210414 - Scotty Adam (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Lawrence Ladner

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 18 18 18 18	90
Hargrove	20 20 15 15 20	90
Brown ; Mitchell	18 18 18 18 18	90
Neel · Schaffer	19 19 15 18 18	87
Overstreet	20 20 20 15 20	95

Name of Scorer: Scotty Adam

Signature of Scorer: Scotty Adam

Attachment: 20210414 - Scotty Adam (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Lee Town

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 18 18 18 17	91
Hargrove	20 15 20 20 20	95
Brown & Mitchell	20 15 15 20 20	90
Neel Schaffer	15 20 20 15 20	90
Overstreet	17 17 17 20 20	91

Name of Scorer: Scotty Adam

Signature of Scorer: Scotty Adam

Attachment: 20210414 - Scotty Adam (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Kapalama Dr & Vic Faye

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	19 19 19 19 18	94
Hargrove	18 17 17 18 20	90
Brown; Mitchell	20 18 17 17 18	90
Neel Schaffer	20 20 20 20 15	95
Overstreet	18 18 13 18 17	84

Name of Scorer: Scotty Adam

Signature of Scorer: Scotty Adam

Attachment: 20210414 - Scotty Adam (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Texas Flat

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	15 20 15 20 20	95
Hargrove	18 18 17 17 18	88
Brown & Mitchell	20 18 20 20 20	98
Neel Schaffer	20 18 18 20 20	96
Overstreet	18 18 18 18 18	90

Name of Scorer: Scotty Adam

Signature of Scorer: Scotty Adam

Attachment: 20210414 - Scotty Adam (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Pontiac Drive

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 20	98
Neal Stafford	20 20 19 20 20	98
BMA	20 20 20 20 20	100
Hargrove	18 15 18 18 18	87
Overstreet	16 16 18 18 18	90

Name of Scorer: Darrin Ladner

Signature of Scorer: Darrin Ladner

Attachment: 20210414 - Darrin Bo Ladner (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects
Location Scored: Texas Flat Rd
Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 18 18	94
Overstreet	18 15 18 20 18	89
BMA	18 20 20 20 20	98
Hargrove	18 18 18 18 18	90

Name of Scorer: DARRIN LADNER
Signature of Scorer: Darrin Ladner

Attachment: 20210414 - Darrin Bo Ladner (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Rapalama Drive

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
BMA	18 20 20 20 18	96
Compton	18 20 20 18 18	94
Hargrove	18 18 18 18 18	90
Neel Schaffer	20 20 20 20 18	98
Overstreet	18 15 18 18 20	89

Name of Scorer: Darrin Ladner

Signature of Scorer: Darrin Ladner

Attachment: 20210414 - Darrin Bo Ladner (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Leetown Road

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 18	96
Overstreet	18 15 18 18 18	87
BMA	18 20 20 18 18	94
Hargrove	20 20 20 20 20	100

Name of Scorer: Darrin Ladner

Signature of Scorer: Darrin Ladner

Attachment: 20210414 - Darrin Bo Ladner (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects

Location Scored: Lawrence Ladner Road

Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	18 20 20 20 18	96
Neel Schaffer	20 20 20 20 18	98
BMA	18 20 20 18 18	94
Hargrove	18 18 18 18 18	90
Overstreet	20 20 20 20 20	100

Name of Scorer: Darrin Ladner

Signature of Scorer: Darrin Ladner

Attachment: 20210414 - Darrin Bo Ladner (8048 : Award Stormwater Drainage Projects.)

HANCOCK COUNTY, MISSISSIPPI
SELECTION COMMITTEE RATING FORM

Engineering Scoring: Stormwater Projects
Location Scored: Crazy Horse
Date: April 2021

CRITERIA	MAXIMUM POINTS
1) Knowledge and experience providing services related to federal grant projects and compliance with public policy;	20
2) Technical competence of staff and principals (qualifications), record of past performance and ability to perform services required;	20
3) Personnel resources and assessment ability, and entity/individual financial and technical resources;	20
4) Contractor integrity;	20
5) Knowledge of and familiarity of projects such as those needed for this project.	20

Name of Responding Entity	Criteria 1 2 3 4 5	Total Points
Compton	20 20 20 20 20	100
Neel Schaffer	20 20 20 20 18	98
BMA	18 20 20 18 18	94
Hargrove	18 18 18 18 18	90
Overstreet	18 15 18 18 18	87

Name of Scorer: Darrin Ladner
Signature of Scorer: Darrin Ladner

Attachment: 20210414 - Darrin Bo Ladner (8048 : Award Stormwater Drainage Projects.)

RESOLUTION OF THE HANCOCK COUNTY BOARD OF SUPERVISORS FOR RE-APPOINTMENT OF FARRON HODA TO THE HANCOCK COUNTY WATER AND SEWER DISTRICT

WHEREAS, the Hancock County Board of Supervisors is a governing body of Hancock County, Mississippi;

WHEREAS, the current Board of the Hancock County Board of Supervisors term began on January 6, 2020;

WHEREAS, the Supervisor of District One has recommended for reappointment Mr. Farron Hoda to serve a five-year term on the Hancock County Water and Sewer District as per Mississippi Code Section 19-5-167; and

WHEREAS, the Board of Supervisors has considered the recommendation, and having moved and seconded, voted to approve the reappointment for the applicable five-year term under said statute;

NOW, BE IT SO RESOLVED AND ORDERED by the Hancock County Board of Supervisors that they accept the above and foregoing averments as true and correct and reappoint Farron Hoda as the appointment by Theresa Ryan to the Hancock County Water and Sewer District, with the motion, second and vote as follows:

Motion to approve Supervisor Theresa Ryan's reappointment of Farron Hoda to the Hancock County Water and Sewer Board. Moved by Supervisor Theresa Ryan, seconded by Supervisor _____.

Vote: District 1:
District 2:
District 3:
District 4:
District 5:

So ordered and resolved by the Hancock County Board of Supervisors on the 19th day of April, 2021.

_____
Scotty Adam, Board President

_____
Timothy Kellar, Chancery Clerk

Attachment: RESOLUTION - District 1 - Reappointment of Farron Hoda to Hancock County Water and Sewer (8012 : Resolution for

RESOLUTION OF THE HANCOCK COUNTY BOARD OF SUPERVISORS FOR RE-APPOINTMENT OF G. W. GRAHAM TO THE HANCOCK COUNTY WATER AND SEWER DISTRICT

WHEREAS, the Hancock County Board of Supervisors is a governing body of Hancock County, Mississippi;

WHEREAS, the current Board of the Hancock County Board of Supervisors term began on January 6, 2020;

WHEREAS, the Supervisor of District One has recommended for reappointment Mr. G. W. Graham to serve a five-year term on the Hancock County Water and Sewer District as per Mississippi Code Section 19-5-167; and

WHEREAS, the Board of Supervisors has considered the recommendation, and having moved and seconded, voted to approve the reappointment for the applicable five-year term under said statute;

NOW, BE IT SO RESOLVED AND ORDERED by the Hancock County Board of Supervisors that they accept the above and foregoing averments as true and correct and reappoint G. W. Graham as the appointment by Theresa Ryan to the Hancock County Water and Sewer District, with the motion, second and vote as follows:

Motion to approve Supervisor Theresa Ryan's reappointment of G. W. Graham to the Hancock County Water and Sewer Board. Moved by Supervisor Theresa Ryan, seconded by Supervisor _____.

Vote: District 1:
District 2:
District 3:
District 4:
District 5:

So ordered and resolved by the Hancock County Board of Supervisors on the 19th day of April, 2021.

_____
Scotty Adam, Board President

_____
Timothy Kellar, Chancery Clerk

Attachment: RESOLUTION - District 1 - Reappointment of G. W. Graham to Hancock County Water and Sewer (8013 : Resolution for

Attachment: RESOLUTION - District 2 - Appointment of Eddie Danzy to Hancock County Water and Sewer (8031 : Resolution for Appointment of

RESOLUTION OF THE HANCOCK COUNTY BOARD OF SUPERVISORS FOR APPOINTMENT OF EDDIE DANZY TO THE HANCOCK COUNTY WATER AND SEWER DISTRICT

WHEREAS, the Hancock County Board of Supervisors is a governing body of Hancock County, Mississippi;

WHEREAS, the current Board of the Hancock County Board of Supervisors term began on January 6, 2020;

WHEREAS, the Supervisor of District Two has recommended for his appointment Mr. Eddie Danzy to serve the duration of the unexpired term vacated by Robert Fricke on the Hancock County Water and Sewer District as per Mississippi Code Section 19-5-167. Mr. Danzy's initial term will expire June 30, 2022; and

WHEREAS, the Board of Supervisors has considered the recommendation, and having moved and seconded, voted to approve the appointment of Eddie Danzy for the applicable remainder of the five-year term vacated by Mr. Fricke under said statute;

NOW, BE IT SO RESOLVED AND ORDERED by the Hancock County Board of Supervisors that they accept the above and foregoing averments as true and correct and appoint Mr. Eddie Danzy as the appointment by Greg Shaw to the Hancock County Water and Sewer District, with the motion, second and vote as follows:

Motion to approve Supervisor Greg Shaw's appointment of Eddie Danzy to the Hancock County Water and Sewer Board. Moved by Supervisor Greg Shaw, seconded by Supervisor _____.

Vote: District 1:
District 2:
District 3:
District 4:
District 5:

So ordered and resolved by the Hancock County Board of Supervisors on the 19th day of April, 2021.

_____
Scotty Adam, Board President

_____
Timothy Kellar, Chancery Clerk

RESOLUTION OF THE HANCOCK COUNTY BOARD OF SUPERVISORS FOR RE-APPOINTMENT OF TOMMY HAYES TO THE HANCOCK COUNTY WATER AND SEWER DISTRICT

WHEREAS, the Hancock County Board of Supervisors is a governing body of Hancock County, Mississippi;

WHEREAS, the current Board of the Hancock County Board of Supervisors term began on January 6, 2020;

WHEREAS, the Supervisor of District Four has recommended for reappointment Mr. Tommy Hayes to serve a five-year term on the Hancock County Water and Sewer District as per Mississippi Code Section 19-5-167; and

WHEREAS, the Board of Supervisors has considered the recommendation, and having moved and seconded, voted to approve the reappointment for the applicable five-year term under said statute;

NOW, BE IT SO RESOLVED AND ORDERED by the Hancock County Board of Supervisors that they accept the above and foregoing averments as true and correct and reappoint Tommy Hayes as the appointment by Scotty Adam to the Hancock County Water and Sewer District, with the motion, second and vote as follows:

Motion to approve Supervisor Scotty Adam's reappointment of Tommy Hayes to the Hancock County Water and Sewer Board. Moved by Supervisor Scotty Adam, seconded by Supervisor _____.

Vote: District 1:
District 2:
District 3:
District 4:
District 5:

So ordered and resolved by the Hancock County Board of Supervisors on the 19th day of April, 2021.

_____
Scotty Adam, Board President

_____
Timothy Kellar, Chancery Clerk

Attachment: RESOLUTION - District 4 - Reappointment of Tommy Hayes to Hancock County Water and Sewer (8010 : Resolution for

Annually Since 1947

MISSISSIPPI DEEP SEA FISHING RODEO, INC.

A Non-Profit Corporation
MISSISSIPPI'S OFFICIAL SPORT FISHING CLASSIC
DEEP SEA FISHING - FRESH WATER FISHING - JUNIOR FISHING RODEO
POST OFFICE BOX 3957
GULFPORT, MISSISSIPPI 39502-3957

mississippideepseafishingrodeo.com
Phone 228-863-2713

March 19, 2021

Dear Official,

Preparations are under way for this year's fishing rodeo, which will be held from July 1 through July 4, 2021 at the Barksdale Pavilion in the Gulfport Harbor. It is time to initiate the involvement of the new rodeo princesses. Accordingly, we request your selection of a candidate to represent your city/county for this year's rodeo pageant. We have requested through the schools to be added to the list of scholarships with the instructions for the graduates to contact your office to be considered. This scholarship does not cost you anything we only ask you to nominate someone to represent your community.

The pageant will be held on the event on July 4, 2021. Participation during the event will be consideration in the selection of winners.

The rodeo queen will receive a minimum of $1,000.00 scholarship and two (2) alternates will receive $500.00 each and all others will receive $250.00. Candidates must meet the following qualifications:

(1) Female between the ages of 18-22 at the time of the rodeo;
(2) a graduating high school senior or enrolled (or will enroll) in an accredited, public Mississippi college, junior or community college or university in the Fall (August) 2020 semester;
(3) Available for rodeo activities during the dates of July 1 through July 4, 2021; a required minimum of 16 cumulative hours and provide own transportation,
(4) A first time contestant.
(5) Sell a minimum of $125 in boat raffle tickets (one book)

Pre-rodeo pageant functions take place during the dates of the event and candidates must provide their own transportation. We request that you make your selection as soon as possible and return the enclosed form completed before the deadline of Friday, May 14, 2021.
The graduates are instructed to submit applications to your office no later than Friday, April 30, 2021.

If you have any questions or need anything further, you may contact me at 228-697-4006. Please forward you selection to Shirley Valdez, Pageant Coordinator, 23140 Belmont Place, Gulfport, Ms 39503.

Thank you in advance for you continued interest in our annual event.
With kindest regards, I remain

Sincerely,

Shirley Valdez, Pageant Coordinator

Attachment: 20210405 - Mississippi Deep Sea Fishing Rodeo - July 1 - 4 (8047 : Mississippi Deep Sea Fishing Rodeo scheduled for July 1

MISSISSIPPI DEEP SEA FISHING RODEO
PAGEANT CONTESTANT FORM

Name of contestant: _____ **Age**_____

Mailing address: _____

Representing: _____

Your Parent's Name: _____

Home Phone: _____ **Cell:** _____

Career objectives:

_____
_____
_____

Hobbies, awards, previous titles, etc.:

_____
_____
_____

If there are other things that you would like to tell us about yourself please do so below:

_____
_____
_____

Name and address of the college you will be attending:

_____
_____
_____

The Mississippi Deep Sea Fishing Rodeo will be held at the Barksdale Pavilion in the Gulfport harbor from July 1 through July 4, 2021. The pageant will take place at the rodeo on Sunday, July 4, 2021.

THIS FORM MUST BE TURNED INTO YOUR MAYOR'S OFFICE OFR BOARD OF SUPERVISOR'S OFFICE ON OR BEFORE FRIDAY, APRIL 30, 2021 TO BE CONSIDERED.

Attachment: 20210405 - Mississippi Deep Sea Fishing Rodeo - July 1 - 4 (8047 : Mississippi Deep Sea Fishing Rodeo scheduled for July 1